

Beaufort, associated outlying landing fields, and training areas.

ADDRESSES: The Navy has initiated a scoping process for the purpose of determining the scope of significant issues to be addressed in the EIS related to the proposed action. The Navy will hold two additional Public Scoping Meetings on the following dates: September 10, 1996, beginning at 7:00 p.m. at Havelock City Hall, Council Chambers, 1 Hatteras Avenue (at Route 70), Havelock, NC; and on September 11, 1996, beginning at 7:00 p.m. at the Technical College of the Low Country, Learning Resource Center, Main Auditorium, Building 12, 921 Ribaut Road, Beaufort, SC.

In order to ensure adequate time for those wishing to make public comments at the meetings, speakers will be limited to five minutes. Agencies and the public are also invited and encouraged to provide written comments on the scope of the EIS. Please mail written comments no later than October 5, 1996 to: Commander, Atlantic Division, Naval Facilities Engineering Command, 1510 Gilbert Street, Norfolk, Virginia 23511, Attn: Code 2032DC (Mr. Dan Cecchini), telephone (757) 322-4891, fax: (757) 322-4859.

D. E. Koenig,

LCDR, JAGC, USN, Federal Register Liaison Officer.

[FR Doc. 96-21551 Filed 8-22-96; 8:45 am]

BILLING CODE 3810-FF-P

DEFENSE NUCLEAR FACILITIES SAFETY BOARD

[Recommendation 96-1]

In-Tank Precipitation System at the Savannah River Site

AGENCY: Defense Nuclear Facilities Safety Board.

ACTION: Notice; recommendation.

SUMMARY: The Defense Nuclear Facilities Safety Board has made a recommendation to the Secretary of Energy pursuant to 42 U.S.C. 2286a concerning the In-Tank Precipitation System at the Savannah River Site. The Board requests public comments on this recommendation.

DATES: Comments, data, views, or arguments concerning this recommendation are due on September 23, 1996.

ADDRESSES: Send comments, data, views, or arguments concerning this recommendation to: Defense Nuclear Facilities Safety Board, 625 Indiana Avenue, NW, Suite 700, Washington, DC 20004-2901.

FOR FURTHER INFORMATION CONTACT: Kenneth M. Pusateri or Andrew L. Thibadeau at the address above or telephone (202) 208-6400.

Dated: August 19, 1996.

John T. Conway,
Chairman.

August 14, 1996.

The Defense Nuclear Facilities Safety Board (Board) has devoted substantial attention to the planned use of the In-Tank Precipitation (ITP) System at the Savannah River Site, because of its importance to removal of high-level radioactive waste from storage tanks at that Site, and because certain unique hazards are associated with the ITP process.

The hazards are a consequence of the volatile and flammable organic compound benzene that is released during the process in amounts that must not exceed safe limits. The benzene is generated through decomposition of tetraphenylborate (TPB) compounds. These compounds are added in the process with the objective to precipitate and remove radioactive cesium from solution in the waste water destined for the saltstone process. The concentrated slurry containing the precipitated cesium constitutes a much smaller volume than the original waste, and its feed to the vitrification process leads to production of a correspondingly smaller amount of glass ultimately to be disposed of in a repository.

The proposed treatment process calls for addition of a quantity of TPB in excess of that theoretically required to precipitate the cesium as cesium TPB. That excess is required partly because the significant amount of potassium present is also precipitated as potassium TPB, and partly because an excess of TPB in solution ensures more effective scrubbing of the radioactive cesium through precipitation. However, the benefit of effective scrubbing is accompanied by the generation of the benzene, which presents hazards of a different sort, and which also requires safety controls.

Westinghouse Savannah River Company is the Department of Energy contractor in charge of ITP. The Westinghouse staff at the Savannah River Site believed until recently that the principal cause of decomposition of TPB and generation of benzene is exposure of the TPB to the high level of radiation in the waste. That belief was based on results of full-scale tests conducted in 1983 that may have been misinterpreted, and on a decade of subsequent bench-scale tests using non-radioactive stimulants (almost

exclusively) rather than actual waste. The first large-scale operations with actual waste since 1983 were conducted recently in Tank 48, and they showed that the generation and release of benzene did not follow predictions. The generation of benzene in the waste under treatment in Tank 48 was unexpectedly rapid. A surprisingly large amount of the benzene remained captured in the waste, and that benzene was released through action of mixing pumps in the tank.

The current view of the contractor staff is that benzene is produced principally through catalytic decomposition of TPB ions in solution. They believe the catalysts are potentially both soluble and insoluble species, one of which is soluble copper known to be present in the waste. They also believe that the cesium TPB precipitate and the potassium TPB precipitate are relatively immune to catalytic decomposition. The contractor proposes to conduct two Process Verification Tests (PVT), PVT-1 and PVT-2, to further establish the validity of these views and to demonstrate the accuracy of the model it has developed to predict the rate at which the captured benzene is released from solution. PVT-1 would be performed on the homogenized nuclear waste not in Tank 48, which has already been treated with TPB that subsequently has partly decomposed with the result that some cesium has returned to solution. Additional TPB would be added to this material to reprecipitate that cesium. The amount of TPB to be added would be strictly limited to a small amount as needed to reduce the concentration of cesium remaining in solution to a low radiation level acceptable for processing as low level waste in the saltstone process, and a large part of that solution would be sent to saltstone. The subsequent proposed experiment, PVT-2, will involve adding to the slurry remaining in Tank 48 a large amount of additional untreated waste and a substantial quantity of TPB as needed to precipitate the cesium in this new waste.

The Board has been informed that the primary safety precaution for the proposed cesium removal activities is to maintain an inert atmosphere in the headspace of Tank 48. This is to be done through establishing a sufficient flow of nitrogen to the tank. Two nitrogen feed systems are available, a normal system and a supplemental emergency system. The nitrogen systems are present to keep the concentration of oxygen below the level that would support combustion of the benzene. Westinghouse staff members have

pointed out that these redundant inerting systems provided a sufficient safety factor for control of oxygen concentration in the headspace. They have further stated that the rate of buildup of oxygen concentration from air ingress into the tank headspace, if both inerting systems are simultaneously inoperable, would be slow enough to allow reestablishment of nitrogen flow before the bulk vapor in Tank 48 reaches the minimum oxygen concentration that could support combustion of benzene.

Operations since December 1995 indicate that for the current batch of waste, mixing pump operation increases the benzene release rate from the waste and that turning off the pumps essentially stops the release. The Board has been informed of the consequent belief that the actual rate of benzene release into the tank's headspace and its subsequent removal can be controlled through managing the action of the mixing pumps. This stratagem is to be followed in the tests as a means of maintaining the concentration of benzene in the headspace at a low enough level to prevent it from becoming flammable even if the oxygen concentration were to increase to an undesired level.

Westinghouse representatives also plan to impose a temperature limit for PVT-1 which is expected to prevent decomposition of TPB or to reduce its rate. Finally, they state that for PVT-1 the addition of TPB will be limited to 200 gallons of fresh 0.5 Molar sodium TPB solution, and that any subsequent additions during this experiment would be subject to review and approval by the Department of Energy. Westinghouse believes that this, in turn, would limit the maximum amount of additional benzene that could be produced. In effect, the amount of TPB added will be treated as an Operating Limit.

The Department and its contractor have brought substantial expertise to bear on understanding the science of the ITP process and the phenomena attending it. However, the Board is concerned that some important questions remain unanswered. First, the physical basis for holdup of large amounts of benzene in the waste and its removal through mixing pump operation is not yet well understood. Therefore, confidence in the ability to control its release is not as high as desired.

The Board is also concerned with the results of a recent laboratory-scale experiment using Tank 48 solution and TPB additive. The results from this experiment indicate that the amount of TPB which decomposed exceeded that

amount which had been added during the experiment, suggesting that the cesium and potassium TPB precipitates had also partially decomposed, presumably through catalytic attack. If the cesium and potassium TPB precipitates were subject to rapid and extensive attack by a catalyst, an enormous amount of benzene could be generated, and the rate of release could be rapid enough to overwhelm the removal capability of the purging system for Tank 48.

The Board concurs with the view that ITP is of high value for subsequent vitrification of the nuclear waste in the tanks at the Savannah River Site, and that further testing is necessary to gain a better understanding of the science of the process to assure safety during and after precipitation of the cesium. The Board believes that if it were conducted according to the limitations stated above, PVT-1 can be run safely and can help in leading to an improved understanding of the science and the mechanisms involved in the ITP process.

The present plan for conduct of PVT-2 involves new and untested nuclear waste and a much larger addition of TPB. Furthermore, the liquid in Tank 49, which contains TPB from the previously mentioned 1983 demonstration test, is to be used as the source of a significant part of the TPB to be added to Tank 48 during PVT-2. The Board understands that Tank 49 was also the source of TPB used in the one experiment which led to an apparent decomposition of precipitated cesium and potassium TPB. One very probable interpretation of that anomaly is that the material in Tank 49 contains an unknown catalyst which can attack the precipitated material and might also increase the rate of release of benzene by an amount that is unpredictable at present. Furthermore, waste from tanks not yet tested could contain unknown constituents that could also adversely affect the rate of production and release of benzene.

The Board believes that the uncertainty in understanding of the science of ITP would make it imprudent to proceed from PVT-1 to PVT-2 without substantial improvement in the level of understanding. Some such improvement may follow interpretation of the results of PVT-1. Better understanding of the anomalous experiment suggesting decomposition of TPB precipitates is also required.

Therefore, the Board makes the following recommendations:

1. Conduct of the planned test PVT-2 should not proceed without improved

understanding of the mechanisms of formation of the benzene that it will generate, and the amount and rate of release that may be encountered for that benzene.

2. The additional investigative effort should include further work to (a) uncover the reason for the apparent decomposition of precipitated TPB in the anomalous experiment, (b) identify the important catalysts that will be encountered in the course of ITP, and develop quantitative understanding of the action of these catalysts, (c) establish, convincingly, the chemical and physical mechanisms that determine how and to what extent benzene is retained in the waste slurry, why it is released during mixing pump operation, and any additional mechanisms that might lead to rapid release of benzene, and (d) affirm the adequacy of existing safety measures or devise such additions as may be needed.

John T. Conway,
Chairman.

Appendix—Transmittal Letter to Secretary of Energy

DEFENSE NUCLEAR FACILITIES SAFETY BOARD

625 Indiana Avenue, NW, Suite 700,
Washington, D.C. 20004 (202) 208-6400

August 14, 1996

The Honorable Hazel R. O'Leary,
Secretary of Energy, 1000 Independence
Avenue, SW, Washington, DC 20585-1000

Dear Secretary O'Leary: On August 14, 1996, the Defense Nuclear Facilities Safety Board (Board), in accordance with 42 U.S.C. 2286a(a)(5), unanimously approved Recommendation 96-1 which is enclosed for your consideration. Recommendation 96-1 deals with the In-Tank Precipitation System at the Savannah River Site.

42 U.S.C. 2286d(a) requires the Board, after receipt by you, to promptly make this recommendation available to the public in the Department of Energy's regional public reading rooms. The Board believes the recommendation contains no information which is classified or otherwise restricted. To the extent this recommendation does not include information restricted by the Department of Energy under the Atomic Energy Act of 1954, 42 U.S.C. 2161-68, as amended, please arrange to have this recommendation promptly placed on file in your regional public reading rooms.

The Board will continue to review these preparations for routine activity in the In-Tank Precipitation System and will seek to ensure that Board actions do not delay this important program any more than may be needed for assurance of safety. Should the Secretary accept the recommendations, the Board is prepared to allocate priority resources in the form of Board members and staff to join in expedited development of a mutually acceptable Implementation Plan.

The Board will publish this recommendation in the Federal Register.

Sincerely,
John T. Conway,
Chairman.

Enclosure

c: Mr. Mark B. Whitaker, Jr.
[FR Doc. 96-21484 Filed 8-22-96; 8:45 am]
BILLING CODE 3670-01-M

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Docket No. RP92-237-027]

Alabama-Tennessee Natural Gas Company; Notice of Refund Report

August 19, 1996.

Take notice that on August 7, 1996, Alabama-Tennessee Natural Gas Company (Alabama-Tennessee), tendered for filing a refund report required by Article 1, Paragraph 1.5, of the general rate case settlement in the referenced proceeding.

Alabama-Tennessee states that it previously filed to eliminate a volumetric charge of \$0.0027 per dekatherm from its rates and that although it has issued refunds attributable to the elimination of the surcharge, it inadvertently failed to file the subject report. Alabama-Tennessee states that the subject report is intended to meet its obligation in that regard.

Alabama-Tennessee requests that the Commission grant any waivers necessary to permit review of the report and states that a copy of the report has been served on all parties named on the official service list in this proceeding.

Any person desiring to protest said filing should file a protest with the Federal Energy Regulatory Commission, 888 First Street, N.E., Washington, D.C., 20426 in accordance with Rule 211 of the Commission's Rules of Practice and Procedure (18 CFR 385.211). All such protests must be filed on or before August 26, 1996. Protests will be considered by the Commission in determining the appropriate action to be taken but will not service to make protestants parties to the proceeding. Copies of this filing are on file with the Commission and are available for public inspection.

Linwood A. Watson, Jr.,

Acting Secretary.

[FR Doc. 96-21499 Filed 8-22-96; 8:45 am]

BILLING CODE 6717-01-M

[Docket No. RP96-298-001]

Columbia Gas Transmission Corporation; Notice of Compliance Filing

August 19, 1996.

Take notice that on August 15, 1996, Columbia Gas Transmission Corporation

(Columbia) tendered for filing with the Commission documentation in compliance with the Commission's order dated July 31, 1996, in Docket No. RP96-298-000. (76 FERC ¶ 61,102 (1996))

Columbia states that copies of its filing have been mailed to all firm customers, affected state commissions and interruptible customers.

Any person desiring to protest said filing should file a protest with the Federal Energy Regulatory Commission, 888 First Street, N.E., Washington, DC 20426, in accordance with Section 385.211 of the Commission's Rules and Regulations. All such protests must be filed as provided in Section 154.210 of the Commission's Regulations. Protests will be considered by the Commission in determining the appropriate action to be taken, but will not serve to make protestants parties to the proceeding. Copies of this filing are on file with the Commission and are available for public inspection in the Public Reference Room.

Linwood A. Watson, Jr.,

Acting Secretary.

[FR Doc. 96-21497 Filed 8-22-96; 8:45 am]

BILLING CODE 6717-01-M

[Docket No. RP96-341-000]

Koch Gateway Pipeline Company; Notice of Proposed Changes in FERC Gas Tariff

August 19, 1996.

Take notice that on August 15, 1996, Koch Gateway Pipeline Company (Koch) tendered for filing to become part of its FERC Gas Tariff, Fifth Revised Volume No. 1, the following tariff sheets, to be effective October 1, 1996:

Fourth Revised Sheet No. 1
Third Revised Sheet No. 2
First Revised Sheet No. 701
Original Sheet No. 715
Original Sheet No. 716
Original Sheet No. 717
Original Sheet No. 718
Original Sheet No. 719
Original Sheet No. 720
Original Sheet No. 721
Second Revised Sheet No. 805
Second Revised Sheet No. 806
Second Revised Sheet No. 807
Second Revised Sheet No. 808
Third Revised Sheet No. 1801
Second Revised Sheet No. 1806
Second Revised Sheet No. 1808
First Revised Sheet No. 4804
Original Sheet No. 4805
Original Sheet No. 4806
Original Sheet No. 4807

Koch states this filing is submitted as an application pursuant to Section 4 of the Natural Gas Act, 15 U.S.C. 717c

(1988), and Part 154 of the Rules and Regulations of the Federal Energy Regulatory Commission ("Commission").

Koch states that it files the above tariff sheets to implement a paper pooling service under Rate Schedule PS. Koch states that this service complies with the Commission's June 13, 1996, Order in Docket No. CP94-324.

Any person desiring to be heard or to protest said filing should file a motion to intervene or protest with the Federal Energy Regulatory Commission, 888 First Street, N.E., Washington, D.C. 20426, in accordance with Sections 385.214 and 385.211 of the Commission's regulations. All such motions or protest must be filed as provided in Section 154.210 of the Commission's regulations. Protests will be considered by the Commission in determining appropriate action to be taken, but will not serve to make protestants parties to the proceedings. Any person wishing to become a party must file a motion to intervene. Copies of this filing are on file with the Commission and are available for public inspection.

Linwood A. Watson, Jr.,

Acting Secretary.

[FR Doc. 96-21498 Filed 8-22-96; 8:45 am]

BILLING CODE 6717-01-M

[Docket No. RP96-340-000]

Questar Pipeline Company; Notice of Tariff Filing

August 19, 1996.

Take notice that on August 14, 1996, Questar Pipeline Company, tendered for filing to become part of its FERC Gas Tariff, First Revised Volume No. 1, the following tariff sheets to be effective September 14, 1996:

Original Sheet Nos. 52A, and 56A
First Revised Sheet Nos. 48, 55 and 73A
Second Revised Sheet Nos. 49, 53, 54, 56 and 73
Third Revised Sheet Nos. 46, 52 and 68
Fourth Revised Sheet No. 51

Questar states that these tariff sheets revise its tariff by modifying provisions that pertain to the (1) sale of firm capacity and (2) information required of a shipper when requesting service on Questar's system.

Questar states that a copy of this filing has been served upon its customers, the Public Service Commission of Utah and the Wyoming Public Service Commission.

Any person desiring to be heard or to protest said filing should file a motion to intervene or protest with the Federal Energy Regulatory Commission, 888