

not considering the use of any voluntary consensus standards.

**List of Subjects in 40 CFR Part 258**

Environmental protection, Adequacy, Administrative practice and procedure, Municipal solid waste landfills, Non-hazardous solid waste, State permit program approval.

**Authority:** 42 U.S.C. 6912, 6945, 6949(a).  
Dated: September 23, 1999.

**John P. DeVillars,**

*Regional Administrator, Region I.*

[FR Doc. 99-25839 Filed 10-4-99; 8:45 am]

BILLING CODE 6560-50-P

**FEDERAL EMERGENCY MANAGEMENT AGENCY**

**44 CFR Part 67**

[Docket No. FEMA-7298]

**Proposed Flood Elevation Determinations**

**AGENCY:** Federal Emergency Management Agency (FEMA).

**ACTION:** Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

**ADDRESSES:** The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

**FOR FURTHER INFORMATION CONTACT:** Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (e-mail) matt.miller@fema.gov.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

**National Environmental Policy Act**

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

**Regulatory Flexibility Act**

The Associate Director for Mitigation certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

**Regulatory Classification**

This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

**Executive Order 12612, Federalism**

This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

**Executive Order 12778, Civil Justice Reform**

This proposed rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

**List of Subjects in 44 CFR Part 67**

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR Part 67 is proposed to be amended as follows:

**PART 67—[AMENDED]**

1. The authority citation for Part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376. § 67.4.

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet. (NGVD)	
				Existing	Modified
Colorado .....	Breckenridge (Town) Summit County.	Blue River Middle Branch	Approximately 1,160 feet upstream of County Road 3.	None	*9,350
			Approximately 1,800 feet upstream of South Park Drive.	None	*9,631
		Cucumber Gulch .....	Approximately 100 feet upstream of confluence with Blue River Middle Branch.	None	*9,457
			Approximately 50 feet upstream of Airport Road.	None	*9,469
		Illinois Gulch .....	At confluence with Blue River Middle Branch.	*9,615	*9,615

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet. (NGVD)	
				Existing	Modified
		Jones Gulch .....	Approximately 200 feet upstream of Boreas Pass Road.	None	*9,743
			Approximately 1,250 feet upstream from confluence with Blue River.	None	*9,623
			Approximately 2,300 feet upstream from confluence with Blue River.	None	*9,665

Maps are available for inspection at the Engineering Office, 150 Ski Hill Road, Breckenridge, Colorado.

Send comments to The Honorable Steve West, Mayor, Town of Breckenridge, P.O. Box 588, Breckenridge, Colorado 80424.

Nevada .....	Washoe County and Incorporated Areas.	Mogul Creek .....	At intersection with Interstate 80 Frontage Road.	None	*4,680
			Approximately 1,050 feet upstream from Cliff View Court.	None	*4,737

Maps are available for inspection at Washoe County Engineering, 1001 East 9th Street, Reno, Nevada.

Send comments to The Honorable Jim Galloway, Chairman, Washoe County Commission, P.O. Box 11130, Reno, Nevada 89520.

Maps are available for inspection at the Community Development Office, 450 Sinclair Street, Reno, Nevada.

Send comments to The Honorable Jeff Griffin, Mayor, City of Reno, P.O. Box 1900, Reno, Nevada 89505.

Texas .....	Harris County and Incorporated Areas.	White Oak Bayou (E-100-00-00).	At confluence with Buffalo Bayou (W100-00-00).	*38	*38
			Just upstream of West 18th Street .....	*50	*59
			Just upstream of Lakeview Drive .....	*106	*107
		Little White Oak Bayou E(-101-00-00).	Approximately 300 feet upstream of Huffmeister Road.	*133	*133
			At confluence with White Oak Bayou (E-100-00-00).	*41	*43
			Just upstream of West Rittenhouse .....	*82	*86
		Brickhouse Gully (E115-00-00).	At confluence with White Oak Bayou (E-100-00-00).	*61	*68
				*89	*90
		Cole Creek (E117-00-00)	Just upstream of Campbell Road Approximately 700 feet upstream of Talina Way.	*101	*101
			At confluence with White Oak Bayou (E-100-00-00).	*67	*73
			Approximately 1,300 feet upstream of Sommermeyer Road.	None	*104
		Vogel Creek (E121-00-00).	At confluence with White Oak Bayou (E-100-00-00).	*77	*77
			Just upstream of West Gulf Bank Road ...	*86	*85
			Just upstream of Silentwood Lane .....	*105	*108
Ditch (E141-00-00) .....	Approximately 2,500 feet upstream of FairBanks-Fallbrook Road.	*115	*115		
	At confluence with White Oak Bayou (E-100-00-00).	None	*103		
	Approximately 9,200 feet upstream of Windfern Forest.	None	*108		

Maps are available for inspection at Harris County Permits Division, 9900 North West Freeway, Houston, Texas.

Send comments to The Honorable Robert Eckels, Harris County Judge, 1001 Preston Street, Suite 911, Houston, Texas 77002.

Maps are available for inspection at the Planning and Development Office, 611 Walker, 6th Floor, Houston, Texas.

Send comments to The Honorable Lee P. Brown, Mayor, City of Houston, P.O. Box 1562, Houston, Texas 77251.

Maps are available for inspection at the Public Works Department, 16501 Jersey Drive, Houston, Texas.

Send comments to The Honorable Steve Schneider, Mayor, City of Jersey Village, 16501 Jersey Drive, Houston, Texas 77040.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")  
 Dated: September 27, 1999.  
**Michael J. Armstrong,**  
*Associate Director for Mitigation.*  
 [FR Doc. 99-25806 Filed 10-4-99; 8:45 am]  
 BILLING CODE 6718-04-P

**FEDERAL EMERGENCY  
 MANAGEMENT AGENCY**

**44 CFR Part 67**

[Docket No. FEMA-7295]

**Proposed Flood Elevation  
 Determinations**

**AGENCY:** Federal Emergency Management Agency, FEMA.  
**ACTION:** Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed base (1% annual chance) flood elevations and proposed base flood elevation modifications for the communities listed below. The base flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

**ADDRESSES:** The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

**FOR FURTHER INFORMATION CONTACT:** Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (email) matt.miller@fema.gov.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency (FEMA or Agency) proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

*National Environmental Policy Act.* This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

*Regulatory Flexibility Act.* The Associate Director, Mitigation Directorate, certifies that this proposed

rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the National Flood Insurance Program. As a result, a regulatory flexibility analysis has not been prepared.

*Regulatory Classification.* This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 12612, Federalism.* This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

*Executive Order 12778, Civil Justice Reform.* This proposed rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

**List of Subjects in 44 CFR Part 67**

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

**PART 67—[AMENDED]**

1. The authority citation for part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

**§ 67.4 [Amended]**

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD)	
				Existing	Modified
Alabama .....	Northport (City), .....	Twomile Creek .....	Approximately 100 feet upstream of confluence with Twomile Creek.	*183	*184
	Tuscaloosa County ..	Tributary No. 5 .....	Approximately 710 feet upstream of confluence with Twomile Creek.	*185	*186
Maps available for inspection at the City of Northport City Hall, 3500 McFarland Boulevard, Northport, Alabama. Send comments to The Honorable Wayne Rose, Mayor of the City of Northport, P.O. Box 569, Northport, Alabama 35476.					
Alabama .....	Tuscaloosa (City), Tuscaloosa County.	Bee Branch .....	At confluence with Hurricane Creek .....	None	*214
			Approximately 1,600 feet downstream of westbound Route 59.	None	*278
			Approximately 1,600 feet downstream of westbound Route 59.		
	Cottdonale Creek .....	At confluence with Cottdonale Creek .....		*248	*249
	Tributary No. 1 .....	Approximately 1,600 feet upstream of 56th Street East Dam.		None	*298