

DEPARTMENT OF THE INTERIOR**Fish and Wildlife Service****50 CFR Part 10****RIN 1018-AB72****General Provisions; Revised List of Migratory Birds****AGENCY:** Fish and Wildlife Service, Interior.**ACTION:** Proposed rule.

SUMMARY: We propose to revise the List of Migratory Birds by (1) adding 1 species that belongs to a family covered by the Canadian and Mexican treaties and that is now known to occur and breed regularly in the United States; (2) adding 2 species covered by the Japanese and Russian treaties that were mistakenly omitted from previous lists; (3) adding 1 species of regular occurrence in the United States that now belongs to a protected family as a result of a recent taxonomic revision; (4) adding 26 newly recognized species; (5) removing 1 species that is no longer considered valid; (6) changing the English (common) and scientific names of 78 species to conform with modern nomenclature; and (7) correcting an error in the common (English) name of 1 species. The net result of these proposed changes is the addition of 29 species (25 by name only), which will bring the total number of protected species to 861; only 4 of the 29 proposed additions are not currently covered by the existing list as former subspecies of a listed species.

DATES: Comments must be submitted on or before November 13, 2001.

ADDRESSES: Written comments may be mailed to the Chief, Division of Migratory Bird Management, U.S. Fish and Wildlife Service, 4401 North Fairfax Drive, Room 634, Arlington, VA 22203. Alternatively, comments may be e-mailed, with Migratory Birds in the subject line, to John L. Trapp (john_trapp@fws.gov). The complete file for this rule will be available for public inspection during normal business hours, by appointment, at the above address.

FOR FURTHER INFORMATION CONTACT: Jon Andrew, Chief, Division of Migratory Bird Management, U.S. Fish and Wildlife Service, telephone: (703) 358-1714.

SUPPLEMENTARY INFORMATION:**What Statutory Authority Does the Service Have for This Rulemaking?**

We have statutory authority and responsibility for enforcing the

Migratory Bird Treaty Act (MBTA) in 16 U.S.C. 703–711, the Fish and Wildlife Improvement Act of 1978, 16 U.S.C. 712, and 16 U.S.C. 742a–j. The MBTA implements treaties between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) Canada: Convention for the Protection of Migratory Birds, August 16, 1916, United States-Great Britain (on behalf of Canada), 39 Stat. 1702, T.S. No. 628;

(2) Mexico: Convention for the Protection of Migratory Birds and Game Mammals, February 7, 1936, United States-United Mexican States (=Mexico), 50 Stat. 1311, T.S. No. 912;

(3) Japan: Convention for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, United States-Japan, 25 U.S.T., 3329 T.I.A.S. No. 7990; and

(4) Russia: Convention for the Conservation of Migratory Birds and Their Environment, United States-Union of Soviet Socialist Republics (=Russia), November 26, 1976, 92 Stat. 3110, T.I.A.S. 9073, 16 U.S.C. 703–712.

What Is the Purpose of The Proposed Rulemaking?

Our purpose is to inform the public of the species protected by regulations designed to enforce the terms of the MBTA. These regulations are found in Title 50, Code of Federal Regulations (CFR), Parts 10, 20, and 21. We regulate most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for regulatory purposes.

Why Is The Proposed Amendment to the List of Migratory Birds Necessary?

The proposed amendment is needed to (1) add a species that belongs to a protected family and that is now known to occur and breed regularly in the United States, (2) add two species covered by the Japanese and Russian treaties that were mistakenly omitted from previous lists, (3) add a species of regular occurrence in the United States that now belongs to a protected family as a result of recent taxonomic revisions, (4) add 26 newly recognized species by name, (5) remove a species that is no longer considered valid, (6) change the common (English) and scientific names of 78 species to conform with modern nomenclature, and (7) correct an error in the existing list. Twenty-nine species will be added by name, but in fact only four will be

newly covered (the other 25 having previously been covered as subspecies of a listed species).

The List of Migratory Birds (50 CFR 10.13) was last revised on April 5, 1985 (50 FR 13710). In a proposed rule published May 9, 1995 (60 FR 24686), we suggested adding 20 species, removing 1 species, and revising the common (English) or scientific names of 23 previously listed species to conform with the most recent nomenclature. The proposed amendments were a response to five published supplements to the 6th (1983) edition of the American Ornithologists' Union's (AOU's) *Check-list of North American birds*. Knowing that additional amendments would be necessary following the anticipated publication of a 7th edition of the *Check-list*, we elected to delay publication of a final rule until after the appearance of the revised *Check-list*. The 1995 proposed rule generated just two public comments, from the American Ornithologists' Union and the Association of Scientific Collections. The comments of those organizations, mostly editorial in nature, are incorporated into this document, as appropriate.

Following publication of the 7th edition of the *Check-list* in July 1998, administrative workloads and staff shortages prevented work on a final rule until September 2000. Because of the 5-year delay since publication of the proposed rule, plus the many new changes necessitated by the 7th edition of the *Check-list*, we are issuing another proposed rule. This will provide the public with an opportunity to review and comment on all of the desired changes that have come to light since publication of the 1995 proposed rule.

What Scientific Authorities Does the Service Use To Amend the List of Migratory Birds?

Although bird names (common and scientific) are relatively stable, there is still a need for standardized usage to avoid confusion in communications. We follow the *Check-list of North American birds* (AOU 1998), as amended (AOU 1999, 2000), on matters of taxonomy, nomenclature, and the sequence of species and other higher taxonomic categories (orders, families, subfamilies). For the few species that occur outside the geographic area covered by the *Check-list* (AOU 1998, 1999, and 2000), we follow Monroe and Sibley (1993). Citations for these authorities follow:

American Ornithologists' Union. 1998.

Check-list of North American birds. 7th Edition. American Ornithologists' Union, Washington, DC. 829 pp.

American Ornithologists' Union. 1999. Notice from the Committee on Classification and Nomenclature. Auk 116: 282–283.

American Ornithologists' Union. 2000. Forty-second supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 117: 847–858.

Monroe, B. L., Jr., and C. G. Sibley. 1993. *A world checklist of birds*. Yale University Press, New Haven, Conn. 393 pp.

What Criteria Does the Service Use To Identify Species Eligible for Protection by the MBTA?

The treaties with Canada and Mexico indicate, by scientific names of families or groups or by the common (English) names of species or groups of species, which birds were intended to be covered. We generally do not include species of purely accidental or casual occurrence in the United States, even if they belong to one of the named families or groups. Similarly, we do not list species whose occurrence in the United States is strictly the result of intentional human introduction(s).

The Japanese and Russian treaties list individual species of birds that are covered. For 35 of these species, the scientific (genus or species) name currently recognized by scientific authorities (AOU 1998 and 1999, Monroe and Sibley 1993) differs from that which appears in the treaties. The following cross-reference provides a linkage between the scientific names used in this list and those that appear in the appendices to the Japanese and Russian treaties. The first name is the modern equivalent adopted here, and the second name is that which appears in one or another of the treaties. These changes do not revise the appendices to either the Japanese or the Russian treaty (indicated by J or R):

Accipiter gularis (Japanese Sparrowhawk) is listed as *Accipiter virgatus* (J & R);
Actitis hypoleucus (Common Sandpiper) is listed as *Tringa hypoleucus* (J & R);
Aethia psittacula (Parakeet Auklet) is listed as *Cyclorrhynchus psittacula* (R);
Anas americana (American Wigeon) is listed as *Mareca americana* (J);
Anas clypeata (Northern Shoveler) is listed as *Spatula clypeata* (J);
Anas penelope (Eurasian Wigeon) is listed as *Mareca penelope* (J);
Anthus rubescens (American Pipit) is listed as *Anthus spinosetta* (J & R);
Branta bernicla (Brant) incorporates *Branta nigricans* (R);
Calidris alba (Sanderling) is listed as *Crocethia alba* (J);
Calidris subminuta (Long-toed Stint) is listed as part of *Calidris minutilla* (J);
Carduelis flammea (Common Redpoll) is listed as *Acanthis flammea* (J);
Carduelis hornemannii (Hoary Redpoll) is included as part of *Carduelis flammea* (J), and is listed as *Acanthis hornemannii* (R);

Charadrius morinellus (Eurasian Dotterel) is listed as *Eudromias morinellus* (J & R);
Chen canagica (Emperor Goose) is listed as *Anser canagicus* (J), and *Philacte canagica* (R);
Chen caerulescens (Snow Goose) is listed as *Anser caerulescens* (J);
Cygnus columbianus (Tundra Swan) incorporates *Cygnus bewickii* (R);
Egretta sacra (Pacific Reef-Egret) is listed as *Demigretta sacra* (J);
Fratercula cirrhata (Tufted Puffin) is listed as *Lunda cirrhata* (J & R);
Gallinago gallinago (Common Snipe) is listed as *Capella gallinago* (R);
Gallinago megala (Swinhoe's Snipe) is listed as *Capella megala* (R);
Gallinago stenura (Pin-tailed Snipe) is listed as *Capella stenura* (R);
Heterosceles brevipes (Gray-tailed Tattler) is included as part of *Tringa incana* (J);
Heterosceles incanus (Wandering Tattler) is listed as *Tringa incana* (J);
Luscinia calliope (Siberian Rubythroat) is listed as *Erythacus calliope* (J);
Melanitta fusca (White-winged Scoter) incorporates *Melanitta deglandi* (J);
Mergellus albellus (Smew) is listed as *Mergus albellus* (J & R);
Milvus migrans (Black Kite) is listed as *Milvus korschun* (R);
Motacilla lugens (Black-backed Wagtail) is included as part of *Motacilla alba* (J & R);
Numenius borealis (Eskimo Curlew) is included as part of *Numenius minutus* (J);
Phalaropus lobatus (Red-necked Phalarope) is listed as *Lobipes lobatus* (R);
Phoebastria albatrus (Short-tailed Albatross) is listed as *Diomedea albatrus* (J & R);
Phoebastria immutabilis (Laysan Albatross) is listed as *Diomedea immutabilis* (J & R);
Phoebastria nigripes (Black-footed Albatross) is listed as *Diomedea nigripes* (J & R);
Pterodroma hypoleuca (Bonin Petrel) is listed as *Pterodroma leucoptera* (R);
Tachycineta bicolor (Tree Swallow) is listed as *Iridoprocne bicolor* (R); and
Turdus obscurus (Eyebrowed Thrush) is listed as *Turdus pallidus* (R)

How Will the Changes Proposed Here Affect the List of Migratory Birds?

The proposed amendments address a grand total of 109 species and would result in a net addition of 30 species to the List of Migratory Birds, bringing the species total to 862. Only four species, though, are not already covered. Under these amendments, as proposed:

(1) One species would be added because of recent evidence that it occurs regularly in the United States:
 Tanager, Flame-colored, *Piranga bidentata*
 (2) Two species would be added because they are included in the Appendix of the Russian treaty and in the Annex to the Japanese treaty, respectively; the omission of these species in previous lists is considered an oversight:
 Duck, Spot-billed, *Anas poecilorhyncha*; and

Gull, Black-tailed, *Larus crassirostris*

(3) One species would be added because it occurs regularly in the United States, and recent taxonomic changes place it in a family (Sylviidae) covered by the Canadian and Mexican treaties: Millerbird, *Acrocephalus familiaris*

(4) Twenty-six species would be added because of recent taxonomic changes; what was once considered a single species is now recognized by authorities as two or more species. These additions will not change the protective status of these taxa, only the names by which they are known:

Coot, Hawaiian, *Fulica alai* (formerly included in *Fulica americana*, American Coot);

Flicker, Gilded, *Colaptes chrysoides* (formerly included in *Colaptes auratus*, Northern Flicker);

Flycatcher, Cordilleran, *Empidonax occidentalis* (formerly included in *Empidonax difficilis*, Western Flycatcher); Gnatcatcher, California, *Polioptila californica* (formerly included in *Polioptila melanura*, Black-tailed Gnatcatcher);

Golden-Plover, Pacific, *Pluvialis fulva* (formerly included in *Pluvialis dominica*, Lesser Golden-Plover);

Grebe, Clark's, *Aechmophorus clarkii* (formerly included in *Aechmophorus occidentalis*, Western Grebe);

Kamao, *Myadestes myadestinus* (formerly included in *Phaeornis obscurus*, Hawaiian Thrush);

Loon, Pacific, *Gavia pacifica* (formerly included in *Gavia arctica*, Arctic Loon); Olomao, *Myadestes laniensis* (formerly included in *Phaeornis obscurus*, Hawaiian Thrush);

Oriole, Bullock's, *Icterus bullockii* (formerly included in *Icterus galbula*, Northern Oriole);

Petrel, White-necked, *Pterodroma cervicalis* (formerly included in *Pterodroma externa*, White-necked Petrel, currently known as Juan Fernandez Petrel);

Rosy-Finch, Black, *Leucosticte atrata* (formerly included in *Leucosticte arctoa*, Rosy Finch);

Rosy-Finch, Brown-capped, *Leucosticte australis* (formerly included in *Leucosticte arctoa*, Rosy Finch);

Rosy-Finch, Gray-crowned, *Leucosticte tephrocotis* (formerly included in *Leucosticte arctoa*, Rosy Finch);

Sapsucker, Red-naped, *Sphyrapicus nuchalis* (formerly included in *Sphyrapicus varius*, Yellow-bellied Sapsucker);

Scrub-Jay, Island, *Aphelocoma insularis* (formerly included in *Aphelocoma coerulescens*, Scrub Jay);

Scrub-Jay, Western, *Aphelocoma californica* (formerly included in *Aphelocoma coerulescens*, Scrub Jay);

Sparrow, Nelson's Sharp-tailed,

Ammodramus nelsoni (formerly included in *Ammodramus caudacutus*, Sharp-tailed Sparrow);

Thrush, Bicknell's, *Catharus bicknelli* (formerly included in *Catharus minimus*, Gray-cheeked Thrush);

Titmouse, Juniper, *Baeolophus ridgwayi* (formerly included in *Parus inornatus*, Plain Titmouse);
 Towhee, California, *Pipilo crissalis* (formerly included in *Pipilo fuscus*, Brown Towhee);
 Towhee, Spotted, *Pipilo maculatus* (formerly included in *Pipilo erythrophthalmus*, Rufous-sided Towhee);
 Vireo, Cassin's, *Vireo cassinii* (formerly included in *Vireo solitarius*, Solitary Vireo);
 Vireo, Plumbeous, *Vireo plumbeus* (formerly included in *Vireo solitarius*, Solitary Vireo);
 Vireo, Yellow-green, *Vireo flavoviridis* (formerly included in *Vireo olivaceus*, Red-eyed Vireo); and
 Woodpecker, Arizona, *Picoides arizonae* (formerly included in *Picoides stricklandi*, Strickland's Woodpecker)

(5) One species would be removed because of uncertainty about its biological authenticity (but remain protected as the Black Rosy-Finch, Gray-crowned Rosy-Finch, and Brown-capped Rosy-Finch; see above):
 Finch, Rosy, *Leucosticte arctoa*

(6) The common (English) or scientific (genus or species) names of 78 species will be revised to conform with the most recent nomenclature. These revisions will not change the protective status of any of these taxa, only the names by which they are known:

Albatross, Black-footed, *Diomedea nigripes*, will be changed to *Phoebastria nigripes*; Albatross, Laysan, *Diomedea immutabilis*, will be changed to *Phoebastria immutabilis*; Albatross, Short-tailed, *Diomedea albatrus*, will be changed to *Phoebastria albatrus*; Albatross, Yellow-nosed, *Diomedea chlororhynchos*, will be changed to *Thalassarche chlororhynchos*; Auklet, Parakeet, *Cyclorrhynchus psittacula*, will be changed to *Aethia psittacula*; Barn-Owl, Common, will be changed to Owl, Barn; Bittern, Chinese, will be changed to Bittern, Yellow; Caracara, Crested, *Polyborus plancus*, will be changed to *Caracara cheriway* (this supersedes the proposed change to *Caracara plancus*); Chickadee, Black-capped, *Parus atricapillus*, will be changed to *Poecile atricapilla*; Chickadee, Boreal, *Parus hudsonicus*, will be changed to *Poecile hudsonica*; Chickadee, Carolina, *Parus carolinensis*, will be changed to *Poecile carolinensis*; Chickadee, Chestnut-backed, *Parus rufescens*, will be changed to *Poecile rufescens*; Chickadee, Mexican, *Parus sclateri*, will be changed to *Poecile sclateri*; Chickadee, Mountain, *Parus gambeli*, will be changed to *Poecile gambeli*; Cormorant, Olivaceous, *Phalacrocorax olivaceus*, will be changed to Cormorant, Neotropic, *Phalacrocorax brasiliensis*; Crow, Mexican, will be changed to Crow, Tamaulipas;

Curlew, Least, will be changed to Curlew, Little;
 Duck, Masked, *Oxyura dominica*, will be changed to *Nomonyx dominica*; Egret, Great, *Casmerodius albus*, will be changed to *Ardea alba*; Egret, Plumed, *Egretta intermedia*, will be changed to Egret, Intermediate, *Mesophoyx intermedia*; Flycatcher, Olive-sided, *Contopus borealis*, will be changed to *Contopus cooperi*; Flycatcher, Western, will be changed to Flycatcher, Pacific-slope; Gannet, Northern, *Sula bassanoides*, will be changed to *Morus bassanus*; Golden-Plover, Lesser, will be changed to Golden-Plover, American; Goose, Hawaiian, *Nesochen sandvicensis*, will be changed to *Branta sandvicensis*; Goose, Ross', will be changed to Goose, Ross's; Gull, Common Black-headed, will be changed to Gull, Black-headed; Gull, Ross', will be changed to Gull, Ross's; Hawk, Asiatic Sparrow, will be changed to Sparrowhawk, Japanese; Hawk, Gray, *Buteo nitidus*, will be changed to *Asturina nitida*; Hawk, Harris', will be changed to Hawk, Harris's; Hawk-Owl, Northern, will be changed to Owl, Northern Hawk; Heron, Green-backed, *Butorides striatus*, will be changed to Heron, Green, *Butorides virescens*; Heron, Pacific Reef, *Egretta sacra*, will be changed to Reef-Egret, Pacific; Hoopoe will be changed to Hoopoe, Eurasian; Jay, Gray-breasted, will be changed to Jay, Mexican; Jay, Scrub, will be changed to Scrub-Jay, Florida; Kite, American Swallow-tailed, will be changed to Kite, Swallow-tailed; Kite, Black-shouldered, *Elanus caeruleus*, will be changed to Kite, White-tailed, *Elanus leucurus*; Magpie, Black-billed, *Pica pica*, will be changed to *Pica hudsonia*; Murrelet, Xantus', will be changed to Murrelet, Xantus's; Night-Heron, Japanese, *Nycticorax goisagi*, will be changed to *Gorsachius goisagi*; Night-Heron, Malay, *Nycticorax melanolophus*, will be changed to Night-Heron, Malayan, *Gorsachius melanolophus*; Night-Heron, Yellow-crowned, *Nycticorax violaceus*, will be changed to *Nyctanassa violacea*; Oldsquaw will be changed to Duck, Long-tailed; Oriole, Black-cowled, will be changed to Oriole, Greater Antillean; Oriole, Northern, will be changed to Oriole, Baltimore; Petrel, White-necked, *Pterodroma externa*, will be changed to Petrel, Juan Fernandez; Pipit, Water, *Anthus spinolella*, will be changed to Pipit, American, *Anthus rubescens*; Reed-Bunting, Common, will be changed to Bunting, Reed; Reed-Bunting, Pallas', will be changed to Bunting, Pallas's;

Skua, Great, *Catharacta skua*, will be changed to *Stercorarius skua*; Skua, South Polar, *Catharacta maccormicki*, will be changed to *Stercorarius maccormicki*; Skylark, Eurasian, will be changed to Lark, Sky; Sparrow, Five-striped, *Amphispiza quinquestrigata*, will be changed to *Aimophila quinquestrigata*; Sparrow, Harris', will be changed to Sparrow, Harris's; Sparrow, Sharp-tailed, *Ammodramus caudacutus*, will be changed to Sparrow, Saltmarsh Sharp-tailed; Starling, Ashy, will be changed to Starling, White-cheeked; Starling, Violet-backed, will be changed to Starling, Chestnut-cheeked; Storm-Petrel, Sooty, will be changed to Storm-Petrel, Tristram's; Swallow, Cave, *Hirundo fulva*, will be changed to *Petrochelidon fulva*; Swallow, Cliff, *Hirundo pyrrhonota*, will be changed to *Petrochelidon pyrrhonota*; Swift, Antillean Palm, will be changed to Palm-Swift, Antillean; Tanager, Stripe-headed, *Spindalis zena*, will be changed to *Spindalis*, Puerto Rican, *Spindalis portoricensis*; Teal, Falcated, will be changed to Duck, Falcated; Thrush, Eye-browed, will be changed to Thrush, Eyebrowed; Thrush, Hawaiian, *Phaeornis obscurus*, will be changed to Omao, *Myadestes obscurus*; Thrush, Small Kauai, *Phaeornis palmeri*, will be changed to Puaiohi, *Myadestes palmeri*; Tit, Siberian, *Parus cinctus*, will be changed to Chickadee, Gray-headed, *Poecile cincta*; Titmouse, Bridled, *Parus wollweberi*, will be changed to *Baeolophus wollweberi*; Titmouse, Plain, *Parus inornatus*, will be changed to Titmouse, Oak, *Baeolophus inornatus*; Titmouse, Tufted, *Parus bicolor*, will be changed to *Baeolophus bicolor*; Towhee, Brown, will be changed to Towhee, Canyon; Towhee, Rufous-sided, will be changed to Towhee, Eastern; Tree-Pipit, Olive, will be changed to Pipit, Olive-backed; Vireo, Solitary, will be changed to Vireo, Blue-headed; Warbler, Elfin Woods, will be changed to Warbler, Elfin-woods; and Woodpecker, Lewis', will be changed to Woodpecker, Lewis's.

(7) The common (English) name of one species will be revised to correct a misspelling:

Redstart, Slaty-throated, will be changed to Redstart, Slate-throated.

For ease of comparison, the proposed changes are summarized in the following table:

Remove	Add (alphabetically)
Albatross, Black-footed, <i>Diomedea nigripes</i>	Albatross, Black-footed, <i>Phoebastria nigripes</i> .
Albatross, Laysan, <i>Diomedea immutabilis</i>	Albatross, Laysan, <i>Phoebastria immutabilis</i> .
Albatross, Short-tailed, <i>Diomedea albatrus</i>	Albatross, Short-tailed, <i>Phoebastria albatrus</i> .
Albatross, Yellow-nosed, <i>Diomedea chlororhynchos</i>	Albatross, Yellow-nosed, <i>Thalassarche chlororhynchos</i> .
Auklet, Parakeet, <i>Cyclorrhynchus psittacula</i>	Auklet, Parakeet, <i>Aethia psittacula</i> .
Barn-Owl, Common, <i>Tyto alba</i> .	
Bittern, Chinese, <i>Ixobrychus sinensis</i>	Bittern, Yellow, <i>Ixobrychus sinensis</i> .
Caracara, Crested, <i>Polyborus plancus</i>	Bunting, Pallas's, <i>Emberiza pallasi</i> .
Chickadee, Black-capped, <i>Parus atricapillus</i>	Bunting, Reed, <i>Emberiza schoeniculus</i> .
Chickadee, Boreal, <i>Parus hudsonicus</i>	Caracara, Crested, <i>Caracara cheriway</i> .
Chickadee, Carolina, <i>Parus carolinensis</i>	Chickadee, Black-capped, <i>Poecile atricapillus</i> .
Chickadee, Chestnut-backed, <i>Parus rufescens</i>	Chickadee, Boreal, <i>Poecile hudsonicus</i> .
Chickadee, Mexican, <i>Parus sclateri</i>	Chickadee, Carolina, <i>Poecile carolinensis</i> .
Chickadee, Mountain, <i>Parus gambeli</i>	Chickadee, Chestnut-backed, <i>Poecile rufescens</i> .
Cormorant, Olivaceous, <i>Phalacrocorax olivaceus</i>	Chickadee, Gray-headed, <i>Poecile cincta</i> .
Crow, Mexican, <i>Corvus imparatus</i>	Chickadee, Mexican, <i>Poecile sclateri</i> .
Curlew, Least, <i>Numenius minutus</i>	Chickadee, Mountain, <i>Poecile gambeli</i> .
Duck, Masked, <i>Oxyura dominica</i>	Coot, Hawaiian, <i>Fulica alai</i> .
Egret, Great, <i>Casmerodius albus</i>	Cormorant, Neotropic, <i>Phalacrocorax brasilianus</i> .
Egret, Plumed, <i>Egretta intermedia</i>	Crow, Tamaulipas, <i>Corvus imparatus</i> .
Finch, Rosy, <i>Leucosticte arctoa</i> .	Curlew, Little, <i>Numenius minutus</i> .
Flycatcher, Olive-sided, <i>Contopus borealis</i>	Duck, Falcated, <i>Anas falcata</i> .
Flycatcher, Western, <i>Empidonax difficilis</i>	Duck, Long-tailed, <i>Clangula hyemalis</i> .
Gannet, Northern, <i>Sula bassanoides</i>	Duck, Masked, <i>Nomonyx dominica</i> .
Golden-Plover, Lesser, <i>Pluvialis dominica</i>	Duck, Spot-billed, <i>Anas poecilorhyncha</i> .
Goose, Hawaiian, <i>Nesochen sandvicensis</i>	Egret, Great, <i>Ardea alba</i> .
Goose, Ross', <i>Chen rossii</i>	Egret, Intermediate, <i>Mesophoyx intermedia</i> .
Gull, Common Black-headed, <i>Larus ridibundus</i>	Flicker, Gilded, <i>Colaptes chrysoides</i> .
Gull, Ross', <i>Rhodostethia rosea</i>	Flycatcher, Cordilleran, <i>Empidonax occidentalis</i> .
Hawk, Asiatic Sparrow, <i>Accipiter gularis</i> .	Flycatcher, Olive-sided, <i>Contopus cooperi</i> .
Hawk, Gray, <i>Buteo nitidus</i>	Flycatcher, Pacific-slope, <i>Empidonax difficilis</i> .
Hawk, Harris', <i>Parabuteo unicinctus</i>	Gannet, Northern, <i>Morus bassanus</i> .
Hawk-Owl, Northern, <i>Surnia ulula</i> .	Gnatcatcher, California, <i>Polioptila californica</i> .
Heron, Green-backed, <i>Butorides striatus</i>	Golden-Plover, American, <i>Pluvialis dominica</i> .
Heron, Pacific Reef, <i>Egretta sacra</i> .	Golden-Plover, Pacific, <i>Pluvialis fulva</i> .
Hoopoe, <i>Upupa epops</i>	Goose, Hawaiian, <i>Branta sandvicensis</i> .
Jay, Gray-breasted, <i>Aphelocoma ultramarina</i>	Goose, Ross's, <i>Chen rossii</i> .
Jay, Scrub, <i>Aphelocoma coerulescens</i> .	Grebe, Clark's, <i>Aechmophorus clarkii</i> .
Kite, American Swallow-tailed, <i>Elanoides forficatus</i>	Gull, Black-headed, <i>Larus ridibundus</i> .
Kite, Black-shouldered, <i>Elanus caeruleus</i>	Gull, Black-tailed, <i>Larus crassirostris</i> .
Magpie, Black-billed, <i>Pica pica</i>	Gull, Ross's, <i>Rhodostethia rosea</i> .
Murrelet, Xantus', <i>Synthliboramphus hypoleucus</i>	Hawk, Gray, <i>Asturina nitida</i> .
Night-Heron, Japanese, <i>Nycticorax goisagi</i>	Hawk, Harris's, <i>Parabuteo unicinctus</i> .
Night-Heron, Malay, <i>Nycticorax melanolophus</i>	Heron, Green, <i>Butorides virescens</i> .
Night-Heron, Yellow-crowned, <i>Nycticorax-violaceus</i>	Hoopoe, Eurasian, <i>Upupa epops</i> .
Oldsquaw, <i>Clangula hyemalis</i> .	Jay, Mexican, <i>Aphelocoma ultramarina</i> .
Oriole, Black-cowled, <i>Icterus dominicensis</i> .	Kamao, <i>Myadestes myadestinus</i> .
Oriole, Northern, <i>Icterus galbula</i>	Kite, Swallow-tailed, <i>Elanoides forficatus</i> .
Petrel, White-necked, <i>Pterodroma externa</i>	Kite, White-tailed, <i>Elanus leucurus</i> .
	Lark, Sky, <i>Alauda arvensis</i> .
	Loon, Pacific, <i>Gavia pacifica</i> .
	Magpie, Black-billed, <i>Pica hudsonia</i> .
	Millerbird, <i>Acrocephalus familiaris</i> .
	Murrelet, Xantus's, <i>Synthliboramphus hypoleucus</i> .
	Night-Heron, Japanese, <i>Gorsachius goisagi</i> .
	Night-Heron, Malayan, <i>Gorsachius melanolophus</i> .
	Night-Heron, Yellow-crowned, <i>Nyctanassa violacea</i> .
	Olomao, <i>Myadestes lanaiensis</i> .
	Omao, <i>Myadestes obscurus</i> .
	Oriole, Baltimore, <i>Icterus galbula</i> .
	Oriole, Bullock's, <i>Icterus bullockii</i> .
	Oriole, Greater Antillean, <i>Icterus dominicensis</i> .
	Owl, Barn, <i>Tyto alba</i> .
	Owl, Northern Hawk, <i>Surnia ulula</i> .
	Palm-Swift, Antillean, <i>Tachornis phoenicobia</i> .
	Petrel, Juan Fernandez, <i>Pterodroma externa</i> .
	Petrel, White-necked, <i>Pterodroma cervicalis</i> .

Remove	Add (alphabetically)
Pipit, Water, <i>Anthus spinolella</i>	Pipit, American, <i>Anthus rubescens</i> . Pipit, Olive-backed, <i>Anthus hodgsoni</i> . Puaiohi, <i>Myadestes palmeri</i> . Redstart, Slate-throated, <i>Myioborus miniatus</i> .
Redstart, Slaty-throated, <i>Myioborus miniatus</i>	
Reed-Bunting, Common, <i>Emberiza schoeniculus</i> .	
Reed-Bunting, Pallas', <i>Emberiza pallasi</i> .	
Skua, Great, <i>Catharacta skua</i>	Reef-Egret, Pacific, <i>Egretta sacra</i> . Rosy-Finch, Black, <i>Leucosticte atrata</i> . Rosy-Finch, Brown-capped, <i>Leucosticte australis</i> . Rosy-Finch, Gray-crowned, <i>Leucosticte tephrocotis</i> . Sapsucker, Red-naped, <i>Sphyrapicus nuchalis</i> . Scrub-Jay, Florida, <i>Aphelocoma coerulescens</i> . Scrub-Jay, Island, <i>Aphelocoma insularis</i> . Scrub-Jay, Western, <i>Aphelocoma californica</i> . Skua, Great, <i>Stercorarius skua</i> . Skua, South Polar, <i>Stercorarius maccormicki</i> .
Skua, South Polar, <i>Catharacta maccormicki</i>	
Skylark, Eurasian, <i>Alauda arvensis</i> .	
Sparrow, Five-striped, <i>Amphispiza quinquestriata</i>	Sparrow, Five-striped, <i>Aimophila quinquestriata</i> .
Sparrow, Harris', <i>Zonotrichia querula</i>	Sparrow, Harris's, <i>Zonotrichia querula</i> .
Sparrow, Sharp-tailed, <i>Ammodramus caudacutus</i>	Sparrow, Nelson's Sharp-tailed, <i>Ammodramus nelsoni</i> . Sparrow, Saltmarsh Sharp-tailed, <i>Ammodramus caudacutus</i> .
Starling, Ashy, <i>Sturnus cineraceus</i>	Sparrowhawk, Japanese, <i>Accipiter gularis</i> . Spindalis, Puerto Rican, <i>Spindalis portoricensis</i> . Starling, White-cheeked, <i>Sturnus cineraceus</i> .
Starling, Violet-backed, <i>Sturnus philippensis</i>	Starling, Chestnut-cheeked, <i>Sturnus philippensis</i> .
Storm-Petrel, Sooty, <i>Oceanodroma tristrami</i>	Storm-Petrel, Tristram's, <i>Oceanodroma tristrami</i> .
Swallow, Cave, <i>Hirundo fulva</i>	Swallow, Cave, <i>Petrochelidon fulva</i> .
Swallow, Cliff, <i>Hirundo pyrrhonota</i>	Swallow, Cliff, <i>Petrochelidon pyrrhonota</i> .
Swift, Antillean Palm, <i>Tachornis phoenicobia</i> .	
Tanager, Stripe-headed, <i>Spindalis zena</i> .	
Teal, Falcated, <i>Anas falcata</i> .	Tanager, Flame-colored, <i>Piranga bidentata</i> .
Thrush, Eye-browed, <i>Turdus obscurus</i>	Thrush, Bicknell's, <i>Catharus bicknelli</i> . Thrush, Eyebrowed, <i>Turdus obscurus</i> .
Thrush, Hawaiian, <i>Phaeornis obscurus</i> .	
Thrush, Small Kauai, <i>Phaeornis palmeri</i> .	
Tit, Siberian, <i>Parus cinctus</i> .	
Titmouse, Bridled, <i>Parus wollweberi</i>	Titmouse, Bridled, <i>Baeolophus wollweberi</i> . Titmouse, Juniper, <i>Baeolophus ridgwayi</i> .
Titmouse, Plain, <i>Parus inornatus</i>	Titmouse, Oak, <i>Baeolophus inornatus</i> .
Titmouse, Tufted, <i>Parus bicolor</i>	Titmouse, Tufted, <i>Baeolophus bicolor</i> .
Towhee, Brown, <i>Pipilo fuscus</i>	Towhee, California, <i>Pipilo crissalis</i> . Towhee, Canyon, <i>Pipilo fuscus</i> .
Towhee, Rufous-sided, <i>Pipilo erythrorththalmus</i>	Towhee, Eastern, <i>Pipilo erythrorththalmus</i> . Towhee, Spotted, <i>Pipilo maculatus</i> .
Tree-Pipit, Olive, <i>Anthus hodgsoni</i> .	
Vireo, Solitary, <i>Vireo solitarius</i>	Vireo, Blue-headed, <i>Vireo solitarius</i> . Vireo, Cassin's, <i>Vireo cassini</i> . Vireo, Plumbeous, <i>Vireo plumbeus</i> . Vireo, Yellow-green, <i>Vireo flavoviridis</i> .
Warbler, Elfin Woods, <i>Dendroica angelae</i>	Warbler, Elfin-woods, <i>Dendroica angelae</i> .
Woodpecker, Lewis', <i>Melanerpes lewisi</i>	Woodpecker, Arizona, <i>Picoides arizonae</i> . Woodpecker, Lewis's, <i>Melanerpes lewisi</i> .

How Do the Changes Proposed Here Differ From Those Discussed in the 1995 Proposed Rule?

The proposal to add Green Sandpiper (*Tringa ochropus*) and Oriental Turtle-Dove (*Streptopelia orientalis*) on the basis of recent distributional records is withdrawn pending additional evidence that they occur regularly in the United States. We propose adding the Flame-colored Tanager to the list on the basis of recent evidence that it occurs and breeds regularly in the United States, and because it belongs to a family (Thraupidae) covered by the Canadian and Mexican treaties.

As a result of taxonomic and nomenclatural changes incorporated into the 7th edition of the *Check-list of North American birds*, as amended (AOU 1998, 1999, and 2000), we propose adding 11 more newly recognized species (Arizona Woodpecker, Bicknell's Thrush, Bullock's Oriole, Cassin's Vireo, Gilded Flicker, Plumbeous Vireo, Island Scrub-Jay, Juniper Titmouse, Nelson's Sharp-tailed Sparrow, Spotted Towhee, and Western Scrub-Jay). These birds were formerly covered by the MBTA as subspecies of other species.

We also propose to revise the common (English) or scientific names of an additional 57 species previously listed in 50 CFR 10.13. The proposal to shorten the English name of the Common Pauraque (*Nyctidromus albicollis*) to Pauraque is no longer necessary due to a name change adopted by the AOU (2000).

How Is the List of Migratory Birds Organized?

The species are listed in two formats to suit the needs of different segments of the public: alphabetically in Section 10.13(c)(1) and taxonomically in Section

10.13(c)(2). In the alphabetical listing, species will be listed by common (English) name groups, with the scientific name of each species following the English name. This format, which is similar to that used in modern telephone directories, will be most useful to members of the lay public. In the taxonomic listing, species will be listed in phylogenetic sequence by scientific name, with the English name following the scientific name. To help clarify species relationships, we will also list the higher level taxonomic categories of Order, Family, and Subfamily. This format, which follows the sequence adopted by the AOU (1998), will be most useful to ornithologists and other scientists.

What Species Are Not Protected by the Migratory Bird Treaty Act?

The U.S. Fish and Wildlife Service and our predecessors have interpreted the MBTA and the underlying treaties as applying only to species of natural (but not accidental or casual) occurrence in North America or United States territory outside North America, and not to non-native species. One of the reasons for this is that the MBTA and the treaties are silent regarding the inclusion of non-native species and none of the four treaties expressly lists any non-native species. The treaties list only species, families, or groups of birds containing members native to the United States.

An example is the fact that the treaty with Canada, in elaborating on a family that is large enough to include species not native to North America, references only those species or groups of species that are native to North America. Also, this treaty does not list any of the many groups of insectivorous birds that are native only to areas outside North America; rather, all of the groups of this type that are listed occur in North America. The later treaties also are consistent with this interpretation. The treaties with Japan and Russia actually list the species covered (as opposed to listing families or groups) and all of the species exist naturally in United States territory.

This interpretation is also based on the overall purposes and goals of the treaties, which are to protect birds from extinction, protect their value as a food supply, and protect agricultural interests and forests from pests controlled by birds. If the MBTA were applied to protect introduced non-native birds it would likely not further any of these goals. Moreover, it would promote competition with native species for resources needed for survival.

A species is not protected by the MBTA if it falls into one or more of the following categories:

(1) Species intentionally or unintentionally introduced into the United States, even those that belong to a family or group covered by the Canadian or Mexican treaties. Examples include Mute Swan (*Cygnus olor*), a member of the family Anatidae, and Rock Dove (*Columba livia*), a member of the family Columbidae.

(2) Species that may have been sighted but are of purely accidental occurrence in the United States, unless either the Japanese or Russian treaty (both of which list birds by individual species) specifically includes it. Examples include Green Sandpiper and Japanese Turtle-Dove.

(3) Members of families or groups not specified by the Canadian or Mexican treaties. Examples include species in the families Phasianidae (grouse and turkeys), Odontophoridae (quail), Psittacidae (parrots), Todidae (todies), Meliphagidae (honeyeaters), Monarchidae (monarchs), Timaliidae (wrentits), and Coerebidae (bananaquits); and the subfamily Drepanidinae (Hawaiian honeycreepers).

Does the Proposed Rule Comply With NEPA?

This regulation is categorically excluded from further National Environmental Policy Act requirements under Part 516 of the Department Manual, Chapter 2, Appendix 1.10.

Does the Proposed Rule Comply With the Endangered Species Act?

Yes. A number of species appearing on the List of Migratory Birds are also designated as endangered or threatened under provisions of the Endangered Species Act of 1973 (16 U.S.C. 1531, *et seq.*; see 50 CFR 17.11). No legal complications arise from the dual listing since the two lists are developed under separate authorities and for different purposes.

What About Other Required Determinations?

Because the proposed revision to the List of Migratory Birds will merely re-describe the birds already protected by Federal treaties with Canada, Japan, Mexico, and Russia, we determined that this document will not have a significant economic effect on a substantial number of small entities under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*).

This document has not been reviewed by the Office of Management and Budget under Executive Order 12866. In

accordance with the criteria in Executive Order 12866, this proposed rule is not a significant regulatory action.

This proposed rule is not a major rule under the terms of 5 U.S.C. 804(2), the Small Business Regulatory Enforcement Fairness Act.

The proposed rule does not contain information collection requirements that must be approved by the Office of Management and Budget under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*).

We find and certify, in compliance with the requirements of the Unfunded Mandates Reform Act of 1995 (2 U.S.C. 1502 *et seq.*), that the proposed rule is not a significant regulatory action and will not impose a cost of \$100 million or more in any given year on local or State government or private entities.

As noted above, the proposed rule will not have sufficient federalism implications to warrant the preparation of a Federalism Assessment under Executive Order 13132.

We have determined that these regulations will meet the applicable standards provided in sections 3(a) and 3(b)(2) of Executive Order 12988 for civil justice reform.

This rule will not have significant takings implications for private property, as defined in Executive Order 12630. A takings implication assessment is not required because migratory birds are a Federally managed resource under laws implementing international treaties and are not personal property.

Regarding Government-to-Government relationships with Tribes (59 FR 22951) and Executive Order 13175, the proposed revisions to existing regulations are purely administrative in nature. They will have no effect on Federally recognized Tribes or Tribal trust resources.

Public Comments Invited

We invite interested parties to submit written comments, suggestions, or objections regarding this proposal to one of the locations identified in the **ADDRESSES** section above. Following review and consideration of the comments, we will issue a final rule on these proposed amendments to the List of Migratory Birds.

Author

John L. Trapp, U.S. Fish and Wildlife Service, Division of Migratory Bird Management, 4401 North Fairfax Drive, Room 634, Arlington, VA 22203.

List of Subjects in 50 CFR Part 10

Exports, Fish, Imports, Law enforcement, Plants, Transportation, Wildlife.

Regulation Promulgation

For the reasons discussed in the preamble, we propose to amend title 50, chapter I, subchapter B, part 10 of the Code of Federal Regulations, as follows:

PART 10—[PROPOSED]

1. The authority citation for part 10 continues to read as follows:

Authority: 18 U.S.C. 42; 16 U.S.C. 703–712; 16 U.S.C. 668a–d; 19 U.S.C. 1202; 16 U.S.C. 1531–1543; 16 U.S.C. 1361–1384, 1401–1407; 16 U.S.C. 742a–742j–l; 16 U.S.C. 3371–3378.

2. Revise Section 10.13 to read as follows:

§ 10.13 List of Migratory Birds.

(a) *What is the legal authority for this list?* The Migratory Bird Treaty Act (MBTA) in 16 U.S.C. 703–711, the Fish and Wildlife Improvement Act of 1978, 16 U.S.C. 712, and 16 U.S.C. 742a–j. The MBTA implements treaties between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) Canada: Convention for the Protection of Migratory Birds, August 16, 1916, United States-Great Britain (on behalf of Canada), 39 Stat. 1702, T.S. No. 628;

(2) Mexico: Convention for the Protection of Migratory Birds and Game Mammals, February 7, 1936, United States-United Mexican States (=Mexico), 50 Stat. 1311, T.S. No. 912;

(3) Japan: Convention for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, United States-Japan, 25 U.S.T., 3329 T.I.A.S. No. 7990; and

(4) Russia: Convention for the Conservation of Migratory Birds and Their Environment, United States-Union of Soviet Socialist Republics (=Russia), November 26, 1976, 92 Stat. 3110, T.I.A.S. 9073, 16 U.S.C. 703, 712.

(b) *What is the purpose of this list?* The purpose is to inform the public of the species protected by regulations designed to enforce the terms of the MBTA. These regulations are found in Parts 10, 20, and 21 of this Chapter. We regulate most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds.

(c) *What species are protected as migratory birds?* The species are listed in two formats to suit the varying needs of the user: alphabetically in paragraph

(c)(1) of this section and taxonomically in section (c)(2). Taxonomy and nomenclature follow the 7th (1998) edition of the American Ornithologists' Union's *Check-list of North American birds*, as amended. Species not listed here, and therefore not protected by the MBTA, include any species introduced in the United States or any of its territory by humans, regardless of whether the introduction was intentional or unintentional. Also generally not listed and thus not protected are species of purely accidental or casual occurrence in the United States or its territory unless it is a particular species specifically referenced in a treaty. A species of accidental or casual occurrence is one whose the normal range is far enough removed from the United States as to make regular occurrence unlikely or "improbable" (The A.O.U. Check-list of North American birds, 6th edition, 1983:xxv).

(1) *Alphabetical listing.* Species are listed alphabetically by common (English) name groups, with the scientific name of each species following the common name.

ACCENTOR, Siberian, *Prunella montanella*

ALBATROSS, Black-footed, *Phoebastria nigripes*

Laysan, *Phoebastria immutabilis*

Short-tailed, *Phoebastria albatrus*
Yellow-nosed, *Thalassarche chlororhynchos*

ANHINGA, *Anhinga anhinga*

ANI, Groove-billed, *Crotophaga sulcirostris*

Smooth-billed, *Crotophaga ani*

AUKLET, Cassin's, *Ptychoramphus aleuticus*

Crested, *Aethia cristatella*

Least, *Aethia pusilla*

Parakeet, *Aethia psittacula*

Rhinoceros, *Cerorhinca monocerata*

Whiskered, *Aethia pygmaea*

AVOCET, American, *Recurvirostra americana*

BEARDLESS-TYRANNULET, Northern, *Camptostoma imberbe*

BECARD, Rose-throated, *Pachyramphus aglaiae*

BITTERN, American, *Botaurus lentiginosus*

Least, *Ixobrychus exilis*

Schrenk's, *Ixobrychus eurhythmus*
Yellow, *Ixobrychus sinensis*

BLACK-HAWK, Common, *Buteogallus anthracinus*

BLACKBIRD, Brewer's, *Euphagus cyanocephalus*

Red-winged, *Agelaius phoeniceus*

Rusty, *Euphagus carolinus*

Tawny-shouldered, *Agelaius humeralis*

Tricolored, *Agelaius tricolor*

Yellow-headed, *Xanthocephalus xanthocephalus*

Yellow-shouldered, *Agelaius xanthomus*

BLUEBIRD, Eastern, *Sialia sialis*

Mountain, *Sialia currucoides*

Western, *Sialia mexicana*

BLUETHROAT, *Luscinia svecica*

BOBOLINK, *Dolichonyx oryzivorus*

BOOBY, Blue-footed, *Sula nebulosus*
Brown, *Sula leucogaster*

Masked, *Sula dactylatra*

Red-footed, *Sula sula*

BRAMBLING, *Fringilla montifringilla*

BRANT, *Branta bernicla*

BUFFLEHEAD, *Bucephala albeola*

BULLFINCH, Eurasian, *Pyrrhula pyrrhula*

Puerto Rican, *Loxigilla portoricensis*

BUNTING, Indigo, *Passerina cyanea*

Lark, *Calamospiza melanocorys*

Lazuli, *Passerina amoena*

McKay's, *Plectrophenax hyperboreus*

Painted, *Passerina ciris*

Pallas's, *Emberiza pallasi*

Reed, *Emberiza schoeniculus*

Rustic, *Emberiza rustica*

Snow, *Plectrophenax nivalis*

Varied, *Passerina versicolor*

BUSHKIT, *Psaltriparus minimus*

CANVASBACK, *Aythya valisneria*

CARACARA, Crested, *Caracara cheriway*

CARDINAL, Northern, *Cardinalis cardinalis*

CARIB, Green-throated, *Eulampis holosericeus*

CATBIRD, Gray, *Dumetella carolinensis*

CHAT, Yellow-breasted, *Icteria virens*

CHICKADEE, Black-capped, *Poecile atricapilla*

Boreal, *Poecile hudsonica*

Carolina, *Poecile carolinensis*

Chestnut-backed, *Poecile rufescens*

Gray-headed, *Poecile cincta*

Mexican, *Poecile sclateri*

Mountain, *Poecile gambeli*

CHUCK-WILL'S-WIDOW, *Caprimulgus carolinensis*

CONDOR, California, *Gymnogyps californianus*

COOT, American, *Fulica americana*

Caribbean, *Fulica caribaea*

Eurasian, *Fulica atra*

Hawaiian, *Fulica alai*

CORMORANT, Brandt's, *Phalacrocorax penicillatus*

Double-crested, *Phalacrocorax auritus*

Great, *Phalacrocorax carbo*

Neotropic, *Phalacrocorax brasiliensis*

Pelagic, *Phalacrocorax pelagicus*

Red-faced, *Phalacrocorax urile*

COWBIRD, Bronzed, *Molothrus aeneus*

Brown-headed, *Molothrus ater*

Shiny, *Molothrus bonariensis*

CRAKE, Corn, *Crex crex*

Yellow-breasted, *Porzana flaviventer*

CRANE, Common, *Grus grus*

Sandhill, *Grus canadensis*

Whooping, <i>Grus americana</i>	FALCON, Aplomado, <i>Falco femoralis</i>	Emperor, <i>Chen canagica</i>
CREEPER, Brown, <i>Certhia americana</i>	Peregrine, <i>Falco peregrinus</i>	Greater White-fronted, <i>Anser albifrons</i>
CROSSBILL, Red, <i>Loxia curvirostra</i>	Prairie, <i>Falco mexicanus</i>	Hawaiian, <i>Branta sandvicensis</i>
White-winged, <i>Loxia leucoptera</i>	FIELDFARE, <i>Turdus pilaris</i>	Ross's, <i>Chen rossii</i>
CROW, American, <i>Corvus</i> <i>brachyrhynchos</i>	FINCH, Cassin's, <i>Carpodacus cassini</i>	Snow, <i>Chen caerulescens</i>
Fish, <i>Corvus ossifragus</i>	House, <i>Carpodacus mexicanus</i>	GOSHAWK, Northern, <i>Accipiter gentilis</i>
Hawaiian, <i>Corvus hawaiiensis</i>	Purple, <i>Carpodacus purpureus</i>	GRACKLE, Boat-tailed, <i>Quiscalus major</i>
Northwestern, <i>Corvus caurinus</i>	FLAMINGO, Greater, <i>Phoenicopterus</i> <i>ruber</i>	Common, <i>Quiscalus quiscula</i>
Tamaulipas, <i>Corvus imparatus</i>	FLICKER, Gilded, <i>Colaptes chrysoides</i>	Great-tailed, <i>Quiscalus mexicanus</i>
White-necked, <i>Corvus</i> <i>leucognaphalus</i>	Northern, <i>Colaptes auratus</i>	Greater Antillean, <i>Quiscalus niger</i>
CUCKOO, Black-billed, <i>Coccyzus</i> <i>erythrophthalmus</i>	FLYCATCHER, Acadian, <i>Empidonax</i> <i>virescens</i>	GRASSHOPPER-WARBLER, <i>Middendorff's, Locustella</i> <i>ochotensis</i>
Common, <i>Cuculus canorus</i>	Alder, <i>Empidonax alnorum</i>	GRASSQUIT, Black-faced, <i>Tiaris bicolor</i>
Mangrove, <i>Coccyzus minor</i>	Ash-throated, <i>Myiarchus cinerascens</i>	Yellow-faced, <i>Tiaris olivacea</i>
Oriental, <i>Cuculus saturatus</i>	Brown-crested, <i>Myiarchus tyrannulus</i>	GREBE, Clark's, <i>Aechmophorus clarkii</i>
Yellow-billed, <i>Coccyzus americanus</i>	Buff-breasted, <i>Empidonax fulvifrons</i>	Eared, <i>Podiceps nigricollis</i>
CURLEW, Bristle-thighed, <i>Numenius</i> <i>tahitiensis</i>	Cordilleran, <i>Empidonax occidentalis</i>	Horned, <i>Podiceps auritus</i>
Eskimo, <i>Numenius borealis</i>	Dusky, <i>Empidonax oberholseri</i>	Least, <i>Tachybaptus dominicus</i>
Far Eastern, <i>Numenius</i> <i>madagascariensis</i>	Dusky-capped, <i>Myiarchus tuberculifer</i>	Pied-billed, <i>Podilymbus podiceps</i>
Little, <i>Numenius minutus</i>	Fork-tailed, <i>Tyrannus savana</i>	Red-necked, <i>Podiceps grisegena</i>
Long-billed, <i>Numenius americanus</i>	Gray, <i>Empidonax wrightii</i>	Western, <i>Aechmophorus occidentalis</i>
DICKCISSEL, <i>Spiza americana</i>	Gray-spotted, <i>Muscicapa griseisticta</i>	GREENFINCH, Oriental, <i>Carduelis</i> <i>sinica</i>
DIPPER, American, <i>Cinclus mexicanus</i>	Great Crested, <i>Myiarchus crinitus</i>	GREENSHANK, Common, <i>Tringa</i> <i>nebularia</i>
DOTTEREL, Eurasian, <i>Charadrius</i> <i>morinellus</i>	Hammond's, <i>Empidonax hammondi</i>	GROSBEAK, Black-headed, <i>Pheucticus</i> <i>melaenocephalus</i>
DOVE, Inca, <i>Columbina inca</i>	Least, <i>Empidonax minimus</i>	Blue, <i>Guiraca caerulea</i>
Mourning, <i>Zenaida macroura</i>	Narcissus, <i>Muscicapa narcissina</i>	Crimson-collared, <i>Rhodothraupis</i> <i>celaeno</i>
White-tipped, <i>Leptotila verreauxi</i>	Nutting's, <i>Myiarchus nuttingi</i>	Evening, <i>Coccothraustes vespertinus</i>
White-winged, <i>Zenaida asiatica</i>	Olive-sided, <i>Contopus cooperi</i>	Pine, <i>Pinicola enucleator</i>
Zenaida, <i>Zenaida aurita</i>	Pacific-slope, <i>Empidonax difficilis</i>	Rose-breasted, <i>Pheucticus</i> <i>ludovicianus</i>
DOVEKIE, <i>Alle alle</i>	Puerto Rican, <i>Myiarchus antillarum</i>	Yellow, <i>Pheucticus chrysopaeplus</i>
DOWITCHER, Long-billed, <i>Limnodromus scolopaceus</i>	Scissor-tailed, <i>Tyrannus forficatus</i>	GROUND-DOVE, Common, <i>Columbina</i> <i>passerina</i>
Short-billed, <i>Limnodromus griseus</i>	Sulphur-bellied, <i>Myiodynastes</i> <i>luteiventris</i>	Ruddy, <i>Columbina talpacoti</i>
DUCK, American Black, <i>Anas rubripes</i>	FRIGATEBIRD, Great, <i>Fregata minor</i>	GUILLÉMOT, Black, <i>Cephus grylle</i>
Falcated, <i>Anas falcata</i>	Lesser, <i>Fregata ariel</i>	Pigeon, <i>Cephus columba</i>
Harlequin, <i>Histrionicus histrionicus</i>	Magnificent, <i>Fregata magnificens</i>	GULL, Black-headed, <i>Larus ridibundus</i>
Hawaiian, <i>Anas wyvilliana</i>	FULMAR, Northern, <i>Fulmarus glacialis</i>	Black-tailed, <i>Larus crassirostris</i>
Laysan, <i>Anas laysanensis</i>	GADWALL, <i>Anas strepera</i>	Bonaparte's, <i>Larus philadelphia</i>
Long-tailed, <i>Clangula hyemalis</i>	GALLINULE, Purple, <i>Porphyrrula</i> <i>martinica</i>	California, <i>Larus californicus</i>
Masked, <i>Nomonyx dominica</i>	GANNET, Northern, <i>Morus bassanus</i>	Franklin's, <i>Larus pipixcan</i>
Mottled, <i>Anas fulvigula</i>	GARGANEY, <i>Anas querquedula</i>	Glaucous, <i>Larus hyperboreus</i>
Ring-necked, <i>Aythya collaris</i>	GNATCATCHER, Black-capped, <i>Polioptila nigriceps</i>	Glaucous-winged, <i>Larus glaucescens</i>
Ruddy, <i>Oxyura jamaicensis</i>	Black-tailed, <i>Polioptila melanura</i>	Great Black-backed, <i>Larus marinus</i>
Spot-billed, <i>Anas poecilorhyncha</i>	Blue-gray, <i>Polioptila caerulea</i>	Heermann's, <i>Larus heermanni</i>
Tufted, <i>Aythya fuligula</i>	California, <i>Polioptila californica</i>	Herring, <i>Larus argentatus</i>
Wood, <i>Aix sponsa</i>	GODWIT, Bar-tailed, <i>Limosa lapponica</i>	Iceland, <i>Larus glaucoides</i>
DUNLIN, <i>Calidris alpina</i>	Black-tailed, <i>Limosa limosa</i>	Ivory, <i>Pagophila eburnea</i>
EAGLE, Bald, <i>Haliaeetus leucocephalus</i>	Hudsonian, <i>Limosa haemastica</i>	Laughing, <i>Larus atricilla</i>
Golden, <i>Aquila chrysaetos</i>	Marbled, <i>Limosa fedoa</i>	Lesser Black-headed, <i>Larus fuscus</i>
White-tailed, <i>Haliaeetus albicilla</i>	GOLDEN-PLOVER, American, <i>Pluvialis</i> <i>dominica</i>	Little, <i>Larus minutus</i>
EGRET, Cattle, <i>Bubulcus ibis</i>	Pacific, <i>Pluvialis fulva</i>	Mew, <i>Larus canus</i>
Chinese, <i>Egretta eulophotes</i>	GOLDFENEYE, Barrow's, <i>Bucephala</i> <i> islandica</i>	Ring-billed, <i>Larus delawarensis</i>
Great, <i>Ardea alba</i>	Common, <i>Bucephala clangula</i>	Ross's, <i>Rhodostethia rosea</i>
Intermediate, <i>Mesophoyx intermedia</i>	GOLDFINCH, American, <i>Carduelis</i> <i>tristis</i>	Sabine's, <i>Xema sabini</i>
Reddish, <i>Egretta rufescens</i>	Lawrence's, <i>Carduelis lawrencei</i>	Slaty-backed, <i>Larus schistisagus</i>
Snowy, <i>Egretta thula</i>	Lesser, <i>Carduelis psaltria</i>	Thayer's, <i>Larus thayeri</i>
EIDER, Common, <i>Somateria mollissima</i>	GOOSE, Barnacle, <i>Branta leucopsis</i>	Western, <i>Larus occidentalis</i>
King, <i>Somateria spectabilis</i>	Bean, <i>Anser fabalis</i>	Yellow-footed, <i>Larus livens</i>
Spectacled, <i>Somateria fischeri</i>	Canada, <i>Branta canadensis</i>	GYRFALCON, <i>Falco rusticolus</i>
Steller's, <i>Polysticta stelleri</i>		HARRIER, Northern, <i>Circus cyaneus</i>
ELAENIA, Caribbean, <i>Elaenia martinica</i>		HAWFINCH, <i>Coccothraustes</i> <i>coccothraustes</i>
EMERALD, Puerto Rican, <i>Chlorostilbon</i> <i>maugaeus</i>		HAWK, Broad-winged, <i>Buteo</i> <i>platypterus</i>
EUPHONIA, Antillean, <i>Euphonia</i> <i>musica</i>		

Cooper's, <i>Accipiter cooperii</i>	Loggerhead, <i>Tyrannus caudifasciatus</i>	Marbled, <i>Brachyramphus marmoratus</i>
Ferruginous, <i>Buteo regalis</i>	Thick-billed, <i>Tyrannus crassirostris</i>	XANTUS'S, <i>Synthliboramphus hypoleucus</i>
Gray, <i>Asturina nitidus</i>	Tropical, <i>Tyrannus melancholicus</i>	NEEDLETAIL, White-throated, <i>Hirundapus caudacutus</i>
Harris's, <i>Parabuteo unicinctus</i>	Western, <i>Tyrannus verticalis</i>	NIGHT-HERON, Black-crowned, <i>Nycticorax nycticorax</i>
Hawaiian, <i>Buteo solitarius</i>	KINGFISHER, Belted, <i>Ceryle alcyon</i>	Japanese, <i>Gorsachius goisagi</i>
Red-shouldered, <i>Buteo lineatus</i>	Green, <i>Chloroceryle americana</i>	Malayan, <i>Gorsachius melanolophus</i>
Red-tailed, <i>Buteo jamaicensis</i>	Ringed, <i>Ceryle torquata</i>	Yellow-crowned, <i>Nyctanassa violacea</i>
Rough-legged, <i>Buteo lagopus</i>	KINGLET, Golden-crowned, <i>Regulus satrapa</i>	NIGHTHAWK, Antillean, <i>Chordeiles gundlachii</i>
Sharp-shinned, <i>Accipiter striatus</i>	Ruby-crowned, <i>Regulus calendula</i>	Common, <i>Chordeiles minor</i>
Short-tailed, <i>Buteo brachyurus</i>	KISKADEE, Great, <i>Pitangus sulphuratus</i>	Lesser, <i>Chordeiles acutipennis</i>
Swainson's, <i>Buteo swainsoni</i>	KITE, Black, <i>Milvus migrans</i>	NIGHTJAR, Buff-collared, <i>Caprimulgus ridgwayi</i>
White-tailed, <i>Buteo albicaudatus</i>	Hook-billed, <i>Chondrohierax uncinatus</i>	Puerto Rican, <i>Caprimulgus noctitherus</i>
Zone-tailed, <i>Buteo albonotatus</i>	Mississippi, <i>Ictinia mississippiensis</i>	Jungle, <i>Caprimulgus indicus</i>
HAWK-CUCKOO, Hodgson's, <i>Cuculus fugax</i>	Snail, <i>Rostrhamus sociabilis</i>	NODDY, Black, <i>Anous minutus</i>
HERON, Great Blue, <i>Ardea herodias</i>	Swallow-tailed, <i>Elanoides forficatus</i>	Blue-gray, <i>Procelsterna cerulea</i>
Green, <i>Butorides virescens</i>	White-tailed, <i>Elanus leucurus</i>	Brown, <i>Anous stolidus</i>
Little Blue, <i>Egretta caerulea</i>	KITTIWAKE, Black-legged, <i>Rissa tridactyla</i>	Lesser, <i>Anous tenuirostris</i>
Tricolored, <i>Egretta tricolor</i>	Red-legged, <i>Rissa brevirostris</i>	NUTCRACKER, Clark's, <i>Nucifraga columbiana</i>
HOOPOE, Eurasian, <i>Upupa epops</i>	KNOT, Great, <i>Calidris tenuirostris</i>	NUTHATCH, Brown-headed, <i>Sitta pusilla</i>
HOUSE-MARTIN, Common, <i>Delichon urbica</i>	Red, <i>Calidris canutus</i>	Pygmy, <i>Sitta pygmaea</i>
HUMMINGBIRD, Allen's, <i>Selasphorus sasin</i>	LAPWING, Northern, <i>Vanellus vanellus</i>	Red-breasted, <i>Sitta canadensis</i>
Anna's, <i>Calypte anna</i>	LARK, Horned, <i>Eremophila alpestris</i>	White-breasted, <i>Sitta carolinensis</i>
Antillean Crested, <i>Orthorhynchus cristatus</i>	Sky, <i>Alauda arvensis</i>	OLOMAO, <i>Myadestes lanaeensis</i>
Berylline, <i>Amazilia beryllina</i>	LIMPKIN, <i>Aramus guarauna</i>	OMAO, <i>Myadestes obscurus</i>
Black-chinned, <i>Archilochus alexandri</i>	LIZARD-CUCKOO, Puerto Rican, <i>Saurothera vieilloti</i>	ORIOLE, Altamira, <i>Icterus gularis</i>
Blue-throated, <i>Lampornis clemenciae</i>	LONGSPUR, Chestnut-collared, <i>Calcarius ornatus</i>	Audubon's, <i>Icterus graduacauda</i>
Broad-billed, <i>Cynanthus latirostris</i>	Lapland, <i>Calcarius lapponicus</i>	Baltimore, <i>Icterus galbula</i>
Broad-tailed, <i>Selasphorus platycercus</i>	McCown's, <i>Calcarius mccownii</i>	Black-vented, <i>Icterus wagleri</i>
Buff-bellied, <i>Amazilia yucatanensis</i>	Smith's, <i>Calcarius pictus</i>	Bullock's, <i>Icterus bullockii</i>
Calliope, <i>Stellula calliope</i>	LOON, Arctic, <i>Gavia arctica</i>	Greater Antillean, <i>Icterus dominicensis</i>
Costa's, <i>Calypte costae</i>	Common, <i>Gavia immer</i>	Hooded, <i>Icterus cucullatus</i>
Lucifer, <i>Calothorax lucifer</i>	Pacific, <i>Gavia pacifica</i>	Orchard, <i>Icterus spurius</i>
Magnificent, <i>Eugenes fulgens</i>	Red-throated, <i>Gavia stellata</i>	Scott's, <i>Icterus parisorum</i>
Ruby-throated, <i>Archilochus colubris</i>	Yellow-billed, <i>Gavia adamsii</i>	Streak-backed, <i>Icterus pustulatus</i>
Rufous, <i>Selasphorus rufus</i>	MAGPIE, Black-billed, <i>Pica hudsonia</i>	OSPREY, <i>Pandion haliaetus</i>
Violet-crowned, <i>Amazilia violiceps</i>	Yellow-billed, <i>Pica nuttalli</i>	OVENBIRD, <i>Seiurus aurocapillus</i>
White-eared, <i>Hylocharis leucotis</i>	MALLARD, <i>Anas platyrhynchos</i>	OWL, Barn, <i>Tyto alba</i>
IBIS, Glossy, <i>Plegadis falcinellus</i>	MANGO, Antillean, <i>Anthracothorax dominicus</i>	Barred, <i>Strix varia</i>
Scarlet, <i>Eudocimus ruber</i>	Green, <i>Anthracothorax viridis</i>	Boreal, <i>Aegolius funereus</i>
White, <i>Eudocimus albus</i>	MARTIN, Caribbean, <i>Progne dominicensis</i>	Burrowing, <i>Athene cunicularia</i>
White-faced, <i>Plegadis chihi</i>	Cuban, <i>Progne cryptoleuca</i>	Elf, <i>Micrathene whitneyi</i>
JABIRU, <i>Jabiru mycteria</i>	Gray-breasted, <i>Progne chalybea</i>	Flammulated, <i>Otus flammeolus</i>
JACANA, Northern, <i>Jacana spinosa</i>	Purple, <i>Progne subis</i>	Great Gray, <i>Strix nebulosa</i>
JAEGER, Long-tailed, <i>Stercorarius longicaudus</i>	MEADOWLARK, Eastern, <i>Sturnella magna</i>	Great Horned, <i>Bubo virginianus</i>
Parasitic, <i>Stercorarius parasiticus</i>	Western, <i>Sturnella neglecta</i>	Long-eared, <i>Asio otus</i>
Pomarine, <i>Stercorarius pomarinus</i>	MERGANSER, Common, <i>Mergus merganser</i>	Northern Hawk, <i>Surnia ulula</i>
JAY, Blue, <i>Cyanocitta cristata</i>	Hooded, <i>Lophodytes cucullatus</i>	Northern Saw-whet, <i>Aegolius acadicus</i>
Brown, <i>Cyanocorax morio</i>	Red-breasted, <i>Mergus serrator</i>	Short-eared, <i>Asio flammeus</i>
Gray, <i>Perisoreus canadensis</i>	MERLIN, <i>Falco columbarius</i>	Snowy, <i>Nyctea scandiaca</i>
Green, <i>Cyanocorax yncas</i>	MILLERBIRD, <i>Acrocephalus familiaris</i>	Spotted, <i>Strix occidentalis</i>
Mexican, <i>Aphelocoma ultramarina</i>	MOCKINGBIRD, Northern, <i>Mimus polyglottos</i>	OYSTERCATCHER, American, <i>Haematopus palliatus</i>
Pinyon, <i>Gymnorhinus cyanocephalus</i>	MOORHEN, Common, <i>Gallinula chloropus</i>	Black, <i>Haematopus bachmani</i>
Steller's, <i>Cyanocitta stelleri</i>	MURRE, Common, <i>Uria aalge</i>	PALM-SWIFT, Antillean, <i>Tachornis phoenicobia</i>
JUNCO, Dark-eyed, <i>Junco hyemalis</i>	Thick-billed, <i>Uria lomvia</i>	PARULA, Northern, <i>Parula americana</i>
Yellow-eyed, <i>Junco phaeonotus</i>	MURRELET, Ancient, <i>Synthliboramphus antiquus</i>	Tropical, <i>Parula pitayumi</i>
KAMAO, <i>Myadestes myadestinus</i>	Craveri's, <i>Synthliboramphus craveri</i>	PAURAQUE, Common, <i>Nyctidromus albicollis</i>
KESTREL, American, <i>Falco sparverius</i>	Kittlitz's, <i>Brachyramphus brevirostris</i>	
Eurasian, <i>Falco tinnunculus</i>		
KILLDEER, <i>Charadrius vociferus</i>		
KINGBIRD, Cassin's, <i>Tyrannus vociferans</i>		
Couch's, <i>Tyrannus couchii</i>		
Eastern, <i>Tyrannus tyrannus</i>		
Gray, <i>Tyrannus dominicensis</i>		

PELICAN, American White, <i>Pelecanus erythrorynchos</i>	King, <i>Rallus elegans</i>	SEA-EAGLE, Steller's, <i>Haliaeetus pelagicus</i>
Brown, <i>Pelecanus occidentalis</i>	Virginia, <i>Rallus limicola</i>	SEEDEATER, White-collared, <i>Sporophila torqueola</i>
PETREL, Black-capped, <i>Pterodroma hasitata</i>	Yellow, <i>Coturnicops noveboracensis</i>	SHEARWATER, Audubon's, <i>Puffinus lherminieri</i>
Bonin, <i>Pterodroma hypoleuca</i>	RAVEN, Chihuahuan, <i>Corvus cryptoleucus</i>	Black-vented, <i>Puffinus opisthomelas</i>
Bulwer's, <i>Bulweria bulwerii</i>	Common, <i>Corvus corax</i>	Buller's, <i>Puffinus bulleri</i>
Cook's, <i>Pterodroma cookii</i>	RAZORBILL, <i>Alca torda</i>	Christmas, <i>Puffinus nativitatis</i>
Dark-rumped, <i>Pterodroma phaeopygia</i>	REDHEAD, <i>Aythya americana</i>	Cory's, <i>Calonectris diomedea</i>
Herald, <i>Pterodroma arminjoniana</i>	REDPOLL, Common, <i>Carduelis flammea</i>	Flesh-footed, <i>Puffinus carneipes</i>
Juan Fernandez, <i>Pterodroma externa</i>	Hoary, <i>Carduelis hornemannii</i>	Greater, <i>Puffinus gravis</i>
Kermadec, <i>Pterodroma neglecta</i>	REDSHANK, Spotted, <i>Tringa erythropus</i>	Little, <i>Puffinus assimilis</i>
Mottled, <i>Pterodroma inexpectata</i>	REDSTART, American, <i>Setophaga ruticilla</i>	Manx, <i>Puffinus puffinus</i>
Murphy's, <i>Pterodroma ultima</i>	Painted, <i>Myioborus pictus</i>	Pink-footed, <i>Puffinus creatopus</i>
White-necked, <i>Pterodroma cervicalis</i>	Slate-throated, <i>Myioborus miniatus</i>	Short-tailed, <i>Puffinus tenuirostris</i>
PEWEE, Greater, <i>Contopus pertinax</i>	REEF-EGRET, Pacific, <i>Egretta sacra</i>	Sooty, <i>Puffinus griseus</i>
Lesser Antillean, <i>Contopus latirostris</i>	ROADRUNNER, Greater, <i>Geococcyx californianus</i>	Townsend's, <i>Puffinus auricularis</i>
PHAINOPEPLA, <i>Phainopepla nitens</i>	ROBIN, American, <i>Turdus migratorius</i>	Wedge-tailed, <i>Puffinus pacificus</i>
PHALAROPE, Red, <i>Phalaropus fulicaria</i>	Clay-colored, <i>Turdus grayi</i>	SHOVELER, Northern, <i>Anas clypeata</i>
Red-necked, <i>Phalaropus lobatus</i>	Rufous-backed, <i>Turdus rufopalliatus</i>	SHRIKE, Loggerhead, <i>Lanius ludovicianus</i>
Wilson's, <i>Phalaropus tricolor</i>	ROSEFINCH, Common, <i>Carpodacus erythrinus</i>	Northern, <i>Lanius excubitor</i>
PHOEBE, Black, <i>Sayornis nigricans</i>	ROSY-FINCH, Black, <i>Leucosticte atrata</i>	SISKIN, Pine, <i>Carduelis pinus</i>
Eastern, <i>Sayornis phoebe</i>	Brown-capped, <i>Leucosticte australis</i>	SKIMMER, Black, <i>Rhynchos niger</i>
Say's, <i>Sayornis saya</i>	Gray-crowned, <i>Leucosticte tephrocotis</i>	SKUA, Great, <i>Stercorarius skua</i>
PIGEON, Band-tailed, <i>Columba fasciata</i>	RUBYTHROAT, Siberian, <i>Luscinia calliope</i>	South Polar, <i>Stercorarius maccormicki</i>
Plain, <i>Columba inornata</i>	RUFF, <i>Philomachus pugnax</i>	SMEW, <i>Mergus albellus</i>
Red-billed, <i>Columba flavirostris</i>	SANDLING, <i>Calidris alba</i>	SNIPE, Common, <i>Gallinago gallinago</i>
Scaly-naped, <i>Columba squamosa</i>	SANDPIPER, Baird's, <i>Calidris bairdii</i>	Jack, <i>Lymnocryptes minimus</i>
White-crowned, <i>Columba leucocephala</i>	Broad-billed, <i>Limicola falcinellus</i>	Pin-tailed, <i>Gallinago stenura</i>
PINTAIL, Northern, <i>Anas acuta</i>	Buff-breasted, <i>Tryngites subruficollis</i>	Swinhoe's, <i>Gallinago megala</i>
White-cheeked, <i>Anas bahamensis</i>	Common, <i>Actitis hypoleucos</i>	SOLITAIRE, Townsend's, <i>Myadestes townsendi</i>
PIPIT, American, <i>Anthus rubescens</i>	Curlew, <i>Calidris ferruginea</i>	SORA, <i>Porzana carolina</i>
Olive-backed, <i>Anthus hodgsoni</i>	Least, <i>Calidris minutilla</i>	SPARROW, American Tree, <i>Spizella arborea</i>
Pechora, <i>Anthus gustavi</i>	Marsh, <i>Tringa stagnatilis</i>	Bachman's, <i>Aimophila aestivalis</i>
Red-throated, <i>Anthus cervinus</i>	Pectoral, <i>Calidris melanotos</i>	Baird's, <i>Ammodramus bairdii</i>
Sprague's, <i>Anthus spragueii</i>	Purple, <i>Calidris maritima</i>	Black-chinned, <i>Spizella atrogularis</i>
PLOVER, Black-bellied, <i>Pluvialis squatarola</i>	Rock, <i>Calidris ptilocnemis</i>	Black-throated, <i>Amphispiza bilineata</i>
Common Ringed, <i>Charadrius hiaticula</i>	Semipalmated, <i>Calidris pusilla</i>	Botteri's, <i>Aimophila botterii</i>
Greater Sand, <i>Charadrius leschenaultii</i>	Sharp-tailed, <i>Calidris acuminata</i>	Brewer's, <i>Spizella breweri</i>
Little Ringed, <i>Charadrius dubius</i>	Solitary, <i>Tringa solitaria</i>	Cassin's, <i>Aimophila cassini</i>
Mongolian, <i>Charadrius mongolus</i>	Spoonbill, <i>Eurynorhynchus pygmeus</i>	Chipping, <i>Spizella passerina</i>
Mountain, <i>Charadrius montanus</i>	Spotted, <i>Actitis macularia</i>	Clay-colored, <i>Spizella pallida</i>
Piping, <i>Charadrius melanotos</i>	Stilt, <i>Calidris himantopus</i>	Field, <i>Spizella pusilla</i>
Semipalmated, <i>Charadrius semipalmatus</i>	Terek, <i>Xenus cinereus</i>	Five-striped, <i>Aimophila quinquestrigata</i>
Snowy, <i>Charadrius alexandrinus</i>	Upland, <i>Bartramia longicauda</i>	Fox, <i>Passerella iliaca</i>
Wilson's, <i>Charadrius wilsonia</i>	Western, <i>Calidris mauri</i>	Golden-crowned, <i>Zonotrichia atricapilla</i>
POCHARD, Baer's, <i>Aythya baeri</i>	White-rumped, <i>Calidris fuscicollis</i>	Grasshopper, <i>Ammodramus savannarum</i>
Common, <i>Aythya ferina</i>	Wood, <i>Tringa glareola</i>	Harris's, <i>Zonotrichia querula</i>
POORWILL, Common, <i>Phalaenoptilus nuttallii</i>	SAPSUCKER, Red-breasted, <i>Sphyrapicus ruber</i>	Henslow's, <i>Ammodramus henslowii</i>
PUAOIHO, <i>Myadestes palmeri</i>	Red-naped, <i>Sphyrapicus nuchalis</i>	Lark, <i>Chondestes grammacus</i>
PUFFIN, Atlantic, <i>Fratercula arctica</i>	Williamson's, <i>Sphyrapicus thyroideus</i>	Le Conte's, <i>Ammodramus leconteii</i>
Horned, <i>Fratercula corniculata</i>	Yellow-bellied, <i>Sphyrapicus varius</i>	Lincoln's, <i>Melospiza lincolnnii</i>
Tufted, <i>Fratercula cirrhata</i>	SCAUP, Greater, <i>Aythya marila</i>	Nelson's Sharp-tailed, <i>Ammodramus nelsoni</i>
PYGMY-OWL, Ferruginous, <i>Glaucidium brasiliense</i>	Lesser, <i>Aythya affinis</i>	Olive, <i>Arremonops rufivirgatus</i>
Northern, <i>Glaucidium gnoma</i>	SCOTER, Black, <i>Melanitta nigra</i>	Rufous-crowned, <i>Aimophila ruficeps</i>
PYRRHULOXIA, <i>Cardinalis sinuatus</i>	Surf, <i>Melanitta perspicillata</i>	Rufous-winged, <i>Aimophila carpalis</i>
QUAIL-DOVE, Bridled, <i>Geotrygon mystacea</i>	White-winged, <i>Melanitta fusca</i>	Sage, <i>Amphispiza belli</i>
Key West, <i>Geotrygon chrysia</i>	SCREECH-OWL, Eastern, <i>Otus asio</i>	Savannah, <i>Passerculus sandwichensis</i>
Ruddy, <i>Geotrygon montana</i>	Puerto Rican, <i>Otus nudipes</i>	Seaside, <i>Ammodramus maritimus</i>
RAIL, Black, <i>Laterallus jamaicensis</i>	Western, <i>Otus kennicottii</i>	Saltmarsh Sharp-tailed,
Clapper, <i>Rallus longirostris</i>	Whiskered, <i>Otus trichopsis</i>	
	SCRUB-JAY, Florida, <i>Aphelocoma coerulescens</i>	
	Island, <i>Aphelocoma insularis</i>	
	Western, <i>Aphelocoma californica</i>	

<i>Ammodramus caudacutus</i>	Cinnamon, <i>Anas cyanoptera</i>	Blue-headed, <i>Vireo solitarius</i>
Song, <i>Melospiza melodia</i>	Green-winged, <i>Anas crecca</i>	Cassin's, <i>Vireo cassinii</i>
Swamp, <i>Melospiza georgiana</i>	TERN, Aleutian, <i>Sterna aleutica</i>	Gray, <i>Vireo vicinior</i>
Vesper, <i>Pooecetes gramineus</i>	Arctic, <i>Sterna paradisaea</i>	Hutton's, <i>Vireo huttoni</i>
White-crowned, <i>Zonotrichia leucophrys</i>	Black, <i>Chlidonias niger</i>	Philadelphia, <i>Vireo philadelphicus</i>
White-throated, <i>Zonotrichia albicollis</i>	Black-naped, <i>Sterna sumatrana</i>	Plumbeous, <i>Vireo plumbeus</i>
Worthen's, <i>Spizella wortheni</i>	Bridled, <i>Sterna anaethetus</i>	Puerto Rican, <i>Vireo latimeri</i>
SPARROWHAWK, Japanese, <i>Accipiter gularis</i>	Caspian, <i>Sterna caspia</i>	Red-eyed, <i>Vireo olivaceus</i>
SPINDALIS, Puerto Rican, <i>Spindalis portoricensis</i>	Common, <i>Sterna hirundo</i>	Warbling, <i>Vireo gilvus</i>
SPOONBILL, Roseate, <i>Ajaia ajaja</i>	Elegant, <i>Sterna elegans</i>	White-eyed, <i>Vireo griseus</i>
STARLING, Chestnut-cheeked, <i>Sturnus philippensis</i>	Forster's, <i>Sterna forsteri</i>	Yellow-green, <i>Vireo flavoviridis</i>
White-cheeked, <i>Sturnus cineraceus</i>	Gray-backed, <i>Sterna lunata</i>	Yellow-throated, <i>Vireo flavifrons</i>
STARTHROAT, Plain-capped, <i>Heliomaster constantii</i>	Gull-billed, <i>Sterna nilotica</i>	VULTURE, Black, <i>Coragyps atratus</i>
STILT, Black-necked, <i>Himantopus mexicanus</i>	Least, <i>Sterna antillarum</i>	Turkey, <i>Cathartes aura</i>
STINT, Little, <i>Calidris minuta</i>	Little, <i>Sterna albifrons</i>	WAGTAIL, Black-backed, <i>Motacilla lugens</i>
Long-toed, <i>Calidris subminuta</i>	Roseate, <i>Sterna dougallii</i>	Gray, <i>Motacilla cinerea</i>
Red-necked, <i>Calidris ruficollis</i>	Royal, <i>Sterna maxima</i>	White, <i>Motacilla alba</i>
Temminck's, <i>Calidris temminckii</i>	Sandwich, <i>Sterna sandvicensis</i>	Yellow, <i>Motacilla flava</i>
STORK, Wood, <i>Mycteria americana</i>	Sooty, <i>Sterna fuscata</i>	WARBLER, Adelaide's, <i>Dendroica adelaidae</i>
STORM-PETREL, Ashy, <i>Oceanodroma homochroa</i>	White, <i>Gygis alba</i>	Arctic, <i>Phylloscopus borealis</i>
Band-rumped, <i>Oceanodroma castro</i>	White-winged, <i>Chlidonias leucopterus</i>	Bachman's, <i>Vermivora bachmanii</i>
Black, <i>Oceanodroma Melania</i>	THRASHER, Bendire's, <i>Toxostoma bendirei</i>	Bay-breasted, <i>Dendroica castanea</i>
Fork-tailed, <i>Oceanodroma furcata</i>	Brown, <i>Toxostoma rufum</i>	Black-and-white, <i>Mniotilla varia</i>
Leach's, <i>Oceanodroma leucorhoa</i>	California, <i>Toxostoma redivivum</i>	Black-throated Blue, <i>Dendroica caerulea</i>
Least, <i>Oceanodroma microsoma</i>	Crissal, <i>Toxostoma crissale</i>	Black-throated Gray, <i>Dendroica nigrescens</i>
Tristram's, <i>Oceanodroma tristrami</i>	Curve-billed, <i>Toxostoma curvirostre</i>	Black-throated Green, <i>Dendroica virens</i>
Wedge-rumped, <i>Oceanodroma tethys</i>	Le Conte's, <i>Toxostoma lecontei</i>	Blackburnian, <i>Dendroica fusca</i>
White-faced, <i>Pelagodroma marina</i>	Long-billed, <i>Toxostoma longirostre</i>	Blackpoll, <i>Dendroica striata</i>
Wilson's, <i>Oceanites oceanicus</i>	Pearly-eyed, <i>Margarops fuscatus</i>	Blue-winged, <i>Vermivora pinus</i>
SURFBIRD, <i>Aphriza virgata</i>	Sage, <i>Oreoscoptes montanus</i>	Canada, <i>Wilsonia canadensis</i>
SWALLOW, Bahama, <i>Tachycineta cyaneoviridis</i>	THRUSH, Aztec, <i>Ridgwayia pinicola</i>	Cape May, <i>Dendroica tigrina</i>
Bank, <i>Riparia riparia</i>	Bicknell's, <i>Catharus bicknelli</i>	Cerulean, <i>Dendroica cerulea</i>
Barn, <i>Hirundo rustica</i>	Blue Rock, <i>Monticola solitarius</i>	Chestnut-sided, <i>Dendroica pensylvanica</i>
Cave, <i>Petrochelidon fulva</i>	Dusky, <i>Turdus naumanni</i>	Colima, <i>Vermivora crissalis</i>
Cliff, <i>Petrochelidon pyrrhonota</i>	Eyebrowed, <i>Turdus obscurus</i>	Connecticut, <i>Oporornis agilis</i>
Northern Rough-winged, <i>Stelgidopteryx serripennis</i>	Gray-cheeked, <i>Catharus minimus</i>	Elfin-woods, <i>Dendroica angelae</i>
Tree, <i>Tachycineta bicolor</i>	Hermit, <i>Catharus guttatus</i>	Golden-cheeked, <i>Dendroica chrysoparia</i>
Violet-green, <i>Tachycineta thalassina</i>	Red-legged, <i>Turdus plumbeus</i>	Golden-crowned, <i>Basileuterus culicivorus</i>
SWAN, Trumpeter, <i>Cygnus buccinator</i>	Swainson's, <i>Catharus ustulatus</i>	Golden-winged, <i>Vermivora chrysoptera</i>
Tundra, <i>Cygnus columbianus</i>	Varied, <i>Ixoreus naevius</i>	Grace's, <i>Dendroica graciae</i>
Whooper, <i>Cygnus cygnus</i>	Wood, <i>Hylocichla mustelina</i>	Hermit, <i>Dendroica occidentalis</i>
SWIFT, Black, <i>Cypseloides niger</i>	TITMOUSE, Bridled, <i>Baeolophus wollweberi</i>	Hooded, <i>Wilsonia citrina</i>
Chimney, <i>Chaetura pelagica</i>	Juniper, <i>Baeolophus ridgwayi</i>	Kentucky, <i>Oporornis formosus</i>
Common, <i>Apus apus</i>	Oak, <i>Baeolophus inornatus</i>	Kirtland's, <i>Dendroica kirtlandii</i>
Fork-tailed, <i>Apus pacificus</i>	Tufted, <i>Baeolophus bicolor</i>	Lucy's, <i>Vermivora luciae</i>
Vaux's, <i>Chaetura vauxi</i>	TOWHEE, Abert's, <i>Pipilo aberti</i>	MacGillivray's, <i>Oporornis tolmiei</i>
White-collared, <i>Streptoprocne zonaris</i>	California, <i>Pipilo crissalis</i>	Magnolia, <i>Dendroica magnolia</i>
White-throated, <i>Aeronautes saxatalis</i>	Canyon, <i>Pipilo fuscus</i>	Mourning, <i>Oporornis philadelphica</i>
TANAGER, Flame-colored, <i>Piranga bidentata</i>	Eastern, <i>Pipilo erythrorththalmus</i>	Nashville, <i>Vermivora ruficapilla</i>
Hepatic, <i>Piranga flava</i>	Green-tailed, <i>Pipilo chlorurus</i>	Olive, <i>Peucedramus taeniatus</i>
Puerto Rican, <i>Neospingus speculiferus</i>	Spotted, <i>Pipilo maculatus</i>	Orange-crowned, <i>Vermivora celata</i>
Scarlet, <i>Piranga olivacea</i>	TRÔGON, Eared, <i>Euptilotus neoxenus</i>	Palm, <i>Dendroica palmarum</i>
Summer, <i>Piranga rubra</i>	Elegant, <i>Trogon elegans</i>	Pine, <i>Dendroica pinus</i>
Western, <i>Piranga ludoviciana</i>	TROPICBIRD, Red-billed, <i>Phaethon aethereus</i>	Prairie, <i>Dendroica discolor</i>
TATTERL, Gray-tailed, <i>Heteroscelus brevipes</i>	Red-tailed, <i>Phaethon rubricauda</i>	Prothonotary, <i>Protonotaria citrea</i>
Wandering, <i>Heteroscelus incanus</i>	White-tailed, <i>Phaethon lepturus</i>	Red-faced, <i>Cardellina rubrifrons</i>
TEAL, Baikal, <i>Anas formosa</i>	TURNSTONE, Black, <i>Arenaria melanoleuca</i>	Rufous-capped, <i>Basileuterus rufifrons</i>
Blue-winged, <i>Anas discors</i>	Ruddy, <i>Arenaria interpres</i>	Swainson's, <i>Limnothlypis swainsonii</i>
	VEERY, <i>Catharus fuscescens</i>	Tennessee, <i>Vermivora peregrina</i>
	VERDIN, <i>Auriparus flaviceps</i>	Townsend's, <i>Dendroica townsendi</i>
	VIOLET-EAR, Green, <i>Colibri thalassinus</i>	
	VIREO, Bell's, <i>Vireo bellii</i>	
	Black-capped, <i>Vireo atricapillus</i>	
	Black-whiskered, <i>Vireo altiloquus</i>	

Virginia's, <i>Vermivora virginiae</i>	YELLOWTHROAT, Common, <i>Geothlypis trichas</i>	<i>Puffinus bulleri</i> , Buller's Shearwater
Willow, <i>Phylloscopus trochilus</i>	Gray-crowned, <i>Geothlypis poliocephala</i>	<i>Puffinus griseus</i> , Sooty Shearwater
Wilson's, <i>Wilsonia pusilla</i>	(2) <i>Taxonomic listing.</i> Species are listed in phylogenetic sequence by scientific name, with the common (English) name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily.	<i>Puffinus tenuirostris</i> , Short-tailed Shearwater
Worm-eating, <i>Helmitheros vermivorus</i>	Order GAVIIFORMES	<i>Puffinus nativitatis</i> , Christmas Shearwater
Yellow, <i>Dendroica petechia</i>	Family GAVIIDAE	<i>Puffinus puffinus</i> , Manx Shearwater
Yellow-rumped, <i>Dendroica coronata</i>	<i>Gavia stellata</i> , Red-throated Loon	<i>Puffinus auricularis</i> , Townsend's Shearwater
Yellow-throated, <i>Dendroica dominica</i>	<i>Gavia arctica</i> , Arctic Loon	<i>Puffinus opisthomelas</i> , Black-vented Shearwater
WATERTHRUSH, Louisiana, <i>Seiurus motacilla</i>	<i>Gavia pacifica</i> , Pacific Loon	<i>Puffinus lherminieri</i> , Audubon's Shearwater
Northern, <i>Seiurus noveboracensis</i>	<i>Gavia immer</i> , Common Loon	<i>Puffinus assimilis</i> , Little Shearwater
WAXWING, Bohemian, <i>Bombycilla garrulus</i>	<i>Gavia adamsii</i> , Yellow-billed Loon	Family HYDROBATIDAE
Cedar, <i>Bombycilla cedrorum</i>	Order PODICIPEDIFORMES	<i>Oceanites oceanicus</i> , Wilson's Storm-Petrel
WHEATEAR, Northern, <i>Oenanthe oenanthe</i>	Family PODICIPEDIDAE	<i>Pelagodroma marina</i> , White-faced Storm-Petrel
WHIMBREL, <i>Numenius phaeopus</i>	<i>Tachybaptus dominicus</i> , Least Grebe	<i>Oceanodroma furcata</i> , Fork-tailed Storm-Petrel
WHIP-POOR-WILL, <i>Caprimulgus vociferus</i>	<i>Podilymbus podiceps</i> , Pied-billed Grebe	<i>Oceanodroma leucorhoa</i> , Leach's Storm-Petrel
WHISTLING-DUCK, Black-bellied, <i>Dendrocygna autumnalis</i>	<i>Podiceps auritus</i> , Horned Grebe	<i>Oceanodroma homochroa</i> , Ashy Storm-Petrel
Fulvous, <i>Dendrocygna bicolor</i>	<i>Podiceps grisegena</i> , Red-necked Grebe	<i>Oceanodroma castro</i> , Band-rumped Storm-Petrel
West Indian, <i>Dendrocygna arborea</i>	<i>Podiceps nigricollis</i> , Eared Grebe	<i>Oceanodroma tethys</i> , Wedge-rumped Storm-Petrel
WIGEON, American, <i>Anas americana</i>	<i>Aechmophorus occidentalis</i> , Western Grebe	<i>Oceanodroma Melania</i> , Black Storm-Petrel
Eurasian, <i>Anas penelope</i>	<i>Aechmophorus clarkii</i> , Clark's Grebe	<i>Oceanodroma tristrami</i> , Tristram's Storm-Petrel
WILLET, <i>Catoptrophorus semipalmatus</i>	Order PROCELLARIFORMES	<i>Oceanodroma microsoma</i> , Least Storm-Petrel
WOOD-PEWEE, Eastern, <i>Contopus virens</i>	Family DIOMEDEIDAE	Order PELECANIFORMES
Western, <i>Contopus sordidulus</i>	<i>Thalassarche chlororhynchos</i> , Yellow-nosed Albatross	Family PHAETHONTIDAE
WOODCOCK, American, <i>Scolopax minor</i>	<i>Phoebastria immutabilis</i> , Laysan Albatross	<i>Phaethon lepturus</i> , White-tailed Tropicbird
Eurasian, <i>Scolopax rusticola</i>	<i>Phoebastria nigripes</i> , Black-footed Albatross	<i>Phaethon aethereus</i> , Red-billed Tropicbird
WOODPECKER, Acorn, <i>Melanerpes formicivorus</i>	<i>Phoebastria albatrus</i> , Short-tailed Albatross	<i>Phaethon rubricauda</i> , Red-tailed Tropicbird
Arizona, <i>Picoides arizonae</i>	Family PROCELLARIIDAE	Family SULIDAE
Black-backed, <i>Picoides arcticus</i>	<i>Fulmarus glacialis</i> , Northern Fulmar	<i>Sula dactylatra</i> , Masked Booby
Downy, <i>Picoides pubescens</i>	<i>Pterodroma neglecta</i> , Kermadec Petrel	<i>Sula nebouxii</i> , Blue-footed Booby
Gila, <i>Melanerpes uropygialis</i>	<i>Pterodroma arminjoniana</i> , Herald Petrel	<i>Sula leucogaster</i> , Brown Booby
Golden-fronted, <i>Melanerpes aurifrons</i>	<i>Pterodroma ultima</i> , Murphy's Petrel	<i>Sula sula</i> , Red-footed Booby
Hairy, <i>Picoides villosus</i>	<i>Pterodroma inexpectata</i> , Mottled Petrel	<i>Morus bassanus</i> , Northern Gannet
Ivory-billed, <i>Campetherus principalis</i>	<i>Pterodroma hasitata</i> , Black-capped Petrel	Family PELECANIDAE
Ladder-backed, <i>Picoides scalaris</i>	<i>Pterodroma externa</i> , Juan Fernandez Petrel	<i>Pelecanus erythrorhynchos</i> , American White Pelican
Lewis's, <i>Melanerpes lewisi</i>	<i>Pterodroma phaeopygia</i> , Dark-rumped Petrel	<i>Pelecanus occidentalis</i> , Brown Pelican
Nuttall's, <i>Picoides nuttallii</i>	<i>Pterodroma cervicalis</i> , White-necked Petrel	Family PHALACROCORACIDAE
Pileated, <i>Dryocopus pileatus</i>	<i>Pterodroma hypoleuca</i> , Bonin Petrel	<i>Phalacrocorax penicillatus</i> , Brandt's Cormorant
Puerto Rican, <i>Melanerpes portoricensis</i>	<i>Pterodroma cookii</i> , Cook's Petrel	<i>Phalacrocorax brasiliensis</i> , Neotropic Cormorant
Red-bellied, <i>Melanerpes carolinus</i>	<i>Bulweria bulwerii</i> , Bulwer's Petrel	<i>Phalacrocorax auritus</i> , Double-crested Cormorant
Red-cockaded, <i>Picoides borealis</i>	<i>Calonectris diomedea</i> , Cory's Shearwater	<i>Phalacrocorax carbo</i> , Great Cormorant
Red-headed, <i>Melanerpes erythrocephalus</i>	<i>Puffinus creatopus</i> , Pink-footed Shearwater	<i>Phalacrocorax urile</i> , Red-faced Cormorant
Strickland's, <i>Picoides stricklandi</i>	<i>Puffinus carneipes</i> , Flesh-footed Shearwater	<i>Phalacrocorax pelagicus</i> , Pelagic Cormorant
Three-toed, <i>Picoides tridactylus</i>	<i>Puffinus gravis</i> , Greater Shearwater	Family ANHINGIDAE
White-headed, <i>Picoides albolarvatus</i>	<i>Puffinus pacificus</i> , Wedge-tailed Shearwater	<i>Anhinga anhinga</i> , Anhinga
WOODSTAR, Bahama, <i>Calliphlox evelynae</i>		Family FREGATIDAE
WREN, Bewick's, <i>Thryothorus bewickii</i>		
Cactus, <i>Campylorhynchus brunneicapillus</i>		
Canyon, <i>Catherpes mexicanus</i>		
Carolina, <i>Thryothorus ludovicianus</i>		
House, <i>Troglodytes aedon</i>		
Marsh, <i>Cistothorus palustris</i>		
Rock, <i>Salpinctes obsoletus</i>		
Sedge, <i>Cistothorus platensis</i>		
Winter, <i>Troglodytes troglodytes</i>		
WRYNECK, Eurasian, <i>Jynx torquilla</i>		
YELLOWLEGS, Greater, <i>Tringa melanoleuca</i>		
Lesser, <i>Tringa flavipes</i>		

<i>Fregata magnificens</i> , Magnificent Frigatebird	<i>Branta sandvicensis</i> , Hawaiian Goose	<i>Elanus leucurus</i> , White-tailed Kite
<i>Fregata minor</i> , Great Frigatebird	<i>Branta bernicla</i> , Brant	<i>Rostrhamus sociabilis</i> , Snail Kite
<i>Fregata ariel</i> , Lesser Frigatebird	<i>Branta leucopsis</i> , Barnacle Goose	<i>Ictinia mississippiensis</i> , Mississippi Kite
Order CICONIIFORMES	<i>Cygnus buccinator</i> , Trumpeter Swan	<i>Milvus migrans</i> , Black Kite
Family ARDEIDAE	<i>Cygnus columbianus</i> , Tundra Swan	<i>Haliaeetus leucocephalus</i> , Bald Eagle
<i>Botaurus lentiginosus</i> , American Bittern	<i>Cygnus cygnus</i> , Whooper Swan	<i>Haliaeetus albicilla</i> , White-tailed Eagle
<i>Ixobrychus sinensis</i> , Yellow Bittern	Subfamily Anatinae	<i>Haliaeetus pelagicus</i> , Steller's Sea-Eagle
<i>Ixobrychus exilis</i> , Least Bittern	<i>Aix sponsa</i> , Wood Duck	<i>Circus cyaneus</i> , Northern Harrier
<i>Ixobrychus eurhythmus</i> , Schrenk's Bittern	<i>Anas strepera</i> , Gadwall	<i>Accipiter gularis</i> , Japanese Sparrowhawk
<i>Ardea herodias</i> , Great Blue Heron	<i>Anas falcata</i> , Falcated Duck	<i>Accipiter striatus</i> , Sharp-shinned Hawk
<i>Ardea alba</i> , Great Egret	<i>Anas penelope</i> , Eurasian Wigeon	<i>Accipiter cooperii</i> , Cooper's Hawk
<i>Mesophoyx intermedia</i> , Intermediate Egret	<i>Anas americana</i> , American Wigeon	<i>Accipiter gentilis</i> , Northern Goshawk
<i>Egretta eulophotes</i> , Chinese Egret	<i>Anas rubripes</i> , American Black Duck	<i>Asturina nitida</i> , Gray Hawk
<i>Egretta sacra</i> , Pacific Reef-Egret	<i>Anas platyrhynchos</i> , Mallard	<i>Buteogallus anthracinus</i> , Common Black-Hawk
<i>Egretta thula</i> , Snowy Egret	<i>Anas fulvigula</i> , Mottled Duck	<i>Parabuteo unicinctus</i> , Harris's Hawk
<i>Egretta caerulea</i> , Little Blue Heron	<i>Anas wyvilliana</i> , Hawaiian Duck	<i>Buteo lineatus</i> , Red-shouldered Hawk
<i>Egretta tricolor</i> , Tricolored Heron	<i>Anas laysanensis</i> , Laysan Duck	<i>Buteo platypterus</i> , Broad-winged Hawk
<i>Egretta rufescens</i> , Reddish Egret	<i>Anas poecilorhyncha</i> , Spot-billed Duck	<i>Buteo brachyurus</i> , Short-tailed Hawk
<i>Bubulcus ibis</i> , Cattle Egret	<i>Anas discors</i> , Blue-winged Teal	<i>Buteo swainsoni</i> , Swainson's Hawk
<i>Butorides virescens</i> , Green Heron	<i>Anas cyanoptera</i> , Cinnamon Teal	<i>Buteo albicaudatus</i> , White-tailed Hawk
<i>Nycticorax nycticorax</i> , Black-crowned Night-Heron	<i>Anas clypeata</i> , Northern Shoveler	
<i>Nyctanassa violacea</i> , Yellow-crowned Night-Heron	<i>Anas bahamensis</i> , White-cheeked Pintail	
<i>Gorsachius goisagi</i> , Japanese Night-Heron	<i>Anas acuta</i> , Northern Pintail	
<i>Gorsachius melanolophus</i> , Malayan Night-Heron	<i>Anas querquedula</i> , Garganey	
Family THRESKIORNITHIDAE	<i>Anas formosa</i> , Baikal Teal	
Subfamily Threskiornithinae	<i>Anas crecca</i> , Green-winged Teal	
<i>Eudocimus albus</i> , White Ibis	<i>Aythya valisneria</i> , Canvasback	
<i>Eudocimus ruber</i> , Scarlet Ibis	<i>Aythya americana</i> , Redhead	
<i>Plegadis falcinellus</i> , Glossy Ibis	<i>Aythya ferina</i> , Common Pochard	
<i>Plegadis chihi</i> , White-faced Ibis	<i>Aythya baeri</i> , Baer's Pochard	
Subfamily Plataleinae	<i>Aythya collaris</i> , Ring-necked Duck	
<i>Ajaia ajaja</i> , Roseate Spoonbill	<i>Aythya fuligula</i> , Tufted Duck	
Family CICONIIDAE	<i>Aythya marila</i> , Greater Scaup	
<i>Jabiru mycteria</i> , Jabiru	<i>Aythya affinis</i> , Lesser Scaup	
<i>Mycteria americana</i> , Wood Stork	<i>Polysticta stelleri</i> , Steller's Eider	
Family CATHARTIDAE	<i>Somateria fischeri</i> , Spectacled Eider	
<i>Coragyps atratus</i> , Black Vulture	<i>Somateria spectabilis</i> , King Eider	
<i>Cathartes aura</i> , Turkey Vulture	<i>Somateria mollissima</i> , Common Eider	
<i>Gymnogyps californianus</i> , California Condor	<i>Histrionicus histrionicus</i> , Harlequin Duck	
Order PHOENICOPTERIFORMES	<i>Melanitta perspicillata</i> , Surf Scoter	
Family PHOENICOPTERIDAE	<i>Melanitta fusca</i> , White-winged Scoter	
<i>Phoenicopterus ruber</i> , Greater Flamingo	<i>Melanitta nigra</i> , Black Scoter	
Order ANSERIFORMES	<i>Clangula hyemalis</i> , Long-tailed Duck	
Family ANATIDAE	<i>Bucephala albeola</i> , Bufflehead	
Subfamily Dendrocygninae	<i>Bucephala clangula</i> , Common Goldeneye	
<i>Dendrocygna autumnalis</i> , Black-bellied Whistling-Duck	<i>Bucephala islandica</i> , Barrow's Goldeneye	
<i>Dendrocygna arborea</i> , West Indian Whistling-Duck	<i>Mergellus albellus</i> , Smew	
<i>Dendrocygna bicolor</i> , Fulvous Whistling-Duck	<i>Lophodytes cucullatus</i> , Hooded Merganser	
Subfamily Anserinae	<i>Mergus merganser</i> , Common Merganser	
<i>Anser fabalis</i> , Bean Goose	<i>Mergus serrator</i> , Red-breasted Merganser	
<i>Anser albifrons</i> , Greater White-fronted Goose	<i>Nomonyx dominica</i> , Masked Duck	
<i>Chen canagica</i> , Emperor Goose	<i>Oxyura jamaicensis</i> , Ruddy Duck	
<i>Chen caerulescens</i> , Snow Goose	Order FALCONIFORMES	
<i>Chen rossii</i> , Ross's Goose	Family ACCIPITRIDAE	
<i>Branta canadensis</i> , Canada Goose	Subfamily Pandioninae	
	<i>Pandion haliaetus</i> , Osprey	
	Subfamily Accipitrinae	
	<i>Chondrohierax uncinatus</i> , Hook-billed Kite	
	<i>Elanoides forficatus</i> , Swallow-tailed Kite	

<i>Grus grus</i> , Common Crane	Curlew	<i>Stercorarius parasiticus</i> , Parasitic Jaeger
<i>Grus americana</i> , Whooping Crane	<i>Numenius madagascariensis</i> , Far Eastern Curlew	<i>Stercorarius longicaudus</i> , Long-tailed Jaeger
Order CHARADRIIFORMES	<i>Numenius americanus</i> , Long-billed Curlew	Subfamily Larinae
Family CHARADRIIDAE	<i>Limosa limosa</i> , Black-tailed Godwit	<i>Larus atricilla</i> , Laughing Gull
Subfamily Vanellinae	<i>Limosa haemastica</i> , Hudsonian Godwit	<i>Larus pipixcan</i> , Franklin's Gull
<i>Vanellus vanellus</i> , Northern Lapwing	<i>Limosa lapponica</i> , Bar-tailed Godwit	<i>Larus minutus</i> , Little Gull
Subfamily Charadriinae	<i>Limosa fedoa</i> , Marbled Godwit	<i>Larus ridibundus</i> , Black-headed Gull
<i>Pluvialis squatarola</i> , Black-bellied Plover	<i>Arenaria interpres</i> , Ruddy Turnstone	<i>Larus philadelphia</i> , Bonaparte's Gull
<i>Pluvialis dominica</i> , American Golden-Plover	<i>Arenaria melanocephala</i> , Black Turnstone	<i>Larus heermanni</i> , Heermann's Gull
<i>Pluvialis fulva</i> , Pacific Golden-Plover	<i>Aphriza virgata</i> , Surfbird	<i>Larus crassirostris</i> , Black-tailed Gull
<i>Charadrius mongolus</i> , Mongolian Plover	<i>Calidris tenuirostris</i> , Great Knot	<i>Larus canus</i> , Mew Gull
<i>Charadrius leschenaultii</i> , Greater Sand Plover	<i>Calidris canutus</i> , Red Knot	<i>Larus delawarensis</i> , Ring-billed Gull
<i>Charadrius alexandrinus</i> , Snowy Plover	<i>Calidris alba</i> , Sanderling	<i>Larus californicus</i> , California Gull
<i>Charadrius wilsonia</i> , Wilson's Plover	<i>Calidris pusilla</i> , Semipalmated Sandpiper	<i>Larus argentatus</i> , Herring Gull
<i>Charadrius hiaticula</i> , Common Ringed Plover	<i>Calidris mauri</i> , Western Sandpiper	<i>Larus thayeri</i> , Thayer's Gull
<i>Charadrius semipalmatus</i> , Semipalmated Plover	<i>Calidris ruficollis</i> , Red-necked Stint	<i>Larus glaucopterus</i> , Iceland Gull
<i>Charadrius melanotos</i> , Piping Plover	<i>Calidris minuta</i> , Little Stint	<i>Larus fuscus</i> , Lesser Black-backed Gull
<i>Charadrius dubius</i> , Little Ringed Plover	<i>Calidris temminckii</i> , Temminck's Stint	<i>Larus schistisagus</i> , Slaty-backed Gull
<i>Charadrius vociferus</i> , Killdeer	<i>Calidris subminuta</i> , Long-toed Stint	<i>Larus livens</i> , Yellow-footed Gull
<i>Charadrius montanus</i> , Mountain Plover	<i>Calidris minutilla</i> , Least Sandpiper	<i>Larus occidentalis</i> , Western Gull
<i>Charadrius morinellus</i> , Eurasian Dotterel	<i>Calidris fuscicollis</i> , White-rumped Sandpiper	<i>Larus glaucescens</i> , Glaucous-winged Gull
Family HAEMATOPODIDAE	<i>Calidris bairdii</i> , Baird's Sandpiper	<i>Larus hyperboreus</i> , Glaucous Gull
<i>Haematopus palliatus</i> , American Oystercatcher	<i>Calidris melanotos</i> , Pectoral Sandpiper	<i>Larus marinus</i> , Great Black-backed Gull
<i>Haematopus bachmani</i> , Black Oystercatcher	<i>Calidris acuminata</i> , Sharp-tailed Sandpiper	<i>Xema sabini</i> , Sabine's Gull
Family RECURVIROSTRIDAE	<i>Calidris maritima</i> , Purple Sandpiper	<i>Rissa tridactyla</i> , Black-legged Kittiwake
<i>Himantopus mexicanus</i> , Black-necked Stilt	<i>Calidris ptilocnemis</i> , Rock Sandpiper	<i>Rissa brevirostris</i> , Red-legged Kittiwake
<i>Recurvirostra americana</i> , American Avocet	<i>Calidris alpina</i> , Dunlin	<i>Rhodostethia rosea</i> , Ross's Gull
Family JACANIDAE	<i>Calidris ferruginea</i> , Curlew Sandpiper	<i>Pagophila eburnea</i> , Ivory Gull
<i>Jacana spinosa</i> , Northern Jacana	<i>Calidris himantopus</i> , Stilt Sandpiper	Subfamily Sterninae
Family SCOLOPACIDAE	<i>Eurynorhynchus pygmeus</i> , Spoonbill Sandpiper	<i>Sterna nilotica</i> , Gull-billed Tern
Subfamily Scolopacinae	<i>Limicola falcinellus</i> , Broad-billed Sandpiper	<i>Sterna caspia</i> , Caspian Tern
<i>Tringa nebularia</i> , Common Greenshank	<i>Tryngites subruficollis</i> , Buff-breasted Sandpiper	<i>Sterna maxima</i> , Royal Tern
<i>Tringa melanoleuca</i> , Greater Yellowlegs	<i>Philomachus pugnax</i> , Ruff	<i>Sterna elegans</i> , Elegant Tern
<i>Tringa flavipes</i> , Lesser Yellowlegs	<i>Limnodromus griseus</i> , Short-billed Dowitcher	<i>Sterna sandvicensis</i> , Sandwich Tern
<i>Tringa stagnatilis</i> , Marsh Sandpiper	<i>Limnodromus scolopaceus</i> , Long-billed Dowitcher	<i>Sterna dougallii</i> , Roseate Tern
<i>Tringa erythropus</i> , Spotted Redshank	<i>Lymnocryptes minimus</i> , Jack Snipe	<i>Sterna hirundo</i> , Common Tern
<i>Tringa glareola</i> , Wood Sandpiper	<i>Gallinago gallinago</i> , Common Snipe	<i>Sterna paradisaea</i> , Arctic Tern
<i>Tringa solitaria</i> , Solitary Sandpiper	<i>Gallinago stenura</i> , Pin-tailed Snipe	<i>Sterna forsteri</i> , Forster's Tern
<i>Catoptrophorus semipalmatus</i> , Willet	<i>Gallinago megala</i> , Swinhoe's Snipe	<i>Sterna albifrons</i> , Little Tern
<i>Heteroscelus incanus</i> , Wandering Tattler	<i>Scolopax rusticola</i> , Eurasian Woodcock	<i>Sterna antillarum</i> , Least Tern
<i>Heteroscelus brevipes</i> , Gray-tailed Tattler	<i>Phalaropus tricolor</i> , Wilson's Phalarope	<i>Sterna sumatrana</i> , Black-naped Tern
<i>Actitis hypoleucus</i> , Common Sandpiper	<i>Phalaropus lobatus</i> , Red-necked Phalarope	<i>Sterna aleutica</i> , Aleutian Tern
<i>Actitis macularia</i> , Spotted Sandpiper	<i>Phalaropus fulicaria</i> , Red Phalarope	<i>Sterna lunata</i> , Gray-backed Tern
<i>Xenus cinereus</i> , Terek Sandpiper	Family LARIDAE	<i>Sterna anaethetus</i> , Bridled Tern
<i>Bartramia longicauda</i> , Upland Sandpiper	Subfamily Stercorariinae	<i>Sterna fuscata</i> , Sooty Tern
<i>Numenius minutus</i> , Little Curlew	<i>Stercorarius skua</i> , Great Skua	<i>Chlidonias leucopterus</i> , White-winged Tern
<i>Numenius borealis</i> , Eskimo Curlew	<i>Stercorarius maccormicki</i> , South Polar Skua	<i>Chlidonias niger</i> , Black Tern
<i>Numenius phaeopus</i> , Whimbrel	<i>Stercorarius pomarinus</i> , Pomarine Jaeger	<i>Anous stolidus</i> , Brown Noddy
<i>Numenius tahitiensis</i> , Bristle-thighed		<i>Anous minutus</i> , Black Noddy
		<i>Anous tenuirostris</i> , Lesser Noddy
		<i>Procelsterna cerulea</i> , Blue-gray Noddy
		<i>Gygis alba</i> , White Tern
		Subfamily Rynchopinae
		<i>Rynchops niger</i> , Black Skimmer
		Family ALCIDAE
		<i>Alle alle</i> , Dovekie
		<i>Uria aalge</i> , Common Murre
		<i>Uria lomvia</i> , Thick-billed Murre
		<i>Alca torda</i> , Razorbill
		<i>Cephus grylle</i> , Black Guillemot

<i>Cephus columba</i> , Pigeon Guillemot	Ani	<i>Tachornis phoenicobia</i> , Antillean Palm-Swift
<i>Brachyramphus marmoratus</i> , Marbled Murrelet	Order STRIGIFORMES	Family TROCHILIDAE
<i>Brachyramphus brevirostris</i> , Kittlitz's Murrelet	Family TYTONIDAE	Subfamily Trochilinae
<i>Synthliboramphus hypoleucus</i> , Xantus's Murrelet	<i>Tyto alba</i> , Barn Owl	<i>Colibri thalassinus</i> , Green Violet-ear
<i>Synthliboramphus craveri</i> , Craveri's Murrelet	Family STRIGIDAE	<i>Anthracothorax dominicus</i> , Antillean Mango
<i>Synthliboramphus antiquus</i> , Ancient Murrelet	<i>Otus flammeolus</i> , Flammulated Owl	<i>Anthracothorax viridis</i> , Green Mango
<i>Ptychoramphus aleuticus</i> , Cassin's Auklet	<i>Otus kennicottii</i> , Western Screech-Owl	<i>Eulampis holosericeus</i> , Green-throated Carib
<i>Aethia psittacula</i> , Parakeet Auklet	<i>Otus asio</i> , Eastern Screech-Owl	<i>Orthorhynchus cristatus</i> , Antillean Crested Hummingbird
<i>Aethia pusilla</i> , Least Auklet	<i>Otus trichopsis</i> , Whiskered Screech-Owl	<i>Chlorostilbon maugaeus</i> , Puerto Rican Emerald
<i>Aethia pygmaea</i> , Whiskered Auklet	<i>Otus nudipes</i> , Puerto Rican Screech-Owl	<i>Cynanthus latirostris</i> , Broad-billed Hummingbird
<i>Aethia cristatella</i> , Crested Auklet	<i>Bubo virginianus</i> , Great Horned Owl	<i>Hylocharis leucotis</i> , White-eared Hummingbird
<i>Cerorhinca monocerata</i> , Rhinoceros Auklet	<i>Nyctea scandiaca</i> , Snowy Owl	<i>Amazilia beryllina</i> , Berylline Hummingbird
<i>Fratercula arctica</i> , Atlantic Puffin	<i>Surnia ulula</i> , Northern Hawk Owl	<i>Amazilia yucatanensis</i> , Buff-bellied Hummingbird
<i>Fratercula corniculata</i> , Horned Puffin	<i>Glaucidium gnoma</i> , Northern Pygmy-Owl	<i>Amazilia violiceps</i> , Violet-crowned Hummingbird
<i>Fratercula cirrhata</i> , Tufted Puffin	<i>Glaucidium brasilianum</i> , Ferruginous Pygmy-Owl	<i>Lampornis clemenciae</i> , Blue-throated Hummingbird
Order COLUMBIFORMES	<i>Micrathene whitneyi</i> , Elf Owl	<i>Eugenes fulgens</i> , Magnificent Hummingbird
Family COLUMBIDAE	<i>Athene cunicularia</i> , Burrowing Owl	<i>Heliomaster constantii</i> , Plain-capped Starthroat
<i>Columba squamosa</i> , Scaly-naped Pigeon	<i>Strix occidentalis</i> , Spotted Owl	<i>Calliphlox evelynae</i> , Bahama Woodstar
<i>Columba leucocephala</i> , White-crowned Pigeon	<i>Strix varia</i> , Barred Owl	<i>Calothorax lucifer</i> , Lucifer Hummingbird
<i>Columba flavirostris</i> , Red-billed Pigeon	<i>Strix nebulosa</i> , Great Gray Owl	<i>Archilochus colubris</i> , Ruby-throated Hummingbird
<i>Columba inornata</i> , Plain Pigeon	<i>Asio otus</i> , Long-eared Owl	<i>Archilochus alexandri</i> , Black-chinned Hummingbird
<i>Columba fasciata</i> , Band-tailed Pigeon	<i>Asio flammeus</i> , Short-eared Owl	<i>Calypte anna</i> , Anna's Hummingbird
<i>Zenaida asiatica</i> , White-winged Dove	<i>Aegolius funereus</i> , Boreal Owl	<i>Calypte costae</i> , Costa's Hummingbird
<i>Zenaida aurita</i> , Zenaida Dove	<i>Aegolius acadicus</i> , Northern Saw-whet Owl	<i>Stellula calliope</i> , Calliope Hummingbird
<i>Zenaida macroura</i> , Mourning Dove	Order CAPRIMULGIFORMES	<i>Selasphorus platycercus</i> , Broad-tailed Hummingbird
<i>Columbina inca</i> , Inca Dove	Family CAPRIMULGIDAE	<i>Selasphorus rufus</i> , Rufous Hummingbird
<i>Columbina passerina</i> , Common Ground-Dove	Subfamily Chordeilinae	<i>Selasphorus sasin</i> , Allen's Hummingbird
<i>Columbina talpacoti</i> , Ruddy Ground-Dove	<i>Chordeiles acutipennis</i> , Lesser Nighthawk	Order TROGONIFORMES
<i>Leptotila verreauxi</i> , White-tipped Dove	<i>Chordeiles minor</i> , Common Nighthawk	Family TROGONIDAE
<i>Geotrygon chrysia</i> , Key West Quail-Dove	<i>Chordeiles gundlachii</i> , Antillean Nighthawk	Subfamily Trogoninae
<i>Geotrygon mystacea</i> , Bridled Quail-Dove	Subfamily Capimulginae	<i>Trogon elegans</i> , Elegant Trogon
<i>Geotrygon montana</i> , Ruddy Quail-Dove	<i>Nyctidromus albicollis</i> , Common Pauraque	<i>Euptilotus neoxenus</i> , Eared Trogon
Order CUCULIFORMES	<i>Phalaenoptilus nuttallii</i> , Common Poorwill	Order UPUPIFORMES
Family CUCULIDAE	<i>Caprimulgus carolinensis</i> , Chuck-will's-widow	Family UPUPIDAE
Subfamily Cuculiniae	<i>Caprimulgus ridgwayi</i> , Buff-collared Nightjar	<i>Upupa epops</i> , Eurasian Hoopoe
<i>Cuculus canorus</i> , Common Cuckoo	<i>Caprimulgus vociferus</i> , Whip-poor-will	Order CORACIFORMES
<i>Cuculus saturatus</i> , Oriental Cuckoo	<i>Caprimulgus noctitherus</i> , Puerto Rican Nightjar	Family ALCEDINIDAE
<i>Cuculus fugax</i> , Hodgson's Hawk-Cuckoo	<i>Caprimulgus indicus</i> , Jungle Nightjar	Subfamily Ceryliniae
Subfamily Coccyzinae	Order APODIFORMES	<i>Ceryle torquata</i> , Ringed Kingfisher
<i>Coccyzus erythrophthalmus</i> , Black-billed Cuckoo	Family APODIDAE	<i>Ceryle alcyon</i> , Belted Kingfisher
<i>Coccyzus americanus</i> , Yellow-billed Cuckoo	Subfamily Cypseloidinae	<i>Chloroceryle americana</i> , Green Kingfisher
<i>Coccyzus minor</i> , Mangrove Cuckoo	<i>Cypseloides niger</i> , Black Swift	Order PICIFORMES
<i>Saurothera vieilloti</i> , Puerto Rican Lizard-Cuckoo	<i>Streptoprocne zonaris</i> , White-collared Swift	Family PICIDAE
Subfamily Neomorphinae	Subfamily Chaeturinae	Subfamily Jynginae
<i>Geococcyx californianus</i> , Greater Roadrunner	<i>Chaetura pelasgica</i> , Chimney Swift	<i>Jynx torquilla</i> , Eurasian Wryneck
Subfamily Crotaphaginiae	<i>Chaetura vauxi</i> , Vaux's Swift	Subfamily Picinae
<i>Crotaphaga ani</i> , Smooth-billed Ani	<i>Hirundapus caudacutus</i> , White-throated Needletail	<i>Melanerpes lewis</i> , Lewis's
<i>Crotaphaga sulcirostris</i> , Groove-billed	Subfamily Apodinae	

Woodpecker	Flycatcher	Vireo <i>philadelphicus</i> , Philadelphia Vireo
<i>Melanerpes portoricensis</i> , Puerto Rican Woodpecker	<i>Empidonax hammondi</i> , Hammond's Flycatcher	<i>Vireo olivaceus</i> , Red-eyed Vireo
<i>Melanerpes erythrocephalus</i> , Red-headed Woodpecker	<i>Empidonax wrightii</i> , Gray Flycatcher	<i>Vireo flavoviridis</i> , Yellow-green Vireo
<i>Melanerpes formicivorus</i> , Acorn Woodpecker	<i>Empidonax oberholseri</i> , Dusky Flycatcher	<i>Vireo altiloquus</i> , Black-whiskered Vireo
<i>Melanerpes uropygialis</i> , Gila Woodpecker	<i>Empidonax difficilis</i> , Pacific-slope Flycatcher	Family CORVIDAE
<i>Melanerpes aurifrons</i> , Golden-fronted Woodpecker	<i>Empidonax occidentalis</i> , Cordilleran Flycatcher	<i>Perisoreus canadensis</i> , Gray Jay
<i>Melanerpes carolinus</i> , Red-bellied Woodpecker	<i>Empidonax fulvifrons</i> , Buff-breasted Flycatcher	<i>Cyanocitta stelleri</i> , Steller's Jay
<i>Sphyrapicus thyroideus</i> , Williamson's Sapsucker	<i>Sayornis nigricans</i> , Black Phoebe	<i>Cyanocitta cristata</i> , Blue Jay
<i>Sphyrapicus varius</i> , Yellow-bellied Sapsucker	<i>Sayornis phoebe</i> , Eastern Phoebe	<i>Cyanocorax yncas</i> , Green Jay
<i>Sphyrapicus nuchalis</i> , Red-naped Sapsucker	<i>Sayornis saya</i> , Say's Phoebe	<i>Cyanocorax morio</i> , Brown Jay
<i>Sphyrapicus ruber</i> , Red-breasted Sapsucker	<i>Pyrocephalus rubinus</i> , Vermilion Flycatcher	<i>Aphelocoma coerulescens</i> , Florida Scrub-Jay
<i>Picoides scalaris</i> , Ladder-backed Woodpecker	Subfamily Tyranninae	<i>Aphelocoma insularis</i> , Island Scrub-Jay
<i>Picoides nuttallii</i> , Nuttall's Woodpecker	<i>Myiarchus tuberculifer</i> , Dusky-capped Flycatcher	<i>Aphelocoma californica</i> , Western Scrub-Jay
<i>Picoides pubescens</i> , Downy Woodpecker	<i>Myiarchus cinerascens</i> , Ash-throated Flycatcher	<i>Aphelocoma ultramarina</i> , Mexican Jay
<i>Picoides villosus</i> , Hairy Woodpecker	<i>Myiarchus nuttingi</i> , Nutting's Flycatcher	<i>Gymnorhinus cyanocephalus</i> , Pinyon Jay
<i>Picoides arizonae</i> , Arizona Woodpecker	<i>Myiarchus crinitus</i> , Great Crested Flycatcher	<i>Nucifraga columbiana</i> , Clark's Nutcracker
<i>Picoides stricklandi</i> , Strickland's Woodpecker	<i>Myiarchus tyrannulus</i> , Brown-crested Flycatcher	<i>Pica hudsonia</i> , Black-billed Magpie
<i>Picoides borealis</i> , Red-cockaded Woodpecker	<i>Myiarchus antillarum</i> , Puerto Rican Flycatcher	<i>Pica nuttalli</i> , Yellow-billed Magpie
<i>Picoides albolarvatus</i> , White-headed Woodpecker	<i>Pitangus sulphuratus</i> , Great Kiskadee	<i>Corvus brachyrhynchos</i> , American Crow
<i>Picoides tridactylus</i> , Three-toed Woodpecker	<i>Myiodynastes luteiventris</i> , Sulphur-bellied Flycatcher	<i>Corvus caurinus</i> , Northwestern Crow
<i>Picoides arcticus</i> , Black-backed Woodpecker	<i>Tyrannus melancholicus</i> , Tropical Kingbird	<i>Corvus leucognaphalus</i> , White-necked Crow
<i>Colaptes auratus</i> , Northern Flicker	<i>Tyrannus couchii</i> , Couch's Kingbird	<i>Corvus imparatus</i> , Tamaulipas Crow
<i>Colaptes chrysoides</i> , Gilded Flicker	<i>Tyrannus vociferans</i> , Cassin's Kingbird	<i>Corvus ossifragus</i> , Fish Crow
<i>Dryocopus pileatus</i> , Pileated Woodpecker	<i>Tyrannus crassirostris</i> , Thick-billed Kingbird	<i>Corvus hawaiiensis</i> , Hawaiian Crow
<i>Campephilus principalis</i> , Ivory-billed Woodpecker	<i>Tyrannus verticalis</i> , Western Kingbird	<i>Corvus cryptoleucus</i> , Chihuahuan Raven
Order PASSERIFORMES	<i>Tyrannus tyrannus</i> , Eastern Kingbird	<i>Corvus corax</i> , Common Raven
Family TYRANNIDAE	<i>Tyrannus dominicensis</i> , Gray Kingbird	Family ALAUDIDAE
Subfamily Elaeniinae	<i>Tyrannus caudifasciatus</i> , Loggerhead Kingbird	<i>Alauda arvensis</i> , Sky Lark
<i>Camptostoma imberbe</i> , Northern Beardless-Tyrannulet	<i>Tyrannus forficatus</i> , Scissor-tailed Flycatcher	<i>Eremophila alpestris</i> , Horned Lark
<i>Elaenia martinica</i> , Caribbean Elaenia	<i>Tyrannus savana</i> , Fork-tailed Flycatcher	Family HIRUNDINIDAE
Subfamily Fluvicolinae	<i>Pachyramphus aglaiae</i> , Rose-throated Becard	Subfamily Hirundininae
<i>Contopus cooperi</i> , Olive-sided Flycatcher	Family LANIIDAE	<i>Progne subis</i> , Purple Martin
<i>Contopus pertinax</i> , Greater Pewee	<i>Lanius ludovicianus</i> , Loggerhead Shrike	<i>Progne cryptoleuca</i> , Cuban Martin
<i>Contopus sordidulus</i> , Western Wood-Pewee	<i>Lanius excubitor</i> , Northern Shrike	<i>Progne dominicensis</i> , Caribbean Martin
<i>Contopus virens</i> , Eastern Wood-Pewee	Family VIREONIDAE	<i>Progne chalybea</i> , Gray-breasted Martin
<i>Contopus latirostris</i> , Lesser Antillean Pewee	<i>Vireo griseus</i> , White-eyed Vireo	<i>Tachycineta bicolor</i> , Tree Swallow
<i>Empidonax flaviventris</i> , Yellow-bellied Flycatcher	<i>Vireo latimeri</i> , Puerto Rican Vireo	<i>Tachycineta thalassina</i> , Violet-green Swallow
<i>Empidonax virescens</i> , Acadian Flycatcher	<i>Vireo bellii</i> , Bell's Vireo	<i>Tachycineta cyaneoviridis</i> , Bahama Swallow
<i>Empidonax alnorum</i> , Alder Flycatcher	<i>Vireo atricapillus</i> , Black-capped Vireo	<i>Stelgidopteryx serripennis</i> , Northern Rough-winged Swallow
<i>Empidonax traillii</i> , Willow Flycatcher	<i>Vireo vicinior</i> , Gray Vireo	<i>Riparia riparia</i> , Bank Swallow
<i>Empidonax minimus</i> , Least	<i>Vireo flavifrons</i> , Yellow-throated Vireo	<i>Petrochelidon pyrrhonota</i> , Cliff Swallow
	<i>Vireo plumbeus</i> , Plumbeous Vireo	<i>Petrochelidon fulva</i> , Cave Swallow
	<i>Vireo cassinii</i> , Cassin's Vireo	<i>Hirundo rustica</i> , Barn Swallow
	<i>Vireo solitarius</i> , Blue-headed Vireo	<i>Delichon urbica</i> , Common House-Martin
	<i>Vireo huttoni</i> , Hutton's Vireo	Family PARIDAE
	<i>Vireo gilvus</i> , Warbling Vireo	<i>Poecile carolinensis</i> , Carolina Chickadee
		<i>Poecile atricapilla</i> , Black-capped Chickadee
		<i>Poecile gambeli</i> , Mountain Chickadee
		<i>Poecile sclateri</i> , Mexican Chickadee

<i>Poecile rufescens</i> , Chestnut-backed Chickadee	<i>Luscinia svecica</i> , Bluethroat	<i>Anthus rubescens</i> , American Pipit
<i>Poecile hudsonica</i> , Boreal Chickadee	<i>Monticola solitarius</i> , Blue Rock Thrush	<i>Anthus spragueii</i> , Sprague's Pipit
<i>Poecile cincta</i> , Gray-headed Chickadee	<i>Oenanthe oenanthe</i> , Northern Wheatear	Family BOMBYCILLIDAE <i>Bombycilla garrulus</i> , Bohemian Waxwing
<i>Baeolophus wollweberi</i> , Bridled Titmouse	<i>Sialia sialis</i> , Eastern Bluebird	<i>Bombycilla cedarorum</i> , Cedar Waxwing
<i>Baeolophus inornatus</i> , Oak Titmouse	<i>Sialia mexicana</i> , Western Bluebird	Family PTILOGONATIDAE <i>Phainopepla nitens</i> , Phainopepla
<i>Baeolophus ridgwayi</i> , Juniper Titmouse	<i>Sialia currucoides</i> , Mountain Bluebird	Family PEUCEDRAMIDAE <i>Peucedramus taeniatus</i> , Olive Warbler
<i>Baeolophus bicolor</i> , Tufted Titmouse	<i>Myadestes townsendi</i> , Townsend's Solitaire	Family PARULIDAE <i>Vermivora bachmanii</i> , Bachman's Warbler
Family REMIZIDAE <i>Auriparus flaviceps</i> , Verdin	<i>Myadestes myadestinus</i> , Kamao	<i>Vermivora pinus</i> , Blue-winged Warbler
Family AEGITHALIDAE <i>Psaltriparus minimus</i> , Bushtit	<i>Myadestes lanaiensis</i> , Olomao	<i>Vermivora chrysoptera</i> , Golden-winged Warbler
Family SITTIDAE Subfamily Sittinae	<i>Myadestes obscurus</i> , Omao	<i>Vermivora peregrina</i> , Tennessee Warbler
<i>Sitta canadensis</i> , Red-breasted Nuthatch	<i>Myadestes palmeri</i> , Puiohi	<i>Vermivora celata</i> , Orange-crowned Warbler
<i>Sitta carolinensis</i> , White-breasted Nuthatch	<i>Catharus fuscescens</i> , Veery	<i>Vermivora ruficapilla</i> , Nashville Warbler
<i>Sitta pygmaea</i> , Pygmy Nuthatch	<i>Catharus minimus</i> , Gray-cheeked Thrush	<i>Vermivora virginiae</i> , Virginia's Warbler
<i>Sitta pusilla</i> , Brown-headed Nuthatch	<i>Catharus bicknelli</i> , Bicknell's Thrush	<i>Vermivora crissalis</i> , Colima Warbler
Family CERTHIIDAE Subfamily Certhiinae	<i>Catharus ustulatus</i> , Swainson's Thrush	<i>Vermivora luciae</i> , Lucy's Warbler
<i>Certhia americana</i> , Brown Creeper	<i>Catharus guttatus</i> , Hermit Thrush	<i>Parula americana</i> , Northern Parula
Family TROGLODYTIDAE <i>Campylorhynchus brunneicapillus</i> , Cactus Wren	<i>Hylocichla mustelina</i> , Wood Thrush	<i>Parula pityayumi</i> , Tropical Parula
<i>Salpinctes obsoletus</i> , Rock Wren	<i>Turdus obscurus</i> , Eyebrowed Thrush	<i>Dendroica petechia</i> , Yellow Warbler
<i>Catherpes mexicanus</i> , Canyon Wren	<i>Turdus naumanni</i> , Dusky Thrush	<i>Dendroica pensylvanica</i> , Chestnut-sided Warbler
<i>Thryothorus ludovicianus</i> , Carolina Wren	<i>Turdus pilaris</i> , Fieldfare	<i>Dendroica magnolia</i> , Magnolia Warbler
<i>Thryothorus bewickii</i> , Bewick's Wren	<i>Turdus grayi</i> , Clay-colored Robin	<i>Dendroica tigrina</i> , Cape May Warbler
<i>Troglodytes aedon</i> , House Wren	<i>Turdus rufopalliatus</i> , Rufous-backed Robin	<i>Dendroica caerulescens</i> , Black-throated Blue Warbler
<i>Troglodytes troglodytes</i> , Winter Wren	<i>Turdus migratorius</i> , American Robin	<i>Dendroica coronata</i> , Yellow-rumped Warbler
<i>Cistothorus platensis</i> , Sedge Wren	<i>Turdus plumbeus</i> , Red-legged Thrush	<i>Dendroica nigrescens</i> , Black-throated Gray Warbler
<i>Cistothorus palustris</i> , Marsh Wren	<i>Ixoreus naevius</i> , Varied Thrush	<i>Dendroica chrysoparia</i> , Golden-cheeked Warbler
Family CINCLIDAE <i>Cinclus mexicanus</i> , American Dipper	<i>Ridgwayia pinicola</i> , Aztec Thrush	<i>Dendroica virens</i> , Black-throated Green Warbler
Family REGULIDAE <i>Regulus satrapa</i> , Golden-crowned Kinglet	Family MIMIDAE	<i>Dendroica townsendi</i> , Townsend's Warbler
<i>Regulus calendula</i> , Ruby-crowned Kinglet	<i>Dumetella carolinensis</i> , Gray Catbird	<i>Dendroica occidentalis</i> , Hermit Warbler
Family SYLVIIDAE Subfamily Sylvinae	<i>Mimus polyglottos</i> , Northern Mockingbird	<i>Dendroica fusca</i> , Blackburnian Warbler
<i>Locustella ochotensis</i> , Middendorff's Grasshopper-Warbler	<i>Oreoscoptes montanus</i> , Sage Thrasher	<i>Dendroica dominica</i> , Yellow-throated Warbler
<i>Acrocephalus familiaris</i> , Millerbird	<i>Toxostoma rufum</i> , Brown Thrasher	<i>Dendroica gracieae</i> , Grace's Warbler
<i>Phylloscopus borealis</i> , Arctic Warbler	<i>Toxostoma longirostre</i> , Long-billed Thrasher	<i>Dendroica adelaidae</i> , Adelaide's Warbler
<i>Phylloscopus trochilus</i> , Willow Warbler	<i>Toxostoma bendirei</i> , Bendire's Thrasher	<i>Dendroica pinus</i> , Pine Warbler
Subfamily Polioptilinae	<i>Toxostoma curvirostre</i> , Curve-billed Thrasher	<i>Dendroica kirtlandii</i> , Kirtland's Warbler
<i>Polioptila caerulea</i> , Blue-gray Gnatcatcher	<i>Toxostoma redivivum</i> , California Thrasher	<i>Dendroica discolor</i> , Prairie Warbler
<i>Polioptila californica</i> , California Gnatcatcher	<i>Toxostoma crissale</i> , Crissal Thrasher	<i>Dendroica palmarum</i> , Palm Warbler
<i>Polioptila melanura</i> , Black-tailed Gnatcatcher	<i>Toxostoma lecontei</i> , Le Conte's Thrasher	<i>Dendroica castanea</i> , Bay-breasted Warbler
<i>Polioptila nigriceps</i> , Black-capped Gnatcatcher	<i>Margarops fuscatus</i> , Pearly-eyed Thrasher	<i>Dendroica striata</i> , Blackpoll Warbler
Family MUSCICAPIDAE <i>Muscicapa narcissina</i> , Narcissus Flycatcher	Family STURNIDAE	<i>Dendroica cerulea</i> , Cerulean Warbler
<i>Muscicapa griseisticta</i> , Gray-spotted Flycatcher	<i>Sturnus philippensis</i> , Chestnut-cheeked Starling	<i>Dendroica angelae</i> , Elfin-woods Warbler
Family TURDIDAE	<i>Sturnus cineraceus</i> , White-cheeked Starling	
<i>Luscinia calliope</i> , Siberian Rubythroat	Family PRUNELLIDAE	
	<i>Prunella montanella</i> , Siberian Accentor	
	Family MOTACILLIDAE	
	<i>Motacilla flava</i> , Yellow Wagtail	
	<i>Motacilla cinerea</i> , Gray Wagtail	
	<i>Motacilla alba</i> , White Wagtail	
	<i>Motacilla lugens</i> , Black-backed Wagtail	
	<i>Anthus hodgsoni</i> , Olive-backed Pipit	
	<i>Anthus gustavi</i> , Pechora Pipit	
	<i>Anthus cervinus</i> , Red-throated Pipit	

<i>Mniotilla varia</i> , Black-and-white Warbler	Sparrow	Family CARDINALIDAE
<i>Setophaga ruticilla</i> , American Redstart	<i>Aimophila cassinii</i> , Cassin's Sparrow	<i>Rhodothraupis celaeno</i> , Crimson-collared Grosbeak
<i>Protonotaria citrea</i> , Prothonotary Warbler	<i>Aimophila aestivalis</i> , Bachman's Sparrow	<i>Cardinalis cardinalis</i> , Northern Cardinal
<i>Helminthorus vermicivorus</i> , Worm-eating Warbler	<i>Aimophila botterii</i> , Botteri's Sparrow	<i>Cardinalis sinuatus</i> , Pyrrhuloxia
<i>Limnothlypis swainsonii</i> , Swainson's Warbler	<i>Aimophila ruficeps</i> , Rufous-crowned Sparrow	<i>Pheucticus chrysopéplus</i> , Yellow Grosbeak
<i>Seiurus aurocapillus</i> , Ovenbird	<i>Aimophila quinquestriata</i> , Five-striped Sparrow	<i>Pheucticus ludovicianus</i> , Rose-breasted Grosbeak
<i>Seiurus noveboracensis</i> , Northern Waterthrush	<i>Spizella arborea</i> , American Tree Sparrow	<i>Pheucticus malanocephalus</i> , Black-headed Grosbeak
<i>Seiurus motacilla</i> , Louisiana Waterthrush	<i>Spizella passerina</i> , Chipping Sparrow	<i>Guiraca caerulea</i> , Blue Grosbeak
<i>Oporornis formosus</i> , Kentucky Warbler	<i>Spizella pallida</i> , Clay-colored Sparrow	<i>Passerina amoena</i> , Lazuli Bunting
<i>Oporornis agilis</i> , Connecticut Warbler	<i>Spizella breweri</i> , Brewer's Sparrow	<i>Passerina cyanea</i> , Indigo Bunting
<i>Oporornis philadelphia</i> , Mourning Warbler	<i>Spizella pusilla</i> , Field Sparrow	<i>Passerina versicolor</i> , Varied Bunting
<i>Oporornis tolmiei</i> , MacGillivray's Warbler	<i>Spizella wortheni</i> , Worthen's Sparrow	<i>Passerina ciris</i> , Painted Bunting
<i>Geothlypis trichas</i> , Common Yellowthroat	<i>Spizella atrogularis</i> , Black-chinned Sparrow	<i>Spiza americana</i> , Dickcissel
<i>Geothlypis poliocephala</i> , Gray-crowned Yellowthroat	<i>Pooecetes gramineus</i> , Vesper Sparrow	Family ICTERIDAE
<i>Wilsonia citrina</i> , Hooded Warbler	<i>Chondestes grammacus</i> , Lark Sparrow	<i>Dolichonyx oryzivorus</i> , Bobolink
<i>Wilsonia pusilla</i> , Wilson's Warbler	<i>Amphispiza bilineata</i> , Black-throated Sparrow	<i>Agelaius phoeniceus</i> , Red-winged Blackbird
<i>Wilsonia canadensis</i> , Canada Warbler	<i>Amphispiza belli</i> , Sage Sparrow	<i>Agelaius tricolor</i> , Tricolored Blackbird
<i>Cardellina rubrifrons</i> , Red-faced Warbler	<i>Calamospiza melanocorys</i> , Lark Bunting	<i>Agelaius humeralis</i> , Tawny-shouldered Blackbird
<i>Myioborus pictus</i> , Painted Redstart	<i>Passerculus sandwichensis</i> , Savannah Sparrow	<i>Agelaius xanthomus</i> , Yellow-shouldered Blackbird
<i>Myioborus miniatus</i> , Slate-throated Redstart	<i>Ammodramus savannarum</i> , Grasshopper Sparrow	<i>Sturnella magna</i> , Eastern Meadowlark
<i>Basileuterus culicivorus</i> , Golden-crowned Warbler	<i>Ammodramus bairdii</i> , Baird's Sparrow	<i>Sturnella neglecta</i> , Western Meadowlark
<i>Basileuterus rufifrons</i> , Rufous-capped Warbler	<i>Ammodramus henslowii</i> , Henslow's Sparrow	<i>Xanthocephalus xanthocephalus</i> , Yellow-headed Blackbird
<i>Icteria virens</i> , Yellow-breasted Chat	<i>Ammodramus leconteii</i> , Le Conte's Sparrow	<i>Euphagus carolinus</i> , Rusty Blackbird
Family THRAUPIDAE	<i>Ammodramus nelsoni</i> , Nelson's Sharp-tailed Sparrow	<i>Euphagus cyanocephalus</i> , Brewer's Blackbird
<i>Neospingus speculiferus</i> , Puerto Rican Tanager	<i>Ammodramus caudacutus</i> , Saltmarsh Sharp-tailed Sparrow	<i>Quiscalus quiscula</i> , Common Grackle
<i>Piranga flava</i> , Hepatic Tanager	<i>Ammodramus maritimus</i> , Seaside Sparrow	<i>Quiscalus major</i> , Boat-tailed Grackle
<i>Piranga rubra</i> , Summer Tanager	<i>Passerella iliaca</i> , Fox Sparrow	<i>Quiscalus mexicanus</i> , Great-tailed Grackle
<i>Piranga olivacea</i> , Scarlet Tanager	<i>Melospiza melodia</i> , Song Sparrow	<i>Quiscalus niger</i> , Greater Antillean Grackle
<i>Piranga ludoviciana</i> , Western Tanager	<i>Melospiza lincolni</i> , Lincoln's Sparrow	<i>Molothrus bonariensis</i> , Shiny Cowbird
<i>Piranga bidentata</i> , Flame-colored Tanager	<i>Melospiza georgiana</i> , Swamp Sparrow	<i>Molothrus aeneus</i> , Bronzed Cowbird
<i>Spindalis portoricensis</i> , Puerto Rican Spindalis	<i>Zonotrichia albicollis</i> , White-throated Sparrow	<i>Molothrus ater</i> , Brown-headed Cowbird
<i>Euphonia musica</i> , Antillean Euphonnia	<i>Zonotrichia querula</i> , Harris's Sparrow	<i>Icterus wagleri</i> , Black-vented Oriole
Family EMBERIZIDAE	<i>Zonotrichia leucophrys</i> , White-crowned Sparrow	<i>Icterus dominicensis</i> , Greater Antillean Oriole
<i>Sporophila torqueola</i> , White-collared Seedeater	<i>Zonotrichia atricapilla</i> , Golden-crowned Sparrow	<i>Icterus spurius</i> , Orchard Oriole
<i>Tiaris olivacea</i> , Yellow-faced Grassquit	<i>Junco hyemalis</i> , Dark-eyed Junco	<i>Icterus cucullatus</i> , Hooded Oriole
<i>Tiaris bicolor</i> , Black-faced Grassquit	<i>Junco phaeonotus</i> , Yellow-eyed Junco	<i>Icterus pustulatus</i> , Streak-backed Oriole
<i>Loxigilla portoricensis</i> , Puerto Rican Bullfinch	<i>Calcarius mccownii</i> , McCown's Longspur	<i>Icterus bullockii</i> , Bullock's Oriole
<i>Arremonops rufivirgatus</i> , Olive Sparrow	<i>Calcarius lapponicus</i> , Lapland Longspur	<i>Icterus gularis</i> , Altamira Oriole
<i>Pipilo chlorurus</i> , Green-tailed Towhee	<i>Calcarius pictus</i> , Smith's Longspur	<i>Icterus graduacauda</i> , Audubon's Oriole
<i>Pipilo maculatus</i> , Spotted Towhee	<i>Calcarius ornatus</i> , Chestnut-collared Longspur	<i>Icterus galbula</i> , Baltimore Oriole
<i>Pipilo erythrophthalmus</i> , Eastern Towhee	<i>Emberiza rustica</i> , Rustic Bunting	<i>Icterus parisorum</i> , Scott's Oriole
<i>Pipilo fuscus</i> , Canyon Towhee	<i>Emberiza pallasi</i> , Pallas's Bunting	Family FRINGILLIDAE
<i>Pipilo crissalis</i> , California Towhee	<i>Emberiza schoeniculus</i> , Reed Bunting	Subfamily Fringillinae
<i>Pipilo aberti</i> , Abert's Towhee	<i>Plectrophenax nivalis</i> , Snow Bunting	<i>Fringilla montifringilla</i> , Brambling
<i>Aimophila carpalis</i> , Rufous-winged Bunting	<i>Plectrophenax hyperboreus</i> , McKay's Bunting	SubFamily Carduelinae

Pinicola enucleator, Pine Grosbeak
Carpodacus erythrinus, Common Rosefinch
Carpodacus purpureus, Purple Finch
Carpodacus cassini, Cassin's Finch
Carpodacus mexicanus, House Finch
Loxia curvirostra, Red Crossbill
Loxia leucoptera, White-winged Crossbill
Carduelis flammea, Common Redpoll

Carduelis hornemannii, Hoary Redpoll
Carduelis pinus, Pine Siskin
Carduelis psaltria, Lesser Goldfinch
Carduelis lawrencei, Lawrence's Goldfinch
Carduelis tristis, American Goldfinch
Carduelis sinica, Oriental Greenfinch
Pyrrhula pyrrhula, Eurasian Bullfinch
Coccothraustes vespertinus, Evening Grosbeak

Coccothraustes coccothraustes, Hawfinch

Dated: September 19, 2001.

Joseph E. Doddridge,

Assistant Secretary for Fish and Wildlife and Parks.

[FR Doc. 01-25525 Filed 10-11-01; 8:45 am]

BILLING CODE 4310-55-P