

veterans. The supplement also provides information on veterans' participation in various transitioning and employment and training programs. The data collected through this supplement also will be used by the Veterans Employment and Training Service and the Department of Veterans Affairs to determine policies that better meet the needs of our Nation's veteran population.

II. Current Action

Office of Management and Budget clearance is being sought for the Veterans Supplement to the CPS.

Type of Review: Reinstatement, with change, of a previously approved collection for which approval has expired.

Agency: Bureau of Labor Statistics.

Title: Veterans Supplement to the CPS.

OMB Number: 1220-0102.

Affected Public: Households.

Total Respondents: 12,000.

Frequency: Biennially.

Total Responses: 12,000.

Average Time Per Response:

Approximately 1 minute.

Estimated Total Burden Hours: 200 hours.

Total Burden Cost (capital/startup): \$0.

Total Burden Cost (operating/maintenance): \$0.

III. Desired Focus of Comments

The Bureau of Labor Statistics is particularly interested in comments that:

- Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;
- Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;
- Enhance the quality, utility, and clarity of the information to be collected; and
- Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submissions of responses.

Comments submitted in response to this notice will be summarized and/or included in the request for Office of Management and Budget approval of the information collection request; they also will become a matter of public record.

Signed at Washington, DC, this 23rd day of February, 2005.

Cathy Kazanowski,

*Chief, Division of Management Systems,
Bureau of Labor Statistics.*

[FR Doc. 05-4430 Filed 3-7-05; 8:45 am]

BILLING CODE 4510-24-P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket No. NRTL1-88, NRTL1-889, NRTL1-90, NRTL1-90, NRTL2-92, NRTL3-92, NRTL1-93, NRTL2-93, NRTL3-93, NRTL4-94, NRTL1-98, NRTL1-99, NRTL1-2001, NRTL2-2001]

Modify Scope of Recognition of NRTLs

AGENCY: Occupational Safety and Health Administration (OSHA), Labor.

ACTION: Notice.

SUMMARY: This notice modifies the scope of recognition of certain Nationally Recognized Testing Laboratories (NRTLs) primarily as a result of the withdrawal of certain test standards by the standards developing organizations.

EFFECTIVE DATE: March 8, 2005.

FOR FURTHER INFORMATION CONTACT: Bernard Pasquet, Office of Technical Programs and Coordination Activities, NRTL Program, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW., Room N3653, Washington, DC 20210, or phone (202) 693-2110.

SUPPLEMENTARY INFORMATION:

Notice of Changes

The Occupational Safety and Health Administration (OSHA) hereby gives notice of changes to the scope of recognition of the Nationally Recognized Testing Laboratories (NRTLs) listed below. Specifically, some of the test standards that OSHA currently includes in the scope of recognition of these NRTLs are no longer "appropriate test standards" primarily because they have been withdrawn or replaced. As a result, we are deleting them from the scope of recognition of each affected NRTL, as detailed below in this notice. The test standards to be removed for each NRTL are listed below under the heading "Withdrawn or Replaced Standards."

To substitute other test standards for those being removed, our policy permits NRTLs to request or OSHA to provide recognition for comparable test standards, i.e., other appropriate test standards covering comparable product testing. If applicable, we list such test

standards below for each NRTL under the heading "Comparable Replacement Standards." As indicated below, many test standards being deleted have no comparable replacement. However, if any NRTL or other party believes a comparable replacement standard does in fact exist, it may contact OSHA to bring this matter to our attention. If we concur, OSHA will add the standard to the scope of recognition of the affected NRTLs.

The modifications in this notice will be reflected in the listing of test standards shown in our informational Web page for each NRTL, which detail OSHA's official scope of recognition for the NRTL. These Web pages can be accessed at <http://www.osha.gov/dts/otpca/nrtl/index.html>.

Brief Background on OSHA's NRTL Requirements

For those who may be unfamiliar with OSHA requirements concerning NRTLs, we provide the following information.

OSHA recognition of any NRTL signifies that the organization has met the legal requirements in section 1910.7 of title 29, Code of Federal Regulations (29 CFR 1910.7). Recognition is an acknowledgment that the organization can perform independent safety testing and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. As a result of recognition, employers may use products "properly certified" by the NRTL to meet OSHA standards that require testing and certification.

In testing and certifying (i.e., approving) such products, NRTLs must demonstrate that the products conform to "appropriate test standards." This term is defined under 29 CFR 1910.7(c) and essentially means consensus-based product safety test standards developed and maintained current by U.S.-based standards developing organizations (SDOs). Such test standards are not OSHA standards, which are general requirements that employers must meet, but, individually, specify technical safety requirements that a particular type of product must meet.

OSHA recognizes each NRTL for a particular scope of recognition, which includes a list of those product safety test standards that the NRTL may use in approving products. As a normal part of its operations, an SDO occasionally withdraws existing test standards or adopts replacement test standards. In such cases, OSHA can no longer consider the withdrawn or replaced standards as "appropriate," and as a result, the Agency can no longer recognize NRTLs for these standards.

Details of Scope Modifications*Canadian Standards Association (CSA)*

(Docket No. NRTL2–92)

Withdrawn or Replaced Standards

ANSI Z21.12 Draft Hoods

ANSI Z21.45 Flexible Connectors of Other Than All-Metal Construction for Gas Appliances

ANSI Z21.61 Gas-Fired Toilets

ANSI Z83.6 Gas-Fired Infrared Heaters

UL 1418 Cathode-Ray Tubes

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Communication Certification Laboratory (CCL)

(Docket No. NRTL1–90)

Withdrawn or Replaced Standards

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

Comparable Replacement Standards (if applicable)

None

Curtis-Straus LLC (CSL)

(Docket No. NRTL1–99)

Withdrawn or Replaced Standards

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Entela, Inc. (ENT)

(Docket No. NRTL2–93)

Withdrawn or Replaced Standards

UL 1418 Cathode-Ray Tubes

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

*FM Global Technologies LLC (FMGT)**[formerly Factory Mutual Research Corporation]*

(Docket No. NRTL3–93)

Withdrawn or Replaced Standards

*UL 1950 Information Technology

Equipment, Including Electrical Business Equipment

***FM 7812 Industrial Trucks—LP-Gas

***FM 7816 Industrial Trucks—LP-Gas Dual Fuel

***FM 7820 Industrial Trucks—Electric

Comparable Replacement Standards (if applicable)

None

Intertek Testing Services NA, Inc. (ITSNA)

(Docket No. NRTL1–89)

Withdrawn or Replaced Standards

ANSI Z21.1b Household Cooking Gas Appliances

ANSI Z21.12 Draft Hoods

ANSI Z21.45 Flexible Connectors of Other than All-Metal Construction for Gas Appliances

ANSI Z21.61 Gas-Fired Toilets

ANSI Z83.6 Gas-Fired Infrared Heaters

**UL9 Fire Tests of Window Assemblies

UL 1418 Cathode-Ray Tubes

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

MET Laboratories, Inc. (MET)

(Docket No. NRTL1–88)

Withdrawn or Replaced Standards

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Equipment, Part 1: General Requirements for Safety

National Technical Systems, Inc. (NTS)

(Docket No. NRTL1–98)

Withdrawn or Replaced Standards

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Equipment, Part 1: General Requirements for Safety

SGS U.S. Testing Company, Inc. (SGSUS)

(Docket No. NRTL2–90)

Withdrawn or Replaced Standards

UL 1418 Cathode-Ray Tubes

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Southwest Research Institute (SWRI)

(Docket No. NRTL3–90)

Withdrawn or Replaced Standards

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

Comparable Replacement Standards (if applicable)

None

TUV America, Inc. (TUVAM)

(Docket No. NRTL2–2001)

Withdrawn or Replaced Standards

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Electrical, Part 1: General Requirements for Safety

TUV Product Services GmbH (TUVPSG)

(Docket No. NRTL1–2001)

Withdrawn or Replaced Standards

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

TUV Rheinland of North America, Inc. (TUV)

(Docket No. NRTL3–92)

Withdrawn or Replaced Standards

UL 1418 Cathode-Ray Tubes

UL 1459 Telephone Equipment

*UL 1950 Information Technology Equipment, Including Electrical Business Equipment

UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Comparable Replacement Standards (if applicable)

UL 60601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety

Underwriters Laboratories Inc. (UL)

(Docket No. NRTL4–93)

Withdrawn or Replaced Standards

ANSI C57.12.57 Ventilated Dry-Type Network Transformers 2500 kVA and Below, Three-Phase

ANSI Z21.1b Household Cooking Gas Appliances

ANSI Z21.12 Draft Hoods

ANSI Z21.45 Flexible Connectors of Other

Than All-Metal Construction for Gas Appliances
 ANSI Z21.61 Gas-Fired Toilets
 ANSI Z83.6 Gas-Fired Infrared Heaters
 **UL 9 Fire Tests of Window Assemblies
 UL 297 Acetylene Generators, Portable Medium-Pressure
 UL 1418 Cathode-Ray Tubes
 UL 1459 Telephone Equipment
 *UL 1950 Information Technology Equipment, Including Electrical Business Equipment
 UL 2601-1 Medical Electrical Equipment, Part 1: General Requirements for Safety
 UL 3111-2-31 Hand-Held Probe Assemblies for Electrical Measurement and Test
 Comparable Replacement Standards (if applicable)
 UL 60601-1 Medical Electrical Equipment, Part 1: General Requirements for Safety
 UL 61010B-2-031 Electrical Equipment for Measurement, Control, and Laboratory Use; Part 2: Particular Requirements for Hand-Held Probe Assemblies for Electrical Measurement and Test

Wyle Laboratories, Inc. (WL)

(Docket No. NRTL1-93)

Withdrawn or Replaced Standards

UL 1459 Telephone Equipment
 *UL 1950 Information Technology Equipment, Including Electrical Business Equipment

Comparable Replacement Standards (if applicable)

None

*The comparable standard for UL 1950 is UL 60950, which has already been added to each applicable NRTL's recognition through a previous notice (67 FR 30975, 5/8/02).

**This standard is no longer applicable because there is no NRTL approval requirement for windows.

***The NRTL requested recognition for NFPA 505 as a comparable test standard. However, we determined that this standard is not an "appropriate test standard" because it pertains primarily to operation and maintenance, as opposed to testing, of powered industrial trucks.

In accordance with OSHA policy pertaining to recognition of replacement standards, the Agency only publishes one **Federal Register** notice to note the changes to the NRTL's scope of recognition. Changes to each NRTL's recognition are limited to those described in this notice. All other terms and conditions of each NRTL's

Signed in Washington, DC this 7th day of January, 2005.

Jonathan L. Snare,

Acting Assistant Secretary.

[FR Doc. 05-4431 Filed 3-7-05; 8:45 am]

BILLING CODE 4510-26-M

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice: (05-037)]

Notice of Agency Report Forms Under OMB Review

AGENCY: National Aeronautics and Space Administration (NASA).

SUMMARY: The National Aeronautics and Space Administration, as part of its continuing effort to reduce paperwork and respondent burden, invites the general public and other Federal agencies to take this opportunity to comment on proposed and/or continuing information collections, as required by the Paperwork Reduction Act of 1995 (Pub. L. 104-13, 44 U.S.C. 3506(c)(2)(A)).

DATES: All comments should be submitted within 60 calendar days from the date of this publication.

ADDRESSES: All comments should be addressed to Ms. Kathleen Shaeffer, Mail Suite 6M70, National Aeronautics and Space Administration, Washington, DC 20546-0001.

FOR FURTHER INFORMATION CONTACT: Ms. Kathleen Shaeffer, Acting NASA Reports Officer, (202) 358-1230.

Title: NASA Acquisition Process—Reports Required On Contracts Valued of Less Than \$500K.

SUPPLEMENTARY INFORMATION:

I. Abstract

The National Aeronautics and Space Administration (NASA) is requesting renewal of an existing collection that enables monitoring of contracts valued at less than \$500K. The collection is prescribed in the NASA Federal Acquisition Regulation Supplement and approved mission statements.

II. Method of Collection

NASA collects this information electronically where feasible, but information may also be collected by mail or fax.

III. Data

Title: NASA Acquisition Process—Reports Required Under Contracts With a Value of Less Than \$500K.

OMB Number: 2700-0088.

Type of Review: Extension of a currently approved collection.

Affected Public: Business or other for-profit; Not-for-profit institutions; State, Local or Tribal Government.

Estimated Number of Respondents: 956.

Estimated Time Per Response: 28 hours.

Estimated Total Annual Burden Hours: 803,040.

Estimated Total Annual Cost: \$0.

IV. Request for Comments

Comments are invited on: (1) Whether the proposed collection of information is necessary for the proper performance of the functions of NASA, including whether the information collected has practical utility; (2) the accuracy of NASA's estimate of the burden (including hours and cost) of the proposed collection of information; (3) ways to enhance the quality, utility, and clarity of the information to be collected; and (4) ways to minimize the burden of the collection of information on respondents, including automated collection techniques or the use of other forms of information technology.

Comments submitted in response to this notice will be summarized and included in the request for OMB approval of this information collection. They will also become a matter of public record.

Dated: February 28, 2005.

Patricia L. Dunnington,
Chief Information Officer.

[FR Doc. 05-4512 Filed 3-7-05; 8:45 am]

BILLING CODE 7510-13-P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice: (05-036)]

Notice of Information Collection

AGENCY: National Aeronautics and Space Administration (NASA).

ACTION: Notice of information collection.

SUMMARY: The National Aeronautics and Space Administration, as part of its continuing effort to reduce paperwork and respondent burden, invites the general public and other Federal agencies to take this opportunity to comment on proposed and/or continuing information collections, as required by the Paperwork Reduction Act of 1995 (Pub. L. 104-13, 44 U.S.C. 3506(c)(2)(A)).

DATES: All comments should be submitted within 60 calendar days from the date of this publication.

ADDRESSES: All comments should be addressed to Ms. Kathleen Shaeffer, Mail Suite 6M70, National Aeronautics and Space Administration, Washington, DC 20546-0001.

FOR FURTHER INFORMATION CONTACT: Requests for additional information or copies of the information collection instrument(s) and instructions should be directed to Ms. Kathleen Shaeffer, Acting NASA Reports Officer, NASA Headquarters, 300 E Street SW., Mail