crack, corrosion, or sign of damage is found, do all applicable repairs before further flight. Repeat the inspections thereafter at intervals not to exceed 12 months. Where the MOM specifies to contact Boeing for repair instructions: Before further flight, repair using a method approved by the Manager, Seattle Aircraft Certification Office (ACO), FAA. For a repair method to be approved by the Manager, Seattle ACO, as required by this paragraph, the Manager's approval letter must specifically refer to this AD.

Note 1: For the purposes of this AD, a detailed inspection is: "An intensive examination of a specific item, installation, or assembly to detect damage, failure, or irregularity. Available lighting is normally supplemented with a direct source of good lighting at an intensity deemed appropriate. Inspection aids such as mirror, magnifying lenses, etc., may be necessary. Surface cleaning and elaborate procedures may be required."

Instructions for Oversizing Fasteners

(g) Where Boeing MOM 1–151636045–1, dated January 17, 2006, specifies to contact Boeing for appropriate action if it is necessary to oversize fasteners during restoration: Before further flight, oversize the fasteners using a method approved in accordance with a method approved by an Authorized Representative for the Boeing Commercial Airplanes Delegation Option Authorization Organization who has been authorized by the Manager, Seattle ACO, to make those findings. For a repair method to be approved, the repair must meet the certification basis of the airplane.

Alternative Methods of Compliance (AMOCs)

(h)(1) The Manager, Seattle ACO, has the authority to approve AMOCs for this AD, if requested in accordance with the procedures found in 14 CFR 39.19.

(2) Before using any AMOC approved in accordance with § 39.19 on any airplane to which the AMOC applies, notify the appropriate principal inspector in the FAA Flight Standards Certificate Holding District Office.

Material Incorporated by Reference

(i) You must use Boeing Multi-Operator Message (MOM) 1-151636045-1, dated January 17, 2006, to perform the actions that are required by this AD, unless the AD specifies otherwise. The Director of the Federal Register approved the incorporation by reference of this document in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Contact Boeing Commercial Airplanes, P.O. Box 3707, Seattle, Washington 98124-2207, for a copy of this service information. You may review copies at the Docket Management Facility, U.S. Department of Transportation, 400 Seventh Street, SW., room PL-401, Nassif Building, Washington, DC; on the Internet at http://dms.dot.gov; or at the National Archives and Records Administration (NARA). For information on the availability of this material at the NARA, call (202) 741-6030, or go to http:// www.archives.gov/federal_register/ code_of_federal_regulations/ibr_locations. html.

Issued in Renton, Washington, on March 7, 2006

Kalene C. Yanamura,

Acting Manager, Transport Airplane Directorate, Aircraft Certification Service. [FR Doc. 06–2545 Filed 3–16–06; 8:45 am] BILLING CODE 4910–13–U

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 95

[Docket No. 30486; Amdt. No. 460]

IFR Altitudes; Miscellaneous Amendments

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule.

SUMMARY: This amendment adopts miscellaneous amendments to the required IFR (instrument flight rules) altitudes and changeover points for certain Federal airways, jet routes, or direct routes for which a minimum or maximum en route authorized IFR altitude is prescribed. This regulatory action is needed because of changes occurring in the National Airspace System. These changes are designed to provide for the safe and efficient use of the navigable airspace under instrument conditions in the affected areas.

DATES: Effective Date: 0901 UTC, April 13, 2006.

FOR FURTHER INFORMATION CONTACT:

Donald P. Pate, Flight Procedure Standards Branch (AMCAFS–420), Flight Technologies and Programs Division, Flight Standards Service, Federal Aviation Administration, Mike Monroney Aeronautical Center, 6500 South MacArthur Blvd. Oklahoma City, OK 73169 (Mail Address: P.O. Box 25082 Oklahoma City, OK 73125) telephone: (405) 954–4164.

SUPPLEMENTARY INFORMATION: This amendment to part 95 of the Federal Aviation Regulations (14 CFR part 95) amends, suspends, or revokes IFR altitudes governing the operation of all aircraft in flight over a specified route or any portion of that route, as well as the changeover points (COPs) for Federal airways, jet routes, or direct routes as prescribed in part 95.

The Rule

The specified IFR altitudes, when used in conjunction with the prescribed changeover points for those routes, ensure navigation aid coverage that is adequate for safe flight operations and free of frequency interference. The reasons and circumstances that create

the need for this amendment involve matters of flight safety and operational efficiency in the National Airspace System, are related to published aeronautical charts that are essential to the user, and provide for the safe and efficient use of the navigable airspace. In addition, those various reasons or circumstances require making this amendment effective before the next scheduled charting and publication date of the flight information to assure its timely availability to the user. The effective date of this amendment reflects those considerations. In view of the close and immediate relationship between these regulatory changes and safety in air commerce, I find that notice and public procedure before adopting this amendment are impracticable and contrary to the public interest and that good cause exists for making the amendment effective in less than 30 days.

Conclusion

The FAA has determined that this regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore—(1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a regulatory evaluation as the anticipated impact is so minimal. For the same reason, the FAA certifies that this amendment will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

List of Subjects in 14 CFR Part 95

Airspace, Navigation (air).

Issued in Washington, DC, on March 10, 2006.

James J. Ballough,

Director, Flight Standards Service.

Adoption of the Amendment

■ Accordingly, pursuant to the authority delegated to me by the Administrator, part 95 of the Federal Aviation Regulations (14 CFR part 95) is amended as follows effective at 0901 UTC, February 16, 2006.

PART 95—[AMENDED]

■ 1. The authority citation for part 95 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40103, 40106, 40113, 40114, 40120, 44502, 44514, 44719, 44721.

\blacksquare 2. Part 95 is amended to read as follows:

REVISIONS TO IFR ALTITUDES & CHANGEOVER POINTS

[Amendment 460 Effective Date April 13, 2006]

From	То	MEA	MAA
	000 High Altitude RNAV Routes RNAV Route Q19 Is Added To Read	,	
Pless, IL FIX*18000–GNSS MEA #DME/DME/IRU MEA	Nashville, TN VORTAC	#*20000	45000
§ 95.4021	RNAV Route Q21 Is Added To Read		
Jonez, OK FIX*18000–GNSS MEA #DME/DME/IRU MEA	Razorback, AR VORTAC	#*18000	45000
§ 95.4023	RNAV Route Q23 Is Added To Read		
Fort Smith, AR VORTAC *18000-GNSS MEA #DME/DME/IRU MEA	Razorback, AR VORTAC	#*18000	45000
§ 95.4025	RNAV Route Q25 Is Added To Read		
Meeow, AR FIX*18000–GNSS MEA #DME/DME/IRU MEA	Walnut Ridge, AR VORTAC	#*20000	45000
Walnut Ridge, AR VORTAC* *18000–GNSS MEA #DME/DME/IRU MEA	Pocket City, IN VORTAC	#*20000	45000
§ 95.4026	RNAV Route Q26 Is Added To Read	•	
Walnut Ridge, AR VORTAC*18000–GNSS MEA #DME/DME/IRU MEA	Devac, AL FIX	#*20000	45000
§ 95.4027	RNAV Route Q27 Is Added To Read	-	
Fort Smith, AR VORTAC*18000–GNSS MEA #DME/DME/IRU MEA	Zalda, AR FIX	#*18000	45000
§ 95.4028	RNAV Route Q28 Is Added To Read	·	
Grazn, AR FIX*18000–GNSS MEA #DME/DME/IRU MEA	Pocket City, IN VORTAC	#*20000	45000
§ 95.4029	RNAV Route Q29 Is Added To Read	•	
Hares, LA FIX*18000–GNSS MEA #DME/DME/IRU MEA	Memphis, TN VORTAC	#*18000	45000
Memphis, TN VORTAC *18000-GNSS MEA #DME/DME/IRU MEA	Pocket City, IN VORTAC	#*18000	45000
§ 95.4030	RNAV Route Q30 Is Added To Read	-	
Sidon, MS VORTAC*18000–GNSS MEA #DME/DME/IRU MEA	Vulcan, AL VORTAC	#*18000	45000
§ 95.4031	RNAV Route Q31 Is Added To Read		
Dhart, AR FIX*18000–GNSS MEA #DME/DME/IRU MEA	Marvell, AR VOR/DME	#*18000	45000
Marvell, AR VOR/DME*18000–GNSS MEA	Pocket City, IN VORTAC	#*18000	45000

REVISIONS TO IFR ALTITUDES & CHANGEOVER POINTS—Continued [Amendment 460 Effective Date April 13, 2006]

From		То	MEA	MAA
#DME/DME/IRU MEA				
§ 95.	.4032 RNA	V Route Q32 Is Added To Read		
EI Dorado, AR VORTAC* *18000–GNSS MEA #DME/DME/IRU MEA Nashville, TN VORTAC* *18000–GNSS MEA #DME/DME/IRU MEA		p, TN FIX	#*20000 #*20000	45000 45000
	.4033 RNA	V Route Q33 Is Added To Read		
Dhart, AR FIX*18000–GNSS MEA #DME/DME/IRU MEA Little Rock, AR VORTAC*18000–GNSS MEA #DME/DME/IRU MEA		, MO FIX	#*20000 #*20000	45000 45000
	.4034 RNA	V Route Q34 Is Added To Read		
Texarkana, AR VORTAC*18000–GNSS MEA #DME/DME/IRU MEA Memphis, TN VORTAC				45000 45000
*18000–GNSS MEA #DME/DME/IRU MEA	Swap	p, 1N1 IX	#*24000	43000
§ 95.	4036 RNA	V Route Q36 Is Added To Read		
Razorback, AR VORTAC*18000–GNSS MEA #DME/DME/IRU MEA Nashville, TN VORTAC*18000–GNSS MEA		p, TN FIX	#*20000 #*20000	45000 45000
#DME/DME/IRU MEA		V Route Q38 Is Added To Read	#*18000	45000
*18000-GNSS MEA #DME/DME/IRU MEA				
§ 95.	.4040 RNA	V Route Q40 Is Added To Read		
Alexandria, LA VORTAC*18000–GNSS MEA #DME/DME/IRU MEA	Misle,	AL FIX	#*18000	45000
From		То		MEA
§ 95.6012 V	§ 95.600 OR Federal A	1 Victor Routes—U.S. Airway V12 Is Amended To Read in Part	·	
Harrisburg, PA VORTAC		Pottstown, PA VORTAC		3000
§ 95.6060 V	OR Federal A	Airway V60 Is Amended To Read in Part	I	
Otto, NM VOR		Fort Union, NM VORTAC		10000
§ 95.6190 VC	R Federal A	irway V190 Is Amended To Read in Part		
Acoma, NM FIX*11500-MCA Albuquerque, NM VORTAC, NE E		*Albuquerque, NM VORTAC		9000
Albuquerque, NM VORTAC Renco, NM FIX*11300–MCA Fort Union, NM VORTAC, SW BN		Renco, NM FIX* *Fort Union, NM VORTAC		13000 12000
Fort Union, NM VORTAC*9200–MOCA		Dalhart, TX VORTAC		*10000

From		То		MEA
§ 95.6263 VOR Fed	leral Ai	irway V263 Is Amended To Read in Part		
*10900-MCA Fort Union, NM VORTAC, N BND *11300-MCA Fort Union, NM VORTAC, W BND	*10900-MCA Fort Union, NM VORTAC, N BND			
Fort Union, NM VORTAC*11100–MOCA		Cimarron, NM VORTAC		. *12000
§ 95.6611 VOR Fed	leral Ai	irway V611 Is Amended To Read in Part		
Santa Fe, NM VORTAC* *10900–MCA Fort Union, NM VORTAC, N BND *11300–MCA Fort Union, NM VORTAC, W BND		*Fort Union, NM VORTAC		. 12500
Fort Union, NM VORTAC*11100–MOCA		Cimarron, NM VORTAC		. *12000
From		То	MEA	MAA
§ 95.7008 Je		.7001 Jet Routes e J8 Is Amended To Read in Part		
Gallup, NM VORTAC	Bukko	, NM FIX	18000	45000
Fort Union, NM VORTAC	Borge	r, TX VORTAC	18000	45000
§ 95.7018 Jet	Route	e J18 Is Amended To Read in Part		
		nion, NM VORTAC		
,		n City, KS VORTAC	18000	45000
§ 95.7019 Jet	Route	e J19 Is Amended To Read in Part		
Zuni, NM VORTAC #MEA is established with a gap in navigation signal coverage	Bukko	, NM FIX	#18000	45000
Bukko, NM FIX		nion, NM VORTAC		
<u> </u>		e J58 Is Amended To Read in Part	10000	10000
		nion, NM VORTAC	18000	45000
		Indle, TX VORTAC		
§ 95.7076 Jet	Route	e J76 Is Amended To Read in Part		
#MÉÅ is established with a gap in navigation signal coverage	Fort U	nion, NM VORTAC	#27000	45000
#MEA gap Fort Union, NM VORTAC	Tucum	ncari, NM VORTAC	18000	45000
§ 95.7104 Jet	Route	J104 Is Amended To Read in Part		
		nion, NM VORTAC		
Fort Union, NM VORTAC	Pueblo	o, CO VORTAC	18000	45000
§ 95.7244 Jet	Route	J244 Is Amended To Read in Part		
Fort Union, NM VORTAC Zuni, NM VORTAC		NM VORTACix, AZ VORTAC		
From	To Change Distance		Changeo	ver points
			Distance	From
§ 95.8003 VOR Federal Airway Changeover	Points	Airway Segment Is Amended To Modify Chang	eover Point V	/190
Albuquerque, NM VORTAC	Fort Un	nion, NM VORTAC	38	Albuquerque
Is Amende	d To N	Modify Changeover Point V263		
		nion, NM VORTAC	21 28	Santa Fe Fort Union
Is Amende	d To N	Modify Changeover Point V611		
Santa Fe, NM VORTAC	Fort Un	nion, NM VORTAC	21	Santa Fe

Franc	То	Changeover points				
From		Distance	From			
Fort Union, NM VORTAC	Cimarron, NM VORTAC	28	Fort Union			
§ 95.8005 Jet Routes Changeover Points Airway Segment Is Amended To Modify Changeover Point J8						
Gallup, NM VORTAC	Fort Union, NM VORTAC	101	Gallup			
Is Amended To Modify Changeover Point J244						
Fort Union, NM VORTAC	Zuni, NM VORTAC	86	Fort Union			

[FR Doc. 06–2585 Filed 3–16–06; 8:45 am] BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 97

[Docket No. 30485; Amdt. No. 3159]

Standard Instrument Approach Procedures; Miscellaneous Amendments

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule.

SUMMARY: This amendment amends Standard Instrument Approach Procedures (SIAPs) for operations at certain airports. These regulatory actions are needed because of changes occurring in the National Airspace System, such as the commissioning of new navigational facilities, addition of new obstacles, or changes in air traffic requirements. These changes are designed to provide safe and efficient use of the navigable airspace and to promote safe flight operations under instrument flight rules at the affected airports.

DATES: This rule is effective March 17, 2006. The compliance date for each SIAP is specified in the amendatory provisions.

The incorporation by reference of certain publications listed in the regulations is approved by the Director of the Federal Register as of March 17, 2006.

ADDRESSES: Availability of matter incorporated by reference in the amendment is as follows:

For Examination—

- 1. FAA Rules Docket, FAA Headquarters Building, 800 Independence Avenue, SW., Washington, DC 20591;
- 2. The FAA Regional Office of the region in which affected airport is located; or

- 3. The National Flight Procedures Office, 6500 South MacArthur Blvd., Oklahoma City, OK 73169; or
- 4. The National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202–741–6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html.

For Purchase—Individual SIAP copies may be obtained from:

- 1. FAA Public Inquiry Center (APA–200), FAA Headquarters Building, 800 Independence Avenue, SW., Washington, DC 20591; or
- 2. The FAA Regional Office of the region in which the affected airport is located.

By Subscription—Copies of all SIAPs, mailed once every 2 weeks, are for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.

FOR FURTHER INFORMATION CONTACT:

Donald P. Pate, Flight Procedure Standards Branch (AFS–420), Flight Technologies and Programs Division, Flight Standards Service, Federal Aviation Administration, Mike Monroney Aeronautical Center, 6500 South MacArthur Blvd. Oklahoma City, OK 73169 (Mail Address: P.O. Box 25082 Oklahoma City, OK 73125); telephone: (405) 954–4164.

SUPPLEMENTARY INFORMATION: This amendment to Title 14, Code of Federal Regulations, Part 97 (14 CFR part 97) amends Standard Instrument Approach Procedures (SIAPs). The complete regulatory description of each SIAP is contained in the appropriate FAA Form 8260, as modified by the National Flight Data Center (FDC)/Permanent Notice to Airmen (P-NOTAM), which is incorporated by reference in the amendment under 5 U.S.C. 552(a), 1 CFR part 51, and § 97.20 of the Code of Federal Regulations. Materials incorporated by reference are available for examination or purchase as stated above.

The large number of SIAPs, their complex nature, and the need for a

special format make their verbatim publication in the Federal Register expensive and impractical. Further, airmen do not use the regulatory text of the SIAPs, but refer to their graphic depiction on charts printed by publishers of aeronautical materials. Thus, the advantages of incorporation by reference are realized and publication of the complete description of each SIAP contained in FAA form documents is unnecessary. The provisions of this amendment state the affected CFR sections, with the types and effective dates of the SIAPs. This amendment also identifies the airport, its location, the procedure identification and the amendment number.

The Rule

This amendment to 14 CFR part 97 is effective upon publication of each separate SIAP as amended in the transmittal. For safety and timeliness of change considerations, this amendment incorporates only specific changes contained for each SIAP as modified by FDC/P–NOTAMs.

The SIAPs, as modified by FDC P-NOTAM, and contained in this amendment are based on the criteria contained in the U.S. Standard for **Terminal Instrument Procedures** (TERPS). In developing these chart changes to SIAPs, the TERPS criteria were applied to only these specific conditions existing at the affected airports. All SIAP amendments in this rule have been previously issued by the FAA in a FDC NOTAM as an emergency action of immediate flight safety relating directly to published aeronautical charts. The circumstances which created the need for all these SIAP amendments requires making them effective in less than 30 days.

Further, the SIAPs contained in this amendment are based on the criteria contained in TERPS. Because of the close and immediate relationship between these SIAPs and safety in air commerce, I find that notice and public procedure before adopting these SIAPs are impracticable and contrary to the public interest and, where applicable,