

DEPARTMENT OF THE INTERIOR**Fish and Wildlife Service****50 CFR Part 10**

RIN 1018-AB72

General Provisions; Revised List of Migratory Birds**AGENCY:** Fish and Wildlife Service, Interior.**ACTION:** Proposed rule.

SUMMARY: We, the U.S. Fish and Wildlife Service, propose to revise the List of Migratory Birds by adding numerous species and removing numerous species. Reasons for the proposed changes to the list include correcting previous mistakes including misspellings, adding species based on new evidence of occurrence in the United States or U.S. territories, removing species no longer known to occur within the United States, and changing names based on new taxonomy. The net increase of 140 species (152 added and 12 removed) brings to 972 the total number of species protected by the Migratory Bird Treaty Act (MBTA). We regulate most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for regulatory purposes.

DATES: Submit comments on or before October 23, 2006.

ADDRESSES: Submit your comments on this proposal in one of the following ways:

(1) By postal mail to Chief, Division of Migratory Bird Management, U.S. Fish and Wildlife Service, 4401 North Fairfax Drive, Mail Stop 4107, Arlington, VA 22203.

(2) By hand-delivery to U.S. Fish and Wildlife Service, Division of Migratory Bird Management, 4501 North Fairfax Drive, Room 4000, Arlington, VA 22203. You can also examine materials available for public inspection at this address;

(3) By fax to (703) 358-2272; or
(4) By e-mail to mbtabirdlist@fws.gov.

FOR FURTHER INFORMATION CONTACT: John L. Trapp, (703) 358-1714.

SUPPLEMENTARY INFORMATION:**What Statutory Authority Does the Service Have for This Rulemaking?**

We have statutory authority and responsibility for enforcing the Migratory Bird Treaty Act (MBTA) (16 U.S.C. 703–711), the Fish and Wildlife Improvement Act of 1978 (16 U.S.C.

712), and the Fish and Wildlife Act of 1956 (16 U.S.C. 742a–j). The MBTA implements treaties between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) *Canada:* Convention for the Protection of Migratory Birds, August 16, 1916, United States-Great Britain (on behalf of Canada), 39 Stat. 1702, T.S. No. 628;

(2) *Mexico:* Convention for the Protection of Migratory Birds and Game Mammals, February 7, 1936, United States-United Mexican States (=Mexico), 50 Stat. 1311, T.S. No. 912;

(3) *Japan:* Convention for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, United States-Japan, 25 U.S.T. 3329, T.I.A.S. No. 7990; and

(4) *Russia:* Convention for the Conservation of Migratory Birds and Their Environment, United States-Union of Soviet Socialist Republics (=Russia), November 26, 1976, 92 Stat. 3110, T.I.A.S. 9073.

What Is the Purpose of This Rulemaking?

Our purpose is to inform the public of the species protected by regulations implementing the MBTA. These regulations are found in Title 50, Code of Federal Regulations (CFR), Parts 10, 20, and 21. We regulate most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for regulatory purposes.

Why Is This Amendment to the List of Migratory Birds Necessary?

The proposed amendment is needed to: (1) Add 2 species covered by the Japanese and Russian treaties that were mistakenly omitted from previous lists; (2) add 26 species of accidental or casual occurrence documented prior to April 1985, but not included in prior lists; (3) add 60 species based on new distributional records documenting their occurrence in the United States since April 1985; (4) add 27 species that occur naturally in the United States only in the Pacific island territories of American Samoa, Baker and Howland Islands, Guam, or the Northern Mariana Islands; (5) add 37 species newly recognized as a result of taxonomic changes; (6) remove 11 species not known to occur within the boundaries of the United States; (7) remove 1 species that is now treated as a subspecies; (8) change the common (English) names of 47 species to

conform with accepted usage; (9) change the scientific names of 64 species to conform with accepted usage; (10) change the common and scientific names of 7 species to conform with accepted usage; (11) change the scientific names of 4 species in the alphabetical list to conform with accepted usage and to correct inconsistencies between the alphabetical and taxonomic lists; (12) correct errors in the common (English) name of 2 species; (13) correct errors in the scientific names of 3 species in the taxonomic list; and (14) change the status of 1 taxon from protected subspecies to non-protected species (due to lack of natural occurrence in the United States or its territories). In accordance with the Migratory Bird Treaty Reform Act of 2004 (Pub. L. 108-447) (MBTRA), we also reaffirm our determination of March 15, 2005 (70 FR 12710), that the mute swan (*Cygnus olor*), which was never formally listed in 50 CFR 10.13 but was treated as protected by the MBTA since December 28, 2001, as the result of a court order (*Hill v. Norton*, 275 F.3d 98 (D.C. Cir. 2001)), is no longer afforded protection because it is nonnative and human-introduced. See *Fund for Animals v. Norton*, 374 F. Supp. 2d 91 (D.D.C. 2005) (denying injunction because of the clear language of the MBTRA), appeal pending.

The List of Migratory Birds (50 CFR 10.13) was last revised on April 5, 1985 (50 FR 13710). In a proposed rule published May 9, 1995 (60 FR 24686), we suggested updating the List of Migratory Birds by adding 20 species, removing 1 species, and revising the common (English) or scientific names of 23 previously listed species to conform to the most recent nomenclature. The proposed amendments were necessitated by five published supplements to the 6th (1983) edition of the American Ornithologists' Union's (AOU's) *Check-list of North American birds*. Knowing that additional amendments would be necessary following the anticipated publication of a 7th edition of the Check-list, we elected to delay publication of a final rule until after the appearance of the revised Check-list. The 1995 proposed rule generated just two public comments, from the American Ornithologists' Union and the Association of Scientific Collections. The comments of those organizations, mostly editorial in nature, are reflected in this document, as appropriate.

Following publication of the 7th edition of the Check-list in July 1998, administrative workloads and staff shortages prevented work on a final rule

until September 2000. A followup proposed rule was deemed necessary because of the 5-year delay since publication of the initial proposed rule, and the many new changes necessitated by the 7th edition of the Check-list. In a second proposed rule published October 12, 2001 (66 FR 52282), we suggested adding 30 species, removing 1 species, and revising the common (English) or scientific names of 78 previously listed species to conform to accepted usage.

Of the 116 letters received on the proposed rule of October 12, 2001, 109 dealt solely with the presumed protective status of the mute swan (*Cygnus olor*) under the MBTA. Of the remaining seven letters, three provided comments of a general nature (including recommendations for adding or deleting certain species); two expressed general support without offering specific comments; one questioned the legality of extending MBTA protection to species that do not cross State or international boundaries; and one expressed concern about the harvest of MBTA-protected shorebirds in the Caribbean. These comments remain part of the public record and will be incorporated, as appropriate, into the final rule.

Because of the delay since publication of the 2001 proposed rule, plus the many new changes necessitated by six published supplements (AOU 2000, 2002, 2003, 2004, 2005, 2006) to the 7th edition of the Check-list, we are issuing another proposed rule. This will enhance efficiency by allowing the public to review and comment on all of the desired changes that have come to light since publication of the 1995 and 2001 proposed rules.

What Scientific Authorities Are Used To Amend the List of Migratory Birds?

Although bird names (common and scientific) are relatively stable, staying current with standardized usage is necessary to avoid confusion in communications. We here follow the 7th edition of the American Ornithologists' Union's *Check-list of North American birds* (AOU 1998), as amended (AOU 1999, 2000, 2002, 2003, 2004, 2005, and 2006), on matters of taxonomy, nomenclature, and the sequence of species and other higher taxonomic categories (orders, families, subfamilies). For the few species that occur outside the geographic area covered by the Check-list, we follow Monroe and Sibley (1993).

What Criteria Are Used To Identify Individual Species Protected by the MBTA?

A species qualifies for protection under the MBTA by meeting one or more of the following four criteria:

(1) It (a) Belongs to a family or group of species named in the Canadian convention of 1916, as amended in 1996; (b) specimens, photographs, videotape recordings, or audiotape recordings provide convincing evidence of natural occurrence in the United States or its territories; and (c) the documentation of such records has been recognized by the AOU or other competent scientific authorities.

(2) It (a) Belongs to a family or group of species named in the Mexican convention of 1936, as amended in 1972; (b) specimens, photographs, videotape recordings, or audiotape recordings provide convincing evidence of natural occurrence in the United States or its territories; and (c) the documentation of such records has been recognized by the AOU or other competent scientific authorities.

(3) It is a species listed in the annex to the Japanese convention of 1972, as amended.

(4) It is a species listed in the appendix to the Russian convention of 1976.

In accordance with the MBTRA, we have not listed species whose occurrences in the United States are strictly the result of intentional human introduction(s).

How Do the Scientific Names Proposed Here Compare to Those That Appear in the Japanese and Russian Treaties?

The Japanese and Russian treaties list individual species of birds that are covered. For 37 of these species, the scientific (genus or species) name currently recognized by scientific authorities (AOU 1998, 1999; Monroe and Sibley 1993) differs from that which appears in the treaties. The following cross-reference provides a linkage between the scientific names used in this list and those that appear in the annex to the Japanese treaty and the appendix to the Russian treaty. The first name is the modern equivalent proposed here, and the second name is that which appears in one or both of the treaties. These changes modernize the regulatory list without revising either the Japanese or the Russian treaty (indicated by J and R, respectively):

Accipiter gularis (Japanese Sparrowhawk) is listed as *Accipiter virgatus* (J & R);
Actitis hypoleucos (Common Sandpiper) is listed as *Tringa hypoleucos* (J & R);

Aethia psittacula (Parakeet Auklet) is listed as *Cyclorrhynchus psittacula* (R);

Anas americana (American Wigeon) is listed as *Mareca americana* (J);

Anas clypeata (Northern Shoveler) is listed as *Spatula clypeata* (J);

Anas penelope (Eurasian Wigeon) is listed as *Mareca penelope* (J);
Anous minutus (Black Noddy) is listed as *Anous tenuirostris* (J);

Anthus rubescens (American Pipit) is listed as *Anthus spinoletta* (J & R);

Branta bernicla (Brant) incorporates *Branta nigricans* (R);

Calidris alba (Sanderling) is listed as *Crocethia alba* (J);

Calidris subminuta (Long-toed Stint) is listed as part of *Calidris minutilla* (J);

Carduelis flammea (Common Redpoll) is listed as *Acanthis flammea* (J);

Carduelis hornemanni (Hoary Redpoll) is included as part of *Carduelis*

flammea (J), and is listed as *Acanthis hornemanni* (R);

Charadrius morinellus (Eurasian Dotterel) is listed as *Eudromias morinellus* (J & R);

Chen caerulescens (Snow Goose) is listed as *Anser caerulescens* (J);

Chen canagica (Emperor Goose) is listed as *Anser canagicus* (J), and *Philacte canagica* (R);

Cygnus columbianus (Tundra Swan) incorporates *Cygnus bewickii* (R);

Egretta sacra (Pacific Reef-Egret) is listed as *Demigretta sacra* (J);

Ficedula narcissina (Narcissus Flycatcher) is listed as *Muscicapa narcissina* (J);

Fratercula cirrhata (Tufted Puffin) is listed as *Lunda cirrhata* (J & R);

Gallinago gallinago (Common Snipe) is listed as *Capella gallinago* (R);

Gallinago megala (Swinhoe's Snipe) is listed as *Capella megala* (R);

Gallinago stenura (Pin-tailed Snipe) is listed as *Capella stenura* (R);

Heteroscelus brevipes (Gray-tailed Tattler) is included as part of *Tringa incana* (J);

Heteroscelus incanus (Wandering

Tattler) is listed as *Tringa incana* (J);

Luscinia calliope (Siberian Rubythroat) is listed as *Erythacus calliope* (J);

Melanitta fusca (White-winged Scoter) incorporates *Melanitta deglandi* (J);

Mergellus albellus (Smew) is listed as *Mergus albellus* (J & R);

Milvus migrans (Black Kite) is listed as *Milvus korschun* (R);

Numenius borealis (Eskimo Curlew) is included as part of *Numenius minutus* (J);

Phalaropus lobatus (Red-necked Phalarope) is listed as *Lobipes lobatus* (R);

Phoebastria albatrus (Short-tailed Albatross) is listed as *Diomedea albatrus* (J & R);

Phoebastria immutabilis (Laysan Albatross) is listed as *Diomedea immutabilis* (J & R); *Phoebastria nigripes* (Black-footed Albatross) is listed as *Diomedea nigripes* (J & R); *Pterodroma hypoleuca* (Bonin Petrel) is listed as *Pterodroma leucoptera* (R); *Tachycineta bicolor* (Tree Swallow) is listed as *Iridoprocne bicolor* (R); and *Turdus obscurus* (Eyebrowed Thrush) is listed as *Turdus pallidus* (R).

How Do the Proposed Changes Affect the List of Migratory Birds?

The proposed amendments (152 additions, 12 removals, 118 name changes, and 9 corrections) will affect a grand total of 290 species and result in a net addition of 140 species to the List of Migratory Birds, increasing the species total from 832 to 972. Of the 140 species that we propose adding to the list, 37 were previously covered under the MBTA as subspecies of listed species. These amendments can be logically arranged in the following 14 categories:

(1) Add two species that are included in the Appendix of the Russian treaty and in the Annex to the Japanese treaty, respectively; the omission of these species in previous lists was an oversight. These species also qualify for protection under the Canadian and Mexican treaties as members of the families Anatidae and Laridae, respectively:

Duck, Spot-billed, *Anas poecilorhyncha*; and Gull, Black-tailed, *Larus crassirostris*.

(2) Add 26 species based on review and acceptance by AOU (prior to April 1985) of distributional records documenting their occurrence in the United States, Puerto Rico, or the U.S. Virgin Islands. These species belong to families covered by the Canadian and Mexican treaties. They were excluded from the 1985 list because their occurrence was viewed as accidental or casual, a criterion no longer viewed as consistent with the MBTA or its underlying treaties. A species of accidental or casual occurrence is one whose normal range is far enough removed from the United States as to make regular occurrence unlikely or improbable (AOU 1983). For each species, we list the State(s) in which it has been recorded plus the relevant AOU publication(s):

Albatross, Shy, *Thalassarche cauta*—Washington (AOU 1982, 1983, 1997, 1998); Albatross, Wandering, *Diomedea exulans*—California (AOU 1982, 1983, 1998);

Bunting, Blue, *Cyanocompsa parellina*—Louisiana, Texas (AOU 1982, 1983, 1998); Bunting, Gray, *Emberiza variabilis*—Alaska (AOU 1982, 1983, 1998); Bunting, Little, *Emberiza pusilla*—Alaska (AOU 1982, 1983, 1998); Chaffinch, Common, *Fringilla coelebs*—Maine to Massachusetts (AOU 1982, 1983, 1998); Crake, Paint-billed, *Neocrex erythrops*—Louisiana, Texas (AOU 1982, 1983, 1998); Curlew, Eurasian, *Numenius arquata*—Massachusetts, New York (AOU 1982, 1983, 1998); Flycatcher, La Sagra's, *Myiarchus sagrae*—Alabama, Florida (AOU 1982, 1983, 1998); Flycatcher, Variegated, *Empidonax varius*—Maine, Tennessee (AOU 1982, 1983, 1998); Gull, Belcher's, *Larus belcheri*—Florida (AOU 1982, 1983, 1998, 2003); Hawk, Roadside, *Buteo magnirostris*—Texas (AOU 1982, 1983, 1998); Hummingbird, Bumblebee, *Atthis heloisa*—Arizona (AOU 1982, 1983, 1998); Martin, Southern, *Progne elegans*—Florida (AOU 1982, 1983, 1998); Mockingbird, Bahama, *Mimus gundlachii*—Florida (AOU 1982, 1983, 1998); Petrel, Black-winged, *Pterodroma nigripennis*—Hawaii (AOU 1982, 1983, 1998); Petrel, Jouanin's, *Bulweria fallax*—Hawaii (AOU 1982, 1983, 1998); Pewee, Hispaniolan, *Contopus hispaniolensis*—Puerto Rico (AOU 1983, 1995, 1998); Pipit, Tree, *Anthus trivialis*—Alaska (AOU 1982, 1983, 1995); Rail, Spotted, *Pardirallus maculatus*—Pennsylvania, Texas (AOU 1982, 1983, 1998); Scops-Owl, Oriental, *Otus sunia*—Alaska (AOU 1982, 1983, 1998); Shearwater, Streaked, *Calonectris leucomelas*—California (AOU 1982, 1983, 1998); Shrike, Brown, *Lanius cristatus*—Alaska (AOU 1982, 1983, 1998); Swift, Short-tailed, *Chaetura brachyura*—U.S. Virgin Islands (AOU 1983, 1998); Vireo, Thick-billed, *Vireo crassirostris*—Florida (AOU 1983, 1998); and Warbler, Fan-tailed, *Euthlypis lachrymosa*—Arizona (AOU 1982, 1983, 1998). (3) Add 60 species based on review and acceptance by AOU (since April 1985) of new distributional records documenting their occurrence in the United States, Puerto Rico, or the U.S. Virgin Islands. These species belong to families covered by the Canadian and Mexican treaties and most are considered to be of accidental or casual occurrence. For each species, we list the State(s) in which it has been recorded plus the relevant AOU publication(s): Albatross, Black-browed, *Thalassarche melanophrys*—Virginia (AOU 2002); Albatross, Light-mantled, *Phoebetria palpebrata*—California (AOU 1997, 1998); Bluetail, Red-flanked, *Tarsiger cyanurus*—Alaska (AOU 1995, 1998); Bunting, Pine, *Emberiza leucocephalos*—Alaska (AOU 1995, 1998); Bunting, Yellow-breasted, *Emberiza aureola*—Alaska (AOU 1989, 1998); Bunting, Yellow-throated, *Emberiza elegans*—Alaska (AOU 2000); Carib, Purple-throated, *Eulampis jugularis*—U.S. Virgin Islands (AOU 1998); Catbird, Black, *Melanoptila glabrirostris*—Texas (AOU 1998); Duck, Muscovy, *Cairina moschata*—Texas (AOU 1998); Egret, Little, *Egretta garzetta*—Massachusetts, New Hampshire, Puerto Rico, Virginia (AOU 1998); Elaenia, Greenish, *Myiopagis viridicata*—Texas (AOU 1989, 1998); Flycatcher, Piratic, *Legatus leucophalus*—Florida, New Mexico, Texas (AOU 2002); Flycatcher, Social, *Myiozetetes similis*—Texas (AOU 2006); Flycatcher, Tufted, *Mitrephanes phaeocercus*—Texas (AOU 1998); Forest-Falcon, Collared, *Micrastur semitorquatus*—Texas (AOU 1998); Frog-Hawk, Gray, *Accipiter soloensis*—Hawaii (AOU 1997, 1998); Gallinule, Azure, *Porphyrio flavirostris*—New York (AOU 1991, 1998, 2002); Goose, Lesser White-fronted, *Anser erythropus*—Alaska (AOU 1995, 1998); Gull, Gray-hooded, *Larus cirrocephalus*—Florida (AOU 2002); Gull, Kelp, *Larus dominicanus*—Louisiana, Maryland (AOU 2002); Gull, Yellow-legged, *Larus cachinnans*—Maryland (AOU 1993, 1998); Hawk, Crane, *Geranospiza caerulescens*—Texas (AOU 1998); Hobby, Eurasian, *Falco subbuteo*—Alaska (AOU 1985, 1995, 1998); Hummingbird, Cinnamon, *Amazilia rutila*—Arizona, New Mexico (AOU 1998); Hummingbird, Xantus's, *Hylocharis xanthusii*—California (AOU 1998); Mango, Green-breasted, *Anthracothorax prevostii*—Texas (AOU 1998); Martin, Brown-chested, *Progne tapera*—Massachusetts (AOU 1985, 1995, 1998);

- Mockingbird, Blue, *Melanotis caerulescens*—Arizona, Texas (AOU 1998);
- Murrelet, Long-billed, *Brachyramphus perdix*—10 States (AOU 1997, 1998);
- Nightingale-Thrush, Black-headed, *Catharus mexicanus*—Texas (AOU 2006);
- Nightingale-Thrush, Orange-billed, *Catharus aurantiirostris*—Texas (AOU 2002);
- Owl, Mottled, *Ciccaba virgata*—Texas (AOU 1989, 1998);
- Owl, Stygian, *Asio stygius*—Texas (AOU 2002);
- Petrel, Bermuda, *Pterodroma cahow*—North Carolina (AOU 1998);
- Petrel, Great-winged, *Pterodroma macroptera*—California (AOU 2004);
- Petrel, Stejneger's, *Pterodroma longirostris*—California, Hawaii (AOU 1989, 1998);
- Pewee, Cuban, *Contopus caribaeus*—Florida (AOU 2004);
- Plover, Collared, *Charadrius collaris*—Texas (AOU 1998);
- Pond-Heron, Chinese, *Ardeola bacchus*—Alaska (AOU 2000);
- Reef-Heron, Western, *Egretta gularis*—Massachusetts (AOU 1985, 1998);
- Robin, Siberian Blue, *Luscinia cyane*—Alaska (AOU 1987, 1998);
- Robin, White-throated, *Turdus assimilis*—Texas (AOU 1998);
- Sandpiper, Green, *Tringa ochropus*—Alaska (AOU 1985, 1998);
- Shearwater, Cape Verde, *Calonectris edwardsii*—North Carolina (AOU 2006);
- Silky-flycatcher, Gray, *Ptilogonyx cinereus*—Texas (AOU 1998);
- Siskin, Eurasian, *Carduelis spinus*—Alaska (AOU 1995, 1998);
- Stilt, Black-winged, *Himantopus himantopus*—Alaska (AOU 1985, 1998);
- Stonechat, *Saxicola torquatus*—Alaska (AOU 1987, 1998, 2004);
- Storm-Petrel, Black-bellied Fregetta tropica—North Carolina (AOU 2006);
- Swallow, Mangrove, *Tachycineta albilinea*—Florida (AOU 2005);
- Swift, Alpine, *Apus melba*—Puerto Rico (AOU 1998);
- Tanager, Flame-colored, *Piranga bidentata*—Arizona, Texas (AOU 1987, 1998);
- Tern, Great Crested, *Thalasseus bergii*—Hawaii (AOU 1991, 1998, 2006);
- Tern, Whiskered, *Chlidonias hybrida*—Delaware, New Jersey (AOU 1997, 1998, 2003);
- Tityra, Masked, *Tityra semifasciata*—Texas (AOU 1998);
- Turtle-Dove, Oriental, *Streptopelia orientalis*—Alaska (AOU 1991, 1998);
- Vireo, Yucatan, *Vireo magister*—Texas (AOU 1987, 1998);
- Wagtail, Citrine, *Motacilla citreola*—Alabama (AOU 1995, 1998);
- Warbler, Crescent-chested, *Parula superciliosa*—Arizona (AOU 1987, 1998); and
- Woodpecker, Great Spotted, *Dendrocopos major*—Alaska (AOU 1987, 1998).
- (4) Add 27 species that belong to families covered by the Canadian and Mexican treaties, but occur naturally in the United States only in the Pacific island territories of American Samoa, Baker and Howland Islands, Guam, or the Northern Mariana Islands (Pratt *et al.* 1987). We also list the territory or territories in which each species is known to occur:
- Bittern, Black, *Ixobrychus flavicollis* (Guam);
- Cormorant, Little Pied, *Phalacrocorax melanoleucus* (Northern Marianas);
- Crake, Spotless, *Porzana tabuensis* (American Samoa);
- Crow, Mariana, *Corvus kubaryi* (Guam, Northern Marianas);
- Duck, Pacific Black, *Anas superciliosa* (American Samoa);
- Fruit-Dove, Crimson-crowned, *Ptilinopus porphyraceus* (American Samoa);
- Fruit-Dove, Many-colored, *Ptilinopus perousii* (American Samoa);
- Fruit-Dove, Mariana, *Ptilinopus roseicapilla* (Guam, Northern Marianas);
- Greenshank, Nordmann's, *Tringa guttifer* (Guam);
- Ground-Dove, Friendly, *Gallicolumba stairi* (American Samoa);
- Ground-Dove, White-throated, *Gallicolumba xanthonura* (American Samoa);
- Heron, Gray, *Ardea cinerea* (Northern Marianas);
- Imperial-Pigeon, Pacific, *Ducula pacifica* (American Samoa);
- Kingfisher, Collared, *Todiramphus chloris* (American Samoa, Northern Marianas);
- Kingfisher, Micronesian, *Todiramphus cinnamominus* (Guam);
- Oystercatcher, Eurasian, *Haematopus ostralegus* (Guam);
- Petrel, Gould's, *Pterodroma leucoptera* (American Samoa);
- Petrel, Phoenix, *Pterodroma alba* (Baker and Howland Islands);
- Petrel, Tahiti, *Pterodroma rostrata* (American Samoa);
- Rail, Buff-banded, *Gallirallus philippensis* (American Samoa);
- Rail, Guam, *Gallirallus owstoni* (Guam);
- Storm-Petrel, Matsudaira's, *Oceanodroma matsudairae* (Guam, Northern Marianas);
- Storm-Petrel, Polynesian, *Nesofregata fuliginosa* (American Samoa);
- Storm-Petrel, White-bellied, *Fregetta grallaria* (American Samoa);
- Swamphen, Purple, *Porphyrio porphyrio* (American Samoa);
- Swiftlet, Mariana, *Aerodramus bartschi* (Guam, Northern Marianas); and
- Swiftlet, White-rumped, *Aerodramus spodiopygius* (American Samoa).
- (5) Add 37 species because of recent taxonomic changes in which taxa formerly treated as subspecies have been determined to be distinct species. Given that each of these species was formerly treated as subspecies of a listed species, these additions will not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the AOU publication(s) supporting the change:
- Coot, Hawaiian, *Fulica alai* (formerly treated as subspecies of *Fulica americana*, American Coot) [AOU 1993, 1998];
- Flicker, Gilded, *Colaptes chrysoides* (formerly treated as subspecies of *Colaptes auratus*, Northern Flicker) [AOU 1995, 1998];
- Flycatcher, Cordilleran, *Empidonax occidentalis* (formerly treated as subspecies of *Empidonax difficilis*, Western [=Pacific-slope] Flycatcher) [AOU 1989, 1998];
- Gnatcatcher, California, *Polioptila californica* (formerly treated as subspecies of *Polioptila melanura*, Black-tailed Gnatcatcher) [AOU 1989, 1998];
- Golden-Plover, Pacific, *Pluvialis fulva* (formerly treated as subspecies of *Pluvialis dominica*, Lesser [=American] Golden-Plover) [AOU 1993, 1998];
- Goose, Cackling, *Branta hutchinsii* (formerly treated as subspecies of *Branta canadensis*, Canada Goose) [AOU 2004];
- Grebe, Clark's, *Aechmophorus clarkii* (formerly treated as subspecies of *Aechmophorus occidentalis*, Western Grebe) [AOU 1985, 1998];
- Heron, Green, *Butorides virescens* (formerly treated as subspecies of *Butorides striatus*, Green-backed [=Striated] Heron) [AOU 1993, 1998];
- Kamao, Myadestes myadestinus (formerly treated as subspecies of *Phaeornis obscurus*, Hawaiian Thrush [=Omao]) [AOU 1985, 1998];
- Kite, White-tailed, *Elanus leucurus* (formerly treated as subspecies of *Elanus caeruleus*, Black-shouldered Kite) (AOU 1983, 1993, 1998);
- Loon, Pacific, *Gavia pacifica* (formerly treated as subspecies of *Gavia arctica*, Arctic Loon) [AOU 1985, 1998];
- Magpie, Black-billed, *Pica hudsonia* (formerly treated as subspecies of *Pica pica*, Black-billed [=Eurasian] Magpie) [AOU 2000];

- Olomao, *Myadestes lanaiensis* (formerly treated as subspecies of *Phaeornis obscurus*, Hawaiian Thrush [=Omao]) [AOU 1985, 1998];
- Oriole, Bullock's, *Icterus bullockii* (formerly treated as subspecies of *Icterus galbula*, Northern [=Baltimore Oriole] [AOU 1995, 1998];
- Petrel, Hawaiian, *Pterodroma sandwichensis* (formerly treated as subspecies of *Pterodroma phaeopygia*, Dark-rumped [=Galapagos] Petrel) [AOU 2002];
- Petrel, White-necked, *Pterodroma cervicalis* (formerly treated as subspecies of *Pterodroma externa*, White-necked [=Juan Fernandez] Petrel) [AOU 1991, 1998];
- Pipit, American, *Anthus rubescens* (formerly treated as subspecies of *Anthus spinoletta*, Water Pipit (AOU 1989, 1998);
- Rosy-Finch, Black, *Leucosticte atrata* (formerly treated as subspecies of *Leucosticte arctoa*, Rosy Finch) [AOU 1993, 1998];
- Rosy-Finch, Brown-capped, *Leucosticte australis* (formerly treated as subspecies of *Leucosticte arctoa*, Rosy Finch) [AOU 1993, 1998];
- Rosy-Finch, Gray-crowned, *Leucosticte tephrocotis* (formerly treated as subspecies of *Leucosticte arctoa*, Rosy Finch) [AOU 1993, 1998];
- Sapsucker, Red-naped, *Sphyrapicus nuchalis* (formerly treated as subspecies of *Sphyrapicus varius*, Yellow-bellied Sapsucker) [AOU 1985, 1998];
- Scrub-Jay, Island, *Aphelocoma insularis* (formerly treated as subspecies of *Aphelocoma coerulescens*, Scrub [=Florida] Jay [=Scrub-Jay]) [AOU 1995, 1998];
- Scrub-Jay, Western, *Aphelocoma californica* (formerly treated as subspecies of *Aphelocoma coerulescens*, Scrub [=Florida] Jay [=Scrub-Jay]) [AOU 1995, 1998];
- Snipe, Wilson's, *Gallinago delicata* (formerly treated as subspecies of *Gallinago gallinago*, Common Snipe) [AOU 2002];
- Sparrow, Nelson's Sharp-tailed, *Ammodramus nelsoni* (formerly treated as subspecies of *Ammodramus caudacutus*, Sharp-tailed [=Saltmarsh Sharp-tailed] Sparrow) [AOU 1995, 1998];
- Spindalis, Puerto Rican, *Spindalis portoricensis* (formerly treated as subspecies of *Spindalis zena*, Stripe-headed [=Western] Tanager [=Spindalis]) [AOU 2000];
- Thrush, Bicknell's, *Catharus bicknelli* (formerly treated as subspecies of *Catharus minimus*, Gray-cheeked Thrush) [AOU 1995, 1998];
- Titmouse, Black-crested, *Baeolophus atricristatus* (formerly treated as subspecies of *Parus* [=*Baeolophus bicolor*], Tufted Titmouse) [AOU 2002];
- Titmouse, Juniper, *Baeolophus ridgwayi* (formerly treated as subspecies of *Parus Baeolophus*) *inornatus*, Plain [=Oak] Titmouse) [AOU 1997, 1998];
- Towhee, California, *Pipilo crissalis* (formerly treated as subspecies of *Pipilo fuscus*, Brown Towhee) [AOU 1989, 1998];
- Towhee, Spotted, *Pipilo maculatus* (formerly treated as subspecies of *Pipilo erythrourhynchus*, Rufous-sided [=Eastern] Towhee) [AOU 1995, 1998];
- Vireo, Cassin's, *Vireo cassini* (formerly treated as subspecies of *Vireo solitarius*, Solitary [=Blue-headed] Vireo) [AOU 1997, 1998];
- Vireo, Plumbeous, *Vireo plumbeus* (formerly treated as subspecies of *Vireo solitarius*, Solitary [=Blue-headed] Vireo) [AOU 1997, 1998];
- Vireo, Yellow-green, *Vireo flavoviridis* (formerly treated as subspecies of *Vireo olivaceus*, Red-eyed Vireo) [AOU 1987, 1998];
- Wagtail, Eastern Yellow, *Motacilla tschutschensis* (formerly treated as subspecies of *Motacilla flava*, Yellow Wagtail) [AOU 2004];
- Woodpecker, American Three-toed, *Picoides dorsalis* (formerly treated as subspecies of *Picoides tridactylus*, Three-toed [=Eurasian Three-toed] Woodpecker) [AOU 2003]; and
- Woodpecker, Arizona, *Picoides arizonae* (formerly treated as subspecies of *Picoides stricklandi*, Strickland's Woodpecker) [AOU 2000].
- (6) Remove 11 species based on revised taxonomic treatments and new distributional evidence confirming that their known geographic ranges lie entirely outside the political boundaries of the United States and its territories. In each case, we reference the AOU publication(s) supporting these changes:
- Finch, Rosy, *Leucosticte arctoa* (AOU 1993, 1998);
- Heron, Green-backed (=Striated), *Butorides striatus* (AOU 1993, 1998);
- Kingbird, Loggerhead, *Tyrannus caudifasciatus* (AOU 2002);
- Kite, Black-shouldered, *Elanus caeruleus* (AOU 1983, 1993, 1998);
- Magpie, Black-billed (=Eurasian), *Pica pica* (AOU 2000);
- Noddy, Lesser, *Anous tenuirostris* (AOU 1998; treated as conspecific with Black Noddy, *Anous minutus*);
- Petrel, Dark-rumped (=Galapagos), *Pterodroma phaeopygia* (AOU 2002);
- Pipit, Water, *Anthus spinoletta* (AOU 1983, 1989, 1998);
- Wagtail, Yellow, *Motacilla flava* (AOU 2004);
- Woodpecker, Strickland's, *Picoides stricklandi* (AOU 2000); and
- Woodpecker, Three-toed (=Eurasian Three-toed), *Picoides tridactylis* (AOU 2003).
- (7) Remove one former species that is now treated as a subspecies:
- Wagtail, Black-backed, *Motacilla lugens* (*lugens* will remain protected as a subspecies of *Motacilla alba*, White Wagtail) [AOU 2005].
- (8) Revise the common (English) names of 47 species to conform to the most recent nomenclatural treatment. These revisions will not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the published source(s) for the name change:
- Barn-Owl, Common, *Tyto alba*, will be changed to Owl, Barn (AOU 1989, 1998);
- Bittern, Chinese, *Ixobrychus sinensis*, will be changed to Bittern, Yellow (AOU 1991, 1998);
- Crow, Mexican, *Corvus imparatus*, will be changed to Crow, Tamaulipas (AOU 1997, 1998);
- Curlew, Least, *Numenius minutus*, will be changed to Curlew, Little (AOU 1987, 1998);
- Flycatcher, Gray-spotted, *Muscicapa griseisticta*, will be changed to Flycatcher, Gray-streaked (AOU 2004);
- Flycatcher, Western, *Empidonax difficilis*, will be changed to Flycatcher, Pacific-slope (AOU 1989, 1998);
- Golden-Plover, Lesser, *Pluvialis dominica*, will be changed to Golden-Plover, American (AOU 1993, 1998);
- Goose, Ross', *Chen rossii*, will be changed to Goose, Ross's (AOU 1998);
- Gull, Common Black-headed, *Larus ridibundus*, will be changed to Gull, Black-headed (AOU 1995, 1998);
- Gull, Ross', *Rhodostethia rosea*, will be changed to Gull, Ross's (AOU 1998);
- Hawk, Asiatic Sparrow, *Accipiter gularis*, will be changed to Sparrowhawk, Japanese (Monroe and Sibley 1993);
- Hawk, Harris', *Parabuteo unicinctus*, will be changed to Hawk, Harris's (AOU 1998);
- Hawk-Owl, Northern, *Surnia ulula*, will be changed to Owl, Northern Hawk (AOU 1989, 1998);
- Heron, Pacific Reef, *Egretta sacra*, will be changed to Reef-Egret, Pacific (Monroe and Sibley 1993);
- Hoopoe, Upupa epops, will be changed to Hoopoe, Eurasian (AOU 1998);

- Jay, Gray-breasted, *Aphelocoma ultramarina*, will be changed to Jay, Mexican (AOU 1995, 1998);
- Jay, Scrub, *Aphelocoma coerulescens*, will be changed to Scrub-Jay, Florida (AOU 1995, 1998);
- Kite, American Swallow-tailed, *Elanoides forficatus*, will be changed to Kite, Swallow-tailed (AOU 1995, 1998);
- Murrelet, Xantus', *Synthliboramphus hypoleucus*, will be changed to Murrelet, Xantus's (AOU 1998);
- Nightjar, Jungle, *Caprimulgus indicus*, will be changed to Nightjar, Gray (AOU 2004);
- Oldsquaw, *Clangula hyemalis*, will be changed to Duck, Long-tailed (AOU 2000);
- Oriole, Black-cowled, *Icterus dominicensis*, will be changed to Oriole, Greater Antillean (AOU 2000);
- Oriole, Northern, *Icterus galbula*, will be changed to Oriole, Baltimore (AOU 1995, 1998);
- Petrel, White-necked, *Pterodroma externa*, will be changed to Petrel, Juan Fernandez (AOU 1991, 1998);
- Plover, Great Sand, *Charadrius leschenaultii*, will be changed to Sand-Plover, Greater (AOU 2004);
- Plover, Mongolian, *Charadrius mongolus*, will be changed to Sand-Plover, Lesser (AOU 2004);
- Reed-Bunting, Common, *Emberiza schoeniclus*, will be changed to Bunting, Reed (AOU 1995, 1998);
- Reed-Bunting, Pallas', *Emberiza pallasi*, will be changed to Bunting, Pallas's (AOU 1995, 1998);
- Sandpiper, Spoonbill, *Eurynorhynchus pygmeus*, will be changed to Sandpiper, Spoon-billed (AOU 2004);
- Skylark, Eurasian, *Alauda arvensis*, will be changed to Lark, Sky (AOU 1995, 1998);
- Sparrow, Harris', *Zonotrichia querela*, will be changed to Sparrow, Harris's (AOU 1998);
- Sparrow, Sharp-tailed, *Ammodramus caudacutus*, will be changed to Sparrow, Saltmarsh Sharp-tailed (AOU 1995, 1998);
- Starling, Ashy, *Sturnus cineraceus*, will be changed to Starling, White-cheeked (Monroe and Sibley 1993);
- Starling, Violet-backed, *Sturnus philippensis*, will be changed to Starling, Chestnut-cheeked (Monroe and Sibley 1993);
- Stint, Rufous-necked, *Calidris ruficollis*, will be changed to Stint, Red-necked (AOU 1995);
- Storm-Petrel, Sooty, *Oceanodroma tristrami*, will be changed to Storm-Petrel, Tristram's (AOU 1989, 1998);
- Swift, Antillean Palm, *Tachornis phoenicobia*, will be changed to Palm-Swift, Antillean (AOU 1983, 1998);
- Tanager, Stripe-headed, *Spindalis zena*, will be changed to Spindalis, Western (AOU 2000);
- Teal, Falcated, *Anas falcata*, will be changed to Duck, Falcated (AOU 1997, 1998);
- Thrush, Eye-browed, *Turdus obscurus*, will be changed to Thrush, Eyebrowed (AOU 1989, 1998);
- Towhee, Brown, *Pipilo fuscus*, will be changed to Towhee, Canyon (AOU 1989, 1998);
- Towhee, Rufous-sided, *Pipilo erythrorthalmus*, will be changed to Towhee, Eastern (AOU 1995, 1998);
- Tree-Pipit, Olive, *Anthus hodgsoni*, will be changed to Pipit, Olive-backed (AOU 1995, 1998);
- Trogon, Eared, *Euptilotis neoxenus*, will be changed to Quetzal, Eared (AOU 2002);
- Vireo, Solitary, *Vireo solitarius*, will be changed to Vireo, Blue-headed (AOU 1997, 1998);
- Warbler, Elfin Woods, *Dendroica angelae*, will be changed to Warbler, Elfin-Woods (AOU 1998); and
- Woodpecker, Lewis', *Melanerpes lewis*, will be changed to Woodpecker, Lewis's (AOU 1998).
- (9) Revise the scientific names of 64 species to conform to the most recent nomenclature treatment. These revisions will not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the AOU publication(s) documenting the name change:
- Actitis macularia* (Spotted Sandpiper) will be changed to *Actitis macularius* (AOU 2004);
- Ajaia ajaja* (Roseate Spoonbill) will be changed to *Platalea ajaja* (AOU 2002);
- Amphispiza quinquestriata* (Five-striped Sparrow) will be changed to *Aimophila quinquestriata* (AOU 1997, 1998);
- Casmerodius albus* (Great Egret) will be changed to *Ardea alba* (AOU 1995, 1998);
- Catharacta maccormicki* (South Polar Skua) will be changed to *Stercorarius maccormicki* (AOU 2000);
- Catharacta skua* (Great Skua) will be changed to *Stercorarius skua* (AOU 2000);
- Catoptrophorus semipalmatus* (Willet) will be changed to *Tringa semipalmata* (AOU 2006);
- Ceryle torquata* (Ringed Kingfisher) will be changed to *Ceryle torquatus* (AOU 2004);
- Columba fasciata* (Band-tailed Pigeon) will be changed to Patagioenas fasciata (AOU 2003);
- Columba flavirostris* (Red-billed Pigeon) will be changed to Patagioenas flavirostris (AOU 2003);
- Columba inornata* (Plain Pigeon) will be changed to Patagioenas inornata (AOU 2003);
- Columba leucocephala* (White-crowned Pigeon) will be changed to Patagioenas leucocephala (AOU 2003);
- Columba squamosa* (Scaly-naped Pigeon) will be changed to Patagioenas squamosa (AOU 2003);
- Contopus borealis* (Olive-sided Flycatcher) will be changed to *Contopus cooperi* (AOU 1997, 1998);
- Cuculus saturatus* (Oriental Cuckoo) will be changed to *Cuculus optatus* (AOU 2006);
- Cyclorrhynchus psittacula* (Parakeet Auklet) will be changed to *Aethia psittacula* (AOU 1997, 1998);
- Delichon urbica* (Common House-Martin) will be changed to *Delichon urbicum* (AOU 2004);
- Diomedea albatrus* (Short-tailed Albatross) will be changed to *Phoebastria albatrus* (AOU 1997, 1998);
- Diomedea immutabilis* (Laysan Albatross) will be changed to *Phoebastria immutabilis* (AOU 1997, 1998);
- Diomedea nigripes* (Black-footed Albatross) will be changed to *Phoebastria nigripes* (AOU 1997, 1998);
- Guiraca caerulea* (Blue Grosbeak) will be changed to *Passerina caerulea* (AOU 2002);
- Heteroscelus brevipes* (Gray-tailed Tattler) will be changed to *Tringa brevipes* (AOU 2006);
- Heteroscelus incanus* (Wandering Tattler) will be changed to *Tringa incana* (AOU 2006);
- Helminthorus vermicivora* (Worm-eating Warbler) will be changed to *Helminthorus vermicivorus* (AOU 2004);
- Hirundo fulva* (Cave Swallow) will be changed to *Petrochelidon fulva* (AOU 1997, 1998);
- Hirundo pyrrhonota* (Cliff Swallow) will be changed to *Petrochelidon pyrrhonota* (AOU 1997, 1998);
- Muscicapa narcissina* (Narcissus Flycatcher) will be changed to *Ficedula narcissina* (AOU 1991, 1998);
- Nesochen sandvicensis* (Hawaiian Goose) will be changed to *Branta sandvicensis* (AOU 1993, 1998);
- Nyctea scandiaca* (Snowy Owl) will be changed to *Bubo scandiaca* (AOU 2003);
- Nycticorax goisagi* (Japanese Night-Heron) will be changed to *Gorsachius goisagi* (Monroe and Sibley 1993);

- Nycticorax violaceus* (Yellow-crowned Night-Heron) will be changed to *Nyctanassa violacea* (AOU 1998); *Otus asio* (Eastern Screech-Owl) will be changed to *Megascops asio* (AOU 2003); *Otus kennicottii* (Western Screech-Owl) will be changed to *Megascops kennicottii* (AOU 2003); *Otus nudipes* (Puerto Rican Screech-Owl) will be changed to *Megascops nudipes* (AOU 2003); *Otus trichopsis* (Whiskered Screech-Owl) will be changed to *Megascops trichopsis* (AOU 2003); *Oxyura dominica* (Masked Duck) will be changed to *Nononyx dominicus* (AOU 1997, 1998); *Parus atricapillus* (Black-capped Chickadee) will be changed to *Poecile atricapillus* (AOU 1997, 1998, 2003); *Parus bicolor* (Tufted Titmouse) will be changed to *Baeolophus bicolor* (AOU 1997, 1998); *Parus carolinensis* (Carolina Chickadee) will be changed to *Poecile carolinensis* (AOU 1997, 1998); *Parus gambeli* (Mountain Chickadee) will be changed to *Poecile gambeli* (AOU 1997, 1998); *Parus hudsonicus* (Boreal Chickadee) will be changed to *Poecile hudsonica* (AOU 1997, 1998, 2000); *Parus rufescens* (Chestnut-backed Chickadee) will be changed to *Poecile rufescens* (AOU 1997, 1998); *Parus sclateri* (Mexican Chickadee) will be changed to *Poecile sclateri* (AOU 1997, 1998); *Parus wollweberi* (Bridled Titmouse) will be changed to *Baeolophus wollweberi* (AOU 1997, 1998); *Phalaropus fulicaria* (Red Phalarope) will be changed to *Phalaropus fulicarius* (AOU 2002); *Polyborus plancus* (Crested Caracara) will be changed to *Caracara cheriway* (AOU 1993, 1998, 2000); *Porphyrrula martinica* (Purple Gallinule) will be changed to *Porphyrio martinica* (AOU 2002); *Saurothera vieilloti* (Puerto Rican Lizard-Cuckoo) will be changed to *Coccyzus vieilloti* (AOU 2006); *Seiurus aurocapillus* (Ovenbird) will be changed to *Seiurus aurocapilla* (AOU 2003); *Sterna albifrons* (Little Tern) will be changed to *Sternula albifrons* (AOU 2006); *Sterna aleutica* (Aleutian Tern) will be changed to *Onychoprion aleuticus* (AOU 2006); *Sterna anaethetus* (Bridled Tern) will be changed to *Onychoprion anaethetus* (AOU 2006); *Sterna antillarum* (Least Tern) will be changed to *Sternula antillarum* (AOU 2006); *Sterna caspia* (Caspian Tern) will be changed to *Hydroprogne caspia* (AOU 2006); *Sterna elegans* (Elegant Tern) will be changed to *Thalasseus elegans* (AOU 2006); *Sterna fuscata* (Sooty Tern) will be changed to *Onychoprion fuscatus* (AOU 2006); *Sterna lunata* (Gray-backed Tern) will be changed to *Onychoprion lunatus* (AOU 2006); *Sterna maxima* (Royal Tern) will be changed to *Thalasseus maximus* (AOU 2006); *Sterna nilotica* (Gull-billed Tern) will be changed to *Gelochelidon nilotica* (AOU 2006); *Sterna sandvicensis* (Sandwich Tern) will be changed to *Thalasseus sandvicensis* (AOU 2006); *Sula bassanus* (Northern Gannet) will be changed to *Morus bassanus* (AOU 1989, 1998); *Tiaris olivacea* (Yellow-faced Grassquit) will be changed to *Tiaris olivaceus* (AOU 2004); and *Toxostoma dorsale* (Crissal Thrasher) will be changed to *Toxostoma crissale* (AOU 1984, 1985, 1998).
- (10) Revise the common (English) and scientific names of seven species to conform with the most recent nomenclature treatment. These revisions will not change the protective status of any of these taxa, only the names by which they are known. In each case, we reference the publication(s) supporting the name change:
- Cormorant, Olivaceous, Phalacrocorax olivaceus*, will be changed to *Cormorant, Neotropic, Phalacrocorax brasiliensis* (AOU 1991, 1998); *Egret, Plumed, Egretta intermedia*, will be changed to *Egret, Intermediate, Mesophoyx intermedia* (Monroe and Sibley 1993); *Night-Heron, Malay, Nycticorax melanolophus*, will be changed to *Night-Heron, Malayan, Gorsachius melanolophus* (Monroe and Sibley 1993); *Thrush, Hawaiian, Phaeornis obscurus*, will be changed to *Omao, Myadestes obscurus* (AOU 1985, 1998); *Thrush, Small Kauai, Phaeornis palmeri*, will be changed to *Puaiohi, Myadestes palmeri* (AOU 1985, 1998); *Tit, Siberian, Parus cinctus*, will be changed to *Chickadee, Gray-headed, Poecile cincta* (AOU 1998, 2000); and *Titmouse, Plain, Parus inornatus*, will be changed to *Titmouse, Oak, Baeolophus inornatus* (AOU 1997, 1998).
- (11) Revise incorrect or invalid scientific names of four species in the alphabetical list to reflect the most recent nomenclatural treatment and to correct inconsistencies between the alphabetical and taxonomic lists:
- Kittiwake, Black-legged, Larus tridactyla*, will be changed to *Rissa tridactyla* (AOU 1998); *Kittiwake, Red-legged, Larus brevirostris*, will be changed to *Rissa brevirostris* (AOU 1998); *Skimmer, Black, Rhynchos niger*, will be changed to *Rynchops niger* (AOU 1998); and *Thrush, Wood, Hylocichla minima*, will be changed to *Hylocichla mustelina* (AOU 1998).
- (12) Revise the common (English) name of two species in the alphabetical and taxonomic lists to correct misspellings:
- Bittern, Schrenk's, Ixobrychus eurhythmus*, will be changed to *Bittern, Schrenck's* (Monroe and Sibley 1993); and *Redstart, Slaty-throated, Myioborus miniatus*, will be changed to *Redstart, Slate-throated* (AOU 1998).
- (13) Revise the scientific names of three species in the taxonomic list to correct misspellings and inconsistencies between the alphabetical and taxonomic lists:
- Sialis currucoides* (Mountain Bluebird) will be changed to *Sialia currucoides* (AOU 1998); *Sialis mexicana* (Western Bluebird) will be changed to *Sialia mexicana* (AOU 1998); and *Sialis sialis* (Eastern Bluebird) will be changed to *Sialia sialis* (AOU 1998).
- (14) Change the status of one taxon from protected subspecies to non-protected species (because there is no known natural occurrence of the newly recognized species in the United States or its territories). In accordance with the AOU (1998), the *Barbary Falcon* is currently treated as a subspecies (*pelegrinoides*) of the *Peregrine Falcon* (*Falco peregrinus*) in 50 CFR 10.13. We propose deferring to the taxonomic treatment of Monroe and Sibley (1993) in recognizing *F. peregrinus pelegrinoides* as a distinct species, *Falco pelegrinoides*, the *Barbary Falcon*. This change will bring our treatment of this taxon into conformity with that adopted by the Convention on International Trade in Endangered Species of Wild Flora and Fauna (CITES), thereby removing an inconsistency between the MBTA (50 CFR 10.13) and CITES (50 CFR 23.23) lists. This simple taxonomic change will not result in the addition or removal of any species from the list: *Falco peregrinus pelegrinoides*, a subspecies of the *Peregrine Falcon*, will be changed to *Falco*

pelegrinoides, Barbary Falcon (Monroe and Sibley 1993). (The newly recognized Barbary Falcon is not subject to the MBTA because its known geographic range lies entirely outside the political boundaries of the United States and its territories. This action will not change the legal status of any other subspecies of the

Peregrine Falcon, all of which will continue to be protected under the MBTA.)

For ease of comparison, the proposed changes are summarized in the following table (numbers reference the categories treated above). Categories that involve name revisions (*i.e.*, 9, 10, and

11) will require removal of the old name (left-hand column) and addition of the new name (right-hand column). To ensure that these two separate actions appear on the same line of the table, we employ brackets to identify old (removed) or new (added) names that are listed in correct alphabetical order elsewhere in the table:

Removed (alphabetically)	Added (alphabetically)
Albatross, Black-footed, <i>Diomedea nigripes</i> (9)	Albatross, Black-browed, <i>Thalassarche melanophrys</i> (3).
Albatross, Laysan, <i>Diomedea immutabilis</i> (9)	Albatross, Black-footed, <i>Phoebastria nigripes</i> (9).
Albatross, Short-tailed, <i>Diomedea albatrus</i> (9)	Albatross, Laysan, <i>Phoebastria immutabilis</i> (9).
Albatross, Yellow-nosed, <i>Diomedea chlororhynchos</i> (9)	Albatross, Light-mantled, <i>Phoebetria palpebrata</i> (3).
Auklet, Parakeet, <i>Cyclorrhynchus psittacula</i> (9)	Albatross, Short-tailed, <i>Phoebastria albatrus</i> (9).
Barn-Owl, Common, <i>Tyto alba</i> (8)	Albatross, Shy, <i>Thalassarche cauta</i> (2).
Bittern, Chinese, <i>Ixobrychus sinensis</i> (8)	Albatross, Wandering, <i>Diomedea exulans</i> (2).
Bittern, Schrenk's, <i>Ixobrychus eurhythmus</i> (12)	Albatross, Yellow-nosed, <i>Thalassarche chlororhynchos</i> (9).
Bluebird, Eastern, <i>Sialia sialis</i> (13)	Auklet, Parakeet, <i>Aethia psittacula</i> (9).
Bluebird, Mountain, <i>Sialis currucoides</i> (13)	[see Owl, Barn].
Bluebird, Western, <i>Sialia mexicana</i> (13)	Bittern, Black, <i>Ixobrychus flavicollis</i> (4).
[see Reed-Bunting, Pallas']	Bittern, Yellow, <i>Ixobrychus sinensis</i> (8).
[see Reed-Bunting, Common]	Bittern, Schrenk's, <i>Ixobrychus eurhythmus</i> (12).
Caracara, Crested, <i>Polyborus plancus</i> (9)	Bluebird, Eastern, <i>Sialia sialis</i> (13).
Chickadee, Black-capped, <i>Parus atricapillus</i> (9)	Bluebird, Mountain, <i>Sialia currucooides</i> (13).
Chickadee, Boreal, <i>Parus hudsonicus</i> (9)	Bluebird, Western, <i>Sialia mexicana</i> (13).
Chickadee, Carolina, <i>Parus carolinensis</i> (9)	Bluetail, Red-flanked, <i>Tarsiger cyanurus</i> (3).
Chickadee, Chestnut-backed, <i>Parus rufescens</i> (9)	Bunting, Blue, <i>Cyanocompsa parellina</i> (2).
[see Tit, Siberian]	Bunting, Gray, <i>Emberiza variabilis</i> (2).
Chickadee, Mexican, <i>Parus sclateri</i> (9)	Bunting, Little, <i>Emberiza pusilla</i> (2).
Chickadee, Mountain, <i>Parus gambeli</i> (9)	Bunting, Pallas's, <i>Emberiza pallasi</i> (8).
Cormorant, Olivaceous, <i>Phalacrocorax olivaceus</i> (10)	Bunting, Pine, <i>Emberiza leucocephalos</i> (3).
Crow, Mexican, <i>Corvus imparatus</i> (8)	Bunting, Reed, <i>Emberiza schoeniculus</i> (8).
Cuckoo, Oriental, <i>Cuculus saturatus</i> (9)	Bunting, Yellow-breasted, <i>Emberiza aureola</i> (3).
Curlew, Least, <i>Numenius minutus</i> (8)	Bunting, Yellow-throated, <i>Emberiza elegans</i> (3).
[see Teal, Falcated]	Carib, Purple-throated, <i>Eulampis jugularis</i> (3).
[see Oldsquaw]	Caracara, Crested, <i>Caracara cheriway</i> (9).
Duck, Masked, <i>Oxyura dominica</i> (9)	Catbird, Black, <i>Melanoptila glabrirostris</i> (3).
Egret, Great, <i>Casmerodius albus</i> (9)	Chaffinch, Common, <i>Fringilla coelebs</i> (2).
Egret, Plumed, <i>Egretta intermedia</i> (10)	Chickadee, Black-capped, <i>Poecile atricapillus</i> (9).
[Falcon, Barbary, <i>Falco peregrinus pelegrinoides</i> (= <i>Falco pelegrinoides</i>)] (14)..	Chickadee, Boreal, <i>Poecile hudsonica</i> (9).
Finch, Rosy, <i>Leucosticte arctoa</i> (6)	Chickadee, Carolina, <i>Poecile carolinensis</i> (9).
Flycatcher, Gray-spotted, <i>Muscicapa griseisticta</i> (8)	Chickadee, Chestnut-backed, <i>Poecile rufescens</i> (9).
	Chickadee, Gray-headed, <i>Poecile cincta</i> (10).
	Chickadee, Mexican, <i>Poecile sclateri</i> (9).
	Chickadee, Mountain, <i>Poecile gambeli</i> (9).
	Coot, Hawaiian, <i>Fulica alai</i> (5).
	Cormorant, Little Pied, <i>Phalacrocorax melanoleucus</i> (4).
	Cormorant, Neotropic, <i>Phalacrocorax brasilianus</i> (10).
	Crake, Paint-billed, <i>Neocrex erythrops</i> (2).
	Crake, Spotless, <i>Porzana tabuensis</i> (4).
	Crow, Mariana, <i>Corvus kubaryi</i> (4).
	Crow, Tamaulipas, <i>Corvus imparatus</i> (8).
	Cuckoo, Oriental, <i>Cuculus optatus</i> (9).
	Curlew, Eurasian, <i>Numenius arquata</i> (2).
	Curlew, Little, <i>Numenius minutus</i> (8).
	Duck, Falcated, <i>Anas falcata</i> (8).
	Duck, Long-tailed, <i>Clangula hyemalis</i> (8).
	Duck, Masked, <i>Nomonyx dominicus</i> (9).
	Duck, Muscovy, <i>Cairina moschata</i> (3).
	Duck, Pacific Black, <i>Anas superciliosa</i> (4).
	Duck, Spot-billed, <i>Anas poecilorhyncha</i> (1).
	Egret, Great, <i>Ardea alba</i> (9).
	Egret, Intermediate, <i>Mesophoyx intermedia</i> (10).
	Egret, Little, <i>Egretta garzetta</i> (3).
	Elaenia, Greenish, <i>Myiopagis viridicata</i> (3).
	[see Rosy-Finch]
	Flicker, Gilded, <i>Colaptes chrysoides</i> (5).
	Flycatcher, Cordilleran, <i>Empidonax occidentalis</i> (5).
	Flycatcher, Gray-streaked, <i>Muscicapa griseisticta</i> (8).
	Flycatcher, La Sagra's, <i>Myiarchus sagrae</i> (2).

Removed (alphabetically)	Added (alphabetically)
Flycatcher, Narcissus, Muscicapa narcissina (9)	Flycatcher, Narcissus, Ficedula narcissina (9).
Flycatcher, Olive-sided, Contopus borealis (9)	Flycatcher, Olive-sided, Contopus cooperi (9).
Flycatcher, Western, Empidonax difficilis (8)	Flycatcher, Pacific-slope, Empidonax difficilis (8).
	Flycatcher, Piratic, Legatus leucophalus (3).
	Flycatcher, Social, Myiozetetes similis (3).
	Flycatcher, Tufted, Mitrephanes phaeocercus (3).
	Flycatcher, Variegated, Empidonax varius (2).
	Forest-Falcon, Collared, Micrastur semitorquatus (3).
	Frog-Hawk, Gray, Accipiter soloensis (3).
	Fruit-Dove, Crimson-crowned, Ptilinopus porphyraceus (4).
	Fruit-Dove, Many-colored, Ptilinopus perousii (4).
	Fruit-Dove, Mariana, Ptilinopus roseicapilla (4).
	Gallinule, Azure, Porphyrio flavirostris (3).
	Gallinule, Purple, Porphyrio martinica (9).
	Gannet, Northern, Morus bassanus (9).
Golden-Plover, Lesser, Pluvialis dominica (8).	Gnatcatcher, California, Polioptila californica (5).
	Golden-Plover, American, Pluvialis dominica (8).
	Golden-Plover, Pacific, Pluvialis fulva (5).
	Goose, Cackling, Branta hutchensis (5).
	Goose, Hawaiian, Branta sandvicensis (9).
	Goose, Lesser White-fronted, Anser erythropus (3).
	Goose, Ross's, Chen rossii (8).
	Grassquit, Yellow-faced, Tiaris olivaceus (9).
	Grebe, Clark's, Aechmophorus clarkii (5).
	Greenshank, Nordmann's, Tringa guttifer (4).
	Grosbeak, Blue, Passerina caerulea (9).
	Ground-Dove, Friendly, Gallicolumba stauri (4).
	Ground-Dove, White-throated, Gallicolumba xanthonura (4).
	Gull, Belcher's, Larus belcheri (2).
	Gull, Black-headed, Larus ridibundus (8).
	Gull, Black-tailed, Larus crassirostris (1).
	Gull, Gray-hooded, Larus cirrocephalus (3).
	Gull, Kelp, Larus dominicanus (3).
	Gull, Ross's, Rhodostethia rosea (8).
	Gull, Yellow-legged, Larus cachinnans (3).
	[see Sparrowhawk, Japanese]
	Hawk, Crane, Geranospiza caerulescens (3).
	Hawk, Harris's, Parabuteo unicinctus (8).
	Hawk, Roadside, Buteo magnirostris (2).
	[see Owl, Northern Hawk]
	Heron, Gray, Ardea cinerea (4).
	Heron, Green, Butorides virescens (5).
	[see Heron, Green].
	[see Reef-Egret, Pacific].
	Hobby, Eurasian, Falco subbuteo (3).
	Hoopoe, Upupa epops (8).
	House-Martin, Common, Delichon urbicum (9).
	Hummingbird, Bumblebee, Atthis heloisa (2).
	Hummingbird, Cinnamon, Amazilia rutila (3).
	Hummingbird, Xantus's, Hylocharis xantusii (3).
	Imperial-Pigeon, Pacific, Ducula pacifica (4).
	Jay, Mexican, Aphelocoma ultramarina (8).
	[see Scrub-Jay, Florida].
	Kamao, Myadestes myadestinus (5).
	Kingfisher, Collared, Todiramphus chloris (4).
	Kingfisher, Micronesian, Todiramphus cinnamominus (4).
	Kingfisher, Ringed, Ceryle torquata (9).
	Kite, American Swallow-tailed, Elanoides forficatus (8).
	Kite, Black-shouldered, Elanus caeruleus (6)
	[see Kite, White-tailed].
	Kite, White-tailed, Elanus leucurus (5).
	Kittiwake, Black-legged, Larus tridactyla (11)
	Kittiwake, Black-legged, Rissa trydactyla (11).
	Kittiwake, ed-legged, Rissa brevirostris (11).
	Lark, Sky, Alauda arvensis (8).
	Lizard-Cuckoo, Puerto Rican, Coccyzus vieilloti (9).
	Loon, Pacific, Gavia pacifica (5).
	[see Magpie, Black-billed, Pica hudsonia].
	Magpie, Black-billed, Pica pica (6)
	Magpie, Black-billed, Pica hudsonia (5).
	Mango, Green-breasted, Anthracothorax prevostii (3).
	Martin, Brown-chested, Progne tapera (3).
	Martin, Southern, Progne elegans (2).
	Mockingbird, Bahama, Mimus gundlachii (2).
	Mockingbird, Blue, Melanotis caerulescens (3).
	Murrelet, Long-billed, Brachyramphus perdix (3).

Removed (alphabetically)	Added (alphabetically)
Murrelet, Xantus', <i>Synthliboramphus hypoleucus</i> (8)	Murrelet, Xantus's, <i>Synthliboramphus hypoleucus</i> (8).
Night-Heron, Japanese, <i>Nycticorax goisagi</i> (9)	Night-Heron, Japanese, <i>Gorsachius goisagi</i> (9).
Night-Heron, Malay, <i>Nycticorax melanolophus</i> (10)	Night-Heron, Malayan, <i>Gorsachius melanolophus</i> (10).
Night-Heron, Yellow-crowned, <i>Nycticorax violaceus</i> (9)	Night-Heron, Yellow-crowned, <i>Nyctanassa violacea</i> (9).
Nightjar, Jungle, <i>Caprimulgus indicus</i> (8)	Nightjar, Gray, <i>Caprimulgus indicus</i> (8).
Noddy, Lesser, <i>Anous tenuirostris</i> (6).	Nightingale-Thrush, Black-headed, <i>Catharus mexicanus</i> (3).
Oldsquaw, <i>Clangula hyemalis</i> (8)	Nightingale-Thrush, Orange-billed, <i>Catharus aurantiorostris</i> (3).
[see Thrush, Hawaiian]	[see Duck, Long-tailed].
Oriole, Northern, <i>Icterus galbula</i> (8)	Olomao, <i>Myadestes lanaiensis</i> (5).
Oriole, Black-cowled, <i>Icterus dominicensis</i> (8)	Omao, <i>Myadestes obscurus</i> (10).
Ovenbird, <i>Seiurus aurocapillus</i> (9)	Oriole, Baltimore, <i>Icterus galbula</i> (8).
[see Barn-Owl, Common]	Oriole, Bullock's, <i>Icterus bullockii</i> (5).
[see Hawk-Owl, Northern]	Oriole, Greater Antillean, <i>Icterus dominicensis</i> (8).
Owl, Snowy, <i>Nyctea scandiaca</i> (9)	Ovenbird, <i>Seiurus aurocapilla</i> (9).
[see Swift, Antillean Palm]	Owl, Barn, <i>Tyto alba</i> (8).
Petrel, Dark-rumped, <i>Pterodroma phaeopygia</i> (6)	Owl, Mottled, <i>Ciccaea virgata</i> (3).
Petrel, White-necked, <i>Pterodroma externa</i> (8)	Owl, Northern Hawk, <i>Surnia ulula</i> (8).
Phalarope, Red, <i>Phalaropus fulicaria</i> (9)	Owl, Snowy, <i>Bubo scandiaca</i> (9).
Pigeon, Band-tailed, <i>Columba fasciata</i> (9)	Owl, Stygian, <i>Asio stygius</i> (3).
Pigeon, Plain, <i>Columba inornata</i> (9)	Oystercatcher, Eurasian, <i>Haematopus ostralegus</i> (4).
Pigeon, Red-billed, <i>Columba flavirostris</i> (9)	Palm-Swift, Antillean, <i>Tachornis phoenicobia</i> (8).
Pigeon, Scaly-naped, <i>Columba squamosa</i> (9)	Petrel, Bermuda, <i>Pterodroma cahow</i> (3).
Pigeon, White-crowned, <i>Columba leucocephala</i> (9)	Petrel, Black-winged, <i>Pterodroma nigripennis</i> (2).
Pipit, Water, <i>Anthus spinoletta</i> (6)	[see Petrel, Hawaiian]
[see Tree-Pipit, Olive]	Petrel, Gould's, <i>Pterodroma leucoptera</i> (4).
Plover, Great Sand, <i>Charadrius leschenaultii</i> (8)	Petrel, Great-winged, <i>Pterodroma macroptera</i> (3).
Plover, Mongolian, <i>Charadrius mongolus</i> (8)	Petrel, Hawaiian, <i>Pterodroma sandwichensis</i> (5).
[see Thrush, Small Kauai]	Petrel, Jouanin's, <i>Bulweria fallax</i> (2).
[see Tropic, Eared]	Petrel, Juan Fernandez, <i>Pterodroma externa</i> (8).
Redstart, Slaty-throated, <i>Myioborus miniatus</i> (12)	Petrel, Phoenix, <i>Pterodroma alba</i> (4).
Reed-Bunting, Common, <i>Emberiza schoeniclus</i> (8)	Petrel, Stejneger's, <i>Pterodroma longirostris</i> (3).
Reed-Bunting, Pallas', <i>Emberiza pallasi</i> (8)	Petrel, Tahiti, <i>Pterodroma rostrata</i> (4).
[see Heron, Pacific Reef]	Petrel, White-necked, <i>Pterodroma cervicalis</i> (5).
Sandpiper, Spoonbill, <i>Eurynorhynchus pygmeus</i> (8)	Pewee, Cuban, <i>Contopus caribaeus</i> (3).
Sandpiper, Spotted, <i>Actitis macularia</i> (9)	Pewee, Hispaniolan, <i>Contopus hispaniolensis</i> (2).
[see Plover, Great Sand]	Red Phalarope, <i>Phalaropus fulicarius</i> (9).
[see Plover, Mongolian]	Pigeon, Band-tailed, <i>Patagioenas fasciata</i> (9).
Screech-Owl, Eastern, <i>Otus asio</i> (9)	Pigeon, Plain, <i>Patagioenas inornata</i> (9).
Screech-Owl, Puerto Rican, <i>Otus nudipes</i> (9)	Pigeon, Red-billed, <i>Patagioenas flavirostris</i> (9).
	Pigeon, Scaly-naped, <i>Patagioenas squamosa</i> (9).
	Pigeon, White-crowned, <i>Patagioenas leucocephala</i> (9).
	[see Pipit, American].
	Pipit, American, <i>Anthus rubescens</i> (5).
	Pipit, Olive-backed, <i>Anthus hodgsoni</i> (8).
	Pipit, Tree, <i>Anthus trivialis</i> (2).
	Plover, Collared, <i>Charadrius collaris</i> (3).
	[see Sand-Plover, Greater].
	[see Sand-Plover, Lesser].
	Pond-Heron, Chinese, <i>Ardeola bacchus</i> (3).
	Puaiohi, <i>Myadestes palmeri</i> (10).
	Quetzal, Eared, <i>Euptilotis neoxenus</i> (8).
	Rail, Buff-banded, <i>Gallirallus philippensis</i> (4).
	Rail, Guam, <i>Gallirallus owstoni</i> (4).
	Rail, Spotted, <i>Pardirallus maculatus</i> (2).
	Redstart, Slate-throated, <i>Myioborus miniatus</i> (12).
	[see Bunting, Reed].
	[see Bunting, Pallas's].
	Reef-Egret, Pacific, <i>Egretta sacra</i> (8).
	Reef-Heron, Western, <i>Egretta gularis</i> (3).
	Robin, Siberian Blue, <i>Luscinia cyane</i> (3).
	Robin, White-throated, <i>Turdus assimilis</i> (3).
	Rosy-Finch, Black, <i>Leucosticte atrata</i> (5).
	Rosy-Finch, Brown-capped, <i>Leucosticte australis</i> (5).
	Rosy-Finch, Gray-crowned, <i>Leucosticte tephrocotis</i> (5).
	Sandpiper, Green, <i>Tringa ochropus</i> (3).
	Sandpiper, Spoon-billed, <i>Eurynorhynchus pygmeus</i> (8).
	Sandpiper, Spotted, <i>Actitis macularius</i> (9).
	Sand-Plover, Greater, <i>Charadrius leschenaultii</i> (8).
	Sand-Plover, Lesser, <i>Charadrius mongolus</i> (8).
	Sapsucker, Red-naped, <i>Sphyrapicus nuchalis</i> (5).
	Scops-Owl, Oriental, <i>Otus sunia</i> (2).
	Screech-Owl, Eastern, <i>Megascops asio</i> (9).
	Screech-Owl, Puerto Rican, <i>Megascops nudipes</i> (9).

Removed (alphabetically)	Added (alphabetically)
Screech-Owl, Western, <i>Otus kennicottii</i> (9)	Screech-Owl, Western, <i>Megascops kennicottii</i> (9).
Screech-Owl, Whiskered, <i>Otus trichopsis</i> (9)	Screech-Owl, Whiskered, <i>Megascops trichopsis</i> (9).
[see Jay, Scrub]	Scrub-Jay, Florida, <i>Aphelocoma coerulescens</i> (8).
	Scrub-Jay, Island, <i>Aphelocoma insularis</i> (5).
	Scrub-Jay, Western, <i>Aphelocoma californica</i> (5).
	Shearwater, Cape Verde, <i>Calonectris edwardsii</i> (3).
	Shearwater, Streaked, <i>Calonectris leucomelas</i> (2).
	Shrike, Brown, <i>Lanius cristatus</i> (2).
	Silky-flycatcher, Gray, <i>Ptilogonyx cinereus</i> (3).
	Siskin, Eurasian, <i>Carduelis spinus</i> (3).
Skimmer, Black, <i>Rynchops niger</i> (11)	Skimmer, Black, <i>Rynchops niger</i> (11).
Skua, Great, <i>Catharacta skua</i> (9)	Skua, Great, <i>Stercorarius skua</i> (9).
Skua, South Polar, <i>Catharacta maccormicki</i> (9)	Skua, South Polar, <i>Stercorarius maccormicki</i> (9).
Skylark, Eurasian, <i>Alauda arvensis</i> (8)	[see Lark, Sky].
Sparrow, Five-striped, <i>Amphispiza quinquestriata</i> (9)	Snipe, Wilson's, <i>Gallinago delicata</i> (5).
Sparrow, Harris', <i>Zonotrichia querula</i> (8)	Sparrow, Five-striped, <i>Aimophila quinquestriata</i> (9).
Sparrow, Sharp-tailed, <i>Ammodramus caudacutus</i> (8)	Sparrow, Harris's, <i>Zonotrichia querula</i> (8).
[see Hawk, Asiatic Sparrow]	Sparrow, Nelson's Sharp-tailed, <i>Ammodramus nelsoni</i> (5).
[see Tanager, Stripe-headed]	Sparrow, Saltmarsh Sharp-tailed, <i>Ammodramus caudacutus</i> (8).
Spoonbill, Roseate, <i>Ajaia ajaja</i> (9)	Sparrowhawk, Japanese, <i>Accipiter gularis</i> (8).
Starling, Violet-backed, <i>Sturnus philippensis</i> (8)	Spindalis, Puerto Rican, <i>Spindalis portoricensis</i> (5).
Starling, Ashy, <i>Sturnus cineraceus</i> (8)	Spindalis, Western, <i>Spindalis zena</i> (8).
Stint, Rufous-necked, <i>Calidris ruficollis</i> (8)	Spoonbill, Roseate, <i>Platalea ajaja</i> (9).
	Starling, Chestnut-cheeked, <i>Sturnus philippensis</i> (8).
Storm-Petrel, Sooty, <i>Oceanodroma tristrami</i> (8)	Starling, White-cheeked, <i>Sturnus cineraceus</i> (8).
Swallow, Cave, <i>Hirundo fulva</i> (9)	Stilt, Black-winged, <i>Himantopus himantopus</i> (3).
Swallow, Cliff, <i>Hirundo pyrrhonota</i> (9)	Stint, Red-necked, <i>Calidris ruficollis</i> (8).
	Stonechat, <i>Saxicola torquatus</i> (3).
Swift, Antillean Palm, <i>Tachornis phoenicobia</i> (8)	Storm-Petrel, Black-bellied, <i>Fregetta tropica</i> (3).
Tanager, Stripe-headed, <i>Spindalis zena</i> (8)	Storm-Petrel, Matsudaira's, <i>Oceanodroma matsudairae</i> (4).
	Storm-Petrel, Polynesian, <i>Nesofregata fuliginosa</i> (4).
Tattler, Gray-tailed, <i>Heteroscelus brevipes</i> (9)	Storm-Petrel, Tristram's, <i>Oceanodroma tristrami</i> (8).
Tattler, Wandering, <i>Heteroscelus incanus</i> (9)	Storm-Petrel, White-bellied, <i>Fregetta grallaria</i> (4).
Teal, Falcated, <i>Anas falcata</i> (8)	Swallow, Cave, <i>Petrochelidon fulva</i> (9).
Tern, Aleutian, <i>Sterna aleutica</i> (9)	Swallow, Cliff, <i>Petrochelidon pyrrhonota</i> (9).
Tern, Bridled, <i>Sterna anaethetus</i> (9)	Swallow, Mangrove, <i>Tachycineta albilinea</i> (3).
Tern, Caspian, <i>Sterna caspia</i> (9)	Swamphen, Purple, <i>Porphyrio porphyrio</i> (4).
Tern, Elegant, <i>Sterna elegans</i> (9)	Swift, Alpine, <i>Apus melba</i> (3).
Tern, Gray-backed, <i>Sterna lunata</i> (9)	[see Palm-Swift, Antillean].
Tern, Gull-billed, <i>Sterna nilotica</i> (9)	Swift, Short-tailed, <i>Chaetura brachyura</i> (2).
Tern, Least, <i>Sterna antillarum</i> (9)	[see Spindalis, Western].
Tern, Little, <i>Sterna albifrons</i> (9)	Swiftlet, Mariana, <i>Aerodramus bartschi</i> (4).
Tern, Royal, <i>Sterna maxima</i> (9)	Swiftlet, White-rumped, <i>Aerodramus spodiopygius</i> (4).
Tern, Sandwich, <i>Sterna sandvicensis</i> (9)	Tanager, Flame-colored, <i>Piranga bidentata</i> (3).
Tern, Sooty, <i>Sterna fuscata</i> (9)	Tattler, Gray-tailed, <i>Tringa brevipes</i> (9).
Thrasher, Crissal, <i>Toxostoma dorsale</i> (9)	Tattler, Wandering, <i>Tringa incana</i> (9).
	[see Duck, Falcated].
Thrush, Eye-browed, <i>Turdus obscurus</i> (8)	Tern, Aleutian, <i>Onychoprion aleuticus</i> (9).
Thrush, Hawaiian, <i>Phaeornis obscurus</i> (10)	Tern, Bridled, <i>Onychoprion anaethetus</i> (9).
Thrush, Small Kauai, <i>Phaeornis palmeri</i> (10)	Tern, Caspian, <i>Hydroprogne caspia</i> (9).
Thrush, Wood, <i>Hylocichla minima</i> (11)	Tern, Elegant, <i>Thalasseus elegans</i> (9).
Tit, Siberian, <i>Parus cinctus</i> (10)	Tern, Gray-backed, <i>Onychoprion lunatus</i> (9).
Titmouse, Bridled, <i>Parus wollweberi</i> (9)	Tern, Great Crested, <i>Thalasseus bergii</i> (3).
Titmouse, Plain, <i>Parus inornatus</i> (10)	Tern, Gull-billed, <i>Gelochelidon nilotica</i> (9).
Titmouse, Tufted, <i>Parus bicolor</i> (9)	Tern, Least, <i>Sternula antillarum</i> (9).
	Tern, Little, <i>Sternula albifrons</i> (9).
	Tern, Royal, <i>Thalasseus maximus</i> (9).
	Tern, Sandwich, <i>Thalasseus sandvicensis</i> (9).
	Tern, Sooty, <i>Onychoprion fuscatus</i> (9).
	Tern, Whiskered, <i>Chlidonias hybrida</i> (3).
	Thrasher, Crissal, <i>Toxostoma crissale</i> (9).
	Thrush, Bicknell's, <i>Catharus bicknelli</i> (5).
	Thrush, Eyebrowed, <i>Turdus obscurus</i> (8).
	[see Omao].
	[see Puaiohi].
	Thrush, Wood, <i>Hylocichla mustelina</i> (11).
	[see Chickadee, Gray-headed].
	Titmouse, Black-crested, <i>Baeolophus atricristatus</i> (5).
	Titmouse, Bridled, <i>Baeolophus wollweberi</i> (9).
	Titmouse, Juniper, <i>Baeolophus ridgwayi</i> (5).
	Titmouse, Oak, <i>Baeolophus inornatus</i> (10).
	Titmouse, Tufted, <i>Baeolophus bicolor</i> (9).
	Tityra, Masked, <i>Tityra semifasciata</i> (3).
	Towhee, California, <i>Pipilo crissalis</i> (5).

Removed (alphabetically)	Added (alphabetically)
Towhee, Brown, <i>Pipilo fuscus</i> (8)	Towhee, Canyon, <i>Pipilo fuscus</i> (8).
Towhee, Rufous-sided, <i>Pipilo erythrophthalmus</i> (8)	Towhee, Eastern, <i>Pipilo erythrophthalmus</i> (8).
Tree-Pipit, Olive, <i>Anthus hodgsoni</i> (8)	Towhee, Spotted, <i>Pipilo maculatus</i> (5).
Trogon, Eared, <i>Euptilotis neoxenus</i> (8)	[see Pipit, Olive-backed].
Vireo, Solitary, <i>Vireo solitarius</i> (8)	[see Quetzal, Eared].
Wagtail, Black-backed, <i>Motacilla lugens</i> (7)	Turtle-Dove, Oriental, <i>Streptopelia orientalis</i> (3).
Wagtail, Yellow, <i>Motacilla flava</i> (6)	Vireo, Blue-headed, <i>Vireo solitarius</i> (8).
Warbler, Elfin Woods, <i>Dendroica angelae</i> (8)	Vireo, Cassin's, <i>Vireo cassinii</i> (5).
Warbler, Worm-eating, <i>Helmitheros vermivora</i> (9)	Vireo, Plumbeous, <i>Vireo plumbeus</i> (5).
Willet, Catoptrophorus semipalmatus (9)	Vireo, Thick-billed, <i>Vireo crassirostris</i> (2).
Woodpecker, Lewis', <i>Melanerpes lewis</i> (8)	Vireo, Yellow-green, <i>Vireo flavoviridis</i> (5).
Woodpecker, Strickland's, <i>Picoides stricklandi</i> (6)	Vireo, Yucatan, <i>Vireo magister</i> (3).
Woodpecker, Three-toed, <i>Picoides tridactylis</i> (6)	Wagtail, Citrine, <i>Motacilla citreola</i> (3).
	[see Wagtail, Eastern Yellow].
	Wagtail, Eastern Yellow, <i>Motacilla tschutschensis</i> (5).
	Warbler, Crescent-chested, <i>Parula superciliosa</i> (3).
	Warbler, Elfin-woods, <i>Dendroica angelae</i> (8).
	Warbler, Fan-tailed, <i>Euthlypis lachrymosa</i> (2).
	Warbler, Worm-eating, <i>Helmitheros vermivorus</i> (9).
	Willet, <i>Tringa semipalmata</i> (9).
	Woodpecker, American Three-toed, <i>Picoides dorsalis</i> (5).
	Woodpecker, Arizona, <i>Picoides arizonae</i> (5).
	Woodpecker, Great Spotted, <i>Dendrocopos major</i> (3).
	Woodpecker, Lewis's, <i>Melanerpes lewis</i> (8).
	[see Woodpecker, Arizona].
	[see Woodpecker, American Three-toed].

How Do the Changes Proposed Here Differ From Those Discussed in the 2001 Proposed Rule?

We propose adding another 85 species (88 species in the current proposed rule versus 3 species in the 2001 proposed rule) based on documented evidence of their occurrence in the United States, Puerto Rico, or the U.S. Virgin Islands. We propose adding 28 species (28 versus 0) that belong to families covered by the Canadian and Mexican treaties that occur naturally in the United States only in the Pacific island territories of American Samoa, Baker and Howland Islands, Guam, or the Northern Mariana Islands. We propose adding an additional 11 species (37 versus 26) because of recent taxonomic changes in which taxa formerly treated as subspecies have been elevated to the status of full species. We propose removing an additional 11 species (12 versus 1) based on revised taxonomic treatments and new distributional information. We propose changing the common and/or scientific names of an additional 25 species (103 versus 78). We propose correcting errors in the common or scientific names of an additional 8 species (9 versus 1).

How Is the List of Migratory Birds Organized?

The species are listed in two formats to suit the needs of different segments of the public: alphabetically in 50 CFR 10.13(c)(1) and taxonomically in 50 CFR 10.13(c)(2). In the alphabetical listing, species are listed by common (English)

group names, with the scientific name of each species following the English group name. This format, which is similar to that used in modern telephone directories, will be most useful to members of the lay public. In the taxonomic listing, species are listed in phylogenetic sequence by scientific name, with the English name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily. This format, which follows the sequence adopted by the AOU (1998, 2004), will be most useful to ornithologists and other scientists.

What Species Are Not Protected by the Migratory Bird Treaty Act?

The MBTA does not apply to species that fall into any of the following three categories:

(1) Nonnative species introduced into the United States or its territories by means of intentional or unintentional human assistance that belong to families or groups covered by the Canadian, Mexican, or Russian treaties, in accordance with the MBTRA. See 70 FR 12710 (March 15, 2005) for a partial list of nonnative human-introduced bird species in this category.

(2) Nonnative human-introduced species that belong to families or groups not covered by the Canadian, Mexican, or Russian treaties, including Tinamidae (tinamous), Cracidae (chachalacas), Megapodiidae (megapodes), Phasianidae (grouse, ptarmigan, and turkeys), Turnicidae (buttonquails),

Odontophoridae (New World quail), Pteroclidae (sandgrouse), Psittacidae (parrots), Dicruridae (drongos), Rhamphastidae (toucans), Musophagidae (turacos), Bucerotidae (hornbills), Bucorvidae (ground-hornbills), Pycnonotidae (bulbuls), Pittidae (pittas), Irenidae (fairy-bluebirds), Timaliidae (wrentits), Zosteropidae (white-eyes), Sturnidae (starlings; except as listed in the Japanese treaty), Passeridae (Old World sparrows), Ploceidae (weavers), Estrildidae (estrildid finches), and numerous other families not currently represented in the United States or its territories.

(3) Native species that belong to families or groups represented in the United States, but which are not expressly mentioned by the Canadian, Mexican, or Russian treaties, including the Megapodiidae (megapodes), Phasianidae (grouse, ptarmigan, and turkeys), Odontophoridae (New World quail), Burhinidae (thick-knees), Glareolidae (pratincoles), Psittacidae (parrots), Todidae (todies), Meliphagidae (honeyeaters), Monarchidae (monarchs), Timaliidae (wrentits), Coerebidae (bananaquits), and Drepanidinae (Hawaiian honeycreepers).

Partial lists of the species included in categories 2 and 3 are available at <http://migratorybirds.fws.gov/issues/nonnative/MBTA-Protected&NonprotectedSpecies.htm>.

Does This Rule Comply With NEPA?

Given that the proposed revision of 50 CFR 10.13 is strictly administrative in nature and does not constitute a Federal action in the context of NEPA it is categorically excluded from further NEPA requirements, as provided by Department of the Interior Manual 516 DM 2, Appendix 1.10.

Does This Rule Comply With the Endangered Species Act?

Yes. Eighty of the species on the List of Migratory Birds are also designated as endangered or threatened in all or some portion of their U.S. range under provisions of the Endangered Species Act of 1973 (16 U.S.C. 1531, *et seq.*; see 50 CFR 17.11). No legal complications arise from the dual listing since the two lists are developed under separate authorities and for different purposes. Because the proposed rule is strictly administrative in nature, it does not require ESA consultation.

Does This Rule Affect Energy Supplies, Distribution, or Use?

On May 18, 2001, the President issued Executive Order 13211 on regulations that significantly effect energy supply, distribution, and use. Executive Order 13211 requires agencies to prepare Statements of Energy Effects when undertaking certain actions. Because this rule is only making revisions to existing regulations that are strictly administrative in nature, it is not a significant regulatory action under Executive Order 12866 and is not expected to significantly affect energy supplies, distribution, and use. Therefore, this action is not a significant energy action, and no Statement of Energy Effects is required.

Clarity of the Rule

Executive Order 12866 requires each agency to write regulations/notices that are easy to understand. We invite your comments on how to make this proposed rule easier to understand, including answers to questions such as the following: (1) Are the requirements in the proposed rule clearly stated? (2) Does the proposed rule contain unnecessary technical language or jargon that interferes with the clarity? (3) Does the format of the proposed rule (grouping and order of sections, use of headings, paragraphing, etc.) aid or reduce its clarity? (4) Is the description of the proposed rule in the Supplementary Information section of the preamble helpful in understanding the proposed rule? (5) What else could we do to make the proposed rule easier to understand?

Send a copy of any comments that concern how we could make this proposed rule easier to understand to: Office of Regulatory Affairs, Department of the Interior, Room 7229, 1849 C Street NW., Washington, DC 20240. You may e-mail your comments to the following address: *Execsec@ios.doi.gov*.

What About Other Required Determinations?

Because the revision to the List of Migratory Birds merely re-describes the birds already protected by Federal treaties with Canada, Japan, Mexico, and Russia, we determined that this document does not have a significant economic effect on a substantial number of small entities under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*).

This document has not been reviewed by the Office of Management and Budget under E.O. 12866. In accordance with the criteria in Executive Order 12866, this rule is not a significant regulatory action.

This rule is not a major rule under the terms of 5 U.S.C. 804(2), the Small Business Regulatory Enforcement Fairness Act.

The rule does not contain information collection requirements that must be approved by the Office of Management and Budget under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*).

We find and certify, in compliance with the requirements of the Unfunded Mandates Reform Act of 1995 (2 U.S.C. 1501 *et seq.*), that the rule is not a significant regulatory action and will not impose a cost of \$100 million or more in any given year on local or State government or private entities.

As noted above, the rule will not have sufficient federalism implications to warrant the preparation of a Federalism Assessment under Executive Order 13132.

We have determined that these regulations meet the applicable standards provided in Sections 3(a) and 3(b)(2) of Executive Order 12988 for civil justice reform.

This rule does not have significant takings implications for private property, as defined in Executive Order 12630. A takings implication assessment is not required because migratory birds are a Federally managed resource under laws implementing international treaties and are not personal property.

Regarding Government-to-Government relationships with Tribes (59 FR 22951) and Executive Order 13175, these revisions to existing regulations are purely administrative in nature. They will have no effect on

Federally recognized Tribes or Tribal trust resources.

References Cited

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Eugene Eisenmann (chair—deceased), Burt L. Monroe Jr. (acting chair), Kenneth C. Parkes, Lester L. Short, Richard C. Banks, Thomas R. Howell, Ned K. Johnson, and Robert W. Storer]. 1982.

Thirty-fourth supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 99: 1CC–16CC.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Eugene Eisenmann (chair—deceased), Burt L. Monroe Jr. (acting chair), Kenneth C. Parkes, Lester L. Short, Richard C. Banks, Thomas R. Howell, Ned K. Johnson, and Robert W. Storer]. 1983.

Check-list of North American birds: the species of birds of North America from the Arctic through Panama, including the West Indies and Hawaiian Islands. 6th edition. American Ornithologists' Union, Washington, DC. 877 pp.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Burt L. Monroe Jr. (chair), Richard C. Banks, John W. Fitzpatrick, Thomas R. Howell, Ned K. Johnson, Henri Ouellet, James V. Remsen, and Robert W. Storer]. 1985. Thirty-fifth supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 102: 680–686.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Burt L. Monroe (chair), Richard C. Banks, John W. Fitzpatrick, Thomas R. Howell, Ned K. Johnson, Henri Ouellet, James V. Remsen, and Robert W. Storer]. 1987. Thirty-sixth supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 104: 591–596.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Burt L. Monroe Jr. (chair), Richard C. Banks, John W. Fitzpatrick, Thomas R. Howell, Ned K. Johnson, Henri Ouellet, J. V. Remsen, and Robert W. Storer]. 1989. Thirty-seventh supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 106: 532–538.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Burt L. Monroe Jr. (chair), Richard C. Banks, John W. Fitzpatrick, Thomas R. Howell, Ned K. Johnson, Henri Ouellet, J. V. Remsen, and Robert W. Storer]. 1991. Thirty-eighth supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 108: 750–754.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Burt L. Monroe Jr. (chair), Richard C. Banks, John W. Fitzpatrick, Thomas R. Howell, Ned K. Johnson, Henri Ouellet, J. V. Remsen, and Robert W. Storer]. 1993. Thirty-ninth supplement to the American Ornithologists' Union *Check-*

list of North American birds. Auk 110: 675–682.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Burt L. Monroe Jr. (chair-deceased), Richard C. Banks (acting chair), John W. Fitzpatrick, Thomas R. Howell, Ned K. Johnson, Henri Ouellet, J. V. Remsen, and Robert W. Storer]. 1995. Fortieth supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 112: 819–830.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Richard C. Banks (chair), John W. Fitzpatrick, Thomas R. Howell, Ned K. Johnson, Burt L. Monroe (chair-deceased), Henri Ouellet, J. V. Remsen Jr., and Robert W. Storer]. 1997. Forty-first supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 114: 542–552.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Richard C. Banks (chair), John W. Fitzpatrick, Thomas R. Howell, Ned K. Johnson, Burt L. Monroe Jr. (chair-deceased), Henri Ouellet, J. V. Remsen Jr., and Robert W. Storer]. 1998. *Check-list of North American birds: the species of birds of North America from the Arctic through Panama, including the West Indies and Hawaiian Islands*. 7th edition. American Ornithologists' Union, Washington, D.C. 829 pp.

American Ornithologists' Union. 1999. Notice from the Committee on Classification and Nomenclature. Auk 116: 282–283.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Richard C. Banks (chair), Carla Cicero, Jon L. Dunn, Andrew W. Kratter, Henri Ouellet (deceased), Pamela C. Rasmussen, J. V. Remsen Jr., James A. Rising, and Douglas F. Stotz]. 2000. Forty-second supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 117: 847–858.

American Ornithologists' Union. 2002 [=AOU Committee on Classification and Nomenclature: Richard C. Banks (chair), Carla Cicero, Jon L. Dunn, Andrew W. Kratter, Pamela C. Rasmussen, J. V. Remsen Jr., James D. Rising, and Douglas F. Stotz]. Forty-third supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 119: 897–906.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Richard C. Banks (chair), Carla Cicero, Jon L. Dunn, Andrew W. Kratter, Pamela C. Rasmussen, J. V. Remsen Jr., James D. Rising, and Douglas F. Stotz]. 2003. Forty-fourth supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 120: 923–931.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Richard C. Banks (chair), Carla Cicero, Jon L. Dunn, Andrew W. Kratter, Pamela C. Rasmussen, J. V. Remsen Jr., James D. Rising, and Douglas F. Stotz]. 2004. Forty-fifth supplement to the American Ornithologists' Union *Check-list*

of North American birds. Auk 121: 985–995.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Richard C. Banks (chair), Carla Cicero, Jon L. Dunn, Andrew W. Kratter, Pamela C. Rasmussen, J. V. Remsen Jr., James D. Rising, and Douglas F. Stotz]. 2005. Forty-sixth supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 122: 1026–1031.

American Ornithologists' Union [=AOU Committee on Classification and Nomenclature: Richard C. Banks (chair), Carla Cicero, Jon L. Dunn, Andrew W. Kratter, Pamela C. Rasmussen, J. V. Remsen Jr., James D. Rising, and Douglas F. Stotz]. 2006. Forty-seventh supplement to the American Ornithologists' Union *Check-list of North American birds*. Auk 123: 926–936.

Monroe, Burt. L., Jr., and Charles G. Sibley. 1993. *A world checklist of birds*. Yale University Press, New Haven, Connecticut. 393 pp.

Pratt, H. Douglas, Phillip L. Bruner, and Delwyn G. Berrett. 1987. *A field guide to the birds of Hawaii and the tropical Pacific*. Princeton University, Princeton, New Jersey. 409 pp.

Public Comments Invited

We invite interested parties to submit written comments or suggestions regarding the draft revised list of migratory birds protected by the MBTA by any one of the means identified in the **ADDRESSES** section. Duplicate submissions are discouraged. The complete file for this notice will be available for public inspection during normal business hours, by appointment, at the location identified in the **ADDRESSES** section.

E-mail comments should be submitted as an ASCII file with "Revised List of Migratory Birds" in the subject line. Avoid the use of special characters and any form of encryption.

While all comments will be considered, we encourage reviewers to focus on the following questions:

(1) Do the five criteria used to identify individual species protected by the MBTA accurately reflect the language and intentions of the MBTA and the underlying conventions? If not, what changes would you recommend?

(2) Have we included any species that doesn't meet any of the criteria for protection under the MBTA? Please be specific, and provide as much detail as possible.

(3) Have we omitted any species that should be protected by the MBTA because they meet one or more of the specified criteria?

Following review and consideration of the comments, we will publish a final list in the **Federal Register**.

Author

John L. Trapp, U.S. Fish and Wildlife Service, Division of Migratory Bird Management, 4401 North Fairfax Drive, Mail Stop 4107, Arlington, VA 22203.

List of Subjects in 50 CFR Part 10

Exports, Fish, Imports, Law enforcement, Plants, Transportation, Wildlife.

Regulation Promulgation

For the reasons discussed in the preamble, we propose to amend title 50, chapter I, subchapter B, part 10 of the Code of Federal Regulations, as follows:

PART 10—[AMENDED]

1. The authority citation for part 10 continues to read as follows:

Authority: 18 U.S.C. 42; 16 U.S.C. 703–712; 16 U.S.C. 668a-d; 19 U.S.C. 1202; 16 U.S.C. 1531–1543; 16 U.S.C. 1361–1384, 1401–1407; 16 U.S.C. 742a–742j–l; 16 U.S.C. 3371–3378.

2. Revise § 10.13 to read as follows:

§ 10.13 List of Migratory Birds.

(a) *What is the legal authority for this list?* The Migratory Bird Treaty Act (MBTA) in 16 U.S.C. 703–711, the Fish and Wildlife Improvement Act of 1978, 16 U.S.C. 712, and 16 U.S.C. 742a–j. The MBTA implements treaties between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) Canada: Convention for the Protection of Migratory Birds, August 16, 1916, United States-Great Britain (on behalf of Canada), 39 Stat. 1702, T.S. No. 628;

(2) Mexico: Convention for the Protection of Migratory Birds and Game Mammals, February 7, 1936, United States-Mexican States (=Mexico), 50 Stat. 1311, T.S. No. 912;

(3) Japan: Convention for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, United States-Japan, 25 U.S.T. 3329, T.I.A.S. No. 7990; and

(4) Russia: Convention for the Conservation of Migratory Birds and Their Environment, United States-Union of Soviet Socialist Republics (=Russia), November 26, 1976, 92 Stat. 3110, T.I.A.S. 9073, 16 U.S.C. 703, 712.

(b) *What is the purpose of this list?* The purpose is to inform the public of the species protected by regulations designed to enforce the terms of the MBTA. These regulations, found in parts 10, 20, and 21 of this chapter, cover most aspects of the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds.

(c) *What species are protected as migratory birds?* Species protected as migratory birds are listed in two formats to suit the varying needs of the user: alphabetically in paragraph (c)(1) of this section and taxonomically in paragraph (c)(2) of this section. Taxonomy and nomenclature generally follow the 7th edition of the American Ornithologists' Union's *Check-list of North American birds* (1998, as amended through 2004); for species not treated by the AOU *Check-list*, we follow Monroe and Sibley's *A World Checklist of Birds* (1993).

(1) *Alphabetical listing.* Species are listed alphabetically by common (English) group names, with the scientific name of each species following the common name. It is possible that alphabetical listing by common group names may create confusion in those few instances in which the common (English) name of a species has changed. The species formerly known as the Falcated Teal, for example, is now known as the Falcated Duck. To prevent confusion, the alphabetical list has two entries for Falcated Duck: "DUCK, Falcated;" and "[TEAL, Falcated (see DUCK, Falcated)]". Other potential ambiguities are treated in the same way.

ACCENTOR, Siberian, *Prunella montanella*

ALBATROSS, Black-browed, *Thalassarche melanophrys*

Black-footed, *Phoebastria nigripes*

Laysan, *Phoebastria immutabilis*

Light-mantled, *Phoebetria palpebrata*

Short-tailed, *Phoebastria albatrus*

Shy, *Thalassarche cauta*

Wandering, *Diomedea exulans*

Yellow-nosed, *Thalassarche chlororhynchos*

ANHINGA, *Anhinga anhinga*

ANI, Groove-billed, *Crotophaga sulcirostris*

Smooth-billed, *Crotophaga ani*

AUKLET, Cassin's, *Ptychoramphus aleuticus*

Crested, *Aethia cristatella*

Least, *Aethia pusilla*

Parakeet, *Aethia psittacula*

Rhinoceros, *Cerorhinca monocerata*

Whiskered, *Aethia pygmaea*

AVOCET, American, *Recurvirostra americana*

[BARN-OWL, Common (see OWL, Barn)].

BEARDLESS-TYRANNULET, Northern, *Campstoma imberbe*

BECARD, Rose-throated, *Pachyramphus aglaiae*

BITTERN, American, *Botaurus lentiginosus*

Black, *Ixobrychus flavicollis*

[Chinese (see Yellow)]

Least, *Ixobrychus exilis*
Schrenck's, *Ixobrychus euryhythmus*
Yellow, *Ixobrychus sinensis*
BLACK-HAWK, Common, *Buteogallus anthracinus*
BLACKBIRD, Brewer's, *Euphagus cyanocephalus*
Red-winged, *Agelaius phoeniceus*
Rusty, *Euphagus carolinus*
Tawny-shouldered, *Agelaius humeralis*
Tricolored, *Agelaius tricolor*
Yellow-headed, *Xanthocephalus xanthocephalus*
Yellow-shouldered, *Agelaius xanthomus*
BLUEBIRD, Eastern, *Sialia sialis*
Mountain, *Sialia currucoides*
Western, *Sialia mexicana*
BLUETAIL, Red-flanked, *Tarsiger cyanurus*
BLUETHROAT, *Luscinia svecica*
BOBOLINK, *Dolichonyx oryzivorus*
BOOBY, Blue-footed, *Sula nebouxii*
Brown, *Sula leucogaster*
Masked, *Sula dactylatra*
Red-footed, *Sula sula*
BRAMBLING, *Fringilla montifringilla*
BRANT, *Branta bernicla*
BUFFLEHEAD, *Bucephala albeola*
BULLFINCH, Eurasian, *Pyrrhula pyrrhula*
Puerto Rican, *Loxigilla portoricensis*
BUNTING, Blue, *Cyanocompsa parellina*
Gray, *Emberiza variabilis*
Indigo, *Passerina cyanea*
Little, *Emberiza pusilla*
Lark, *Calamospiza melanocorys*
Lazuli, *Passerina amoena*
McKay's, *Plectrophenax hyperboreus*
Painted, *Passerina ciris*
Pallas's, *Emberiza pallasi*
Pine, *Emberiza leucocephalos*
Reed, *Emberiza schoeniculus*
Rustic, *Emberiza rustica*
Snow, *Plectrophenax nivalis*
Varied, *Passerina versicolor*
Yellow-breasted, *Emberiza aureola*
Yellow-throated, *Emberiza elegans*
BUSHTIT, *Psaltriparus minimus*
CANVASBACK, *Aythya valisineria*
CARACARA, Crested, *Caracara cheriway*
CARDINAL, Northern, *Cardinalis cardinalis*
CARIB, Green-throated, *Eulampis holosericeus*
Purple-throated, *Eulampis jugularis*
CATBIRD, Black, *Melanoptila glabrirostris*
Gray, *Dumetella carolinensis*
CHAFFINCH, Common, *Fringilla coelebs*
CHAT, Yellow-breasted, *Icteria virens*
CHICKADEE, Black-capped, *Poecile atricapillus*
Boreal, *Poecile hudsonica*
Carolina, *Poecile carolinensis*

Chestnut-backed, *Poecile rufescens*
Gray-headed, *Poecile cincta*
Mexican, *Poecile sclateri*
Mountain, *Poecile gambeli*
CHUCK-WILL'S-WIDOW, *Caprimulgus carolinensis*
CONDOR, California, *Gymnogyps californianus*
COOT, American, *Fulica americana*
Caribbean, *Fulica caribaea*
Eurasian, *Fulica atra*
Hawaiian, *Fulica alai*
CORMORANT, Brandt's, *Phalacrocorax penicillatus*
Double-crested, *Phalacrocorax auritus*
Great, *Phalacrocorax carbo*
Little Pied, *Phalacrocorax melanoleucus*
Neotropic, *Phalacrocorax brasiliensis*
[Olivaceous (see Neotropic)]
Pelagic, *Phalacrocorax pelagicus*
Red-faced, *Phalacrocorax urile*
COWBIRD, Bronzed, *Molothrus aeneus*
Brown-headed, *Molothrus ater*
Shiny, *Molothrus bonariensis*
CRAKE, Corn, *Crex crex*
Paint-billed, *Neocrex erythrops*
Spotless, *Porzana tabuensis*
Yellow-breasted, *Porzana flaviventer*
CRANE, Common, *Grus grus*
Sandhill, *Grus canadensis*
Whooping, *Grus americana*
CREEPER, Brown, *Certhia americana*
CROSSBILL, Red, *Loxia curvirostra*
White-winged, *Loxia leucoptera*
CROW, American, *Corvus brachyrhynchos*
Fish, *Corvus ossifragus*
Hawaiian, *Corvus hawaiiensis*
Mariana, *Corvus kubaryi*
[Mexican (see Tamaulipas)]
Northwestern, *Corvus caurinus*
Tamaulipas, *Corvus imparatus*
White-necked, *Corvus leucognaphalus*
CUCKOO, Black-billed, *Coccyzus erythrophthalmus*
Common, *Cuculus canorus*
Mangrove, *Coccyzus minor*
Oriental, *Cuculus optatus*
Yellow-billed, *Coccyzus americanus*
CURLEW, Bristle-thighed, *Numenius tahitiensis*
Eskimo, *Numenius borealis*
Eurasian, *Numenius arquata*
Far Eastern, *Numenius madagascariensis*
[Least (see Little)]
Little, *Numenius minutus*
Long-billed, *Numenius americanus*
DICKCISSEL, *Spiza americana*
DIPPER, American, *Cinclus mexicanus*
DOTTEREL, Eurasian, *Charadrius morinellus*
DOVE, Inca, *Columbina inca*
Mourning, *Zenaida macroura*
White-tipped, *Leptotila verreauxi*
White-winged, *Zenaida asiatica*
Zenaida, *Zenaida aurita*

DOVEKIE, <i>Alle alle</i>	Least, <i>Empidonax minimus</i>	Common, <i>Quiscalus quiscula</i>
DOWITCHER, Long-billed, <i>Limnodromus scolopaceus</i>	Narcissus, <i>Ficedula narcissina</i>	Great-tailed, <i>Quiscalus mexicanus</i>
Short-billed, <i>Limnodromus griseus</i>	Nutting's, <i>Myiarchus nuttingi</i>	Greater Antillean, <i>Quiscalus niger</i>
DUCK, American Black, <i>Anas rubripes</i>	Olive-sided, <i>Contopus cooperi</i>	GRASSHOPPER-WARBLER, <i>Middendorff's, Locustella ochotensis</i>
Falcated, <i>Anas falcata</i>	Pacific-slope, <i>Empidonax difficilis</i>	GRASSQUIT, Black-faced, <i>Tiaris bicolor</i>
Harlequin, <i>Histrionicus histrionicus</i>	Piratic, <i>Legatus leucophalus</i>	Yellow-faced, <i>Tiaris olivaceus</i>
Hawaiian, <i>Anas wyvilliana</i>	Puerto Rican, <i>Myiarchus antillarum</i>	GREBE, Clark's, <i>Aechmophorus clarkii</i>
Laysan, <i>Anas laysanensis</i>	Scissor-tailed, <i>Tyrannus forficatus</i>	Eared, <i>Podiceps nigricollis</i>
Long-tailed, <i>Clangula hyemalis</i>	Social, <i>Myiozetetes similis</i>	Horned, <i>Podiceps auritus</i>
Masked, <i>Nomonyx dominicus</i>	Sulphur-bellied, <i>Myiodynastes luteiventris</i>	Least, <i>Tachybaptus dominicus</i>
Mottled, <i>Anas fulvigula</i>	Tufted, <i>Mitrephanes phaeocercus</i>	Pied-billed, <i>Podilymbus podiceps</i>
Muscovy, <i>Cairina moschata</i>	Variegated, <i>Empidonax varius</i>	Red-necked, <i>Podiceps grisegena</i>
Pacific Black, <i>Anas superciliosa</i>	Vermilion, <i>Pyrocephalus rubinus</i>	Western, <i>Aechmophorus occidentalis</i>
Ring-necked, <i>Aythya collaris</i>	[Western (see Cordilleran and Pacific-slope)]	GREENFINCH, Oriental, <i>Carduelis sinica</i>
Ruddy, <i>Oxyura jamaicensis</i>	Willow, <i>Empidonax traillii</i>	GREENSHANK, Common, <i>Tringa nebularia</i>
Spot-billed, <i>Anas poecilorhyncha</i>	Yellow-bellied, <i>Empidonax flaviventris</i>	Nordmann's, <i>Tringa guttifer</i>
Tufted, <i>Aythya fuligula</i>	FOREST-FALCON, Collared, <i>Micrastur semitorquatus</i>	GROSBEAK, Black-headed, <i>Pheucticus melanocephalus</i>
Wood, <i>Aix sponsa</i>	FRIGATEBIRD, Great, <i>Fregata minor</i>	Blue, <i>Passerina caerulea</i>
DUNLIN, <i>Calidris alpina</i>	Lesser, <i>Fregata ariel</i>	Crimson-collared, <i>Rhodothraupis celaeno</i>
EAGLE, Bald, <i>Haliaeetus leucocephalus</i>	Magnificent, <i>Fregata magnificens</i>	Evening, <i>Coccycuas vespertinus</i>
Golden, <i>Aquila chrysaetos</i>	FROG-HAWK, Gray, <i>Accipiter soloensis</i>	Pine, <i>Pinicola enucleator</i>
White-tailed, <i>Haliaeetus albicilla</i>	FRUIT-DOVE, Crimson-crowned, <i>Ptilinopus porphyraceus</i>	Rose-breasted, <i>Pheucticus ludovicianus</i>
EGRET, Cattle, <i>Bubulcus ibis</i>	Many-colored, <i>Ptilinopus perousii</i>	Yellow, <i>Pheucticus chrysopaeplus</i>
Chinese, <i>Egretta eulophotes</i>	Mariana, <i>Ptilinopus roseicapilla</i>	GROUND-DOVE, Common, <i>Columbina passerina</i>
Great, <i>Ardea alba</i>	FULMAR, Northern, <i>Fulmarus glacialis</i>	Friendly, <i>Gallicolumba stairi</i>
Intermediate, <i>Mesophoyx intermedia</i>	GADWALL, <i>Anas strepera</i>	Ruddy, <i>Columbina talpacoti</i>
Little, <i>Egretta garzetta</i>	GALLINULE, Azure, <i>Porphyrio flavirostris</i>	White-throated, <i>Gallicolumba xanthonura</i>
[Plumed (see Intermediate)]	Purple, <i>Porphyrio martinica</i>	GUILLEMOT, Black, <i>Cephus grylle</i>
Reddish, <i>Egretta rufescens</i>	GANNET, Northern, <i>Morus bassanus</i>	Pigeon, <i>Cephus columba</i>
Snowy, <i>Egretta thula</i>	GARGANEY, <i>Anas querquedula</i>	GULL, Belcher's, <i>Larus belcheri</i>
EIDER, Common, <i>Somateria mollissima</i>	GNATCATCHER, Black-capped, <i>Polioptila nigriceps</i>	Black-headed, <i>Larus ridibundus</i>
King, <i>Somateria spectabilis</i>	Black-tailed, <i>Polioptila melanura</i>	Black-tailed, <i>Larus crassirostris</i>
Spectacled, <i>Somateria fischeri</i>	Blue-gray, <i>Polioptila caerulea</i>	Bonaparte's, <i>Larus philadelphicus</i>
Steller's, <i>Polysticta stelleri</i>	California, <i>Polioptila californica</i>	California, <i>Larus californicus</i>
ELAENIA, Caribbean, <i>Elaenia martinica</i>	GODWIT, Bar-tailed, <i>Limosa lapponica</i>	[Common Black-headed (see Black-headed)]
Greenish, <i>Myiopagis viridicata</i>	Black-tailed, <i>Limosa limosa</i>	Franklin's, <i>Larus pipixcan</i>
EMERALD, Puerto Rican, <i>Chlorostilbon maugaeus</i>	Hudsonian, <i>Limosa haemastica</i>	Glaucous, <i>Larus hyperboreus</i>
EUPHONIA, Antillean, <i>Euphonia musica</i>	Marbled, <i>Limosa fedoa</i>	Glaucous-winged, <i>Larus glaucescens</i>
FALCON, Aplomado, <i>Falco femoralis</i>	GOLDEN-PLOVER, American, <i>Pluvialis dominica</i>	Gray-hooded, <i>Larus cirrocephalus</i>
Peregrine, <i>Falco peregrinus</i>	[Lesser (see American)]	Great Black-backed, <i>Larus marinus</i>
Prairie, <i>Falco mexicanus</i>	Pacific, <i>Pluvialis fulva</i>	Heermann's, <i>Larus heermanni</i>
FIELDFARE, <i>Turdus pilaris</i>	GOLDFENEYE, Barrow's, <i>Bucephala islandica</i>	Herring, <i>Larus argentatus</i>
FINCH, Cassin's, <i>Carpodacus cassini</i>	Common, <i>Bucephala clangula</i>	Iceland, <i>Larus glaucoides</i>
House, <i>Carpodacus mexicanus</i>	GOLDFINCH, American, <i>Carduelis tristis</i>	Ivory, <i>Pagophila eburnea</i>
Purple, <i>Carpodacus purpureus</i>	Lawrence's, <i>Carduelis lawrencei</i>	Kelp, <i>Larus dominicanus</i>
[Rosy (see ROSY-FINCH)]	Lesser, <i>Carduelis psaltria</i>	Laughing, <i>Larus atricilla</i>
FLAMINGO, Greater, <i>Phoenicopterus ruber</i>	GOOSE, Barnacle, <i>Branta leucopsis</i>	Lesser Black-backed, <i>Larus fuscus</i>
FLICKER, Gilded, <i>Colaptes chrysoides</i>	Bean, <i>Anser fabalis</i>	Little, <i>Larus minutus</i>
Northern, <i>Colaptes auratus</i>	Cackling, <i>Branta hutchinsii</i>	Mew, <i>Larus canus</i>
FLYCATCHER, Acadian, <i>Empidonax virescens</i>	Canada, <i>Branta canadensis</i>	Ring-billed, <i>Larus delawarensis</i>
Alder, <i>Empidonax alnorum</i>	Emperor, <i>Chen canagica</i>	Ross's, <i>Rhodostethia rosea</i>
Ash-throated, <i>Myiarchus cinerascens</i>	Greater White-fronted, <i>Anser albifrons</i>	Sabine's, <i>Xema sabini</i>
Brown-crested, <i>Myiarchus tyrannulus</i>	Hawaiian, <i>Branta sandvicensis</i>	Slaty-backed, <i>Larus schistisagus</i>
Buff-breasted, <i>Empidonax fulvifrons</i>	Lesser White-fronted, <i>Anser erythropus</i>	Thayer's, <i>Larus thayeri</i>
Cordilleran, <i>Empidonax occidentalis</i>	Ross's, <i>Chen rossii</i>	Western, <i>Larus occidentalis</i>
Dusky, <i>Empidonax oberholseri</i>	Snow, <i>Chen caerulescens</i>	Yellow-footed, <i>Larus livens</i>
Dusky-capped, <i>Myiarchus tuberculifer</i>	GOSHAWK, Northern, <i>Accipiter gentilis</i>	Yellow-legged, <i>Larus cachinnans</i>
Fork-tailed, <i>Tyrannus savana</i>	GRACKLE, Boat-tailed, <i>Quiscalus major</i>	GYRFALCON, <i>Falco rusticolus</i>
Gray, <i>Empidonax wrightii</i>		HARRIER, Northern, <i>Circus cyaneus</i>
[Gray-spotted (see Gray-streaked)]		HAWFINCH, <i>Coccothraustes coccothraustes</i>
Gray-streaked, <i>Muscicapa griseisticta</i>		
Great Crested, <i>Myiarchus crinitus</i>		
Hammond's, <i>Empidonax hammondi</i>		
La Sagra's, <i>Myiarchus sagrae</i>		

HAWK, [Asiatic Sparrow (see SPARROWHAWK, Japanese)]	Brown, <i>Cyanocorax morio</i>	Green-breasted, <i>Anthracothorax prevostii</i>
Broad-winged, <i>Buteo platypterus</i>	Gray, <i>Perisoreus canadensis</i>	MARTIN, Brown-chested, <i>Progne tapera</i>
Cooper's, <i>Accipiter cooperii</i>	[Gray-breasted (see Mexican)]	Caribbean, <i>Progne dominicensis</i>
Crane, <i>Geranospiza caerulescens</i>	Green, <i>Cyanocorax yncas</i>	Cuban, <i>Progne cryptoleuca</i>
Ferruginous, <i>Buteo regalis</i>	Mexican, <i>Aphelocoma ultramarina</i>	Gray-breasted, <i>Progne chalybea</i>
Gray, <i>Buteo nitidus</i>	Pinyon, <i>Gymnorhinus cyanocephalus</i>	Purple, <i>Progne subis</i>
Harris's, <i>Parabuteo unicinctus</i>	[Scrub (see SCRUB-JAY)]	<i>Progne elegans</i>
Hawaiian, <i>Buteo solitarius</i>	Steller's, <i>Cyanocitta stelleri</i>	MEADOWLARK, Eastern, <i>Sturnella magna</i>
Red-shouldered, <i>Buteo lineatus</i>	JUNCO, Dark-eyed, <i>Junco hyemalis</i>	Western, <i>Sturnella neglecta</i>
Red-tailed, <i>Buteo jamaicensis</i>	Yellow-eyed, <i>Junco phaeonotus</i>	MERGANSER, Common, <i>Mergus merganser</i>
Roadside, <i>Buteo magnirostris</i>	KAMAO, <i>Myadestes myadestinus</i>	Hooded, <i>Lophodytes cucullatus</i>
Rough-legged, <i>Buteo lagopus</i>	KESTREL, American, <i>Falco sparverius</i>	Red-breasted, <i>Mergus serrator</i>
Sharp-shinned, <i>Accipiter striatus</i>	Eurasian, <i>Falco tinnunculus</i>	MERLIN, <i>Falco columbarius</i>
Short-tailed, <i>Buteo brachyurus</i>	KILLDEER, <i>Charadrius vociferus</i>	MOCKINGBIRD, Bahama, <i>Mimus gundlachii</i>
Swainson's, <i>Buteo swainsoni</i>	KINGBIRD, Cassin's, <i>Tyrannus vociferans</i>	Blue, <i>Melanotis caerulescens</i>
White-tailed, <i>Buteo albicaudatus</i>	Couch's, <i>Tyrannus couchii</i>	Northern, <i>Mimus polyglottos</i>
Zone-tailed, <i>Buteo albonotatus</i>	Eastern, <i>Tyrannus tyrannus</i>	MOORHEN, Common, <i>Gallinula chloropus</i>
HAWK-CUCKOO, Hodgson's, <i>Cuculus fugax</i>	Gray, <i>Tyrannus dominicensis</i>	MURRE, Common, <i>Uria aalge</i>
[HAWK-OWL, Northern (see OWL, Northern Hawk)]	Thick-billed, <i>Tyrannus crassirostris</i>	Thick-billed, <i>Uria lomvia</i>
HERON, Gray, <i>Ardea cinerea</i>	Tropical, <i>Tyrannus melancholicus</i>	MURRELET, Ancient, <i>Synthliboramphus antiquus</i>
Great Blue, <i>Ardea herodias</i>	Western, <i>Tyrannus verticalis</i>	Craveri's, <i>Synthliboramphus craveri</i>
Green, <i>Butorides virescens</i>	KINGFISHER, Belted, <i>Ceryle alcyon</i>	Kittlitz's, <i>Brachyramphus brevirostris</i>
[Green-backed (see Green)]	Collared, <i>Todirhamphus chloris</i>	Long-billed, <i>Brachyramphus perdix</i>
Little Blue, <i>Egretta caerulea</i>	Green, <i>Chloroceryle americana</i>	Marbled, <i>Brachyramphus marmoratus</i>
[Pacific Reef (see REEF-EGRET, Pacific)]	Micronesian, <i>Todirhamphus cinnamominus</i>	Xantus's, <i>Synthliboramphus hypoleucus</i>
Tricolored, <i>Egretta tricolor</i>	Ringed, <i>Ceryle torquatus</i>	NEEDLETAIL, White-throated, <i>Hirundapus caudacutus</i>
HOBBY, Eurasian, <i>Falco subbuteo</i>	KINGLET, Golden-crowned, <i>Regulus satrapa</i>	NIGHT-HERON, Black-crowned, <i>Nycticorax nycticorax</i>
HOPOE, Eurasian, <i>Upupa epops</i>	Ruby-crowned, <i>Regulus calendula</i>	Japanese, <i>Gorsachius goisagi</i>
HOUSE-MARTIN, Common, <i>Delichon urbicum</i>	KISKADEE, Great, <i>Pitangus sulphuratus</i>	[Malay (see Malayan)]
HUMMINGBIRD, Allen's, <i>Selasphorus sasin</i>	KITE, [American Swallow-tailed (see Swallow-tailed)]	Malayan, <i>Gorsachius melanolophus</i>
Anna's, <i>Calypte anna</i>	Black, <i>Milvus migrans</i>	Yellow-crowned, <i>Nyctanassa violacea</i>
Antillean Crested, <i>Orthorhynchus cristatus</i>	[Black-shouldered (see White-tailed)]	NIGHTHAWK, Antillean, <i>Chordeiles gundlachii</i>
Berylline, <i>Amazilia beryllina</i>	Hook-billed, <i>Chondrohierax uncinatus</i>	Common, <i>Chordeiles minor</i>
Black-chinned, <i>Archilochus alexandri</i>	Mississippi, <i>Ictinia mississippiensis</i>	Lesser, <i>Chordeiles acutipennis</i>
Blue-throated, <i>Lampornis clemenciae</i>	Snail, <i>Rostrhamus sociabilis</i>	NIGHTINGALE-THRUSH, Black-headed, <i>Catharus mexicanus</i>
Broad-billed, <i>Cynanthus latirostris</i>	Swallow-tailed, <i>Elanoides forficatus</i>	Orange-billed, <i>Catharus aurantiirostris</i>
Broad-tailed, <i>Selasphorus platycercus</i>	White-tailed, <i>Elanus leucurus</i>	NIGHTJAR, Buff-collared, <i>Caprimulgus ridgwayi</i>
Buff-bellied, <i>Amazilia yucatanensis</i>	KITTIWAKE, Black-legged, <i>Rissa tridactyla</i>	Gray, <i>Caprimulgus indicus</i>
Bumblebee, <i>Atthis heloisa</i>	Red-legged, <i>Rissa brevirostris</i>	[Jungle (see Gray)]
Calliope, <i>Stellula calliope</i>	KNOT, Great, <i>Calidris tenuirostris</i>	Puerto Rican, <i>Caprimulgus noctitherus</i>
Cinnamon, <i>Amazilia rutila</i>	Red, <i>Calidris canutus</i>	NODDY, Black, <i>Anous minutus</i>
Costa's, <i>Calypte costae</i>	LAPWING, Northern, <i>Vanellus vanellus</i>	Blue-gray, <i>Procelsterna cerulea</i>
Lucifer, <i>Calothorax lucifer</i>	LARK, Horned, <i>Eremophila alpestris</i>	Brown, <i>Anous stolidus</i>
Magnificent, <i>Eugenes fulgens</i>	Sky, <i>Alauda arvensis</i>	[Lesser (see Black)]
Ruby-throated, <i>Archilochus colubris</i>	LIMPKIN, <i>Aramus guarauna</i>	NUTCRACKER, Clark's, <i>Nucifraga columbiana</i>
Rufous, <i>Selasphorus rufus</i>	LIZARD-CUCKOO, Puerto Rican, <i>Coccyzus vieilloti</i>	NUTHATCH, Brown-headed, <i>Sitta pusilla</i>
Violet-crowned, <i>Amazilia violiceps</i>	LONGSPUR, Chestnut-collared, <i>Calcarius ornatus</i>	Pygmy, <i>Sitta pygmaea</i>
White-eared, <i>Hylocharis leucotis</i>	Lapland, <i>Calcarius lapponicus</i>	Red-breasted, <i>Sitta canadensis</i>
Xantus's, <i>Hylocharis xantusii</i>	McCown's, <i>Calcarius mccownii</i>	White-breasted, <i>Sitta carolinensis</i>
IBIS, Glossy, <i>Plegadis falcinellus</i>	Smith's, <i>Calcarius pictus</i>	[OLDSQUAW (see DUCK, Long-tailed)]
Scarlet, <i>Eudocimus ruber</i>	LOON, Arctic, <i>Gavia arctica</i>	OLOMAO, <i>Myadestes laniatensis</i>
White, <i>Eudocimus albus</i>	Common, <i>Gavia immer</i>	OMAO, <i>Myadestes obscurus</i>
White-faced, <i>Plegadis chihi</i>	Pacific, <i>Gavia pacifica</i>	ORIOLE, Altamira, <i>Icterus gularis</i>
IMPERIAL-PIGEON, Pacific, <i>Ducula pacifica</i>	Red-throated, <i>Gavia stellata</i>	
JABIRÚ, <i>Jabiru mycteria</i>	Yellow-billed, <i>Gavia adamsii</i>	
JACANA, Northern, <i>Jacana spinosa</i>	MAGPIE, Black-billed, <i>Pica hudsonia</i>	
JAEGER, Long-tailed, <i>Stercorarius longicaudus</i>	Yellow-billed, <i>Pica nuttalli</i>	
Parasitic, <i>Stercorarius parasiticus</i>	MALLARD, <i>Anas platyrhynchos</i>	
Pomarine, <i>Stercorarius pomarinus</i>	MANGO, Antillean, <i>Anthracothorax dominicus</i>	
JAY, Blue, <i>Cyanocitta cristata</i>	Green, <i>Anthracothorax viridis</i>	

Audubon's, <i>Icterus graduacauda</i>	Greater, <i>Contopus pertinax</i>	RAVEN, Chihuahuan, <i>Corvus cryptoleucus</i>
Baltimore, <i>Icterus galbula</i>	Hispaniolan, <i>Contopus hispaniolensis</i>	Common, <i>Corvus corax</i>
[Black-cowled (see Greater Antillean)]	Lesser Antillean, <i>Contopus latirostris</i>	RAZORBILL, <i>Alca torda</i>
Black-vented, <i>Icterus wagleri</i>	PHAINOPEPLA, <i>Phainopepla nitens</i>	REDHEAD, <i>Aythya americana</i>
Bullock's, <i>Icterus bullockii</i>	PHALAROPE, Red, <i>Phalaropus fulicarius</i>	REDPOLL, Common, <i>Carduelis flammea</i>
Greater Antillean, <i>Icterus dominicensis</i>	Red-necked, <i>Phalaropus lobatus</i>	Hoary, <i>Carduelis hornemannii</i>
Hooded, <i>Icterus cucullatus</i>	Wilson's, <i>Phalaropus tricolor</i>	REDSHANK, Spotted, <i>Tringa erythropus</i>
[Northern (see Baltimore and Bullock's)]	PHOEBE, Black, <i>Sayornis nigricans</i>	REDSTART, American, <i>Setophaga ruticilla</i>
Orchard, <i>Icterus spurius</i>	Eastern, <i>Sayornis phoebe</i>	Painted, <i>Myioborus pictus</i>
Scott's, <i>Icterus parisorum</i>	Say's, <i>Sayornis saya</i>	Slate-throated, <i>Myioborus miniatus</i>
Streak-backed, <i>Icterus pustulatus</i>	PIGEON, Band-tailed, <i>Patagioenas fasciata</i>	[REED-BUNTING, Common (see BUNTING, Reed)]
OSPREY, <i>Pandion haliaetus</i>	Plain, <i>Patagioenas inornata</i>	[Pallas' (see BUNTING, Pallas's)]
OVENBIRD, <i>Seiurus aurocapilla</i>	Red-billed, <i>Patagioenas flavirostris</i>	REEF-EGRET, Pacific, <i>Egretta sacra</i>
OWL, Barn, <i>Tyto alba</i>	Scaly-naped, <i>Patagioenas squamosa</i>	REEF-HERON, Western, <i>Egretta gularis</i>
Barred, <i>Strix varia</i>	White-crowned, <i>Patagioenas leucocephala</i>	ROADRUNNER, Greater, <i>Geococcyx californianus</i>
Boreal, <i>Aegolius funereus</i>	PINTAIL, Northern, <i>Anas acuta</i>	ROBIN, American, <i>Turdus migratorius</i>
Burrowing, <i>Athene cunicularia</i>	White-cheeked, <i>Anas bahamensis</i>	Clay-colored, <i>Turdus grayi</i>
Elf, <i>Micrathene whitneyi</i>	PIPIT, American, <i>Anthus rubescens</i>	Rufous-backed, <i>Turdus rufopalliatus</i>
Flammulated, <i>Otus flammeolus</i>	Olive-backed, <i>Anthus hodgsoni</i>	Siberian Blue, <i>Luscinia cyane</i>
Great Gray, <i>Strix nebulosa</i>	Pechora, <i>Anthus gustavi</i>	White-throated, <i>Turdus assimilis</i>
Great Horned, <i>Bubo virginianus</i>	Red-throated, <i>Anthus cervinus</i>	ROSEFINCH, Common, <i>Carpodacus erythrinus</i>
Long-eared, <i>Asio otus</i>	Sprague's, <i>Anthus spragueii</i>	ROSY-FINCH, Black, <i>Leucosticte atrata</i>
Mottled, <i>Cicca virgata</i>	Tree, <i>Anthus trivialis</i>	Brown-capped, <i>Leucosticte australis</i>
Northern Hawk, <i>Surnia ulula</i>	[Water (see American)]	Gray-crowned, <i>Leucosticte tephrocotis</i>
Northern Saw-whet, <i>Aegolius acadicus</i>	PLOVER, Black-bellied, <i>Pluvialis squatarola</i>	[ROUGH-WINGED SWALLOW, Northern (see SWALLOW, Northern Rough-winged)]
Short-eared, <i>Asio flammeus</i>	Collared, <i>Charadrius collaris</i>	RUBYTHROAT, Siberian, <i>Luscinia calliope</i>
Snowy, <i>Bubo scandiaca</i>	Common Ringed, <i>Charadrius hiaticula</i>	RUFF, <i>Philomachus pugnax</i>
Spotted, <i>Strix occidentalis</i>	[Great Sand (see Sand-Plover, Greater)]	SANDLING, <i>Calidris alba</i>
Stygian, <i>Asio stygius</i>	Little Ringed, <i>Charadrius dubius</i>	SANDPIPER, Baird's, <i>Calidris bairdii</i>
OYSTERCATCHER, American, <i>Haematopus palliatus</i>	[Mongolian (see Sand-Plover, Lesser)]	Broad-billed, <i>Limicola falcinellus</i>
Black, <i>Haematopus bachmani</i>	Mountain, <i>Charadrius montanus</i>	Buff-breasted, <i>Tryngites subruficollis</i>
Eurasian, <i>Haematopus ostralegus</i>	Piping, <i>Charadrius melanotos</i>	Common, <i>Actitis hypoleucos</i>
PALM-SWIFT, Antillean, <i>Tachornis phoenicobia</i>	Semipalmated, <i>Charadrius semipalmatus</i>	Curlew, <i>Calidris ferruginea</i>
PARULA, Northern, <i>Parula americana</i>	Snowy, <i>Charadrius alexandrinus</i>	Green, <i>Tringa ochropus</i>
Tropical, <i>Parula pitiayumi</i>	Wilson's, <i>Charadrius wilsonia</i>	Least, <i>Calidris minutilla</i>
PAURAQUE, Common, <i>Nyctidromus albicollis</i>	POCHARD, Baer's, <i>Aythya baeri</i>	Marsh, <i>Tringa stagnatilis</i>
PELICAN, American White, <i>Pelecanus erythrorhynchos</i>	Common, <i>Aythya ferina</i>	Pectoral, <i>Calidris melanotos</i>
Brown, <i>Pelecanus occidentalis</i>	POND-HERON, Chinese, <i>Ardeola bacchus</i>	Purple, <i>Calidris maritima</i>
PETREL, Bermuda, <i>Pterodroma cahow</i>	POORWILL, Common, <i>Phalaenoptilus nuttallii</i>	Rock, <i>Calidris ptilocnemis</i>
Black-capped, <i>Pterodroma hasitata</i>	PUAOHI, <i>Myadestes palmeri</i>	Semipalmated, <i>Calidris pusilla</i>
Black-winged, <i>Pterodroma nigripennis</i>	PUFFIN, Atlantic, <i>Fratercula arctica</i>	Sharp-tailed, <i>Calidris acuminata</i>
Bonin, <i>Pterodroma hypoleuca</i>	Horned, <i>Fratercula corniculata</i>	Solidary, <i>Tringa solitaria</i>
Bulwer's, <i>Bulweria bulwerii</i>	Tufted, <i>Fratercula cirrhata</i>	[Spoonbill (see Spoon-billed)]
Cook's, <i>Pterodroma cookii</i>	PYGMY-OWL, Ferruginous, <i>Glaucidium brasiliense</i>	Spoon-billed, <i>Eurynorhynchus pygmeus</i>
[Dark-rumped (see Hawaiian)]	Northern, <i>Glaucidium gnoma</i>	Spotted, <i>Actitis macularius</i>
Gould's, <i>Pterodroma leucoptera</i>	PYRRHULOXIA, <i>Cardinalis sinuatus</i>	Stilt, <i>Calidris himantopus</i>
Great-winged, <i>Pterodroma macroptera</i>	QUAIL-DOVE, Bridled, <i>Geotrygon mystacea</i>	Terek, <i>Xenus cinereus</i>
Hawaiian, <i>Pterodroma sandwichensis</i>	Key West, <i>Geotrygon chrysia</i>	Upland, <i>Bartramia longicauda</i>
Herald, <i>Pterodroma arminjoniana</i>	Ruddy, <i>Geotrygon montana</i>	Western, <i>Calidris mauri</i>
Jouanin's, <i>Bulweria fallax</i>	QUETZEL, Eared, <i>Euptilotis neoxenus</i>	White-rumped, <i>Calidris fuscicollis</i>
Juan Fernandez, <i>Pterodroma externa</i>	RAIL, Black, <i>Laterallus jamaicensis</i>	Wood, <i>Tringa glareola</i>
Kermadec, <i>Pterodroma neglecta</i>	Buff-banded, <i>Gallirallus philippensis</i>	SAND-PLOVER, Greater, <i>Charadrius leschenaultii</i>
Mottled, <i>Pterodroma inexpectata</i>	Clapper, <i>Rallus longirostris</i>	Lesser, <i>Charadrius mongolus</i>
Murphy's, <i>Pterodroma ultima</i>	Guam, <i>Gallirallus owstoni</i>	SAPSUCKER, Red-breasted, <i>Sphyrapicus ruber</i>
Phoenix, <i>Pterodroma alba</i>	King, <i>Rallus elegans</i>	Red-naped, <i>Sphyrapicus nuchalis</i>
Stejneger's, <i>Pterodroma longirostris</i>	Spotted, <i>Pardirallus maculatus</i>	Williamson's, <i>Sphyrapicus thyroideus</i>
Tahiti, <i>Pterodroma rostrata</i>	Virginia, <i>Rallus limicola</i>	Yellow-bellied, <i>Sphyrapicus varius</i>
White-necked, <i>Pterodroma cervicalis</i>	Yellow, <i>Coturnicops noveboracensis</i>	SCAUP, Greater, <i>Aythya marila</i>
[White-necked, <i>Pterodroma externa</i> (see Petrel, Juan Fernandez)]		
PEWEE, Cuban, <i>Contopus caribaeus</i>		

Lesser, <i>Aythya affinis</i>	Cassin's, <i>Aimophila cassini</i>	<i>matsudairae</i>
SCOPS-OWL, Oriental, <i>Otus sunia</i>	Chipping, <i>Spizella passerina</i>	Polynesian, <i>Nesofregata fuliginosa</i>
SCOTER, Black, <i>Melanitta nigra</i>	Clay-colored, <i>Spizella pallida</i>	[Sooty (see Tristram's)]
Surf, <i>Melanitta perspicillata</i>	Field, <i>Spizella pusilla</i>	Tristram's, <i>Oceanodroma tristrami</i>
White-winged, <i>Melanitta fusca</i>	Five-striped, <i>Aimophila quinquestrata</i>	Wedge-rumped, <i>Oceanodroma tethys</i>
SCREECH-OWL, Eastern, <i>Megascops asio</i>	Fox, <i>Passerella iliaca</i>	White-faced, <i>Pelagodroma marina</i>
Puerto Rican, <i>Megascops nudipes</i>	Golden-crowned, <i>Zonotrichia atricapilla</i>	White-bellied, <i>Fregetta grallaria</i>
Western, <i>Megascops kennicottii</i>	Grasshopper, <i>Ammodramus savannarum</i>	Wilson's, <i>Oceanites oceanicus</i>
Whiskered, <i>Megascops trichopsis</i>	Harris's, <i>Zonotrichia querula</i>	SURFBIRD, <i>Aphriza virgata</i>
SCRUB-JAY, Florida, <i>Aphelocoma coerulescens</i>	Henslow's, <i>Ammodramus henslowii</i>	SWALLOW, Bahama, <i>Tachycineta cyaneoviridis</i>
Island, <i>Aphelocoma insularis</i>	Lark, <i>Chondestes grammacus</i>	Bank, <i>Riparia riparia</i>
Western, <i>Aphelocoma californica</i>	Le Conte's, <i>Ammodramus leconteii</i>	Barn, <i>Hirundo rustica</i>
SEA-EAGLE, Steller's, <i>Haliaeetus pelagicus</i>	Lincoln's, <i>Melospiza lincolni</i>	Cave, <i>Petrochelidon fulva</i>
SEEDEATER, White-collared, <i>Sporophila torqueola</i>	Nelson's Sharp-tailed, <i>Ammodramus nelsoni</i>	Cliff, <i>Petrochelidon pyrrhonota</i>
SHEARWATER, Audubon's, <i>Puffinus lherminieri</i>	Olive, <i>Arremonops rufivirgatus</i>	Mangrove, <i>Tachycineta albilinea</i>
Black-vented, <i>Puffinus opisthomelas</i>	Rufous-crowned, <i>Aimophila ruficeps</i>	Northern Rough-winged,
Buller's, <i>Puffinus bulleri</i>	Rufous-winged, <i>Aimophila carpalis</i>	<i>Stelgidopteryx serripennis</i>
Cape Verde, <i>Calonectris edwardsii</i>	Sage, <i>Amphispiza belli</i>	Tree, <i>Tachycineta bicolor</i>
Christmas, <i>Puffinus nativitatis</i>	Saltmarsh Sharp-tailed, <i>Ammodramus caudacutus</i>	Violet-green, <i>Tachycineta thalassina</i>
Cory's, <i>Calonectris diomedea</i>	Savannah, <i>Passerculus sandwichensis</i>	SWAMPHEN, Purple, <i>Porphyrio porphyrio</i>
Flesh-footed, <i>Puffinus carneipes</i>	Seaside, <i>Ammodramus maritimus</i>	SWAN, Trumpeter, <i>Cygnus buccinator</i>
Greater, <i>Puffinus gravis</i>	[Sharp-tailed (see Nelson's Sharp-tailed and Saltmarsh Sharp-tailed)]	Tundra, <i>Cygnus columbianus</i>
Little <i>Puffinus assimilis</i>	Song, <i>Melospiza melodia</i>	Whooper, <i>Cygnus cygnus</i>
Manx, <i>Puffinus puffinus</i>	Swamp, <i>Melospiza georgiana</i>	SWIFT, Alpine, <i>Apus melba</i>
Pink-footed, <i>Puffinus creatopus</i>	Vesper, <i>Pooecetes gramineus</i>	[Antillean Palm (see PALM-SWIFT, Antillean)]
Short-tailed, <i>Puffinus tenuirostris</i>	White-crowned, <i>Zonotrichia leucophrys</i>	Black, <i>Cypseloides niger</i>
Sooty, <i>Puffinus griseus</i>	White-throated, <i>Zonotrichia albicollis</i>	Chimney, <i>Chaetura pelagica</i>
Streaked, <i>Calonectris leucomelas</i>	Worthen's, <i>Spizella wortheni</i>	Common, <i>Apus apus</i>
Townsend's, <i>Puffinus auricularis</i>	SPARROWHAWK, Japanese, <i>Accipiter gularis</i>	Fork-tailed, <i>Apus pacificus</i>
Wedge-tailed, <i>Puffinus pacificus</i>	SPINDALIS, Puerto Rican, <i>Spindalis portoricensis</i>	Short-tailed, <i>Chaetura brachyura</i>
SHOVELER, Northern, <i>Anas clypeata</i>	Western, <i>Spindalis zena</i>	Vaux's, <i>Chaetura vauxi</i>
SHRIKE, Brown, <i>Lanius cristatus</i>	SPOONBILL, Roseate, <i>Platalea ajaja</i>	White-collared, <i>Streptoprocne zonaris</i>
Loggerhead, <i>Lanius ludovicianus</i>	STARLING, [Ashy (see White-cheeked)]	White-throated, <i>Aeronautes saxatalis</i>
Northern, <i>Lanius excubitor</i>	Chestnut-cheeked, <i>Sturnus philippensis</i>	SWIFLET, Mariana, <i>Aerodramus bartschi</i>
SILKY-FLYCATCHER, Gray, <i>Ptilogonyx cinereus</i>	[Violet-backed (see Chestnut-cheeked)]	White-rumped, <i>Aerodramus spodiopygius</i>
SISKIN, Eurasian, <i>Carduelis spinus</i>	White-cheeked, <i>Sturnus cineraceus</i>	TANAGER, Flame-colored, <i>Piranga bidentata</i>
Pine, <i>Carduelis pinus</i>	STARTHROAT, Plain-capped, <i>Helioptilus constantii</i>	Hepatic, <i>Piranga flava</i>
SKIMMER, Black, <i>Rynchops niger</i>	STILT, Black-necked, <i>Himantopus mexicanus</i>	Puerto Rican, <i>Neospingus speculiferus</i>
[SKYLARK, Eurasian (see LARK, Sky)]	Black-winged, <i>Himantopus himantopus</i>	Scarlet, <i>Piranga olivacea</i>
SKUA, Great, <i>Stercorarius skua</i>	STINT, Little, <i>Calidris minuta</i>	[Stripe-headed Tanager (see SPINDALIS, Puerto Rican and Western)]
South Polar, <i>Stercorarius maccormicki</i>	Long-toed, <i>Calidris subminuta</i>	Summer, <i>Piranga rubra</i>
SMEW, <i>Mergus albellus</i>	Red-necked, <i>Calidris ruficollis</i>	Western, <i>Piranga ludoviciana</i>
SNIPE, Common, <i>Gallinago gallinago</i>	[Rufous-necked (see Red-necked)]	TATTLER, Gray-tailed, <i>Tringa brevipes</i>
(restricted to Alaska; also see SNIPE, Wilson's)	Temminck's, <i>Calidris temminckii</i>	Wandering, <i>Tringa incana</i>
Jack, <i>Lymnocryptes minimus</i>	STONECHAT, <i>Saxicola torquatus</i>	TEAL, Baikal, <i>Anas formosa</i>
Pin-tailed, <i>Gallinago stenura</i>	STORK, Wood, <i>Mycteria americana</i>	Blue-winged, <i>Anas discors</i>
Swinhoe's, <i>Gallinago megala</i>	STORM-PETREL, Ashy, <i>Oceanodroma homochroa</i>	Cinnamon, <i>Anas cyanoptera</i>
Wilson's, <i>Gallinago delicata</i> (the "common" snipe hunted in most of the U.S.)	Band-rumped, <i>Oceanodroma castro</i>	[Falcated (see DUCK, Falcated)]
SOLITAIRE, Townsend's, <i>Myadestes townsendi</i>	Black, <i>Oceanodroma Melania</i>	Green-winged, <i>Anas crecca</i>
SORA, <i>Porzana carolina</i>	Black-bellied, <i>Fregetta tropica</i>	TERN, Aleutian, <i>Onychoprion aleuticus</i>
SPARROW, American Tree, <i>Spizella arborea</i>	Fork-tailed, <i>Oceanodroma furcata</i>	Arctic, <i>Sterna paradisaea</i>
Bachman's, <i>Aimophila aestivalis</i>	Leach's, <i>Oceanodroma leucorhoa</i>	Black, <i>Chlidonias niger</i>
Baird's, <i>Ammodramus bairdii</i>	Least, <i>Oceanodroma microsoma</i>	Black-naped, <i>Sterna sumatrana</i>
Black-chinned, <i>Spizella atrogularis</i>	Matsudaira's, <i>Oceanodroma</i>	Bridled, <i>Onychoprion anaethetus</i>
Black-throated, <i>Amphispiza bilineata</i>		Caspian, <i>Hydroprogne caspia</i>
Botteri's, <i>Aimophila botterii</i>		Common, <i>Sterna hirundo</i>
Brewer's, <i>Spizella breweri</i>		Elegant, <i>Thalasseus elegans</i>

Least, <i>Sternula antillarum</i>	VIOLET-EAR, Green, <i>Colibri thalassinus</i>	Nashville, <i>Vermivora ruficapilla</i>
Little, <i>Sternula albifrons</i>	VIREO, Bell's, <i>Vireo bellii</i>	Olive, <i>Peucedramus taeniatus</i>
Roseate, <i>Sterna dougallii</i>	Black-capped, <i>Vireo atricapillus</i>	Orange-crowned, <i>Vermivora celata</i>
Royal, <i>Thalasseus maximus</i>	Black-whiskered, <i>Vireo altiloquus</i>	Palm, <i>Dendroica palmarum</i>
Sandwich, <i>Thalasseus sandvicensis</i>	Blue-headed, <i>Vireo solitarius</i>	Pine, <i>Dendroica pinus</i>
Sooty, <i>Onychoprion fuscatus</i>	Cassin's, <i>Vireo cassini</i>	Prairie, <i>Dendroica discolor</i>
Whiskered, <i>Chlidonias hybrida</i>	Gray, <i>Vireo vicinior</i>	Prothonotary, <i>Protonotaria citrea</i>
White, <i>Gygis alba</i>	Hutton's, <i>Vireo huttoni</i>	Red-faced, <i>Cardellina rubrifrons</i>
White-winged, <i>Chlidonias leucopterus</i>	Philadelphia, <i>Vireo philadelphicus</i>	Rufous-capped, <i>Basileuterus rufifrons</i>
THRASHER, Bendire's, <i>Toxostoma bendirei</i>	Plumbeous, <i>Vireo plumbeus</i>	Swainson's, <i>Limnothlypis swainsonii</i>
Brown, <i>Toxostoma rufum</i>	Puerto Rican, <i>Vireo latimeri</i>	Tennessee, <i>Vermivora peregrina</i>
California, <i>Toxostoma redivivum</i>	Red-eyed, <i>Vireo olivaceus</i>	Townsend's, <i>Dendroica townsendi</i>
Crissal, <i>Toxostoma crissale</i>	[Solitary (see Blue-headed, Cassin's, and Plumbeous)]	Virginia's, <i>Vermivora virginiae</i>
Curve-billed, <i>Toxostoma curvirostre</i>	Thick-billed, <i>Vireo crassirostris</i>	Willow, <i>Phylloscopus trochilus</i>
Le Conte's, <i>Toxostoma lecontei</i>	Warbling, <i>Vireo gilvus</i>	Wilson's, <i>Wilsonia pusilla</i>
Long-billed, <i>Toxostoma longirostre</i>	White-eyed, <i>Vireo griseus</i>	Worm-eating, <i>Helminthorus vermivorus</i>
Pearly-eyed, <i>Margarops fuscatus</i>	Yellow-green, <i>Vireo flavoviridis</i>	Yellow, <i>Dendroica petechia</i>
Sage, <i>Oreoscoptes montanus</i>	Yellow-throated, <i>Vireo flavifrons</i>	Yellow-rumped, <i>Dendroica coronata</i>
THRUSH, Aztec, <i>Ridgwayia pinicola</i>	Yucatan, <i>Vireo magister</i>	Yellow-throated, <i>Dendroica dominica</i>
Bicknell's, <i>Catharus bicknelli</i>	VULTURE, Black, <i>Coragyps atratus</i>	WATERTHRUSH, Louisiana, <i>Seiurus motacilla</i>
Blue Rock, <i>Monticola solitarius</i>	Turkey, <i>Cathartes aura</i>	Northern, <i>Seiurus noveboracensis</i>
Dusky, <i>Turdus naumanni</i>	WAGTAIL, [Black-backed (see White)]	WAXWING, Bohemian, <i>Bombycilla garrulus</i>
Eyebrowed, <i>Turdus obscurus</i>	Citrine, <i>Motacilla citreola</i>	Cedar, <i>Bombycilla cedrorum</i>
Gray-cheeked, <i>Catharus minimus</i>	Eastern Yellow, <i>Motacilla tschutschensis</i>	WHEATEAR, Northern, <i>Oenanthe oenanthe</i>
[Hawaiian (see KAMAO, OLOMAO, and OMAO)]	Gray, <i>Motacilla cinerea</i>	WHIMBREL, <i>Numenius phaeopus</i>
Hermit, <i>Catharus guttatus</i>	White, <i>Motacilla alba</i>	WHIP-POOR-WILL, <i>Caprimulgus vociferus</i>
Red-legged, <i>Turdus plumbeus</i>	[Yellow (see Eastern Yellow)]	WHISTLING-DUCK, Black-bellied, <i>Dendrocygna autumnalis</i>
[Small Kauai (see PŪAIOHI)]	WARBLER, Adelaide's, <i>Dendroica adelaidae</i>	Fulvous, <i>Dendrocygna bicolor</i>
Swainson's, <i>Catharus ustulatus</i>	Arctic, <i>Phylloscopus borealis</i>	West Indian, <i>Dendrocygna arborea</i>
Varied, <i>Ixoreus naevius</i>	Bachman's, <i>Vermivora bachmanii</i>	WIGEON, American, <i>Anas americana</i>
Wood, <i>Hylocichla mustelina</i>	Bay-breasted, <i>Dendroica castanea</i>	Eurasian, <i>Anas penelope</i>
[TIT, Siberian (see CHICKADEE, Gray-headed)]	Black-and-white, <i>Mniotilla varia</i>	WILLET, <i>Tringa semipalmata</i>
TITMOUSE, Black-crested, <i>Baeolophus atricristatus</i>	Black-throated Blue, <i>Dendroica caerulea</i>	WOOD-PEWEE, Eastern, <i>Contopus virens</i>
Bridled, <i>Baeolophus wollweberi</i>	Black-throated Gray, <i>Dendroica nigrescens</i>	Western, <i>Contopus sordidulus</i>
Juniper, <i>Baeolophus ridgwayi</i>	Black-throated Green, <i>Dendroica virens</i>	WOODCOCK, American, <i>Scolopax minor</i>
Oak, <i>Baeolophus inornatus</i>	Blackburnian, <i>Dendroica fusca</i>	Eurasian, <i>Scolopax rusticola</i>
[Plain (see Juniper and Oak)]	Blackpoll, <i>Dendroica striata</i>	WOODPECKER, Acorn, <i>Melanerpes formicivorus</i>
Tufted, <i>Baeolophus bicolor</i>	Blue-winged, <i>Vermivora pinus</i>	American Three-toed, <i>Picoides dorsalis</i>
TITYRA, Masked, <i>Tityra semifasciata</i>	Canada, <i>Wilsonia canadensis</i>	Arizona, <i>Picoides arizonae</i>
TOWHEE, Abert's, <i>Pipilo aberti</i>	Cape May, <i>Dendroica tigrina</i>	Black-backed, <i>Picoides arcticus</i>
[Brown (see California and Canyon)]	Cerulean, <i>Dendroica cerulea</i>	Downy, <i>Picoides pubescens</i>
California, <i>Pipilo crissalis</i>	Chestnut-sided, <i>Dendroica pensylvanica</i>	Gila, <i>Melanerpes uropygialis</i>
Canyon, <i>Pipilo fuscus</i>	Colima, <i>Vermivora crissalis</i>	Golden-fronted, <i>Melanerpes aurifrons</i>
Eastern, <i>Pipilo erythrorththalmus</i>	Connecticut, <i>Oporornis agilis</i>	Great Spotted, <i>Dendrocopos major</i>
Green-tailed, <i>Pipilo chlorurus</i>	Crescent-chested, <i>Parula superciliosa</i>	Hairy, <i>Picoides villosus</i>
[Rufous-sided (see Eastern and Spotted)]	Elfin-woods, <i>Dendroica angelae</i>	Ivory-billed, <i>Campephilus principalis</i>
Spotted, <i>Pipilo maculatus</i>	Fan-tailed, <i>Euthlypis lachrymosa</i>	Ladder-backed, <i>Picoides scalaris</i>
[TREE-PIPIT, Olive (see PIPIT, Olive-backed)]	Golden-cheeked, <i>Dendroica chrysoparia</i>	Lewis's, <i>Melanerpes lewisi</i>
TROGON, [Eared (see QUETZEL, Eared)]	Golden-crowned, <i>Basileuterus culicivorus</i>	Nuttall's, <i>Picoides nuttallii</i>
Elegant, <i>Trogon elegans</i>	Golden-winged, <i>Vermivora chrysoptera</i>	Pileated, <i>Dryocopus pileatus</i>
TROPICBIRD, Red-billed, <i>Phaethon aethereus</i>	Grace's, <i>Dendroica graciae</i>	Puerto Rican, <i>Melanerpes portoricensis</i>
Red-tailed, <i>Phaethon rubricauda</i>	Hermit, <i>Dendroica occidentalis</i>	Red-bellied, <i>Melanerpes carolinus</i>
White-tailed, <i>Phaethon lepturus</i>	Hooded, <i>Wilsonia citrina</i>	Red-cockaded, <i>Picoides borealis</i>
TURNSTONE, Black, <i>Arenaria melanocephala</i>	Kentucky, <i>Oporornis formosus</i>	Red-headed, <i>Melanerpes erythrocephalus</i>
Ruddy, <i>Arenaria interpres</i>	Kirtland's, <i>Dendroica kirtlandii</i>	[Strickland's (see Arizona)]
TURTLE-DOVE, Oriental, <i>Streptopelia orientalis</i>	Lucy's, <i>Vermivora luciae</i>	[Three-toed (see American Three-toed)]
VEERY, <i>Catharus fuscescens</i>	MacGillivray's, <i>Oporornis tolmieei</i>	White-headed, <i>Picoides albolarvatus</i>
VERDIN, <i>Auriparus flaviceps</i>	Magnolia, <i>Dendroica magnolia</i>	
	Mourning, <i>Oporornis philadelphia</i>	

WOODSTAR, Bahama, *Calliphlox evelynae*
 WREN, Bewick's *Thryomanes bewickii*
 Cactus, *Campylorhynchus brunneicapillus*
 Canyon, *Catherpes mexicanus*
 Carolina, *Thryothorus ludovicianus*
 House, *Troglodytes aedon*
 Marsh, *Cistothorus palustris*
 Rock, *Salpinctes obsoletus*
 Sedge, *Cistothorus platensis*
 Winter, *Troglodytes troglodytes*
 WRYNECK, Eurasian, *Jynx torquilla*
 YELLOWLEGS, Greater, *Tringa melanoleuca*
 Lesser, *Tringa flavipes*
 YELLOWTHROAT, Common, *Geothlypis trichas*
 Gray-crowned, *Geothlypis poliocephala*

(2) *Taxonomic listing.* Species are listed in phylogenetic sequence by scientific name, with the common (English) name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily.

Order ANSERIFORMES
 Family ANATIDAE
 Subfamily DENDROCYGNINAE
Dendrocygna autumnalis, Black-bellied Whistling-Duck
Dendrocygna arborea, West Indian Whistling-Duck
Dendrocygna bicolor, Fulvous Whistling-Duck

Subfamily ANSERINAE
Anser fabalis, Bean Goose
Anser albifrons, Greater White-fronted Goose
Anser erythropus, Lesser White-fronted Goose
Chen canagica, Emperor Goose
Chen caerulescens, Snow Goose
Chen rossii, Ross's Goose
Branta bernicla, Brant
Branta leucopsis, Barnacle Goose
Branta hutchinsii, Cackling Goose
Branta canadensis, Canada Goose
Branta sandvicensis, Hawaiian Goose
Cygnus buccinator, Trumpeter Swan
Cygnus columbianus, Tundra Swan
Cygnus cygnus, Whooper Swan

Subfamily ANATINAE
Cairina moschata, Muscovy Duck
Aix sponsa, Wood Duck
Anas strepera, Gadwall
Anas falcata, Falcated Duck
Anas penelope, Eurasian Wigeon
Anas americana, American Wigeon
Anas rubripes, American Black Duck
Anas platyrhynchos, Mallard
Anas fulvigula, Mottled Duck
Anas wyvilliana, Hawaiian Duck
Anas laysanensis, Laysan Duck
Anas poecilorhyncha, Spot-billed Duck

Anas superciliosa, Pacific Black Duck
Anas discors, Blue-winged Teal
Anas cyanoptera, Cinnamon Teal
Anas clypeata, Northern Shoveler
Anas bahamensis, White-cheeked Pintail
Anas acuta, Northern Pintail
Anas querquedula, Garganey
Anas formosa, Baikal Teal
Anas crecca, Green-winged Teal
Aythya valisineria, Canvasback
Aythya americana, Redhead
Aythya ferina, Common Pochard
Aythya baeri, Baer's Pochard
Aythya collaris, Ring-necked Duck
Aythya fuligula, Tufted Duck
Aythya marila, Greater Scaup
Aythya affinis, Lesser Scaup
Polyictica stelleri, Steller's Eider
Somateria fischeri, Spectacled Eider
Somateria spectabilis, King Eider
Somateria mollissima, Common Eider
Histrionicus histrionicus, Harlequin Duck
Melanitta perspicillata, Surf Scoter
Melanitta fusca, White-winged Scoter
Melanitta nigra, Black Scoter
Clangula hyemalis, Long-tailed Duck
Bucephala albeola, Bufflehead
Bucephala clangula, Common Goldeneye
Bucephala islandica, Barrow's Goldeneye
Mergellus albellus, Smew
Lophodytes cucullatus, Hooded Merganser
Mergus merganser, Common Merganser
Mergus serrator, Red-breasted Merganser
Nomonyx dominicus, Masked Duck
Oxyura jamaicensis, Ruddy Duck

Order GAVIIFORMES
 Family GAVIIDAE
Gavia stellata, Red-throated Loon
Gavia arctica, Arctic Loon
Gavia pacifica, Pacific Loon
Gavia immer, Common Loon
Gavia adamsii, Yellow-billed Loon

Order PODICIPEDIFORMES
 Family PODICIPEDIDAE
Tachybaptus dominicus, Least Grebe
Podilymbus podiceps, Pied-billed Grebe
Podiceps auritus, Horned Grebe
Podiceps grisegena, Red-necked Grebe
Podiceps nigricollis, Eared Grebe
Aechmophorus occidentalis, Western Grebe
Aechmophorus clarkii, Clark's Grebe

Order PROCELLARIIFORMES
 Family DIOMEDEIDAE
Thalassarche chlororhynchos, Yellow-nosed Albatross
Thalassarche cauta, Shy Albatross
Thalassarche melanophris, Black-browed Albatross
Phoebetria palpebrata, Light-mantled Albatross

Albatross
Diomedea exulans, Wandering Albatross
Phoebastria immutabilis, Laysan Albatross
Phoebastria nigripes, Black-footed Albatross
Phoebastria albatrus, Short-tailed Albatross

Family PROCELLARIIDAE
Fulmarus glacialis, Northern Fulmar
Pterodroma macroptera, Great-winged Petrel
Pterodroma neglecta, Kermadec Petrel
Pterodroma arminjoniana, Herald Petrel
Pterodroma ultima, Murphy's Petrel
Pterodroma inexpectata, Mottled Petrel
Pterodroma cahow, Bermuda Petrel
Pterodroma hasitata, Black-capped Petrel
Pterodroma externa, Juan Fernandez Petrel
Pterodroma sandwichensis, Hawaiian Petrel
Pterodroma cervicalis, White-necked Petrel
Pterodroma hypoleuca, Bonin Petrel
Pterodroma nigripennis, Black-winged Petrel
Pterodroma cookii, Cook's Petrel
Pterodroma longirostris, Stejneger's Petrel
Pterodroma alba, Phoenix Petrel
Pterodroma leucoptera, Gould's Petrel
Pterodroma rostrata, Tahiti Petrel
Bulweria bulwerii, Bulwer's Petrel
Bulweria fallax, Jouanin's Petrel
Calonectris leucomelas, Streaked Shearwater
Calonectris diomedea, Cory's Shearwater
Calonectris edwardsii, Cape Verde Shearwater
Puffinus creatopus, Pink-footed Shearwater
Puffinus carneipes, Flesh-footed Shearwater
Puffinus gravis, Greater Shearwater
Puffinus pacificus, Wedge-tailed Shearwater
Puffinus bulleri, Buller's Shearwater
Puffinus griseus, Sooty Shearwater
Puffinus tenuirostris, Short-tailed Shearwater
Puffinus nativitatis, Christmas Shearwater
Puffinus puffinus, Manx Shearwater
Puffinus auricularis, Townsend's Shearwater
Puffinus opisthomelas, Black-vented Shearwater
Puffinus lherminieri, Audubon's Shearwater
Puffinus assimilis, Little Shearwater

Family HYDROBATIDAE
Oceanites oceanicus, Wilson's Storm-

Petrel	Order CICONIIFORMES	<i>Milvus migrans</i> , Black Kite
<i>Pelagodroma marina</i> , White-faced Storm-Petrel	Family ARDEIDAE	<i>Haliaeetus leucocephalus</i> , Bald Eagle
<i>Fregetta tropica</i> , Black-bellied Storm-Petrel	<i>Botaurus lentiginosus</i> , American Bittern	<i>Haliaeetus albicilla</i> , White-tailed Eagle
<i>Fregetta grallaria</i> , White-bellied Storm-Petrel	<i>Ixobrychus sinensis</i> , Yellow Bittern	<i>Haliaeetus pelagicus</i> , Steller's Sea-Eagle
<i>Nesofregetta fuiginosa</i> , Polynesian Storm-Petrel	<i>Ixobrychus exilis</i> , Least Bittern	<i>Circus cyaneus</i> , Northern Harrier
<i>Oceanodroma furcata</i> , Fork-tailed Storm-Petrel	<i>Ixobrychus eurhythmus</i> , Schrenck's Bittern	<i>Accipiter soloensis</i> , Gray Frog-Hawk
<i>Oceanodroma leucorhoa</i> , Leach's Storm-Petrel	<i>Ixobrychus flavicollis</i> , Black Bittern	<i>Accipiter gularis</i> , Japanese Sparrowhawk
<i>Oceanodroma homochroa</i> , Ashy Storm-Petrel	<i>Ardea cinerea</i> , Gray Heron	<i>Accipiter striatus</i> , Sharp-shinned Hawk
<i>Oceanodroma castro</i> , Band-rumped Storm-Petrel	<i>Ardea herodias</i> , Great Blue Heron	<i>Accipiter cooperii</i> , Cooper's Hawk
<i>Oceanodroma tethys</i> , Wedge-rumped Storm-Petrel	<i>Ardea alba</i> , Great Egret	<i>Accipiter gentilis</i> , Northern Goshawk
<i>Oceanodroma matsudairae</i> , Matsudaira's Storm-Petrel	<i>Mesophoyx intermedia</i> , Intermediate Egret	<i>Geranospiza caerulescens</i> , Crane Hawk
<i>Oceanodroma Melania</i> , Black Storm-Petrel	<i>Egretta eulophotes</i> , Chinese Egret	<i>Buteogallus anthracinus</i> , Common Black-Hawk
<i>Oceanodroma tristrami</i> , Tristram's Storm-Petrel	<i>Egretta garzetta</i> , Little Egret	<i>Parabuteo unicinctus</i> , Harris's Hawk
<i>Oceanodroma microsoma</i> , Least Storm-Petrel	<i>Egretta sacra</i> , Pacific Reef-Egret	<i>Buteo magnirostris</i> , Roadside Hawk
Order PELECANIFORMES	<i>Egretta gularis</i> , Western Reef-Heron	<i>Buteo lineatus</i> , Red-shouldered Hawk
Family PHAETHONTIDAE	<i>Egretta thula</i> , Snowy Egret	<i>Buteo platypterus</i> , Broad-winged Hawk
<i>Phaethon lepturus</i> , White-tailed Tropicbird	<i>Egretta caerulea</i> , Little Blue Heron	<i>Buteo nitidus</i> , Gray Hawk
<i>Phaethon aethereus</i> , Red-billed Tropicbird	<i>Egretta tricolor</i> , Tricolored Heron	<i>Buteo brachyrurus</i> , Short-tailed Hawk
<i>Phaethon rubricauda</i> , Red-tailed Tropicbird	<i>Egretta rufescens</i> , Reddish Egret	<i>Buteo swainsoni</i> , Swainson's Hawk
Family SULIDAE	<i>Bubulcus ibis</i> , Cattle Egret	<i>Buteo albicaudatus</i> , White-tailed Hawk
<i>Sula dactylatra</i> , Masked Booby	<i>Ardeola bacchus</i> , Chinese Pond-Heron	<i>Buteo albonotatus</i> , Zone-tailed Hawk
<i>Sula nebouxii</i> , Blue-footed Booby	<i>Butorides virescens</i> , Green Heron	<i>Buteo solitarius</i> , Hawaiian Hawk
<i>Sula leucogaster</i> , Brown Booby	<i>Nycticorax nycticorax</i> , Black-crowned Night-Heron	<i>Buteo jamaicensis</i> , Red-tailed Hawk
<i>Sula sula</i> , Red-footed Booby	<i>Nyctanassa violacea</i> , Yellow-crowned Night-Heron	<i>Buteo regalis</i> , Ferruginous Hawk
<i>Morus bassanus</i> , Northern Gannet	<i>Gorsachius goisagi</i> , Japanese Night-Heron	<i>Buteo lagopus</i> , Rough-legged Hawk
Family PELECANIDAE	<i>Gorsachius melanolophus</i> , Malayan Night-Heron	<i>Aquila chrysaetos</i> , Golden Eagle
<i>Pelecanus erythrorhynchos</i> , American White Pelican	Family THRESKIORNITHIDAE	Family FALCONIDAE
<i>Pelecanus occidentalis</i> , Brown Pelican	Subfamily THRESKIORNITHINAE	Subfamily MICRASTURINAE
Family PHALACROCORACIDAE	<i>Eudocimus albus</i> , White Ibis	<i>Micrastur semitorquatus</i> , Collared Forest-Falcon
<i>Phalacrocorax melanoleucus</i> , Little Pied Cormorant	<i>Eudocimus ruber</i> , Scarlet Ibis	Subfamily CARACARINAE
<i>Phalacrocorax penicillatus</i> , Brandt's Cormorant	<i>Plegadis falcinellus</i> , Glossy Ibis	<i>Caracara cheriway</i> , Crested Caracara
<i>Phalacrocorax brasiliensis</i> , Neotropic Cormorant	<i>Plegadis chihi</i> , White-faced Ibis	Subfamily FALCONINAE
<i>Phalacrocorax auritus</i> , Double-crested Cormorant	Subfamily PLATALEINAE	<i>Falco tinnunculus</i> , Eurasian Kestrel
<i>Phalacrocorax carbo</i> , Great Cormorant	<i>Platalea ajaja</i> , Roseate Spoonbill	<i>Falco sparverius</i> , American Kestrel
<i>Phalacrocorax urile</i> , Red-faced Cormorant	Family CICONIIDAE	<i>Falco columbarius</i> , Merlin
<i>Phalacrocorax pelagicus</i> , Pelagic Cormorant	<i>Jabiru mycteria</i> , Jabiru	<i>Falco subbuteo</i> , Eurasian Hobby
Family ANHINGIDAE	<i>Mycteria americana</i> , Wood Stork	<i>Falco femoralis</i> , Aplomado Falcon
<i>Anhinga anhinga</i> , Anhinga	Family CATHARTIDAE	<i>Falco rusticolus</i> , Gyrfalcon
Family FREGATIDAE	<i>Coragyps atratus</i> , Black Vulture	<i>Falco peregrinus</i> , Peregrine Falcon
<i>Fregata magnificens</i> , Magnificent Frigatebird	<i>Cathartes aura</i> , Turkey Vulture	<i>Falco mexicanus</i> , Prairie Falcon
<i>Fregata minor</i> , Great Frigatebird	<i>Gymnogyps californianus</i> , California Condor	Order GRUIFORMES
<i>Fregata ariel</i> , Lesser Frigatebird	Order PHOENICOPTERIFORMES	Family RALLIDAE
	Family PHOENICOPTERIDAE	<i>Coturnicops noveboracensis</i> , Yellow Rail
	<i>Phoenicopterus ruber</i> , Greater Flamingo	<i>Laterallus jamaicensis</i> , Black Rail
	Order FALCONIFORMES	<i>Gallirallus philippensis</i> , Buff-banded Rail
	Family ACCIPITRIDAE	<i>Gallirallus owstoni</i> , Guam Rail
	Subfamily PANDIONINAE	<i>Crex crex</i> , Corn Crake
	<i>Pandion haliaetus</i> , Osprey	<i>Rallus longirostris</i> , Clapper Rail
	Subfamily ACCIPITRINAE	<i>Rallus elegans</i> , King Rail
	<i>Chondrohierax uncinatus</i> , Hook-billed Kite	<i>Rallus limicola</i> , Virginia Rail
	<i>Elanoides forficatus</i> , Swallow-tailed Kite	<i>Porzana carolina</i> , Sora
	<i>Elanus leucurus</i> , White-tailed Kite	<i>Porzana tabuensis</i> , Spotless Crake
	<i>Rostrhamus sociabilis</i> , Snail Kite	<i>Porzana flaviventer</i> , Yellow-breasted Crake
	<i>Ictinia mississippiensis</i> , Mississippi Kite	<i>Neocrex erythrops</i> , Paint-billed Crake
		<i>Pardirallus maculatus</i> , Spotted Rail
		<i>Porphyrio martinica</i> , Purple Gallinule

<i>Porphyrio porphyrio</i> , Purple Swamphen	<i>Tringa ochropus</i> , Green Sandpiper	<i>Limnodromus scolopaceus</i> , Long-billed Dowitcher
<i>Porphyrio flavirostris</i> , Azure Gallinule	<i>Tringa solitaria</i> , Solitary Sandpiper	<i>Lymnocryptes minimus</i> , Jack Snipe
<i>Gallinula chloropus</i> , Common Moorhen	<i>Tringa brevipes</i> , Gray-tailed Tattler	<i>Gallinago delicata</i> , Wilson's Snipe (the "common" snipe hunted in most of the U.S.)
<i>Fulica atra</i> , Eurasian Coot	<i>Tringa incana</i> , Wandering Tattler	<i>Gallinago gallinago</i> , Common Snipe (restricted to Alaska; also see <i>Gallinago delicata</i>)
<i>Fulica alai</i> , Hawaiian Coot	<i>Tringa erythropus</i> , Spotted Redshank	<i>Gallinago stenura</i> , Pin-tailed Snipe
<i>Fulica americana</i> , American Coot	<i>Tringa melanoleuca</i> , Greater Yellowlegs	<i>Gallinago megala</i> , Swinhoe's Snipe
<i>Fulica caribaea</i> , Caribbean Coot	<i>Tringa nebularia</i> , Common Greenshank	<i>Scolopax rusticola</i> , Eurasian Woodcock
Family ARAMIDAE	<i>Tringa guttifer</i> , Nordmann's Greenshank	<i>Scolopax minor</i> , American Woodcock
<i>Aramus guarauna</i> , Limpkin	<i>Tringa semipalmata</i> , Willet	Subfamily PHALAROPODINAE
Family GRUIDAE	<i>Tringa flavipes</i> , Lesser Yellowlegs	<i>Phalaropus tricolor</i> , Wilson's Phalarope
<i>Grus canadensis</i> , Sandhill Crane	<i>Tringa stagnatilis</i> , Marsh Sandpiper	<i>Phalaropus lobatus</i> , Red-necked Phalarope
<i>Grus grus</i> , Common Crane	<i>Tringa glareola</i> , Wood Sandpiper	<i>Phalaropus fulicarius</i> , Red Phalarope
<i>Grus americana</i> , Whooping Crane	<i>Bartramia longicauda</i> , Upland Sandpiper	Family LARIDAE
Order CHARADRIIFORMES	<i>Numenius minutus</i> , Little Curlew	Subfamily LARINAE
Family CHARADRIIDAE	<i>Numenius borealis</i> , Eskimo Curlew	<i>Larus atricilla</i> , Laughing Gull
Subfamily VANELLINAE	<i>Numenius phaeopus</i> , Whimbrel	<i>Larus pipixcan</i> , Franklin's Gull
<i>Vanellus vanellus</i> , Northern Lapwing	<i>Numenius tahitiensis</i> , Bristle-thighed Curlew	<i>Larus minutus</i> , Little Gull
Subfamily CHARADRIINAE	<i>Numenius madagascariensis</i> , Far Eastern Curlew	<i>Larus ridibundus</i> , Black-headed Gull
<i>Pluvialis squatarola</i> , Black-bellied Plover	<i>Numenius arquata</i> , Eurasian Curlew	<i>Larus philadelphia</i> , Bonaparte's Gull
<i>Pluvialis dominica</i> , American Golden-Plover	<i>Numenius americanus</i> , Long-billed Curlew	<i>Larus heermanni</i> , Heermann's Gull
<i>Pluvialis fulva</i> , Pacific Golden-Plover	<i>Limosa limosa</i> , Black-tailed Godwit	<i>Larus cirrocephalus</i> , Gray-hooded Gull
<i>Charadrius mongolus</i> , Lesser Sand-Plover	<i>Limosa haemastica</i> , Hudsonian Godwit	<i>Larus belcheri</i> , Belcher's Gull
<i>Charadrius leschenaultii</i> , Greater Sand-Plover	<i>Limosa lapponica</i> , Bar-tailed Godwit	<i>Larus crassirostris</i> , Black-tailed Gull
<i>Charadrius collaris</i> , Collared Plover	<i>Limosa fedoa</i> , Marbled Godwit	<i>Larus canus</i> , Mew Gull
<i>Charadrius alexandrinus</i> , Snowy Plover	<i>Arenaria interpres</i> , Ruddy Turnstone	<i>Larus delawarensis</i> , Ring-billed Gull
<i>Charadrius wilsonia</i> , Wilson's Plover	<i>Arenaria melanocephala</i> , Black Turnstone	<i>Larus californicus</i> , California Gull
<i>Charadrius hiaticula</i> , Common Ringed Plover	<i>Aphriza virgata</i> , Surfbird	<i>Larus argentatus</i> , Herring Gull
<i>Charadrius semipalmatus</i> , Semipalmated Plover	<i>Calidris tenuirostris</i> , Great Knot	<i>Larus cachinnans</i> , Yellow-legged Gull
<i>Charadrius melanotos</i> , Piping Plover	<i>Calidris canutus</i> , Red Knot	<i>Larus thayeri</i> , Thayer's Gull
<i>Charadrius dubius</i> , Little Ringed Plover	<i>Calidris alba</i> , Sanderling	<i>Larus glaucopterus</i> , Iceland Gull
<i>Charadrius vociferus</i> , Killdeer	<i>Calidris pusilla</i> , Semipalmated Sandpiper	<i>Larus fuscus</i> , Lesser Black-backed Gull
<i>Charadrius montanus</i> , Mountain Plover	<i>Calidris mauri</i> , Western Sandpiper	<i>Larus schistisagus</i> , Slaty-backed Gull
<i>Charadrius morinellus</i> , Eurasian Dotterel	<i>Calidris ruficollis</i> , Red-necked Stint	<i>Larus livens</i> , Yellow-footed Gull
Family HAEMATOPODIDAE	<i>Calidris minuta</i> , Little Stint	<i>Larus occidentalis</i> , Western Gull
<i>Haematopus ostralegus</i> , Eurasian Oystercatcher	<i>Calidris temminckii</i> , Temminck's Stint	<i>Larus glaucescens</i> , Glaucous-winged Gull
<i>Haematopus palliatus</i> , American Oystercatcher	<i>Calidris subminuta</i> , Long-toed Stint	<i>Larus hyperboreus</i> , Glaucous Gull
<i>Haematopus bachmani</i> , Black Oystercatcher	<i>Calidris minutilla</i> , Least Sandpiper	<i>Larus marinus</i> , Great Black-backed Gull
Family RECURVIROSTRIDAE	<i>Calidris fuscicollis</i> , White-rumped Sandpiper	<i>Larus dominicanus</i> , Kelp Gull
<i>Himantopus himantopus</i> , Black-winged Stilt	<i>Calidris bairdii</i> , Baird's Sandpiper	<i>Xema sabini</i> , Sabine's Gull
<i>Himantopus mexicanus</i> , Black-necked Stilt	<i>Calidris melanotos</i> , Pectoral Sandpiper	<i>Rissa tridactyla</i> , Black-legged Kittiwake
<i>Recurvirostra americana</i> , American Avocet	<i>Calidris acuminata</i> , Sharp-tailed Sandpiper	<i>Rissa brevirostris</i> , Red-legged Kittiwake
Family JACANIDAE	<i>Calidris maritima</i> , Purple Sandpiper	<i>Rhodostethia rosea</i> , Ross's Gull
<i>Jacana spinosa</i> , Northern Jacana	<i>Calidris ptilocnemis</i> , Rock Sandpiper	<i>Pagophila eburnea</i> , Ivory Gull
Family SCOLOPACIDAE	<i>Calidris alpina</i> , Dunlin	Subfamily STERNINAE
Subfamily SCOLOPACINAE	<i>Calidris ferruginea</i> , Curlew Sandpiper	<i>Anous stolidus</i> , Brown Noddy
<i>Xenus cinereus</i> , Terek Sandpiper	<i>Calidris himantopus</i> , Stilt Sandpiper	<i>Anous minutus</i> , Black Noddy
<i>Actitis hypoleucos</i> , Common Sandpiper	<i>Eurynorhynchus pygmeus</i> , Spoon-billed Sandpiper	<i>Procelsterna cerulea</i> , Blue-gray Noddy
<i>Actitis macularius</i> , Spotted Sandpiper	<i>Limicola falcinellus</i> , Broad-billed Sandpiper	<i>Gygis alba</i> , White Tern
	<i>Tryngites subruficollis</i> , Buff-breasted Sandpiper	<i>Onychoprion fuscatus</i> , Sooty Tern
	<i>Philomachus pugnax</i> , Ruff	<i>Onychoprion lunatus</i> , Gray-backed Tern
	<i>Limnodromus griseus</i> , Short-billed Dowitcher	<i>Onychoprion anaethetus</i> , Bridled Tern

<i>Onychoprion aleuticus</i> , Aleutian Tern	<i>Patagioenas flavirostris</i> , Red-billed Pigeon	Screech-Owl
<i>Sternula albifrons</i> , Little Tern	<i>Patagioenas inornata</i> , Plain Pigeon	<i>Bubo virginianus</i> , Great Horned Owl
<i>Sternula antillarum</i> , Least Tern	<i>Patagioenas fasciata</i> , Band-tailed Pigeon	<i>Bubo scandiacus</i> , Snowy Owl
<i>Gelochelidon nilotica</i> , Gull-billed Tern	<i>Streptopelia orientalis</i> , Oriental Turtle-Dove	<i>Surnia ulula</i> , Northern Hawk Owl
<i>Hydroprogne caspia</i> , Caspian Tern	<i>Zenaida asiatica</i> , White-winged Dove	<i>Glaucidium gnoma</i> , Northern Pygmy-Owl
<i>Chlidonias niger</i> , Black Tern	<i>Zenaida aurita</i> , Zenaida Dove	<i>Glaucidium brasilianum</i> , Ferruginous Pygmy-Owl
<i>Chlidonias leucopterus</i> , White-winged Tern	<i>Zenaida macroura</i> , Mourning Dove	<i>Micrathene whitneyi</i> , Elf Owl
<i>Chlidonias hybridus</i> , Whiskered Tern	<i>Columbina inca</i> , Inca Dove	<i>Athene cunicularia</i> , Burrowing Owl
<i>Sterna dougallii</i> , Roseate Tern	<i>Columbina passerina</i> , Common Ground-Dove	<i>Ciccaba virgata</i> , Mottled Owl
<i>Sterna hirundo</i> , Common Tern	<i>Columbina talpacoti</i> , Ruddy Ground-Dove	<i>Strix occidentalis</i> , Spotted Owl
<i>Sterna paradisaea</i> , Arctic Tern	<i>Leptotila verreauxi</i> , White-tipped Dove	<i>Strix varia</i> , Barred Owl
<i>Sterna forsteri</i> , Forster's Tern	<i>Geotrygon chrysia</i> , Key West Quail-Dove	<i>Strix nebulosa</i> , Great Gray Owl
<i>Sterna sumatrana</i> , Black-naped Tern	<i>Geotrygon mystacea</i> , Bridled Quail-Dove	<i>Asio otus</i> , Long-eared Owl
<i>Thalasseus maximus</i> , Royal Tern	<i>Geotrygon montana</i> , Ruddy Quail-Dove	<i>Asio stygius</i> , Stygian Owl
<i>Thalasseus bergii</i> , Great Crested Tern	<i>Gallicolumba xanthonura</i> , White-throated Ground-Dove	<i>Asio flammeus</i> , Short-eared Owl
<i>Thalasseus sandvicensis</i> , Sandwich Tern	<i>Gallicolumba stairei</i> , Friendly Ground-Dove	<i>Aegolius funereus</i> , Boreal Owl
<i>Thalasseus elegans</i> , Elegant Tern	<i>Ptilinopus perousii</i> , Many-colored Fruit-Dove	<i>Aegolius acadicus</i> , Northern Saw-whet Owl
Subfamily RYNCHOPINAE	<i>Ptilinopus roseicapilla</i> , Mariana Fruit-Dove	Order CAPRIMULGIFORMES
<i>Rynchops niger</i> , Black Skimmer	<i>Ptilinopus porphyraceus</i> , Crimson-crowned Fruit-Dove	Family CAPRIMULGIDAE
Family STERCORARIIDAE	<i>Ducula pacifica</i> , Pacific Imperial-Pigeon	Subfamily CHORDEILINAE
<i>Stercorarius skua</i> , Great Skua	Order CUCULIFORMES	<i>Chordeiles acutipennis</i> , Lesser Nighthawk
<i>Stercorarius maccormicki</i> , South Polar Skua	Family CUCULIDAE	<i>Chordeiles minor</i> , Common Nighthawk
<i>Stercorarius pomarinus</i> , Pomarine Jaeger	Subfamily CUCULINAE	<i>Chordeiles gundlachii</i> , Antillean Nighthawk
<i>Stercorarius parasiticus</i> , Parasitic Jaeger	<i>Cuculus canorus</i> , Common Cuckoo	Subfamily CAPIMULGINAE
<i>Stercorarius longicaudus</i> , Long-tailed Jaeger	<i>Cuculus optatus</i> , Oriental Cuckoo	<i>Nyctidromus albicollis</i> , Common Pauraque
Family ALCIDAE	<i>Cuculus fugax</i> , Hodgson's Hawk-Cuckoo	<i>Phalaenoptilus nuttallii</i> , Common Poorwill
<i>Alle alle</i> , Dovekie	<i>Coccyzus americanus</i> , Yellow-billed Cuckoo	<i>Caprimulgus carolinensis</i> , Chuck-will's-widow
<i>Uria aalge</i> , Common Murre	<i>Coccyzus minor</i> , Mangrove Cuckoo	<i>Caprimulgus ridgwayi</i> , Buff-collared Nightjar
<i>Uria lomvia</i> , Thick-billed Murre	<i>Coccyzus erythrophthalmus</i> , Black-billed Cuckoo	<i>Caprimulgus vociferus</i> , Whip-poor-will
<i>Alca torda</i> , Razorbill	<i>Coccyzus vieilloti</i> , Puerto Rican Lizard-Cuckoo	<i>Caprimulgus noctitherus</i> , Puerto Rican Nightjar
<i>Cephus grylle</i> , Black Guillemot	Subfamily NEOMORPHINAE	<i>Caprimulgus indicus</i> , Gray Nightjar
<i>Cephus columba</i> , Pigeon Guillemot	<i>Geococcyx californianus</i> , Greater Roadrunner	Order APODIFORMES
<i>Brachyramphus perdix</i> , Long-billed Murrelet	Subfamily CROTOPHAGINAE	Family APODIDAE
<i>Brachyramphus marmoratus</i> , Marbled Murrelet	<i>Crotophaga ani</i> , Smooth-billed Ani	Subfamily CYPSELOIDINAE
<i>Brachyramphus brevirostris</i> , Kittlitz's Murrelet	<i>Crotophaga sulcirostris</i> , Groove-billed Ani	<i>Cpseloides niger</i> , Black Swift
<i>Synthliboramphus hypoleucus</i> , Xantus's Murrelet	Order STRIGIFORMES	<i>Streptoprocne zonaris</i> , White-collared Swift
<i>Synthliboramphus craveri</i> , Craveri's Murrelet	Family TYTONIDAE	Subfamily CHAETURINAE
<i>Synthliboramphus antiquus</i> , Ancient Murrelet	<i>Tyto alba</i> , Barn Owl	<i>Chaetura pelasgica</i> , Chimney Swift
<i>Ptychoramphus aleuticus</i> , Cassin's Auklet	Family STRIGIDAE	<i>Chaetura vauxi</i> , Vaux's Swift
<i>Aethia psittacula</i> , Parakeet Auklet	<i>Otus flammeolus</i> , Flammulated Owl	<i>Chaetura brachyura</i> , Short-tailed Swift
<i>Aethia pusilla</i> , Least Auklet	<i>Otus sunia</i> , Oriental Scops-Owl	<i>Hirundapus caudacutus</i> , White-throated Needletail
<i>Aethia pygmaea</i> , Whiskered Auklet	<i>Megascops kennicottii</i> , Western Screech-Owl	<i>Aerodramus spodiopygius</i> , White-rumped Swiftlet
<i>Aethia cristatella</i> , Crested Auklet	<i>Megascops asio</i> , Eastern Screech-Owl	<i>Aerodramus bartschi</i> , Mariana Swiftlet
<i>Cerorhinca monocerata</i> , Rhinoceros Auklet	<i>Megascops trichopsis</i> , Whiskered Screech-Owl	Subfamily APODINAE
<i>Fratercula arctica</i> , Atlantic Puffin	<i>Megascops nudipes</i> , Puerto Rican Screech-Owl	<i>Apus apus</i> , Common Swift
<i>Fratercula corniculata</i> , Horned Puffin		<i>Apus pacificus</i> , Fork-tailed Swift
<i>Fratercula cirrhata</i> , Tufted Puffin		<i>Apus melba</i> , Alpine Swift
Order COLUMBIFORMES		<i>Aeronautes saxatalis</i> , White-throated Swift
Family COLUMBIDAE		<i>Tachornis phoenicobia</i> , Antillean Palm-Swift
<i>Patagioenas squamosa</i> , Scaly-naped Pigeon		
<i>Patagioenas leucocephala</i> , White-crowned Pigeon		

Family TROCHILIDAE	Micronesian Kingfisher	Subfamily FLUVICOLINAE
Subfamily TROCHILINAE	<i>Todirhamphus chloris</i> , Collared Kingfisher	<i>Mitrephanes phaeocercus</i> , Tufted Flycatcher
<i>Colibri thalassinus</i> , Green Violet-ear	Subfamily CERYLINAЕ	<i>Contopus cooperi</i> , Olive-sided Flycatcher
<i>Anthracothorax prevostii</i> , Green-breasted Mango	<i>Ceryle torquatus</i> , Ringed Kingfisher	<i>Contopus pertinax</i> , Greater Pewee
<i>Anthracothorax dominicus</i> , Antillean Mango	<i>Ceryle alcyon</i> , Belted Kingfisher	<i>Contopus sordidulus</i> , Western Wood-Pewee
<i>Anthracothorax viridis</i> , Green Mango	<i>Chloroceryle americana</i> , Green Kingfisher	<i>Contopus virens</i> , Eastern Wood-Pewee
<i>Eulampis jugularis</i> , Purple-throated Carib	Order PICIFORMES	<i>Contopus caribaeus</i> , Cuban Pewee
<i>Eulampis holosericeus</i> , Green-throated Carib	Family PICIDAE	<i>Contopus hispaniolensis</i> , Hispaniolan Pewee
<i>Orthorhynchus cristatus</i> , Antillean Crested Hummingbird	Subfamily JYNGINAE	<i>Contopus latirostris</i> , Lesser Antillean Pewee
<i>Chlorostilbon maugaeus</i> , Puerto Rican Emerald	<i>Jynx torquilla</i> , Eurasian Wryneck	<i>Empidonax flaviventris</i> , Yellow-bellied Flycatcher
<i>Cynanthus latirostris</i> , Broad-billed Hummingbird	Subfamily PICINAE	<i>Empidonax virescens</i> , Acadian Flycatcher
<i>Hylocharis leucotis</i> , White-eared Hummingbird	<i>Melanerpes lewis</i> , Lewis's Woodpecker	<i>Empidonax alnorum</i> , Alder Flycatcher
<i>Hylocharis xantusi</i> , Xantus's Hummingbird	<i>Melanerpes portoricensis</i> , Puerto Rican Woodpecker	<i>Empidonax traillii</i> , Willow Flycatcher
<i>Amazilia beryllina</i> , Berylline Hummingbird	<i>Melanerpes erythrocephalus</i> , Red-headed Woodpecker	<i>Empidonax minimus</i> , Least Flycatcher
<i>Amazilia yucatanensis</i> , Buff-bellied Hummingbird	<i>Melanerpes formicivorus</i> , Acorn Woodpecker	<i>Empidonax hammondii</i> , Hammond's Flycatcher
<i>Amazilia rutila</i> , Cinnamon Hummingbird	<i>Melanerpes uropygialis</i> , Gila Woodpecker	<i>Empidonax wrightii</i> , Gray Flycatcher
<i>Amazilia violiceps</i> , Violet-crowned Hummingbird	<i>Melanerpes aurifrons</i> , Golden-fronted Woodpecker	<i>Empidonax oberholseri</i> , Dusky Flycatcher
<i>Lampornis clemenciae</i> , Blue-throated Hummingbird	<i>Melanerpes carolinus</i> , Red-bellied Woodpecker	<i>Empidonax difficilis</i> , Pacific-slope Flycatcher
<i>Eugenes fulgens</i> , Magnificent Hummingbird	<i>Sphyrapicus thyroideus</i> , Williamson's Sapsucker	<i>Empidonax occidentalis</i> , Cordilleran Flycatcher
<i>Heliomaster constantii</i> , Plain-capped Starthroat	<i>Sphyrapicus varius</i> , Yellow-bellied Sapsucker	<i>Empidonax fulvifrons</i> , Buff-breasted Flycatcher
<i>Calliphlox evelynae</i> , Bahama Woodstar	<i>Sphyrapicus nuchalis</i> , Red-naped Sapsucker	<i>Sayornis nigricans</i> , Black Phoebe
<i>Calothorax lucifer</i> , Lucifer Hummingbird	<i>Sphyrapicus ruber</i> , Red-breasted Sapsucker	<i>Sayornis phoebe</i> , Eastern Phoebe
<i>Archilochus colubris</i> , Ruby-throated Hummingbird	<i>Dendrocopos major</i> , Great Spotted Woodpecker	<i>Sayornis saya</i> , Say's Phoebe
<i>Archilochus alexandri</i> , Black-chinned Hummingbird	<i>Picoides scalaris</i> , Ladder-backed Woodpecker	<i>Pyrocephalus rubinus</i> , Vermilion Flycatcher
<i>Calypte anna</i> , Anna's Hummingbird	<i>Picoides nuttallii</i> , Nuttall's Woodpecker	Subfamily TYRANNINAE
<i>Calypte costae</i> , Costa's Hummingbird	<i>Picoides pubescens</i> , Downy Woodpecker	<i>Myiarchus tuberculifer</i> , Dusky-capped Flycatcher
<i>Stellula calliope</i> , Calliope Hummingbird	<i>Picoides villosus</i> , Hairy Woodpecker	<i>Myiarchus cinerascens</i> , Ash-throated Flycatcher
<i>Atthis heloisa</i> , Bumblebee Hummingbird	<i>Picoides arizonae</i> , Arizona Woodpecker	<i>Myiarchus nuttingi</i> , Nutting's Flycatcher
<i>Selasphorus platycercus</i> , Broad-tailed Hummingbird	<i>Picoides borealis</i> , Red-cockaded Woodpecker	<i>Myiarchus crinitus</i> , Great Crested Flycatcher
<i>Selasphorus rufus</i> , Rufous Hummingbird	<i>Picoides albolarvatus</i> , White-headed Woodpecker	<i>Myiarchus tyrannulus</i> , Brown-crested Flycatcher
<i>Selasphorus sasin</i> , Allen's Hummingbird	<i>Picoides dorsalis</i> , American Three-toed Woodpecker	<i>Myiarchus sagrae</i> , La Sagra's Flycatcher
Order TROGONIFORMES	<i>Picoides arcticus</i> , Black-backed Woodpecker	<i>Myiarchus antillarum</i> , Puerto Rican Flycatcher
Family TROGONIDAE	<i>Colaptes auratus</i> , Northern Flicker	<i>Pitangus sulphuratus</i> , Great Kiskadee
Subfamily TROGONINAE	<i>Colaptes chrysoides</i> , Gilded Flicker	<i>Myiozetetes similis</i> , Social Flycatcher
<i>Trogon elegans</i> , Elegant Trogon	<i>Dryocopus pileatus</i> , Pileated Woodpecker	<i>Myiodynastes luteiventris</i> , Sulphur-bellied Flycatcher
<i>Euptilotis neoxenus</i> , Eared Quetzal	<i>Campephilus principalis</i> , Ivory-billed Woodpecker	<i>Legatus leucophalus</i> , Piratic Flycatcher
Order UPUPIFORMES	Order PASSERIFORMES	<i>Empidonotus varius</i> , Variegated Flycatcher
Family UPUPIDAE	Family TYRANNIDAE	<i>Tyrannus melancholicus</i> , Tropical Kingbird
<i>Upupa epops</i> , Eurasian Hoopoe	Subfamily ELAENIINAE	<i>Tyrannus couchii</i> , Couch's Kingbird
Order CORACIFORMES	<i>Campstostoma imberbe</i> , Northern Beardless-Tyrannulet	<i>Tyrannus vociferans</i> , Cassin's Kingbird
Family ALCEDINIDAE	<i>Myiopagis viridicata</i> , Greenish Elaenia	<i>Tyrannus crassirostris</i> , Thick-billed
Subfamily HALCYONINAE	<i>Elaenia martinica</i> , Caribbean Elaenia	
<i>Todirhamphus cinnamominus</i> ,		

Kingbird	Raven	<i>Campylorhynchus brunneicapillus</i> , Cactus Wren
<i>Tyrannus verticalis</i> , Western Kingbird	<i>Corvus corax</i> , Common Raven	<i>Salpinctes obsoletus</i> , Rock Wren
<i>Tyrannus tyrannus</i> , Eastern Kingbird	Family ALAUDIDAE	<i>Catherpes mexicanus</i> , Canyon Wren
<i>Tyrannus dominicensis</i> , Gray Kingbird	<i>Alauda arvensis</i> , Sky Lark	<i>Thryothorus ludovicianus</i> , Carolina Wren
<i>Tyrannus forficatus</i> , Scissor-tailed Flycatcher	<i>Eremophila alpestris</i> , Horned Lark	<i>Thryomanes bewickii</i> , Bewick's Wren
<i>Tyrannus savana</i> , Fork-tailed Flycatcher	Family HIRUNDINIDAE	<i>Troglodytes aedon</i> , House Wren
<i>Pachyramphus aglaiae</i> , Rose-throated Becard	Subfamily HIRUNDININAE	<i>Troglodytes troglodytes</i> , Winter Wren
<i>Tityra semifasciata</i> , Masked Tityra	<i>Progne subis</i> , Purple Martin	<i>Cistothorus platensis</i> , Sedge Wren
Family LANIIDAE	<i>Progne cryptoleuca</i> , Cuban Martin	<i>Cistothorus palustris</i> , Marsh Wren
<i>Lanius cristatus</i> , Brown Shrike	<i>Progne dominicensis</i> , Caribbean Martin	Family CINCLIDAE
<i>Lanius ludovicianus</i> , Loggerhead Shrike	<i>Progne chalybea</i> , Gray-breasted Martin	<i>Cinclus mexicanus</i> , American Dipper
<i>Lanius excubitor</i> , Northern Shrike	<i>Progne elegans</i> , Southern Martin	Family REGULIDAE
Family VIREONIDAE	<i>Progne tapera</i> , Brown-chested Martin	<i>Regulus satrapa</i> , Golden-crowned Kinglet
<i>Vireo griseus</i> , White-eyed Vireo	<i>Tachycineta bicolor</i> , Tree Swallow	<i>Regulus calendula</i> , Ruby-crowned Kinglet
<i>Vireo crassirostris</i> , Thick-billed Vireo	<i>Tachycineta albilinea</i> , Mangrove Swallow	Family SYLVIIDAE
<i>Vireo latimeri</i> , Puerto Rican Vireo	<i>Tachycineta thalassina</i> , Violet-green Swallow	Subfamily SYLVINAE
<i>Vireo bellii</i> , Bell's Vireo	<i>Tachycineta cyaneoviridis</i> , Bahama Swallow	<i>Locustella ochotensis</i> , Middendorff's Grasshopper-Warbler
<i>Vireo atricapillus</i> , Black-capped Vireo	<i>Stelgidopteryx serripennis</i> , Northern Rough-winged Swallow	<i>Phylloscopus borealis</i> , Arctic Warbler
<i>Vireo vicinior</i> , Gray Vireo	<i>Riparia riparia</i> , Bank Swallow	<i>Phylloscopus trochilus</i> , Willow Warbler
<i>Vireo flavifrons</i> , Yellow-throated Vireo	<i>Petrochelidon pyrrhonota</i> , Cliff Swallow	<i>Sylvia curruca</i> , Lesser Whitethroat
<i>Vireo plumbeus</i> , Plumbeous Vireo	<i>Petrochelidon fulva</i> , Cave Swallow	Subfamily POLIOPHTILINAE
<i>Vireo cassini</i> , Cassin's Vireo	<i>Hirundo rustica</i> , Barn Swallow	<i>Polioptila caerulea</i> , Blue-gray Gnatcatcher
<i>Vireo solitarius</i> , Blue-headed Vireo	<i>Delichon urbicum</i> , Common House-Martin	<i>Polioptila californica</i> , California Gnatcatcher
<i>Vireo huttoni</i> , Hutton's Vireo	Family PARIDAE	<i>Polioptila melanura</i> , Black-tailed Gnatcatcher
<i>Vireo gilvus</i> , Warbling Vireo	<i>Poecile carolinensis</i> , Carolina Chickadee	<i>Polioptila nigriceps</i> , Black-capped Gnatcatcher
<i>Vireo philadelphicus</i> , Philadelphia Vireo	<i>Poecile sclateri</i> , Mexican Chickadee	Family MUSCICAPIDAE
<i>Vireo olivaceus</i> , Red-eyed Vireo	<i>Poecile rufescens</i> , Chestnut-backed Chickadee	<i>Muscicapa griseisticta</i> , Gray-streaked Flycatcher
<i>Vireo flavoviridis</i> , Yellow-green Vireo	<i>Poecile hudsonica</i> , Boreal Chickadee	Family TURRIDAE
<i>Vireo altiloquus</i> , Black-whiskered Vireo	<i>Poecile cincta</i> , Gray-headed Chickadee	<i>Luscinia calliope</i> , Siberian Rubythroat
<i>Vireo magister</i> , Yucatan Vireo	<i>Baeolophus wollweberi</i> , Bridled Titmouse	<i>Luscinia svecica</i> , Bluethroat
Family CORVIDAE	<i>Baeolophus inornatus</i> , Oak Titmouse	<i>Luscinia cyane</i> , Siberian Blue Robin
<i>Perisoreus canadensis</i> , Gray Jay	<i>Baeolophus ridgwayi</i> , Juniper Titmouse	<i>Monticola solitarius</i> , Blue Rock Thrush
<i>Cyanocitta stelleri</i> , Steller's Jay	<i>Baeolophus bicolor</i> , Tufted Titmouse	<i>Tarsiger cyanurus</i> , Red-flanked Bluetail
<i>Cyanocitta cristata</i> , Blue Jay	<i>Baeolophus atricristatus</i> , Black-crested Titmouse	<i>Oenanthe oenanthe</i> , Northern Wheatear
<i>Cyanocorax yncas</i> , Green Jay	Family REMIZIDAE	<i>Saxicola torquatus</i> , Stonechat
<i>Cyanocorax morio</i> , Brown Jay	<i>Auriparus flaviceps</i> , Verdin	<i>Sialia sialis</i> , Eastern Bluebird
<i>Aphelocoma coerulescens</i> , Florida Scrub-Jay	Family AEGITHALIDAE	<i>Sialia mexicana</i> , Western Bluebird
<i>Aphelocoma insularis</i> , Island Scrub-Jay	<i>Psaltriparus minimus</i> , Bushtit	<i>Sialia currucoides</i> , Mountain Bluebird
<i>Aphelocoma californica</i> , Western Scrub-Jay	Family SITTIDAE	<i>Myadestes townsendi</i> , Townsend's Solitaire
<i>Aphelocoma ultramarina</i> , Mexican Jay	Subfamily SITTINAE	<i>Myadestes myadestinus</i> , Kamao
<i>Gymnorhinus cyanocephalus</i> , Pinyon Jay	<i>Sitta canadensis</i> , Red-breasted Nuthatch	<i>Myadestes lanaiensis</i> , Olomao
<i>Nucifraga columbiana</i> , Clark's Nutcracker	<i>Sitta carolinensis</i> , White-breasted Nuthatch	<i>Myadestes obscurus</i> , Omao
<i>Pica hudsonia</i> , Black-billed Magpie	<i>Sitta pygmaea</i> , Pygmy Nuthatch	<i>Myadestes palmeri</i> , Puaoihi
<i>Pica nuttalli</i> , Yellow-billed Magpie	<i>Sitta pusilla</i> , Brown-headed Nuthatch	<i>Catharus aurantiirostris</i> , Orange-billed Nightingale-Thrush
<i>Corvus kubaryi</i> , Mariana Crow	Family CERTHIIDAE	<i>Catharus mexicanus</i> , Black-headed Nightingale-Thrush
<i>Corvus brachyrhynchos</i> , American Crow	Subfamily CERTHIIINAE	<i>Catharus fuscescens</i> , Veery
<i>Corvus caurinus</i> , Northwestern Crow	<i>Certhia americana</i> , Brown Creeper	<i>Catharus minimus</i> , Gray-cheeked Thrush
<i>Corvus leucognaphalus</i> , White-necked Crow	Family TROGLODYTIIDAE	<i>Catharus bicknelli</i> , Bicknell's Thrush
<i>Corvus imparatus</i> , Tamaulipas Crow		
<i>Corvus ossifragus</i> , Fish Crow		
<i>Corvus hawaiiensis</i> , Hawaiian Crow		
<i>Corvus cryptoleucus</i> , Chihuahuan		

<i>Catharus ustulatus</i> , Swainson's Thrush	<i>Ptilogonyx cinereus</i> , Gray Silky-flycatcher	Redstart
<i>Catharus guttatus</i> , Hermit Thrush	<i>Phainopepla nitens</i> , Phainopepla	<i>Protonotaria citrea</i> , Prothonotary Warbler
<i>Hylocichla mustelina</i> , Wood Thrush	Family PEUCEDRAMIDAE	<i>Hemitheros vermivorus</i> , Worm-eating Warbler
<i>Turdus obscurus</i> , Eyebrowed Thrush	<i>Peucedramus taeniatus</i> , Olive Warbler	<i>Limnothlypis swainsonii</i> , Swainson's Warbler
<i>Turdus naumanni</i> , Dusky Thrush	Family PARULIDAE	<i>Seiurus aurocapilla</i> , Ovenbird
<i>Turdus pilaris</i> , Fieldfare	<i>Vermivora bachmanii</i> , Bachman's Warbler	<i>Seiurus noveboracensis</i> , Northern Waterthrush
<i>Turdus grayi</i> , Clay-colored Robin	<i>Vermivora pinus</i> , Blue-winged Warbler	<i>Seiurus motacilla</i> , Louisiana Waterthrush
<i>Turdus assimilis</i> , White-throated Robin	<i>Vermivora chrysoptera</i> , Golden-winged Warbler	<i>Oporornis formosus</i> , Kentucky Warbler
<i>Turdus rufopalliatus</i> , Rufous-backed Robin	<i>Vermivora peregrina</i> , Tennessee Warbler	<i>Oporornis agilis</i> , Connecticut Warbler
<i>Turdus migratorius</i> , American Robin	<i>Vermivora celata</i> , Orange-crowned Warbler	<i>Oporornis philadelphica</i> , Mourning Warbler
<i>Turdus plumbeus</i> , Red-legged Thrush	<i>Vermivora ruficapilla</i> , Nashville Warbler	<i>Oporornis tolmiei</i> , MacGillivray's Warbler
<i>Ixoreus naevius</i> , Varied Thrush	<i>Vermivora virginiae</i> , Virginia's Warbler	<i>Geothlypis trichas</i> , Common Yellowthroat
<i>Ridgwayia pinicola</i> , Aztec Thrush	<i>Vermivora crissalis</i> , Colima Warbler	<i>Geothlypis poliocephala</i> , Gray-crowned Yellowthroat
Family MIMIDAE	<i>Vermivora luciae</i> , Lucy's Warbler	<i>Wilsonia citrina</i> , Hooded Warbler
<i>Dumetella carolinensis</i> , Gray Catbird	<i>Parula superciliosa</i> , Crescent-cheested Warbler	<i>Wilsonia pusilla</i> , Wilson's Warbler
<i>Melanoptila glabrirostris</i> , Black Catbird	<i>Parula americana</i> , Northern Parula	<i>Wilsonia canadensis</i> , Canada Warbler
<i>Mimus polyglottos</i> , Northern Mockingbird	<i>Parula pitiayumi</i> , Tropical Parula	<i>Cardellina rubrifrons</i> , Red-faced Warbler
<i>Mimus gundlachii</i> , Bahama Mockingbird	<i>Dendroica petechia</i> , Yellow Warbler	<i>Myioborus pictus</i> , Painted Redstart
<i>Oreoscoptes montanus</i> , Sage Thrasher	<i>Dendroica pensylvanica</i> , Chestnut-sided Warbler	<i>Myioborus miniatus</i> , Slate-throated Redstart
<i>Toxostoma rufum</i> , Brown Thrasher	<i>Dendroica magnolia</i> , Magnolia Warbler	<i>Euthlypis lachrymosa</i> , Fan-tailed Warbler
<i>Toxostoma longirostre</i> , Long-billed Thrasher	<i>Dendroica tigrina</i> , Cape May Warbler	<i>Basileuterus culicivorus</i> , Golden-crowned Warbler
<i>Toxostoma bendirei</i> , Bendire's Thrasher	<i>Dendroica caeruleascens</i> , Black-throated Blue Warbler	<i>Basileuterus rufifrons</i> , Rufous-capped Warbler
<i>Toxostoma curvirostre</i> , Curve-billed Thrasher	<i>Dendroica coronata</i> , Yellow-rumped Warbler	<i>Icteria virens</i> , Yellow-breasted Chat
<i>Toxostoma redivivum</i> , California Thrasher	<i>Dendroica nigrescens</i> , Black-throated Gray Warbler	Family THRAUPIDAE
<i>Toxostoma crissale</i> , Crissal Thrasher	<i>Dendroica chrysoparia</i> , Golden-cheeked Warbler	<i>Neospingus speculiferus</i> , Puerto Rican Tanager
<i>Toxostoma lecontei</i> , Le Conte's Thrasher	<i>Dendroica virens</i> , Black-throated Green Warbler	<i>Piranga flava</i> , Hepatic Tanager
<i>Melanotis caerulescens</i> , Blue Mockingbird	<i>Dendroica townsendi</i> , Townsend's Warbler	<i>Piranga rubra</i> , Summer Tanager
<i>Margarops fuscatus</i> , Pearly-eyed Thrasher	<i>Dendroica occidentalis</i> , Hermit Warbler	<i>Piranga olivacea</i> , Scarlet Tanager
Family STURNIDAE	<i>Dendroica fusca</i> , Blackburnian Warbler	<i>Piranga ludoviciana</i> , Western Tanager
<i>Sturnus philippensis</i> , Chestnut-cheeked Starling	<i>Dendroica dominica</i> , Yellow-throated Warbler	<i>Piranga bidentata</i> , Flame-colored Tanager
<i>Sturnus cineraceus</i> , White-cheeked Starling	<i>Dendroica gracieae</i> , Grace's Warbler	<i>Spindalis zena</i> , Western Spindalis
Family PRUNELLIDAE	<i>Dendroica adelaidae</i> , Adelaide's Warbler	<i>Spindalis portoricensis</i> , Puerto Rican Spindalis
<i>Prunella montanella</i> , Siberian Accentor	<i>Dendroica pinus</i> , Pine Warbler	<i>Euphonia musica</i> , Antillean Euphonia
Family MOTACILLIDAE	<i>Dendroica kirtlandii</i> , Kirtland's Warbler	Family EMBERIZIDAE
<i>Motacilla tschutschensis</i> , Eastern Yellow Wagtail	<i>Dendroica discolor</i> , Prairie Warbler	<i>Sporophila torqueola</i> , White-collared Seedeater
<i>Motacilla citreola</i> , Citrine Wagtail	<i>Dendroica palmarum</i> , Palm Warbler	<i>Tiaris olivacea</i> , Yellow-faced Grassquit
<i>Motacilla cinerea</i> , Gray Wagtail	<i>Dendroica castanea</i> , Bay-breasted Warbler	<i>Tiaris bicolor</i> , Black-faced Grassquit
<i>Motacilla alba</i> , White Wagtail	<i>Dendroica striata</i> , Blackpoll Warbler	<i>Loxigilla portoricensis</i> , Puerto Rican Bullfinch
<i>Anthus trivialis</i> , Tree Pipit	<i>Dendroica cerulea</i> , Cerulean Warbler	<i>Arremonops rufivirgatus</i> , Olive Sparrow
<i>Anthus hodgsoni</i> , Olive-backed Pipit	<i>Dendroica angelae</i> , Elfin-woods Warbler	<i>Pipilo chlorurus</i> , Green-tailed Towhee
<i>Anthus gustavi</i> , Pechora Pipit	<i>Mniotilla varia</i> , Black-and-white Warbler	<i>Pipilo maculatus</i> , Spotted Towhee
<i>Anthus cervinus</i> , Red-throated Pipit	<i>Setophaga ruticilla</i> , American	<i>Pipilo erythropthalmus</i> , Eastern Towhee
<i>Anthus rubescens</i> , American Pipit		<i>Pipilo fuscus</i> , Canyon Towhee
<i>Anthus spragueii</i> , Sprague's Pipit		<i>Pipilo crissalis</i> , California Towhee
Family BOMBYCILLIDAE		<i>Pipilo aberti</i> , Abert's Towhee
<i>Bombycilla garrulus</i> , Bohemian Waxwing		
<i>Bombycilla cedrorum</i> , Cedar Waxwing		
Family PTILOGONATIDAE		

<i>Aimophila carpalis</i> , Rufous-winged Sparrow	Longspur	Gackle
<i>Aimophila cassini</i> , Cassin's Sparrow	<i>Calcarius pictus</i> , Smith's Longspur	<i>Molothrus bonariensis</i> , Shiny Cowbird
<i>Aimophila aestivalis</i> , Bachman's Sparrow	<i>Calcarius ornatus</i> , Chestnut-collared Longspur	<i>Molothrus aeneus</i> , Bronzed Cowbird
<i>Aimophila botterii</i> , Botteri's Sparrow	<i>Emberiza leucocephalos</i> , Pine Bunting	<i>Molothrus ater</i> , Brown-headed Cowbird
<i>Aimophila ruficeps</i> , Rufous-crowned Sparrow	<i>Emberiza pusilla</i> , Little Bunting	<i>Icterus wagleri</i> , Black-vented Oriole
<i>Aimophila quinquestriata</i> , Five-striped Sparrow	<i>Emberiza rustica</i> , Rustic Bunting	<i>Icterus dominicensis</i> , Greater Antillean Oriole
<i>Spizella arborea</i> , American Tree Sparrow	<i>Emberiza elegans</i> , Yellow-throated Bunting	<i>Icterus spurius</i> , Orchard Oriole
<i>Spizella passerina</i> , Chipping Sparrow	<i>Emberiza aureola</i> , Yellow-breasted Bunting	<i>Icterus cucullatus</i> , Hooded Oriole
<i>Spizella pallida</i> , Clay-colored Sparrow	<i>Emberiza variabilis</i> , Gray Bunting	<i>Icterus pustulatus</i> , Streak-backed Oriole
<i>Spizella breweri</i> , Brewer's Sparrow	<i>Emberiza pallasi</i> , Pallas's Bunting	<i>Icterus bullockii</i> , Bullock's Oriole
<i>Spizella pusilla</i> , Field Sparrow	<i>Emberiza schoeniculus</i> , Reed Bunting	<i>Icterus gularis</i> , Altamira Oriole
<i>Spizella wortheni</i> , Worthen's Sparrow	<i>Plectrophenax nivalis</i> , Snow Bunting	<i>Icterus graduacauda</i> , Audubon's Oriole
<i>Spizella atrogularis</i> , Black-chinned Sparrow	<i>Plectrophenax hyperboreus</i> , McKay's Bunting	<i>Icterus galbula</i> , Baltimore Oriole
<i>Pooecetes gramineus</i> , Vesper Sparrow	Family CARDINALIDAE	
<i>Chondestes grammacus</i> , Lark Sparrow	<i>Rhodothraupis celaeno</i> , Crimson-collared Grosbeak	<i>Icterus parisorum</i> , Scott's Oriole
<i>Amphispiza bilineata</i> , Black-throated Sparrow	<i>Cardinalis cardinalis</i> , Northern Cardinal	Family FRINGILLIDAE
<i>Amphispiza belli</i> , Sage Sparrow	<i>Cardinalis sinuatus</i> , Pyrrhuloxia	Subfamily FRINGILLINAE
<i>Calamospiza melanocorys</i> , Lark Bunting	<i>Pheucticus chrysopoeplus</i> , Yellow Grosbeak	<i>Fringilla coelebs</i> , Common Chaffinch
<i>Passerculus sandwichensis</i> , Savannah Sparrow	<i>Pheucticus ludovicianus</i> , Rose-breasted Grosbeak	<i>Fringilla montifringilla</i> , Brambling
<i>Ammodramus savannarum</i> , Grasshopper Sparrow	<i>Pheucticus melanocephalus</i> , Black-headed Grosbeak	Subfamily CARDUELINAE
<i>Ammodramus bairdii</i> , Baird's Sparrow	<i>Cyanocompsa parellina</i> , Blue Bunting	<i>Leucosticte tephrocotis</i> , Gray-crowned Rosy-Finch
<i>Ammodramus henslowii</i> , Henslow's Sparrow	<i>Passerina caerulea</i> , Blue Grosbeak	<i>Leucosticte atrata</i> , Black Rosy-Finch
<i>Ammodramus leconteii</i> , Le Conte's Sparrow	<i>Passerina amoena</i> , Lazuli Bunting	<i>Leucosticte australis</i> , Brown-capped Rosy-Finch
<i>Ammodramus nelsoni</i> , Nelson's Sharp-tailed Sparrow	<i>Passerina cyanea</i> , Indigo Bunting	<i>Pinicola enucleator</i> , Pine Grosbeak
<i>Ammodramus caudacutus</i> , Saltmarsh Sharp-tailed Sparrow	<i>Passerina versicolor</i> , Varied Bunting	<i>Carpodacus erythrinus</i> , Common Rosefinch
<i>Ammodramus maritimus</i> , Seaside Sparrow	<i>Passerina ciris</i> , Painted Bunting	<i>Carpodacus purpureus</i> , Purple Finch
<i>Passerella iliaca</i> , Fox Sparrow	<i>Spiza americana</i> , Dickcissel	<i>Carpodacus cassini</i> , Cassin's Finch
<i>Melospiza melodia</i> , Song Sparrow	Family ICTERIDAE	<i>Carpodacus mexicanus</i> , House Finch
<i>Melospiza lincolni</i> , Lincoln's Sparrow	<i>Dolichonyx oryzivorus</i> , Bobolink	<i>Loxia curvirostra</i> , Red Crossbill
<i>Melospiza georgiana</i> , Swamp Sparrow	<i>Agelaius phoeniceus</i> , Red-winged Blackbird	<i>Loxia leucoptera</i> , White-winged Crossbill
<i>Zonotrichia albicollis</i> , White-throated Sparrow	<i>Agelaius tricolor</i> , Tricolored Blackbird	<i>Carduelis flammea</i> , Common Redpoll
<i>Zonotrichia querula</i> , Harris's Sparrow	<i>Agelaius humeralis</i> , Tawny-shouldered Blackbird	<i>Carduelis hornemanni</i> , Hoary Redpoll
<i>Zonotrichia leucophrys</i> , White-crowned Sparrow	<i>Agelaius xanthomus</i> , Yellow-shouldered Blackbird	<i>Carduelis spinus</i> , Eurasian Siskin
<i>Zonotrichia atricapilla</i> , Golden-crowned Sparrow	<i>Sturnella magna</i> , Eastern Meadowlark	<i>Carduelis pinus</i> , Pine Siskin
<i>Junco hyemalis</i> , Dark-eyed Junco	<i>Sturnella neglecta</i> , Western Meadowlark	<i>Carduelis psaltria</i> , Lesser Goldfinch
<i>Junco phaeonotus</i> , Yellow-eyed Junco	<i>Xanthocephalus xanthocephalus</i> , Yellow-headed Blackbird	<i>Carduelis lawrencei</i> , Lawrence's Goldfinch
<i>Calcarius mccownii</i> , McCown's Longspur	<i>Euphagus carolinus</i> , Rusty Blackbird	<i>Carduelis tristis</i> , American Goldfinch
<i>Calcarius lapponicus</i> , Lapland	<i>Euphagus cyanocephalus</i> , Brewer's Blackbird	<i>Carduelis sinica</i> , Oriental Greenfinch
	<i>Quiscalus quiscula</i> , Common Grackle	<i>Pyrhula pyrrhula</i> , Eurasian Bullfinch
	<i>Quiscalus major</i> , Boat-tailed Grackle	<i>Coccothraustes vespertinus</i> , Evening Grosbeak
	<i>Quiscalus mexicanus</i> , Great-tailed Grackle	<i>Coccothraustes coccothraustes</i> , Hawfinch
	<i>Quiscalus niger</i> , Greater Antillean	Dated: August 8, 2006.

David M. Verhey,*Acting Assistant Secretary for Fish and Wildlife and Parks.*

[FR Doc. 06-7001 Filed 8-23-06; 8:45 am]

BILLING CODE 4310-55-P