Status	Process or element	QA/QC specification	Acceptance criteria	Checking frequency
			Alternative specification: ≤ 0.5 ppmv absolute difference.	
М	System Performance	NO <sub>2</sub> -NO conversion efficiency.	≥ 90% of certified test gas concentration	Before or after each test.
M	System Performance	Purge time	≥ 2 times system response time	Before starting the first run and when probe is removed from and re-inserted into the stack.
M	System Performance	Minimum sample time at each point.	Two times the system response time	Each sample point.
M	System Performance	Stable sample flow rate (surrogate for main- taining system re- sponse time).	Within 10% of flow rate established during system response time check.	Each run.
M	Sample Point Selection	Stratification test	All points within:  ± 5% of mean for 1-point sampling.  ± 10% of mean for 3-point.  Alternatively, all points within:  ± 0.5 ppm of mean for 1-point sampling.  ± 1.0 ppm of mean for 3-point sampling.	Prior to first run.
Α	Multiple sample points simultaneously.	No. of openings in probe.	Multi-hole probe with verifiable constant flow through all holes within 10% of mean flow rate (requires Administrative approval for Part 75).	Each run.
M	, ,	Frequency	≤ 1 minute average	During run.
S	Data Parameters	Sample concentration range.	All 1-minute averages within calibration span	Each run.

#### SUMMARY TABLE OF AQ/QC—Continued

S = Suggest. M = Mandatory. A = Alternative. Agency.

12.11 Calculated Spike Gas Concentration and Spike Recovery for the Example Alternative Dynamic Spiking Procedure in Section 16.1.3.

Date Parameters .....

Use Equation 7E–11 to determine the calculated spike gas concentration. Use Equation 7E–12 to calculate the spike recovery.

Average concentration

for the run.

$$C_{Calc} = \frac{\left(C_{Spike}\right)\left(Q_{Spike}\right)}{Q_{Total}}$$
 Eq. 7E-11

$$R = \frac{DF\left(C_{ss} - C_{native}\right) + C_{native}}{C_{Spike}} \times 100 \qquad \text{Eq. } 7E-12$$

16.2.2 Tedlar Bag Procedure. Perform the analyzer calibration error test to document the calibration (both NO and NO<sub>X</sub> modes, as applicable). Fill a Tedlar bag approximately half full with either ambient air, pure oxygen, or an oxygen standard gas with at least 19.5 percent by volume oxygen content. Fill the remainder of the bag with midto high-level NO in N2 (or other appropriate concentration) calibration gas. (Note that the concentration of the NO standard should be sufficiently high enough for the diluted concentration to be easily and accurately measured on the scale used. The size of the bag should be large enough to accommodate the procedure and time required.)

(1) Immediately attach the bag to the inlet of the NO<sub>X</sub> analyzer (or external

converter if used). In the case of a dilution-system, introduce the gas at a point upstream of the dilution assembly. Measure the NO<sub>X</sub> concentration for a period of 30 minutes. If the NO<sub>X</sub> concentration drops more than 2 percent absolute from the peak value observed, then the NO<sub>2</sub> converter has failed to meet the criteria of this test. Take corrective action. The highest NO<sub>X</sub> value observed is considered to be NO<sub>XPeak</sub>. The final NO<sub>X</sub> value observed is considered to be  $NO_{Xfinal}$ .

(2) [Reserved]

[FR Doc. E9-12565 Filed 5-28-09; 8:45 am] BILLING CODE 6560-50-P

#### **FEDERAL COMMUNICATIONS** COMMISSION

47 CFR Part 73

Run average ≤ calibration span ...... Each run.

[DA 09-413; MB Docket No. 08-68; RM-11421]

Radio Broadcasting Services; Beatty and Goldfield, NV

**AGENCY:** Federal Communications Commission.

**ACTION:** Final rule.

**SUMMARY:** The Audio Division grants a Petition for Rule Making issued at the request of Keilly Miller, proposing the allotments of Channel 259A at Beatty, Nevada, and Channel 262C1 at Goldfield, Nevada, as first local FM transmission services. A staff

engineering analysis indicates that Channel 259A can be allotted to Beatty consistent with the minimum distance separation requirements of the Rules with a site restriction 8.6 kilometers (5.3) miles) west located at reference coordinates 36-56-05 NL and 116-51-00 WL. Moreover, Channel 262C1 can be allotted to Goldfield consistent with the minimum distance separation requirements of the Commission's Rules (the "Rules") with a site restriction 0.6 kilometers (0.4 miles) northeast of the community located at reference coordinates 37-42-41 NL and 117-13-56 WL.

DATES: Effective June 29, 2009.
ADDRESSES: Secretary, Federal
Communications Commission, 445
Twelfth Street, SW., Washington, DC
20554

## FOR FURTHER INFORMATION CONTACT: Rolanda E Smith Media Rureau (202

Rolanda F. Smith, Media Bureau, (202) 418–2180.

SUPPLEMENTARY INFORMATION: This is a summary of the Commission's Report and Order, MB Docket No. 08-68, adopted February 18, 2009, and released February 20, 2009. An Erratum, DA 09-XXX was released on May 19, 2009, changing the effective date of this final rule. The Notice of Proposed Rule Making proposed the allotment of Channel 259A at Beatty, Nevada, and Channel 262C1 at Goldfield, Nevada. See 73 FR 63131, published October 23, 2008. The full text of the Report and Order is available for inspection and copying during normal business hours in the Commission's Reference Information Center, 445 Twelfth Street, SW., Washington, DC 20554. The complete text of this decision may also be purchased from the Commission's duplicating contractor, Best Copy and Printing, Inc., 445 12th Street, SW., Room CY-B402, Washington, DC, 20554, telephone 1-800-378-3160 or http://www.BCPIWEB.com. This document does not contain proposed information collection requirements subject to the Paperwork Reduction Act of 1995, Public Law 104-13. In addition, therefore, it does not contain any proposed information collection burden "for small business concerns with fewer than 25 employees," pursuant to the Small Business Paperwork Relief Act of 2002, Public Law 107-198, see 44 U.S.C. 3506(c)(4). The Commission will send a copy of this Report and Order in a report to be sent to Congress and the Government Accountability Office pursuant to the Congressional Review Act, see 5 U.S.C. 801(a)(1)(A).

### List of Subjects in 47 CFR Part 73

Radio, Radio broadcasting.

■ As stated in the preamble, the Federal Communications Commission amends 47 CFR Part 73 as follows:

# PART 73—RADIO BROADCAST SERVICES

■ 1. The authority citation for part 73 continues to read as follows:

Authority: 47 U.S.C. 154, 303, 334, 336.

#### §73.202 [Amended]

■ 2. Section 73.202(b), the Table of FM Allotments under Nevada, is amended by adding Beatty, Channel 259A, and Goldfield, Channel 262C1.

Federal Communications Commission.

#### John A. Karousos,

Assistant Chief, Audio Division, Media Bureau.

[FR Doc. E9–12535 Filed 5–28–09; 8:45 am] BILLING CODE 6712–01–P

## FEDERAL COMMUNICATIONS COMMISSION

### 47 CFR Part 73

[DA 09-414; MB Docket No. 08-201; RN-11478]

## Radio Broadcasting Services; Williston. SC

**AGENCY:** Federal Communications Commission.

**ACTION:** Final rule.

SUMMARY: The Audio Division, at the request of Henry B. Shaffer, allots Channel 260A at Williston, South Carolina, as the community's second local FM service. Channel 260A can be allotted to Williston, South Carolina, in compliance with the Commission's minimum distance separation requirements with a site restriction of 18.2 kilometers (11.3 miles) east of Williston. The coordinates for Channel 260A at Williston, South Carolina, are 41–31–30 North Latitude and 120–19–45 West Longitude.

DATES: Effective June 29, 2009.

## FOR FURTHER INFORMATION CONTACT:

Deborah Dupont, Media Bureau, (202) 418–2180.

SUPPLEMENTARY INFORMATION: This is a synopsis of the Commission's *Report and Order*, MB Docket No. 08–201, adopted February 18, 2009, and released February 20, 2009. An Erratum, DA 09–1089 was released on May 19, 2009, changing the effective date of this final rule. The full text of this Commission decision is available for inspection and copying during normal business hours in the FCC Information Center, Portals II, 445 12th Street, SW., Room CY–

A257, Washington, DC 20554. The complete text of this decision also may be purchased from the Commission's duplicating contractor, Best Copy and Printing, Inc., 445 12th Street, SW., Room CY-B402, Washington, DC, 20554, (800) 378-3160, or via the company's Web site, http:// www.bcpiweb.com. This document does not contain proposed information collection requirements subject to the Paperwork Reduction Act of 1995, Public Law 104-13. In addition, therefore, it does not contain any proposed information collection burden "for small business concerns with fewer than 25 employees," pursuant to the Small Business Paperwork Relief Act of 2002. Public Law 107-198. see 44 U.S.C. 3506 (c)(4). The Commission will send a copy of this Report and Order in a report to be sent to Congress and the Government Accountability Office pursuant to the Congressional Review Act, see U.S.C. 801(a)(1)(A).

### List of Subjects in 47 CFR part 73

Radio, Radio broadcasting.

■ For the reasons discussed in the preamble, the Federal Communications Commission amends 47 CFR part 73 as follows:

# PART 73—RADIO BROADCAST SERVICES

■ 1. The authority citation for part 73 continues to read as follows:

**Authority:** 47 U.S.C. 154, 303, 334 and 336.

### §73.202 [Amended]

■ 2. Section 73.202(b), the Table of FM Allotments under South Carolina, is amended by adding Williston, Channel 260A.

Federal Communications Commission.

#### John A. Karousos,

Assistant Chief, Audio Division, Media Bureau.

[FR Doc. E9–12537 Filed 5–28–09; 8:45 am] BILLING CODE 6712–01–P