

actions or investigations, to ensure protective services provided the President and others are not compromised, to protect the identity of confidential sources incident to Federal employment, military service, contract, and security clearance determinations, to preserve the confidentiality and integrity of Federal testing materials, and to safeguard evaluation materials used for military promotions when furnished by a confidential source. The exemption rule for the original records will identify the specific reasons why the records are exempt from specific provisions of 5 U.S.C. 552a.

(14) System identifier and name: DHRA 02, PERSEREC Research Files.

(i) *Exemption:* (A) Investigative material compiled solely for the purpose of determining suitability, eligibility, or qualifications for federal civilian employment, military service, federal contracts, or access to classified information may be exempt pursuant to 5 U.S.C. 552a(k)(5), but only to the extent that such material would reveal the identity of a confidential source.

(B) Therefore, portions of this system may be exempt pursuant to 5 U.S.C. 552a(k)(5) from the following subsections of 5 U.S.C. 552a(c)(3), (d), and (e)(1).

(ii) *Authority:* 5 U.S.C. 552a(k)(5).

(iii) *Reasons:* (A) From subsection (c)(3) and (d) when access to accounting disclosures and access to or amendment of records would cause the identity of a confidential source to be revealed. Disclosure of the source's identity not only will result in the Department breaching the promise of confidentiality made to the source, but it will impair the Department's future ability to compile investigatory material for the purpose of determining suitability, eligibility, or qualifications for Federal civilian employment, Federal contracts, or access to classified information. Unless sources can be assured that a promise of confidentiality will be honored, they will be less likely to provide information considered essential to the Department in making the required determinations.

(B) From (e)(1) because in the collection of information for investigatory purposes, it is not always possible to determine the relevance and necessity of particular information in the early stages of the investigation. In some cases, it is only after the information is evaluated in light of other information that its relevance and necessity becomes clear. Such information permits more informed decisionmaking by the Department when making required suitability,

eligibility, and qualification determinations.

(15) System identifier and name: DCIFA 01, CIFA Operational and Analytical Records.

(i) *Exemptions:* This system of records is a compilation of information from other Department of Defense and U.S. Government systems of records. To the extent that copies of exempt records from those 'other' systems of records are entered into this system, OSD hereby claims the same exemptions for the records from those 'other' systems that are entered into this system, as claimed for the original primary system of which they are a part.

(ii) *Authority:* 5 U.S.C. 552a(j)(2), (k)(1), (k)(2), (k)(3), (k)(4), (k)(5), (k)(6), and (k)(7).

(iii) Records are only exempt from pertinent provisions of 5 U.S.C. 552a to the extent (1) such provisions have been identified and an exemption claimed for the original record and (2) the purposes underlying the exemption for the original record still pertain to the record which is now contained in this system of records. In general, the exemptions are claimed in order to protect properly classified information relating to national defense and foreign policy, to avoid interference during the conduct of criminal, civil, or administrative actions or investigations, to ensure protective services provided the President and others are not compromised, to protect the identity of confidential sources incident to Federal employment, military service, contract, and security clearance determinations, and to preserve the confidentiality and integrity of Federal evaluation materials. The exemption rule for the original records will identify the specific reasons why the records are exempt from specific provisions of 5 U.S.C. 552a.

Dated: November 6, 2009.

Patricia L. Toppings,

*OSD Federal Register Liaison Officer,
Department of Defense.*

[FR Doc. E9-27148 Filed 11-10-09; 8:45 am]

BILLING CODE 5001-06-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2009-0952]

Drawbridge Operation Regulations; Hackensack River, Jersey City, NJ, Maintenance

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, First Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Witt Penn Bridge at mile 3.1, across the Hackensack River, at Jersey City, New Jersey. Under this temporary deviation a two-hour advance notice for bridge opening shall be required at the Witt Penn Bridge to facilitate bridge repairs.

DATES: This deviation is effective from November 12, 2009 through November 21, 2009.

ADDRESSES: Documents mentioned in this preamble as being available in the docket are part of docket USCG-2009-0952 and are available online at <http://www.regulations.gov>, inserting USCG-2009-0001 in the "Keyword" and then clicking "Search". They are also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC, 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call Mr. Joe Arca, Project Officer, First Coast Guard District, telephone (212) 668-7165. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION: The Witt Penn Bridge, across the Hackensack River at mile 3.1 has a vertical clearance in the closed position of 35 feet at mean high water and 40 feet at mean low water. The existing drawbridge operation regulations are listed at 33 CFR 117.723.

The waterway has seasonal recreational vessels, and commercial vessels of various sizes.

The owner of the bridge, New Jersey Department of Transportation, requested a temporary deviation to facilitate the emergency replacement of the crash gates that stop vehicular traffic during bridge openings.

Under this temporary deviation the Witt Penn Bridge, mile 3.1, across the Hackensack River may require a two-hour advance notice for bridge openings from October 21, 2009 through November 21, 2009. Vessels that can pass under the bridge without a bridge opening may do so at all times.

In accordance with 33 CFR 117.35(e), the bridge must return to its regular operating schedule immediately at the end of the designated time period. This

deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: October 23, 2009.

Gary Kasso,

Bridge Program Manager, First Coast Guard District.

[FR Doc. E9-27132 Filed 11-10-09; 8:45 am]

BILLING CODE 4910-15-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket Number USCG-2009-0940]

Drawbridge Operating Regulations; Victoria Barge Canal, Bloomington, TX

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, Eighth Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Union Pacific Railroad (UPRR) Vertical Lift Span Bridge across the Victoria Barge Canal, mile 29.4 at Bloomington, Victoria County, Texas. The deviation is necessary to allow for replacement of the lift span motors. This deviation provides for the bridge to remain closed to navigation for 12 consecutive hours on November 17 and 18, 2009, from 7 a.m. to 7 p.m. each day.

DATES: This deviation is effective from 7 a.m. on Tuesday, November 17, 2009 until 7 p.m. on Wednesday, November 18, 2009.

ADDRESSES: Documents mentioned in this preamble as being available in the docket are part of docket USCG-2009-0940 and are available online by going to <http://www.regulations.gov>, inserting USCG-2009-0940 in the "Keyword" box and then clicking "Search." They are also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue, SE., Washington, DC 20590 between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or e-mail Phil Johnson, Bridge Administration Branch, Eighth Coast Guard District; telephone 504-671-2128, e-mail Philip.R.Johnson@uscg.mil. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION: The Victoria County Navigation District has requested a temporary deviation from the operating schedule of the UPRR Vertical Lift Span Bridge across the Victoria Barge Canal, mile 29.4 at Bloomington, Texas. The vertical lift bridge has a vertical clearance of 22 feet above high water in the closed-to-navigation position and 50 feet above high water in the open-to-navigation position.

Presently, the bridge opens on signal for the passage of vessels. This deviation allows the draw span of the bridge to remain closed to navigation for 12 consecutive hours between 7 a.m. and 7 p.m. each day on November 17 and 18, 2009. Navigation on the waterway consists mainly of tugs with tows. Due to prior experience and coordination with waterway users, it has been determined that this closure will not have a significant effect on these vessels.

The vertical lift bridge has a vertical clearance of 22 feet above high water in the closed-to-navigation position and 50 feet above high water in the open-to-navigation position. No alternate routes are available. The closures are necessary to allow for replacement of the lift span motors on the bridge. As this work is proposed during hurricane season, the work may be postponed and rescheduled, should any tropical storms or hurricanes enter or develop in the Gulf of Mexico. The Coast Guard has coordinated the closures with the commercial users of the waterway.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the designated time period. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: October 19, 2009.

David M. Frank,

Bridge Administrator.

[FR Doc. E9-27133 Filed 11-10-09; 8:45 am]

BILLING CODE 4910-15-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket Number USCG-2009-0960]

Drawbridge Operating Regulations; Victoria Barge Canal, Bloomington, TX

AGENCY: Coast Guard, DHS.

ACTION: Notice of temporary deviation from regulations.

SUMMARY: The Commander, Eighth Coast Guard District, has issued a temporary deviation from the regulation governing the operation of the Union Pacific Railroad (UPRR) Vertical Lift Span Bridge across the Victoria Barge Canal, mile 29.4 at Bloomington, Victoria County, Texas. The deviation is necessary to allow for one phase of an on-going maintenance project to replace the lift span motors and brakes. This deviation provides for the bridge to remain closed to navigation for 12 consecutive hours on November 23 and 24, 2009, from 7 a.m. to 7 p.m. each day.

DATES: This deviation is effective from 7 a.m. on Monday, November 23, 2009 until 7 p.m. on Tuesday, November 24, 2009.

ADDRESSES: Documents mentioned in this preamble as being available in the docket are part of docket USCG-2009-0960 and are available online by going to <http://www.regulations.gov>, inserting USCG-2009-0960 in the "Keyword" box and then clicking "Search." They are also available for inspection or copying at the Docket Management Facility (M-30), U.S. Department of Transportation, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE., Washington, DC 20590 between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this rule, call or e-mail Phil Johnson, Bridge Administration Branch, Eighth Coast Guard District; telephone 504-671-2128, e-mail Philip.R.Johnson@uscg.mil. If you have questions on viewing the docket, call Renee V. Wright, Program Manager, Docket Operations, telephone 202-366-9826.

SUPPLEMENTARY INFORMATION: The Victoria County Navigation District has requested a temporary deviation from the operating schedule of the UPRR Vertical Lift Span Bridge across the Victoria Barge Canal, mile 29.4 at Bloomington, Texas. The vertical lift bridge has a vertical clearance of 22 feet above high water in the closed-to-navigation position and 50 feet above high water in the open-to-navigation position.

Presently, the bridge opens on signal for the passage of vessels. This deviation allows the draw span of the bridge to remain closed to navigation for 12 consecutive hours between 7 a.m. and 7 p.m. each day on November 23 and 24, 2009. Navigation on the waterway consists mainly of tugs with tows. Due to prior experience and coordination with waterway users, it has been determined that this closure will not