

select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC’s Public Document Room (PDR) reference staff at 1–800–397–4209, 301–415–4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced in this notice (if that document is available in ADAMS) is provided the first time that a document is referenced. Revision 2 of Regulatory Guide 1.91 is available under ADAMS Accession No. ML12170A980. The regulatory analysis may be found under ADAMS Accession No. ML12170A989.

Regulatory guides are not copyrighted, and NRC approval is not required to reproduce them.

- **NRC’s PDR:** You may examine and purchase copies of public documents at the NRC’s PDR, Room O1–F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

Regulatory guides are not copyrighted, and NRC approval is not required to reproduce them.

FOR ADDITIONAL INFORMATION CONTACT: Hector Rodriguez-Luccioni, Office of Nuclear Regulatory Research, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001; telephone: 301–251–7685; email: Hector.Rodriguez-Luccioni@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

The NRC is issuing a revision to an existing guide in the NRC’s “Regulatory Guide” series. This series was developed to describe and make available to the public information such as methods that are acceptable to the NRC staff for implementing specific parts of the agency’s regulations, techniques that the staff uses in evaluating specific problems or postulated accidents, and data that the staff needs in its review of applications for permits and licenses.

Revision 2 of RG 1.91 was issued with a temporary identification as Draft Regulatory Guide, DG–1270. This guide describes for applicants and licensees of nuclear power reactors some methods and assumptions the NRC’s staff finds acceptable for evaluating postulated explosions at nearby facilities and transportation routes. It describes the calculation of safe distances based on estimates of trinitrotoluene (TNT)-equivalent mass of explosive materials, the calculation of exposure rates based on hazardous cargo transportation frequencies, and the calculation of blast load effects.

This guide describes methods that the NRC’s staff considers acceptable to

implement Section 100.20(b) of Title 10 the *Code of Federal Regulations* (10 CFR), and 10 CFR part 50, appendix A, General Design Criterion 4. Section 100.20(b) requires that the nature and proximity of hazards related to human activity (e.g., airports, dams, transportation routes, and military and chemical facilities) must be evaluated to establish site parameters for use in determining if a plant design can accommodate commonly occurring hazards, and if the risk of other hazards is very low. General Design Criterion 4 requires that nuclear power plant structures, systems, and components (SSCs) important to safety be appropriately protected against dynamic effects resulting from equipment failures and from events and conditions that may occur outside the nuclear power plant.

II. Further Information

DG–1270 was published in the **Federal Register** on July 20, 2011 (76 FR 43356) for a 60-day public comment period. The public comment period closed on September 19, 2012. Public comments on DG–1270 and the staff responses to the public comments are available under ADAMS Accession No. ML12170A987.

III. Backfitting and Issue Finality

Issuance of this final regulatory guide does not constitute backfitting as defined in 10 CFR 50.109 (the Backfit Rule) and is not otherwise inconsistent with the issue finality provisions in 10 CFR part 52. As discussed in the “Implementation” section of this regulatory guide, the NRC has no current intention to impose this regulatory guide on holders of current operating licenses, early site permits or combined licenses.

This regulatory guide may be applied to applications for operating licenses, early site permits, and combined licenses docketed by the NRC as of the date of issuance of the final regulatory guide and to future applications for operating licenses, early site permits, and combined licenses submitted after the issuance of the regulatory guide. Such action does not constitute backfitting as defined in 10 CFR 50.109(a)(1) and is not otherwise inconsistent with the applicable issue finality provisions in 10 CFR part 52, inasmuch as such applicants or potential applicants are not within the scope of entities protected by the Backfit Rule or the relevant issue finality provisions in Part 52.

Dated at Rockville, Maryland, this 17th day of April, 2013.

For the Nuclear Regulatory Commission.

Thomas H. Boyce,

Chief, Regulatory Guide Development Branch, Division of Engineering, Office of Nuclear Regulatory Research.

[FR Doc. 2013–09795 Filed 4–24–13; 8:45 am]

BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

[NRC–2013–0073]

Compliance With Information Request, Flooding Hazard Reevaluation

AGENCY: Nuclear Regulatory Commission.

ACTION: Draft Japan Lessons-Learned Project Directorate guidance; request for comment.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is issuing draft Japan Lessons-Learned Project Directorate Interim Staff Guidance (JLD–ISG), JLD–ISG–2013–01, “Guidance for Estimating Flooding Hazards due to Dam Failure.” This draft JLD–ISG provides guidance acceptable to the NRC staff for reevaluating flooding hazards due to dam failure for the purpose of responding to enclosure 2 of a March 12, 2012, information request.

DATES: Comments must be filed no later than May 28, 2013. Comments received after this date will be considered, if it is practical to do so, but the NRC staff is able to ensure consideration only for comments received on or before this date.

ADDRESSES: You may submit comments by any of the following methods (unless this document describes a different method for submitting comments on a specific subject):

- **Federal Rulemaking Web site:** Go to <http://www.regulations.gov> and search for Docket ID NRC–2013–0073. Address questions about NRC dockets to Carol Gallagher; telephone: 301–492–3668; email: Carol.Gallagher@nrc.gov. For technical questions, contact the individual(s) listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **Mail comments to:** Cindy Bladey, Chief, Rules, Announcements, and Directives Branch (RADB), Office of Administration, Mail Stop: TWB–05–B01M, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

- **Fax comments to:** RADB at 301–492–3446.

For additional direction on accessing information and submitting comments, see “Accessing Information and

Submitting Comments” in the **SUPPLEMENTARY INFORMATION** section of this document.

FOR FURTHER INFORMATION CONTACT: Mr. G. Edward Miller, Japan Lessons-Learned Project Directorate, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-2481; email: Ed.Miller@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Accessing Information and Submitting Comments

A. Accessing Information

Please refer to Docket ID NRC-2013-0073 when contacting the NRC about the availability of information regarding this document. You may access information related to this document, which the NRC possesses and is publicly available, by any of the following methods:

- *Federal Rulemaking Web site:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2013-0073.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may access publicly-available documents online in the NRC Library at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select “ADAMS Public Documents” and then select “Begin Web-based ADAMS Search.” For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced in this notice (if that document is available in ADAMS) is provided the first time that a document is referenced. The draft JLD-ISG-2013-01 is available under ADAMS Accession No. ML13057A863.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

- *NRC's Interim Staff Guidance Web site:* JLD-ISG documents are also available online under the “Japan Lessons Learned” heading at <http://www.nrc.gov/reading-rm/doc-collections/#int>.

B. Submitting Comments

Please include Docket ID NRC-2013-0073 in the subject line of your comment submission, in order to ensure that the NRC is able to make your comment submission available to the public in this docket.

The NRC cautions you not to include identifying or contact information that

you do not want to be publicly disclosed in your comment submission. The NRC will post all comment submissions at <http://www.regulations.gov> as well as entering the comment submissions into ADAMS. The NRC does not routinely edit comment submissions to remove identifying or contact information.

If you are requesting or aggregating comments from other persons for submission to the NRC, then you should inform those persons not to include identifying or contact information that they do not want to be publicly disclosed in their comment submission. Your request should state that the NRC does not routinely edit comment submissions to remove such information before making the comment submissions available to the public or entering the comment submissions into ADAMS.

II. Background Information

The NRC staff developed draft JLD-ISG-2013-01 to provide guidance acceptable to the NRC staff for reevaluating flooding hazards due to dam failure for the purpose of responding to enclosure 2 of the March 12, 2012, Request for Information (ADAMS Accession No. ML12053A340). This ISG is being issued in draft form for public comment to involve the public in development of this guidance.

On March 11, 2011, a magnitude 9.0 earthquake struck off the coast of the Japanese island of Honshu. The earthquake resulted in a large tsunami, estimated to have exceeded 14 meters (45 feet) in height that inundated the Fukushima Dai-ichi nuclear power plant site. The earthquake and tsunami produced widespread devastation across northeastern Japan and significantly affected the infrastructure and industry in the northeastern coastal areas of Japan. When the earthquake occurred, Fukushima Dai-ichi Units 1, 2, and 3, were in operation and Units 4, 5, and 6, were shut down for routine refueling and maintenance activities. The Unit 4 reactor fuel was offloaded to the Unit 4 spent fuel pool. Following the earthquake, the three operating units automatically shut down and offsite power was lost to the entire facility. The emergency diesel generators started at all six units providing alternating current (ac) electrical power to critical systems at each unit. The facility response to the earthquake appears to have been normal. Approximately 40 minutes following the earthquake and shutdown of the operating units, however, the first large tsunami wave inundated the site, followed by additional waves. The tsunami caused

extensive damage to site facilities and resulted in a complete loss of all alternating current electrical power at Units 1 through 5, a condition known as station blackout. In addition, all direct current electrical power was lost early in the event on Units 1 and 2 and, after some period of time, at the other units. Unit 6 retained the function of one air-cooled EDG. Despite their actions, the operators lost the ability to cool the fuel in the Unit 1 reactor after several hours, in the Unit 2 reactor after about 70 hours, and in the Unit 3 reactor after about 36 hours, resulting in damage to the nuclear fuel shortly after the loss of cooling capabilities.

Following the events at the Fukushima Dai-ichi nuclear power plant, the NRC established a senior-level agency task force referred to as the Near-Term Task Force (NTTF). The NTTF was tasked with conducting a systematic and methodical review of the NRC's regulations and processes, and determining if the agency should make additional improvements to these programs in light of the events at Fukushima Dai-ichi. As a result of this review, the NTTF developed a comprehensive set of recommendations, documented in SECY-11-0093, “Near-Term Report and Recommendations for Agency Actions Following the Events in Japan,” dated July 12, 2011 (ADAMS Accession No. ML11186A950). These recommendations were enhanced by the NRC staff following interactions with stakeholders. Documentation of the staff's efforts is contained in SECY-11-0124, “Recommended Actions to be Taken Without Delay from the Near-Term Task Force Report,” dated September 9, 2011 (ADAMS Accession No. ML11245A158) and SECY-11-0137, “Prioritization of Recommended Actions to be Taken in Response to Fukushima Lessons Learned,” dated October 3, 2011 (ADAMS Accession No. ML11272A111).

As directed by the Commission's Staff Requirement Memorandum (SRM) for SECY-11-0093 (ADAMS Accession No. ML112310021), the NRC staff reviewed the NTTF recommendations within the context of the NRC's existing regulatory framework and considered the various regulatory vehicles available to the NRC to implement the recommendations. SECY-11-0124 and SECY-11-0137 established the staff's prioritization of the recommendations based upon the potential for each recommendation to enhance safety.

As part of the SRM for SECY-11-0124, dated October 18, 2011, the Commission approved the staff's proposed actions, including the development of three information

requests under 10 CFR 50.54(f). The information collected would be used to support the NRC staff's evaluation of whether further regulatory action was needed in the areas of seismic and flooding design, and emergency preparedness.

In addition to Commission direction, the Consolidated Appropriations Act, Public Law 112-074, was signed into law on December 23, 2011. Section 402 of the law directs the NRC to require licensees to reevaluate their design basis for external hazards.

In response to the aforementioned Commission and Congressional direction, the NRC issued a request for information to all power reactor licensees and holders of construction permits under 10 CFR Part 50 on March 12, 2012. The March 12, 2012, letter includes a request that licensees reevaluate flooding hazards at nuclear power plant sites using updated flooding hazard information and present day regulatory guidance and methodologies. The letter also requests the comparison of the reevaluated hazard to the current design basis at the site for each potential flood mechanism. If the reevaluated flood hazard at a site is not bounded by the current design basis, licensees are requested to perform an Integrated Assessment. The Integrated Assessment will evaluate the total plant response to the flood hazard, considering multiple and diverse capabilities such as physical barriers, temporary protective measures, and operational procedures. The NRC staff will review the licensees' responses to this request for information and determine whether regulatory actions are necessary to provide additional protection against flooding.

It should be noted that the NRC requires nuclear power plants to protect against very unlikely flooding hazards. This guidance focuses on developing potential dam failure scenarios that nuclear power plants have to protect against. This guidance should in no way be construed as appropriate for designing, regulating, operating, or maintaining a dam. Such guidance has been developed by the appropriate responsible agency that designs, regulates, operates, or maintains the dam(s) of interest. Although this ISG attempts to be consistent with best practices and guidance developed by other federal and state agencies, there may be differences. In some cases, the differences between this ISG and the guidance developed by other agencies may be due to differences in regulatory responsibilities.

Proposed Action

By this action, the NRC is requesting public comments on draft JLD-ISG-2013-01. This draft JLD-ISG provides guidance acceptable to the NRC staff for reevaluating flooding hazards due to dam failure for the purpose of responding to enclosure 2 of the information request. The NRC staff will make a final determination regarding issuance of the JLD-ISG after it considers any public comments received in response to this request.

Dated at Rockville, Maryland, this 17th day of April 2013.

For the Nuclear Regulatory Commission.

David L. Skeen,

Director, Japan Lessons-Learned Project Directorate, Office of Nuclear Reactor Regulation.

[FR Doc. 2013-09796 Filed 4-24-13; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

Advisory Committee on Reactor Safeguards (ACRS); Meeting of the ACRS Subcommittee on Evolutionary Power Reactor; Notice of Meeting

The ACRS Subcommittee on U.S. Evolutionary Power Reactor (U.S. EPR) will hold a meeting on May 8-9, 2013, Room T-2B1, 11545 Rockville Pike, Rockville, Maryland.

The meeting will be open to public attendance, with the exception of portions that may be closed to protect proprietary information pursuant to 5 U.S.C. 552b(c)(4).

The agenda for the subject meeting shall be as follows:

Wednesday, May 8, 2013—8:30 a.m. Until 4:30 p.m.; Thursday, May 9, 2013—8:30 a.m. Until 12:00 p.m.

The Subcommittee will review and discuss Chapter 13 and portions of Chapter 2 of the Safety Evaluation Report (SER) with open items for the Calvert Cliffs, Unit 3 Combined License Application (COLA) associated with the U.S. EPR Design Control Document (DCD). The Subcommittee will hear presentations by and hold discussions with the NRC staff and other interested persons regarding this matter. The Subcommittee will gather information, analyze relevant issues and facts, and formulate proposed positions and actions, as appropriate, for deliberation by the Full Committee.

Members of the public desiring to provide oral statements and/or written comments should notify the Designated Federal Official (DFO), Kathy Weaver (Telephone 301-415-6236 or Email:

Kathy.Weaver@nrc.gov) five days prior to the meeting, if possible, so that appropriate arrangements can be made. Thirty-five hard copies of each presentation or handout should be provided to the DFO thirty minutes before the meeting. In addition, one electronic copy of each presentation should be emailed to the DFO one day before the meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the DFO with a CD containing each presentation at least thirty minutes before the meeting. Electronic recordings will be permitted only during those portions of the meeting that are open to the public. Detailed procedures for the conduct of and participation in ACRS meetings were published in the **Federal Register** on October 18, 2012, (77 FR 64146-64147).

Detailed meeting agendas and meeting transcripts are available on the NRC Web site at <http://www.nrc.gov/reading-rm/doc-collections/acrs>. Information regarding topics to be discussed, changes to the agenda, whether the meeting has been canceled or rescheduled, and the time allotted to present oral statements can be obtained from the Web site cited above or by contacting the identified DFO. Moreover, in view of the possibility that the schedule for ACRS meetings may be adjusted by the Chairman as necessary to facilitate the conduct of the meeting, persons planning to attend should check with these references if such rescheduling would result in a major inconvenience.

If attending this meeting, please enter through the One White Flint North building, 11555 Rockville Pike, Rockville, MD. After registering with security, please contact Mr. Theron Brown (Telephone 240-888-9835) to be escorted to the meeting room.

Dated: April 16, 2013.

Girija Shukla,

Acting Chief, Technical Support Branch, Advisory Committee on Reactor Safeguards.

[FR Doc. 2013-09792 Filed 4-24-13; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

Advisory Committee on Reactor Safeguards (ACRS); Meeting of the ACRS Subcommittee on Planning and Procedures; Notice of Meeting

The ACRS Subcommittee on Planning and Procedures will hold a meeting on May 8, 2013, Room T-2B3, 11545 Rockville Pike, Rockville, Maryland.