

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Centers for Medicare & Medicaid Services

42 CFR Parts 410, 414, 415, 421, 423, 425, 486, and 495

[CMS-1590-CN]

RIN 0938-AR11

Medicare Program; Revisions to Payment Policies Under the Physician Fee Schedule, DME Face-to-Face Encounters, Elimination of the Requirement for Termination of Non-Random Prepayment Complex Medical Review and Other Revisions to Part B for CY 2013

AGENCY: Centers for Medicare & Medicaid Services (CMS), HHS.

ACTION: Correction of final rule with comment period.

SUMMARY: This document corrects technical errors that appeared in the final rule with comment period published in the **Federal Register** on November 16, 2012, entitled “Medicare Program; Revisions to Payment Policies Under the Physician Fee Schedule, DME Face-to-Face Encounters, Elimination of the Requirement for Termination of Non-Random Prepayment Complex Medical Review and Other Revisions to Part B for CY 2013.”

DATES: The correcting document is effective August 12, 2013 and is applicable beginning January 1, 2013.

FOR FURTHER INFORMATION CONTACT: Elliott Isaac, (410) 786-4735.

SUPPLEMENTARY INFORMATION:

I. Background

In FR Doc. 2012-26900 of November 16, 2012 (77 FR 68892 through 69373), there were a number of technical errors that are identified and corrected in the Correction of Errors section below. These corrections are effective January 1, 2013. We note that the Addenda A through H for the CY 2013 PFS final rule with comment period as corrected in this correction notice are available on the CMS Web site at www.cms.gov/PhysicianFeeSched/.

II. Summary of Errors

A. Summary of Errors in the Preamble

On pages 68904 through 68906, in Table 3: Calculation of PE RVUs under Methodology for Selected Codes, the PE RVUs listed in the table are incorrect.

On page 68907, in our discussion of the changes to direct PE inputs for specific services, we made a

typographical error in identifying the calendar years.

On page 68957, in our discussion of Medicare telehealth services, we inadvertently omitted a discussion of psychotherapy services.

On page 68958, in our discussion of therapy services, we inadvertently omitted language regarding the claims-based data collection strategy for therapy services.

On page 68965, we inadvertently omitted language in our discussion on non-payable G-codes on beneficiary functional status.

On page 68966, we inadvertently included language.

On pages 68967 and 68968, we inadvertently made errors in the descriptors for G-codes in Table 21: G-Codes for Claims-Based Functional Reporting for CY 2013.

On page 69033, we inadvertently omitted a code-specific direct PE input.

On pages 69042 and 69043, in our discussion of the global period for CPT code 22586, we made a typographical error in the code descriptor.

On page 69051,

a. We inadvertently used the wrong descriptor for CPT 36221.

b. We inadvertently omitted two paragraphs regarding our treatment of CPT codes 37197 and 37214.

On pages 69071 through 69073, we made clerical errors in table references.

On page 69074, in our discussion of pricing supply and equipment items, we inadvertently omitted a paragraph detailing the items for which we did not receive adequate information and therefore could not price them for the interim final values in the CY 2013 rule.

On pages 69077 through 69128, we made numerous typographical errors and technical errors in Table 74: CPT Codes with Refined direct PE Recommendations for CY 2013 Interim Codes and therefore are correcting the table.

On page 69138, we made typographical errors in the CY 2013 PFS conversion factor (CF).

On page 69138, we made typographical errors in the CY 2013 PFS CF in Table 87: Calculation of the CY 2013 PFS CF.

On page 69139, in Table 88: Calculation of the CY 2013 Anesthesia CF, we inadvertently listed the incorrect anesthesia CF.

On page 69145, we inadvertently referred to “physician’s order” instead of “valid prescription.”

On page 69212, due to a typographical error, the title of PQRS Measure 190 referred to in the comment bullet was not correct.

On pages 69215 through 69267, the notes after Table 95: Individual Quality

Measures for the Physician Quality Reporting System Proposed to be Available for Reporting via Claims, Registry, EHR, or GRPO Web Interface Beginning in 2013 or 2014* were inadvertently omitted.

On page 69237, in Table 95: Individual Quality Measures for the Physician Quality Reporting System Proposed to be Available for Reporting via Claims, Registry, EHR, or GRPO Web Interface Beginning in 2013 or 2014*, due to a typographical error, Measures #189 and 190 were incorrectly listed as available for reporting under PQRS.

On page 69269, in Table 96: PQRS Quality Measures Available for Reporting for Group Practices Using the GPRO Web Interface for 2013 and Beyond, due to a typographical error, the description of the measure “Medication Reconciliation” is incorrect.

On page 69277, in Table 108: HIV/AIDS Measures Group, due to a clerical error, there are measures listed that have lost their NQF endorsement and are therefore no longer being maintained by the respective measure owner.

On page 69300, due to a clerical error, we stated the deadlines for requesting an informal review for the 2012 and 2013 eRx incentives incorrectly. The regulation at § 414.92(g) correctly states that eligible professionals and group practices must submit an informal review request for the 2012 and 2013 incentives within 90 days of the release of the feedback reports. The preamble does not reflect this same regulation text. Therefore, we are revising the preamble to reflect the regulation text at § 414.92(g).

On pages 69344 through 69345, in Table 134: CY 2013 PFS Final Rule with Comment Period Estimated Impact on Total Allowed Charges by Specialty, due to technical errors in the calculations of the impacts, there were errors in the total estimated impacts and the estimated impacts for the following specialties: 01—ALLERGY/IMMUNOLOGY, 02—ANESTHESIOLOGY, 10—FAMILY PRACTICE, 13—GENERAL SURGERY, 18—INTERNAL MEDICINE, 19—INTERVENTIONAL PAIN MANAGEMENT, 21—MULTISPECIALTY CLINIC/OTHER PHY, 34—PLASTIC SURGERY, 41—UROLOGY, 49—NURSE ANES/ANES ASST.

On page 69345, at the end of Table 134: CY 2013 PFS Final Rule with Comment Period Estimated Impact on Total Allowed Charges by Specialty, we made clerical errors in the first footnote.

On pages 69347 through 69348, in Table 135: CY 2013 PFS Final Rule with

Comment Period Estimated Impact on Total Allowed Charges by Specialty by Selected Policy, due to technical errors in calculations of the impacts, there were errors in the estimates of the total impact and on the impact for the following specialties: 01—ALLERGY/IMMUNOLOGY, 02—ANESTHESIOLOGY, 13—GENERAL SURGERY, 18—INTERNAL MEDICINE, 19—INTERVENTIONAL PAIN MANAGEMENT, 21—MULTISPECIALTY CLINIC/OTHER PHY, 41—UROLOGY, 49—NURSE ANES/ANES ASST.

On page 69348, at the end of Table 135: CY 2013 PFS Final Rule with Comment Period Estimated Impact on Total Allowed Charges by Specialty by Selected Policy, we made a clerical error in the first footnote.

On page 69350 through 69351, in Table 136: Impact of Final Rule with Comment Period on CY 2013 Payment for Selected Procedures, we made technical errors in the calculation of the impacts.

On page 69351, in footnotes 3 and 4 at the end of Table 136: Impact of Final Rule with Comment Period on CY 2013 Payment for Selected Procedures, we inadvertently listed the incorrect 2012 conversion factor.

B. Summary and Correction of Errors in the Addenda on the CMS Web site

Technical errors in the creation of the direct practice expense database resulted in incorrect direct PE inputs for CPT codes: 11307, 11313, 13100, 13101, 13102, 13120, 13121, 13122, 13131, 13132, 13133, 13150, 13151, 13152, 31231, 32554, 32555, 32556, 32557, 35475, 35476, 36221, 36222, 36223, 36224, 36225, 36226, 37197, 52224, 64612, 65800, 72040, 72050, 72052, 72069, 72193, 72194, 74160, 74170, 74177, 74178, 76872, 77301, 92081, 92082, 92083, 92235, 92286, 93925, 93970, 95010, 95015, 95017, 95018, 95782, 95783, and 97150. As a result of these errors, the budget neutrality adjustment used in calculating PE RVUs was incorrect, resulting in incorrect values for other PE RVUs in Addenda B and C. These errors are corrected in the revised Direct PE Input Database available on the CMS Web site at www.cms.gov/PhysicianFeeSched/. Resulting changes to PE RVUs are reflected in the corrected Addenda B and C posted on the CMS Web site at www.cms.gov/PhysicianFeeSched/.

Due to a technical error, although the physician time records for CPT codes 22841, 51798, 95990, 96913, and 97602 were properly removed from the physician time file per final policy discussed in the CY 2013 final rule with

comment period (77 FR 68926), these time records were inadvertently used in the creation of the PE RVUs. This technical error is corrected in the revised CY 2013 Addendum B posted to the CMS Web site at www.cms.gov/PhysicianFeeSched/.

Due to a technical error in applying a change made in the final rule in calculating the impact of the ophthalmology MPPR used in the PE methodology, as described on page 68901, the “CY 2012 Utilization data Crosswalk to CY 2013” file posted on the CMS Web site contained errors. This also resulted in errors in Addenda B and C files posted on the CMS Web site. These addenda have been corrected as a result of the changes made in this correction notice and the corrected Addenda B and C files are posted on the CMS Web site. www.cms.gov/PhysicianFeeSched/.

Due to a technical error in calculating the anesthesia inputs, the PE RVUs for all services reflected in Addenda B and C posted on the CMS Web site were inaccurate. Resulting changes to the PE RVUs are reflected in the corrected Addenda B and C.

Due to a technical error, in Addendum B, row 8744 containing CPT/HCPC 92287 did not list RVUs for use with both the TC and 26 modifiers. The corrected Addendum B, which is posted on the CMS Web site at www.cms.gov/PhysicianFeeSched/, includes these services and related information.

Due to a technical error in Addendum B, row 9180 containing CPT/HCPC 93657 did not list a PE RVU. The corrected Addendum B, which is posted on the CMS Web site at www.cms.gov/PhysicianFeeSched/ reflects this change.

Due to a technical error in the posting of Addendum C, the “NA” flags did not display for services when either the facility or nonfacility setting did not contain a value. The corrected Addendum C, which is posted on the CMS Web site at www.cms.gov/PhysicianFeeSched/, reflects the “NA” flags for services that are not valued in the indicated setting.

III. Waiver of Proposed Rulemaking

We ordinarily publish a notice of proposed rulemaking in the **Federal Register** to provide a period for public comment before the provisions of a rule take effect in accordance with section 553(b) of the Administrative Procedure Act (APA) (5 U.S.C. 553(b)). However, we can waive this notice and comment procedure if the Secretary finds, for good cause, that the notice and comment process is impracticable, unnecessary, or contrary to the public

interest, and incorporates a statement of the finding and the reasons therefore in the notice.

Section 553(d) of the APA ordinarily requires a 30-day delay in the effective date of final rules after the date of their publication in the **Federal Register**. This 30-day delay in effective date can be waived, however, if an agency finds for good cause that the delay is impracticable, unnecessary, or contrary to the public interest, and the agency incorporates a statement of the findings and its reasons in the rule issued.

This document merely corrects typographical and technical errors in the preamble and addenda of the CY 2013 Physician Fee Schedule final rule with comment period. The provisions of that final rule with comment period have been subjected to notice and comment procedures. The corrections contained in this document are consistent with, and do not make substantive changes to, the policies and payment methodologies that were adopted in the CY 2013 PFS final rule with comment period. As a result, the corrections made through this correcting document are intended to ensure that the CY 2013 PFS final rule with comment period accurately reflects the policies adopted in that rule. Therefore, we find for good cause that it is unnecessary and would be contrary to the public interest to undertake further notice and comment procedures to incorporate the corrections in this document into the CY 2013 PFS final rule with comment period. For the same reasons, we find that there is good cause to waive the 30-day delay in the effective date for these corrections.

Further, we believe that it is in the public interest to ensure that the CY 2013 PFS final rule with comment period accurately reflects our policies as of the date they take effect. Therefore, we find that delaying the effective date of these corrections beyond the effective date of the final rule with comment period would be contrary to the public interest. In so doing, we find good cause to waive the 30-day delay in effective date.

IV. Correction of Errors

In FR Doc. 2012–26900 of November 16, 2012 (77 FR 68892), make the following corrections:

A. Correction of Errors in the Preamble

1. On pages 68904 through 68906, in Table 3: Calculation of PE RVUs Under Methodology for Selected Codes, the table is corrected to read as follows:

(24) Adjusted Indirect Allocator.	Steps 9-11	= Ind Alloc * Ind Adj.	0.75	16.25	0.42	0.33	0.09	0.24	0.17	0.07
(25) Ind. Practice Cost Index (PCI).	Steps 12-16	1.08	0.79	0.92	0.92	0.92	0.92	0.92	0.92
(26) Adjusted Indirect.	Step 17	= Adj. Ind Alloc * PCI.	= (24) * (25)	0.81	12.76	0.38	0.30	0.08	0.22	0.16	0.06
(27) PE RVU ..	Step 18	= (Adj Dir + Adj Ind) * budn.	= ((14)+(26)) * budn	1.10	14.15	0.67	0.59	0.08	0.35	0.29	0.06

2. On page 68907, first column, first paragraph,

a. Line 6, the phrase “CY 2012” is corrected to read “CY 2013.”

b. Line 8, the phrase “CY 2012” is corrected to read “CY 2013.”

3. On page 68957, second column, following Table 18 is corrected by adding the following:

“6. Psychiatry Services

For CY 2013, the CPT Editorial Panel replaced the current psychiatry/ psychotherapy CPT codes with a new structure that allows for the separate reporting of E/M codes, eliminates codes based upon the site-of-service, establishes CPT codes for crisis, and creates a series of psychotherapy add-on CPT codes to describe interactive complexity and medication management. Many of these services are included in the list of Medicare telehealth services. For CY 2013, we did not propose any changes in Medicare telehealth payment policies related to the existing services described by these new codes. Therefore, the new codes describing services currently included

on the CY 2012 list of Medicare telehealth services will be included on the CY 2013 list of Medicare telehealth services.

In the case of pharmacologic management services, currently on the CY 2012 list of Medicare telehealth services, we note that the CPT Editorial Panel deleted CPT code 90862 (Pharmacologic management, including prescription, use, and review of medication with no more than minimal medical psychotherapy), and that for CY 2013, psychiatrists will bill the appropriate E/M code when furnishing pharmacologic management services. In order to maintain current telehealth policy for these services when furnished to inpatients, we are establishing a new HCPCS G-code, G0459 (Inpatient telehealth, pharmacologic management, including prescription use and review of medication with no more than minimal medical psychotherapy), on an interim basis for CY 2013 that will describe the pharmacologic management service when furnished via telehealth to inpatients.

We will address any other change in telehealth policy regarding psychiatry services in future rulemaking.”

4. On page 68959, first column, partial line 5, before the phrase “Between 1998–2008,” is corrected to read as follows: “We note that this number does not represent a discrete number of beneficiaries; rather, it represents the total number of beneficiaries receiving therapy services under plans of care from different disciplines and different providers.”

5. On page 68965, third column, third paragraph, lines 4 and 5, the phrase “a composite score” is corrected to read “an overall composite score.”

6. On page 68966, third column, second full paragraph, lines 19 through 21, the phrase “...functional measures, such as is done with the FOTO Patient tool, for example.” is corrected to read “functional measures.”

7. On page 68967 and 68968, in Table 21: G-Codes for Claims-Based Functional Reporting for CY 2013, the listed entries are corrected to read as follows:

Other PT/OT Primary Functional Limitation

G8990	Other physical or occupational therapy primary functional limitation, current status, at therapy episode outset and at reporting intervals.
G8991	Other physical or occupational therapy primary functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting.
G8992	Other physical or occupational therapy primary functional limitation, discharge status, at discharge from therapy or to end reporting.

Other PT/OT Primary Functional Limitation

G8993	Other physical or occupational therapy subsequent functional limitation, current status, at therapy episode outset and at reporting intervals.
G8994	Other physical or occupational therapy subsequent functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting.
G8995	Other physical or occupational therapy subsequent functional limitation, discharge status, at discharge from therapy or to end reporting.

Swallowing

G8996	Swallowing functional limitation, current status at therapy episode outset and at reporting intervals.
G8997	Swallowing functional limitation, projected goal status, at therapy episode outset, at reporting intervals, and at discharge or to end reporting.
G8998	Swallowing functional limitation, discharge status, at discharge from therapy or to end reporting.

Motor Speech

G8999	Motor speech functional limitation, current status at therapy episode outset and at reporting intervals.
G9186	Motor speech functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge from or to end reporting.

Spoken Language Comprehension

G9159	Spoken language comprehension functional limitation, current status at therapy episode outset and at reporting intervals.
G9160	Spoken language comprehension functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge from or to end reporting.
G9161	Spoken language comprehension functional limitation, discharge status at discharge from therapy or to end reporting.

Spoken Language Expression

G9162	Spoken language expression functional limitation, current status at therapy episode outset and at reporting intervals.
G9163	Spoken language expression functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge from or to end reporting.

G9164	Spoken language expression functional limitation, discharge status at discharge from therapy or to end reporting.
-------------	---

Attention

G9165	Attention functional limitation, current status at therapy episode outset and at reporting intervals.
G9166	Attention functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge from or to end reporting.
G9167	Attention functional limitation, discharge status at discharge from therapy or to end reporting.

Memory

G9168	Memory functional limitation, current status at therapy episode outset and at reporting intervals.
G9169	Memory functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge from or to end reporting.
G9170	Memory functional limitation, discharge status at discharge from therapy or to end reporting.

Voice

G9171	Voice functional limitation, current status at therapy episode outset and at reporting intervals.
G9172	Voice functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge from or to end reporting.
G9173	Voice functional limitation, discharge status at discharge from therapy or to end reporting.

Other SLP Functional Limitation

G9174	Other speech language pathology functional limitation, current status at therapy episode outset and at reporting intervals.
G9175	Other speech language pathology functional limitation, projected goal status at therapy episode outset, at reporting intervals, and at discharge from or to end reporting.
G9176	Other speech language pathology functional limitation, discharge status at discharge from therapy or to end reporting.

8. On page 69033, in the third column, after second full paragraph, is corrected by adding the following:

“(14) Needle EMG: Electromyography (CPT Codes 95886, 95887)

In establishing interim final direct PE inputs for 2012, CMS refined the AMA RUC’s recommendation for CPT codes 95886 (Needle electromyography, each extremity, with related paraspinal areas, when performed, done with nerve conduction, amplitude and latency/velocity study; complete, five or more muscles studied, innervated by three or more nerves or four or more spinal levels (list separately in addition to code for primary procedure)) and 95887 (Needle electromyography, non-extremity (cranial nerve supplied or axial) muscle(s) done with nerve conduction, amplitude and latency/velocity study (list separately in addition to code for primary procedure)) by reducing the number of service period clinical labor minutes to account for preparatory clinical labor tasks associated with both the base and add-on codes. CMS also refined the corresponding equipment minutes.

Comment: Several commenters explained that clinical labor typically requires additional time to prepare the distinct equipment used in furnishing the services described by the add-on codes.

Response: After reviewing the information provided by the commenters, we agree that it would be appropriate to incorporate additional minutes for these codes. Therefore, we

are finalizing the direct PE inputs for CPT codes 95886 and 95887 with the additional refinement of adding two minutes to both the service period clinical labor time and the corresponding equipment time. The direct PE inputs are displayed in the final CY 2013 direct PE input database, available on the CMS Web site under downloads for the CY 2013 PFS final rule at www.cms.gov/PhysicianFeeSched/.”

9. On page 69042, bottom half of the page, last paragraph, last line, the phrase CPT code 99231 visits is corrected to read “99231 (subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: A problem focused interval history; a problem focused examination; medical decision making that is straightforward or of low complexity) visits.”

10. On page 69043, top of page, first column, first partial paragraph, lines 1 and 2, the phrase 99232 visit is corrected to read “99232 (subsequent hospital care, per day, for the evaluation and management of a patient, which requires at least 2 of these 3 key components: An expanded problem focused interval history; an expanded problem focused examination; medical decision making of moderate complexity) visit, 1 CPT code 99238 (hospital discharge day management; 30 minutes or less) visit, and 4 CPT code 99213 (office or other outpatient visit for the evaluation and management of an

established patient, which requires at least 2 of these 3 key components: an expanded problem focused history; an expanded problem focused examination; medical decision making of low complexity) visits.”

11. On page 69051,

a. First column, first full paragraph, lines 2 through 10, the parenthetical ((Non-selective catheter placement, thoracic aorta, with angiography of the extracranial carotid, vertebral, and/or intracranial vessels, unilateral or bilateral, and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed).), is corrected to read: “((Selective catheter placement, common carotid or innominate artery, unilateral, any approach, with angiography of the ipsilateral extracranial carotid circulation and all associated radiological supervision and interpretation, includes angiography of the cervicocerebral arch, when performed).)”

b. Third column, after last full paragraph, is corrected by adding the following:

“CPT codes 37620, 75940, and 36010 were identified as potentially misvalued through the Codes Reported Together 75 percent or More screen. In response, the CPT Editorial Panel created CPT codes 37191 through 37193 and 37197 to bundle the services together. After clinical review of CPT code 37197 (Transcatheter retrieval, percutaneous, of intravascular foreign body (for example, fractured venous or arterial

catheter), includes radiological supervision and interpretation, and imaging guidance (ultrasound or fluoroscopy), when performed), along with the other related bundled services, we believe a work RVU of 6.29 accurately reflects the work involved in furnishing this service. We believe CPT code 37197 involves similar work as CPT code 36247 (Selective catheter placement, arterial system; initial third order or more selective abdominal, pelvic, or lower extremity artery branch, within a vascular family) and should be valued the same. Furthermore, we believe a work RVU of 6.29 appropriately reflects the relative difference in work between this service and related CPT codes 37191, 37192, and 37193. The AMA RUC recommended a work RVU of 6.72 for CPT code 37197, a direct crosswalk to CPT code 36475 (Endovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, radiofrequency; first vein treated). On an interim final basis for CY 2013, we

are assigning a work RVU of 6.29 to CPT code 37197.”.

12. On page 69071, lower half of the page, third column,

a. Lines 3 and 4, the phrase “Table KK6 is corrected to read “Table 73.”.

b. Line 10, the phrase “Table KK7” is corrected to read “Table 74.”.

13. On page 69072,

a. First column, first full paragraph, line 1, the phrase “Table KK7” is corrected to read “Table 74.”

b. Second column,

(1) First full paragraph, last line, the phrase “Table 73” is corrected to read “Table 74.”.

(2) Second full paragraph, last line, the phrase “Table 73” is corrected to read “Table 74.”.

c. Third column,

(1) First paragraph, last line, the phrase “Table 73” is corrected to read “Table 74.”.

(2) Second paragraph, lines 23 and 24, the phrase “Table 73” is corrected to read “Table 74.”

14. On page 69073, second column, second full paragraph, last line, the

phrase “Table 73” is corrected to read, “Table 74.”

15. On page 69074, first column, following first partial paragraph, is corrected to read as follows:

“We note that we did not receive adequate information for pricing the following new supply and equipment items included in the AMA RUC’s CY 2013 direct PE input recommendations: SD276 (Indicator powder), SK115 (Reproduced patient worksheet), SL464 (Atomizer tips, disposable), and ER088 (Infrared illuminator). Therefore, for CY 2013, these supply and equipment items have no price inputs associated with them in the direct PE database. We will consider any newly submitted information regarding appropriate pricing for these supply items as part of our annual supply and equipment price update process.”

16. On pages 69077 through 69128, in Table 74: CPT Codes with Refined Direct PE Recommendations for CY 2013 Interim Codes is corrected to read as follows:

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment	
11300	Shave skin lesion 0.5 cm/<	ED004	camera, digital (6 megapixel).	NF	29	14	Refined equipment time to reflect typical use exclusive to patient.	
		EF014	light, surgical	NF	29	14	Refined equipment time to reflect typical use exclusive to patient.	
		EF015	mayo stand	NF	29	14	Refined equipment time to reflect typical use exclusive to patient.	
		EF031	table, power	NF	29	14	Refined equipment time to reflect typical use exclusive to patient.	
		EQ110	electrocautery-hyrefractor, up to 45 watts.	NF	29	0	CMS clinical review; not described as typical in work vignette.	
		EQ137	instrument pack, basic (\$500-\$1499).	NF	29	24	Refined equipment time to reflect typical use exclusive to patient.	
		EQ351	Smoke Evacuato-r(tubing, covering, etc.) with stand.	NF	29	14	Refined equipment time to reflect typical use exclusive to patient.	
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.	
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.	
SB033	mask, surgical	NF	2	1	Duplicative.			

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
11301	Shave skin lesion 0.6–1.0 cm.	SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		ED004	camera, digital (6 mexapixel).	NF	32	17	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	32	17	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	32	17	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	32	17	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	32	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500-\$1499).	NF	32	27	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	32	17	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
11302	Shave skin lesion 1.1–2.0 cm.	SB027	gown, staff, impervious.	NF	2	1	Duplicative.
		SB033	mask, surgical	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		ED004	camera, digital (6 mexapixel).	NF	37	20	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	37	20	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	37	20	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	37	20	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	37	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500-\$1499).	NF	37	30	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
11303	Shave skin lesion >2.0 cm.	EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	37	20	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
		SB033	mask, surgical	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		ED004	camera, digital (6 mexapixel).	NF	41	22	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	41	22	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	41	22	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	41	22	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreicator, up to 45 watts.	NF	41	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	41	32	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	41	22	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
11305	Shave skin lesion 0.5 cm/<	SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
		SB033	mask, surgical	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		ED004	camera, digital (6 mexapixel).	NF	29	17	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	29	17	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	29	17	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
11306	Shave skin lesion 0.6–1.0 cm.	EF031	table, power	NF	29	17	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	29	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	29	27	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	29	17	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
		SB033	mask, surgical	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		ED004	camera, digital (6 mexapixel).	NF	31	25	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	31	25	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	31	25	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	31	25	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	31	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	31	35	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	31	25	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Assist physician in performing procedure.	10	18	Conforming to physician time.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
SB033	mask, surgical	NF	2	1	Duplicative.		
SC029	needle, 18–27g	NF	1	0	CMS clinical review.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
11307	Shave skin lesion 1.1–2.0 cm.	ED004	camera, digital (6 mexapixel).	NF	37	21	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	37	21	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	37	21	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	37	21	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	37	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	37	31	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	37	21	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
11308	Shave skin lesion >2.0 cm.	SB033	mask, surgical	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		ED004	camera, digital (6 mexapixel).	NF	42	24	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	42	24	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	42	24	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	42	24	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	42	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	42	34	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
11310	Shave skin lesion 0.5 cm/<	EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	42	24	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
		SB033	mask, surgical	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		ED004	camera, digital (6 mexapixel).	NF	34	20	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	34	20	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	34	20	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	34	20	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreicator, up to 45 watts.	NF	34	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	34	30	Refined equipment time to reflect typical use exclusive to patient.
		11311	Shave skin lesion 0.6–1.0 cm.	EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	34
L037D	RN/LPN/MTA			NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
SB003	cover, probe (cryosurgery).			NF	1	0	CMS clinical review.
SB027	gown, staff, impervious.			NF	2	1	Duplicative.
SB033	mask, surgical			NF	2	1	Duplicative.
SC029	needle, 18–27g			NF	1	0	CMS clinical review.
ED004	camera, digital (6 mexapixel).			NF	34	24	Refined equipment time to reflect typical use exclusive to patient.
EF014	light, surgical			NF	34	24	Refined equipment time to reflect typical use exclusive to patient.
EF015	mayo stand			NF	34	24	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
11312	Shave skin lesion 1.1–2.0 cm.	EF031	table, power	NF	34	24	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	34	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	34	34	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	34	24	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Assist physician in performing procedure.	11	17	Conforming to physician time.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
		SB033	mask, surgical	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		ED004	camera, digital (6 mexapixel).	NF	43	17	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	43	17	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	43	17	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	43	17	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	43	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	43	37	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	43	17	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
SB033	mask, surgical	NF	2	1	Duplicative.		
SC029	needle, 18–27g	NF	1	0	CMS clinical review.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
11313	Shave skin lesion >2.0 cm.	ED004	camera, digital (6 megapixel).	NF	48	30	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	48	30	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	48	30	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	48	30	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreacator, up to 45 watts.	NF	48	0	CMS clinical review; not described as typical in work vignette.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	48	40	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	48	30	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	1	10	Standardized time input.
		SB003	cover, probe (cryosurgery).	NF	1	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
		SB033	mask, surgical	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		11719	Trim nail(s) any number.	L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	3
L037D	RN/LPN/MTA			NF	Provide pre-service education/obtain consent.	2	1	CMS clinical review.
L037D	RN/LPN/MTA			NF	Prepare room, equipment, supplies.	2	1	CMS clinical review.
L037D	RN/LPN/MTA			NF	Clean room/equipment by physician staff.	3	1	CMS clinical review.
SJ028	hydrogen peroxide			NF	10	0	CMS clinical review.
SJ053	swab-pad, alcohol			NF	10	0	CMS clinical review.
13100	Cmplx rpr trunk 1.1–2.5 cm.			EF014	light, surgical	NF	32
		EF015	mayo stand	NF	32	39	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
13101	Cmplx rpr trunk 2.6–7.5 cm.	EF023	table, exam	NF	32	27	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	32	39	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	32	39	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	32	46	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	32	39	Refined equipment time to reflect typical use exclusive to patient.
		SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
			Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.
		SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.
		EF014	light, surgical	NF	45	27	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	45	47	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	45	27	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	45	47	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	45	47	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	45	54	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	45	47	CMS clinical review.
		SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
13102	Cmplx rpr trunk addl 5cm/<	SB027	gown, staff, imper- vious.	F	2	0	CMS clinical re- view.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		SB034	mask, surgical, with face shield.	F	2	1	CMS clinical re- view.
		SC029	needle, 18–27g	NF	1	0	CMS clinical re- view.
			Electrocautery Supply Pack.	NF	1	0	Non-standard di- rect practice ex- pense input.
		SJ041	povidone soln (Betadine).	NF	10	0	Duplicative.
		EF015	mayo stand	NF	30	20	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EF031	table, power	NF	30	20	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	30	20	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EQ137	instrument pack, basic (\$500– \$1499).	NF	30	20	Refined equipment time to reflect typical use ex- clusive to pa- tient.
13120	Cmplx rpr s/a/l 1.1–2.5 cm.	EQ351	Smoke Evacuator (tubing, cov- ering, etc.) with stand.	NF	30	20	Refined equipment time to reflect typical use ex- clusive to pa- tient.
			Electrocautery Supply Pack.	NF	1	0	Non-standard di- rect practice ex- pense input.
		SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.
		EF014	light, surgical	NF	86	27	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EF015	mayo stand	NF	86	41	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EF023	table, exam	NF	86	27	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EF031	table, power	NF	86	41	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	86	41	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EQ137	instrument pack, basic (\$500– \$1499).	NF	86	48	Refined equipment time to reflect typical use ex- clusive to pa- tient.
		EQ351	Smoke Evacuator (tubing, cov- ering, etc.) with stand.	NF	86	41	Refined equipment time to reflect typical use ex- clusive to pa- tient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
13121	Cmplx rpr s/a/l 2.6–7.5 cm.	SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.
		SB027	gown, staff, impervious.	F	2	0	CMS clinical review.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		SB034	mask, surgical, with face shield.	F	2	1	CMS clinical review.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
			Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.
		SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.
		EF014	light, surgical	NF	129	27	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	129	48	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	129	27	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	129	48	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	129	48	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	129	55	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	129	48	Refined equipment time to reflect typical use exclusive to patient.
L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	15	10	Standardized time input.		
13122	Cmplx rpr s/a/l addl 5 cm/>	SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
			Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.
		SJ041	povidone soln (Betadine).	NF	10	0	Duplicative.
		EF015	mayo stand	NF	30	20	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
13131	Cmplx rpr f/c/c/m/n/ax/g/h/f.	EF031	table, power	NF	30	20	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	30	20	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	30	20	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	30	20	Refined equipment time to reflect typical use exclusive to patient.
			Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.
		SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.
		EF014	light, surgical	NF	45	27	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	45	48	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	45	27	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	45	48	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	45	48	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	45	55	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	45	48	Refined equipment time to reflect typical use exclusive to patient.
		SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		SC029	needle, 18–27g ...	NF	1	0	CMS clinical review.
			Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.
		SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
13132	Cmplx rpr f/c/c/m/n/ax/g/h/f.	EF014	light, surgical	NF	50	27	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	50	51	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	50	27	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	50	51	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	50	51	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	50	58	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	50	51	Refined equipment time to reflect typical use exclusive to patient.
		SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		SC029	needle, 18–27g ...	NF	1	0	CMS clinical review.
			Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.
			SJ041	povidone soln (Betadine).	NF	10	0
13133	Cmplx rpr f/c/c/m/n/ax/g/h/f.	EF015	mayo stand	NF	35	23	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	35	23	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	35	23	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	35	23	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	35	23	Refined equipment time to reflect typical use exclusive to patient.
	Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
13150	Cmplx rpr e/n/e/l 1.0 cm/<	SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.
		EF014	light, surgical	NF	30	27	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	30	44	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	30	27	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	30	44	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	30	44	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	30	51	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	30	44	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Assist physician in performing procedure.	20	26	Conforming to physician time.
		SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		SC029	needle, 18–27g ...	NF	1	0	CMS clinical review.
					Electrocautery Supply Pack.	NF	1
13151	Cmplx rpr e/n/e/l 1.1–2.5 cm.	SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.
		EF014	light, surgical	NF	45	27	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	45	48	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	45	27	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	45	48	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
13152	Cmplx rpr e/n/e/l 2.6–7.5 cm.	EQ114	electrosurgical generator, up to 120 watts.	NF	45	48	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	45	55	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	45	48	Refined equipment time to reflect typical use exclusive to patient.
		SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
			Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.
		SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.
		EF014	light, surgical	NF	50	27	Refined equipment time to reflect typical use exclusive to patient.
		EF015	mayo stand	NF	50	51	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	50	27	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	50	51	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	50	51	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	50	58	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	50	51	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	15	10	Standardized time input.
		SB016	drape-cover, sterile, OR light handle.	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	0	Duplicative.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
	Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.		
SJ041	povidone soln (Betadine).	NF	10	0	Duplicative.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
13153	Cmplx rpr e/n/e/l addl 5cm/<	EF015	mayo stand	NF	45	30	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	45	30	Refined equipment time to reflect typical use exclusive to patient.
		EQ114	electrosurgical generator, up to 120 watts.	NF	45	30	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	45	30	Refined equipment time to reflect typical use exclusive to patient.
		EQ351	Smoke Evacuator (tubing, covering, etc.) with stand.	NF	45	30	Refined equipment time to reflect typical use exclusive to patient.
		SC029	needle, 18–27g ...	NF	2	0	CMS clinical review.
			Electrocautery Supply Pack.	NF	1	0	Non-standard direct practice expense input.
		SJ041	povidone soln (Betadine).	NF	5	0	Duplicative.
20600	Drain/inject joint/ bursa.	EF023	table, exam	NF	19	16	Refined equipment time to reflect typical use exclusive to patient.
		EQ168	light, exam	NF	19	16	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	F	Discharge day management.	6	0	CMS clinical review.
		L037D	RN/LPN/MTA	F	Conduct phone calls/call in prescriptions.	0	3	CMS clinical review.
		SC029	needle, 18–27g ...	NF	4	2	CMS clinical review.
		SC055	syringe 3ml	NF	2	1	CMS clinical review.
		EF023	table, exam	NF	19	16	Refined equipment time to reflect typical use exclusive to patient.
20605	Drain/inject joint/ bursa.	EQ168	light, exam	NF	19	16	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	F	Discharge day management.	6	0	CMS clinical review.
		L037D	RN/LPN/MTA	F	Conduct phone calls/call in prescriptions.	0	3	CMS clinical review.
		SC029	needle, 18–27g ...	NF	4	2	CMS clinical review.
		SC055	syringe 3ml	NF	2	1	CMS clinical review.
		EF023	table, exam	NF	19	16	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	19	16	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
23472	Reconstruct shoulder joint.	EQ168	light, exam	NF		19	16	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	F	Discharge day management.	6	0	CMS clinical review.
		L037D	RN/LPN/MTA	F	Conduct phone calls/call in prescriptions.	0	3	CMS clinical review.
		SC029	needle, 18–27g	NF		4	2	CMS clinical review.
		SC057	syringe 5–6ml	NF		2	1	CMS clinical review.
23473	Revis reconst shoulder joint.	SA052	pack, post-op incision care (staple).	F		0	1	CMS clinical review.
		SA053	pack, post-op incision care (suture & staple).	F		1	0	CMS clinical review.
23474	Revis reconst shoulder joint.	SA052	pack, post-op incision care (staple).	F		0	1	CMS clinical review.
		SA053	pack, post-op incision care (suture & staple).	F		1	0	CMS clinical review.
24363	Replace elbow joint.	SA052	pack, post-op incision care (staple).	F		0	1	CMS clinical review.
		SA053	pack, post-op incision care (suture & staple).	F		1	0	CMS clinical review.
24370	Revise reconst elbow joint.	SA052	pack, post-op incision care (staple).	F		0	1	CMS clinical review.
		SA053	pack, post-op incision care (suture & staple).	F		1	0	CMS clinical review.
24371	Revise reconst elbow joint.	SA052	pack, post-op incision care (staple).	F		0	1	CMS clinical review.
		SA053	pack, post-op incision care (suture & staple).	F		1	0	CMS clinical review.
31231	Nasal endoscopy dx.	ED032	printer, laser, paper.	NF		43	35	Refined equipment time to reflect typical use exclusive to patient.
		EF008	chair with headrest, exam, reclining.	NF		43	35	Refined equipment time to reflect typical use exclusive to patient.
		EQ138	instrument pack, medium (\$1500 and up).	NF		0	47	Refined equipment time to reflect typical use exclusive to patient.
		EQ167	light source, xenon	NF		43	35	Refined equipment time to reflect typical use exclusive to patient.
		EQ170	light, fiberoptic headlight w-source.	NF		43	35	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
31647	Bronchial valve insert.	EQ234	suction and pressure cabinet, ENT (SMR).	NF	43	35	Refined equipment time to reflect typical use exclusive to patient.
		ES013	endoscope, rigid, sinoscopy.	NF	63	42	Refined equipment time to reflect typical use exclusive to patient.
		ES013	endoscope, rigid, sinoscopy.	NF	63	0	CMS clinical review.
		ES031	video system, endoscopy (processor, digital capture, monitor, printer, cart).	NF	43	35	Refined equipment time to reflect typical use exclusive to patient.
		ES036	Nasal Endoscopy Instrument Package.	NF	63	0	Non-standard direct practice expense input.
		L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	2	0	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	1	0	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Clean Surgical Instrument Package.	10	15	Standardized time input.
		L037D	RN/LPN/MTA	NF	Review/read X-ray, lab, and pathology reports.	5	0	CMS clinical review.
		SB027	gown, staff, impervious.	NF	2	1	Duplicative.
		SB034	mask, surgical, with face shield.	NF	2	1	Duplicative.
		L047C	RN/Respiratory Therapist.	F	Complete pre-service diagnostic & referral forms.	3	5	CMS clinical review.
		L047C	RN/Respiratory Therapist.	F	Coordinate pre-surgery services.	5	3	CMS clinical review.
		32554	Aspirate pleura w/ o imaging.	EF023	table, exam	NF	56
EQ168	light, exam			NF	0	52	Refined equipment time to reflect typical use exclusive to patient.
L037D	RN/LPN/MTA			NF	Complete pre-service diagnostic & referral forms.	5	0	CMS clinical review.
L037D	RN/LPN/MTA			NF	Coordinate pre-surgery services.	3	1	CMS clinical review.
L037D	RN/LPN/MTA			NF	Monitor pt. following service/ check tubes, monitors, drains.	5	10	CMS clinical review.
SA048	pack, minimum multi-specialty visit.			NF	0	1	CMS clinical review.
SA067	tray, shave prep ...			NF	0	1	CMS clinical review.
.....	kit, thoracentesis ..			NF	1	0	CMS clinical review.
SA070	tray, thoracentesis			NF	0	1	CMS clinical review.
SA077	kit, pleural catheter insertion.			NF	0	1	CMS clinical review.
SB001	cap, surgical			NF	0	2	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
32555	Aspirate pleura w/ imaging.	SB006	drape, non-sterile, sheet 40in x 60in.	NF	1	0	CMS clinical review.
		SB024	gloves, sterile	NF	1	2	CMS clinical review.
		SB034	mask, surgical, with face shield.	NF	0	2	CMS clinical review.
		SB039	shoe covers, surgical.	NF	0	2	CMS clinical review.
		SB044	underpad 2ft x 3ft (Chux).	NF	0	1	CMS clinical review.
		SG056	gauze, sterile 4in x 4in (10 pack uou).	NF	1	0	CMS clinical review.
		ED024	film processor, dry, laser.	NF	58	7	Refined equipment time to reflect typical use exclusive to patient.
		EF019	stretcher chair	NF	15	10	CMS clinical review.
		EL015	room, ultrasound, general.	NF	33	30	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	58	7	Refined equipment time to reflect typical use exclusive to patient.
		L041B	Radiologic Technologist.	NF	Complete pre-service diagnostic & referral forms.	5	0	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Coordinate pre-surgery services.	3	1	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Monitor pt. following service/ check tubes, monitors, drains.	15	10	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Process images, complete data sheet, present images and data to the interpreting physician.	5	2	CMS clinical review.
32556	Insert cath pleura w/o image.		kit, thoracentesis ..	NF	1	0	CMS clinical review.
		SA070	tray, thoracentesis	NF	0	1	CMS clinical review.
		SA077	kit, pleural catheter insertion.	NF	0	1	CMS clinical review.
		SB001	cap, surgical	NF	0	3	CMS clinical review.
		SB027	gown, staff, impervious.	NF	0	1	CMS clinical review.
		SB039	shoe covers, surgical.	NF	0	3	CMS clinical review.
		SB044	underpad 2ft x 3ft (Chux).	NF	0	1	CMS clinical review.
		SG078	tape, surgical occlusive 1in (Blenderm).	NF	0	15	CMS clinical review.
		SM012	disinfectant spray (Transeptic).	NF	10	0	CMS clinical review.
		SM021	sanitizing cloth-wipe (patient).	NF	2	0	CMS clinical review.
		EQ168	light, exam	NF	0	76	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Complete pre-service diagnostic & referral forms.	5	0	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
32557	Insert cath pleura w/image.	L037D	RN/LPN/MTA	NF	Coordinate pre-surgery services.	3	1	CMS clinical review.
		SA044	pack, moderate sedation.	NF	0	1	CMS clinical review.
		SA048	pack, minimum multi-specialty visit.	NF	0	1	CMS clinical review.
		SA067	tray, shave prep ...	NF	0	1	CMS clinical review.
		SB001	cap, surgical	NF	0	2	CMS clinical review.
		SB006	drape, non-sterile, sheet 40in x 60in.	NF	1	0	CMS clinical review.
		SB034	mask, surgical, with face shield.	NF	0	2	CMS clinical review.
		SB039	shoe covers, surgical.	NF	0	2	CMS clinical review.
		SB044	underpad 2ft x 3ft (Chux).	NF	0	1	CMS clinical review.
		SC010	closed flush system, angiography.	NF	0	1	CMS clinical review.
		SG056	gauze, sterile 4in x 4in (10 pack uou).	NF	1	0	CMS clinical review.
		SH065	sodium chloride 0.9% flush syringe.	NF	0	1	CMS clinical review.
		SH069	sodium chloride 0.9% irrigation (500–1000ml uou).	NF	0	1	CMS clinical review.
		SL157	cup, sterile, 8 oz ..	NF	0	1	CMS clinical review.
		ED024	film processor, dry, laser.	NF	58	7	CMS clinical review.
		EF019	stretcher chair	NF	15	10	CMS clinical review.
		EL007	room, CT	NF	43	40	Refined equipment time to reflect typical use exclusive to patient.
		EQ168	light, exam	NF	60	40	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	58	7	CMS clinical review.
		L046A	CT Technologist ..	NF	Complete pre-service diagnostic & referral forms.	5	0	CMS clinical review.
		L046A	CT Technologist ..	NF	Coordinate pre-surgery services.	3	1	CMS clinical review.
		L046A	CT Technologist ..	NF	Check dressings & wound/home care instructions/coordinate office visits/prescriptions.	3	5	CMS clinical review.
		L046A	CT Technologist ..	NF	Assist physician in performing procedure.	28	30	Conforming to physician time.
		SA071	kit, AccuStick II Introducer System with RO Marker.	NF	1	0	CMS clinical review.
		SA077	kit, pleural catheter insertion.	NF	0	1	CMS clinical review.
		SB001	cap, surgical	NF	2	3	CMS clinical review.
SB011	drape, sterile, fenestrated 16in x 29in.	NF	1	0	CMS clinical review.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
		SB014	drape, sterile, three-quarter sheet.	NF	1	0	CMS clinical review.
		SB019	drape-towel, sterile 18in x 26in.	NF	4	0	CMS clinical review.
		SB024	gloves, sterile	NF	2	1	CMS clinical review.
		SB027	gown, staff, impervious.	NF	0	1	CMS clinical review.
		SB039	shoe covers, surgical.	NF	2	3	CMS clinical review.
		SC049	stop cock, 3-way ..	NF	1	0	CMS clinical review.
		SC056	syringe 50–60ml ..	NF	2	0	CMS clinical review.
		SC058	syringe w-needle, OSHA compliant (SafetyGlide).	NF	1	0	CMS clinical review.
		SD043	dilator, vessel, angiographic.	NF	1	0	CMS clinical review.
		SD088	guidewire	NF	1	0	CMS clinical review.
		SD146	catheter percutaneous fastener (Percu-Stay).	NF	1	0	CMS clinical review.
		SD161	drainage catheter, all purpose.	NF	1	0	CMS clinical review.
		SD163	drainage pouch, nephrostomy-biliary.	NF	1	0	CMS clinical review.
		SF007	blade, surgical (Bard-Parker).	NF	1	0	CMS clinical review.
		SG009	applicator, sponge-tipped.	NF	4	0	CMS clinical review.
		SG078	tape, surgical occlusive 1in (Blenderm).	NF	0	25	CMS clinical review.
		SH047	lidocaine 1%–2% inj (Xylocaine).	NF	10	0	CMS clinical review.
		SJ041	povidone soln (Betadine).	NF	60	0	CMS clinical review.
		SL036	cup, biopsy-specimen sterile 4oz.	NF	1	0	CMS clinical review.
		SL156	cup, sterile, 12–16 oz.	NF	1	0	CMS clinical review.
33361	Replace aortic valve perq.	L037D	RN/LPN/MTA	F	Coordinate pre-surgery services.	40	10	Standardized time input.
		L037D	RN/LPN/MTA	F	Schedule space and equipment in facility.	8	5	Standardized time input.
		L037D	RN/LPN/MTA	F	Provide pre-service education/obtain consent.	20	7	Standardized time input.
		L037D	RN/LPN/MTA	F	Follow-up phone calls & prescriptions.	7	3	Standardized time input.
33362	Replace aortic valve open.	L037D	RN/LPN/MTA	F	Coordinate pre-surgery services.	40	10	Standardized time input.
		L037D	RN/LPN/MTA	F	Schedule space and equipment in facility.	8	5	Standardized time input.
		L037D	RN/LPN/MTA	F	Provide pre-service education/obtain consent.	20	7	Standardized time input.
		L037D	RN/LPN/MTA	F	Follow-up phone calls & prescriptions.	7	3	Standardized time input.
33363	Replace aortic valve open.	L037D	RN/LPN/MTA	F	Coordinate pre-surgery services.	40	10	Standardized time input.
		L037D	RN/LPN/MTA	F	Schedule space and equipment in facility.	8	5	Standardized time input.
		L037D	RN/LPN/MTA	F	Provide pre-service education/obtain consent.	20	7	Standardized time input.
		L037D	RN/LPN/MTA	F	Follow-up phone calls & prescriptions.	7	3	Standardized time input.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
33364	Replace aortic valve open.	L037D	RN/LPN/MTA	F	Coordinate pre-surgery services.	40	10	Standardized time input.
		L037D	RN/LPN/MTA	F	Schedule space and equipment in facility.	8	5	Standardized time input.
		L037D	RN/LPN/MTA	F	Provide pre-service education/obtain consent.	20	7	Standardized time input.
		L037D	RN/LPN/MTA	F	Follow-up phone calls & prescriptions.	7	3	Standardized time input.
33365	Replace aortic valve open.	L037D	RN/LPN/MTA	F	Coordinate pre-surgery services.	40	10	Standardized time input.
		L037D	RN/LPN/MTA	F	Schedule space and equipment in facility.	8	5	Standardized time input.
		L037D	RN/LPN/MTA	F	Provide pre-service education/obtain consent.	20	7	Standardized time input.
		L037D	RN/LPN/MTA	F	Follow-up phone calls & prescriptions.	7	3	Standardized time input.
33366	#N/A	L037D	RN/LPN/MTA	F	Coordinate pre-surgery services.	40	10	Standardized time input.
		L037D	RN/LPN/MTA	F	Schedule space and equipment in facility.	8	5	Standardized time input.
		L037D	RN/LPN/MTA	F	Provide pre-service education/obtain consent.	20	7	Standardized time input.
		L037D	RN/LPN/MTA	F	Follow-up phone calls & prescriptions.	7	3	Standardized time input.
33405	Replacement of aortic valve.	L051A	RN	F	Other Clinical Activity—specify: for reference code 33406 and codes 33405 and 33430: Additional coordination between multiple specialties for complex procedures (tests, meds, scheduling, etc) prior to patient arrival at site of service..	15	0	CMS clinical review.
		L051A	RN	F	Other Clinical Activity—specify: for reference code 33406 and codes 33405 and 33430: Additional coordination between multiple specialties for complex procedures (tests, meds, scheduling, etc) prior to patient arrival at site of service..	15	0	CMS clinical review.
35475	Repair arterial blockage.	EL011	room, angiography	NF	51	52	Refined equipment time to reflect typical use exclusive to patient.
		EQ011	ECG, 3-channel (with SpO2, NIBP, temp, resp).	NF	212	285	Moderate Sedation equipment—Time includes administering anesthesia, procedure time, and monitoring patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
35476	Repair venous blockage.	EQ032	IV infusion pump ..	NF	212	285	Moderate Sedation equipment— Time includes administering anesthesia, procedure time, and monitoring patient.
		EQ168	light, exam	NF	120	52	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	F	Complete pre-service diagnostic & referral forms.	5	3	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	5	3	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Prepare room, equipment, supplies.	4	2	Standardized time input.
		SB019	drape-towel, sterile 18in x 26in.	NF	4	2	CMS clinical review.
		Ef027	table, instrument, mobile.	NF	302	277	Moderate Sedation equipment— Time includes administering anesthesia, procedure time, and monitoring patient.
		EL011	room, angiography	NF	43	44	Refined equipment time to reflect typical use exclusive to patient.
		EQ011	ECG, 3-channel (with SpO2, NIBP, temp, resp).	NF	137	277	Moderate Sedation equipment— Time includes administering anesthesia, procedure time, and monitoring patient.
		EQ032	IV infusion pump ..	NF	137	277	Moderate Sedation equipment— Time includes administering anesthesia, procedure time, and monitoring patient.
36221	Place cath thoracic aorta.	EQ168	light, exam	NF	120	44	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	F	Schedule space and equipment in facility.	3	5	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	5	3	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Prepare room, equipment, supplies.	4	2	Standardized time input.
		SB019	drape-towel, sterile 18in x 26in.	NF	4	2	CMS clinical review.
		EF018	stretcher	NF	272	0	CMS Code correction.
		EF027	table, instrument, mobile.	NF	0	272	CMS Code correction.
		EL011	room, angiography	NF	49	45	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
36222	Place cath carotid/inom art.	EQ088	contrast media warmer.	NF	49	45	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	49	45	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	5	3	Standardized time input.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	5	3	CMS clinical review.
		L041A	Angio Technician	NF	Image Post Processing.	5	0	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Prepare room, equipment, supplies.	2	7	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Prepare and position patient/monitor patient/set up IV.	2	7	CMS clinical review.
		SD249	Sterile Radio-opaque ruler (le Maitre, documentation available).	NF	1	0	CMS clinical review.
		EF018	stretcher	NF	282	0	CMS Code correction.
		EF027	table, instrument, mobile.	NF	0	282	CMS Code correction.
		EL011	room, angiography	NF	59	55	Refined equipment time to reflect typical use exclusive to patient.
		EQ088	contrast media warmer.	NF	59	55	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	59	55	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	5	3	Standardized time input.
		36223	Place cath carotid/inom art.	L037D	RN/LPN/MTA	NF	Obtain vital signs	5
SD147	catheter, (Glide) ...			NF	1	0	CMS clinical review.
SD249	Sterile Radio-opaque ruler (le Maitre, documentation available).			NF	1	0	CMS clinical review.
EF018	stretcher			NF	287	0	CMS Code correction.
EF027	table, instrument, mobile.			NF	0	287	CMS Code correction.
EL011	room, angiography			NF	64	60	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
36224	Place cath carotid art.	EQ088	contrast media warmer.	NF	64	60	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	64	60	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	5	3	Standardized time input.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	5	3	CMS clinical review.
		SD249	Sterile Radio-opaque ruler (le Maitre, documentation available).	NF	1	0	CMS clinical review.
		EF018	stretcher	NF	292	0	CMS Code correction.
		EF027	table, instrument, mobile.	NF	0	292	CMS Code correction.
36225	Place cath subclavian art.	EL011	room, angiography	NF	69	65	Refined equipment time to reflect typical use exclusive to patient.
		EQ088	contrast media warmer.	NF	69	65	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	69	65	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	5	3	Standardized time input.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	5	3	CMS clinical review.
		EF018	stretcher	NF	287	0	CMS Code correction.
		EF027	table, instrument, mobile.	NF	0	287	CMS Code correction.
		EL011	room, angiography	NF	64	60	Refined equipment time to reflect typical use exclusive to patient.
		EQ088	contrast media warmer.	NF	64	60	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	64	60	Refined equipment time to reflect typical use exclusive to patient.
L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	5	3	Standardized time input.		
		NF	Obtain vital signs	5	3	CMS clinical review.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
36226	Place cath vertebral art.	EF018	stretcher	NF	292	0	CMS Code correction.
		EF027	table, instrument, mobile.	NF	0	292	CMS Code correction.
		EL011	room, angiography	NF	69	65	Refined equipment time to reflect typical use exclusive to patient.
		EQ088	contrast media warmer.	NF	69	65	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	69	65	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	5	3	Standardized time input.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	5	3	CMS clinical review.
36228	Place cath intracranial art.	L041B	Radiologic Technologist.	NF	Prepare room, equipment, supplies.	1	0	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Assisting with fluoroscopy/ image acquisition (75%).	23	22	CMS clinical review.
		SC057	syringe 5–6ml	NF	4	0	CMS clinical review.
37197	Remove intrvas foreign body.	EF027	table, instrument, mobile.	NF	305	302	Moderate Sedation equipment— Time includes administering anesthesia, procedure time, and monitoring patient.
		EL011	room, angiography	NF	77	72	Refined equipment time to reflect typical use exclusive to patient.
		EQ011	ECG, 3-channel (with SpO2, NIBP, temp, resp).	NF	305	302	Moderate Sedation equipment— Time includes administering anesthesia, procedure time, and monitoring patient.
		EQ032	IV infusion pump ..	NF	305	302	Moderate Sedation equipment— Time includes administering anesthesia, procedure time, and monitoring patient.
		EQ088	contrast media warmer.	NF	77	0	CMS clinical review.
		EQ250	ultrasound unit, portable.	NF	77	0	CMS clinical review.
		ER029	film alternator (motorized film viewbox).	NF	77	72	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
		L037D	RN/LPN/MTA	NF	Greet patient, provide gowning, assure appropriate medical records are available.	5	3	Standardized time input.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	5	3	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Prepare room, equipment, supplies (including imaging equipment).	7	5	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Prepare and position patient/monitor patient/set up IV.	5	2	Standardized time input.
		SB005	cover-condom, transducer or ultrasound probe.	NF	1	0	CMS clinical review.
		SB048	sheath-cover, sterile, 96in x 6in (transducer).	NF	1	0	CMS clinical review.
		SD147	catheter, (Glide) ...	NF	1	0	CMS clinical review.
		SD252	guidewire, Amplatz wire 260 cm.	NF	1	0	CMS clinical review.
		SH065	sodium chloride 0.9% flush syringe.	NF	2	0	CMS clinical review.
47600	Removal of gallbladder.	SA053	pack, post-op incision care (suture & staple).	F	1	0	CMS clinical review.
		SA054	pack, post-op incision care (suture).	F	0	1	CMS clinical review.
47605	Removal of gallbladder.	SA053	pack, post-op incision care (suture & staple).	F	1	0	CMS clinical review.
		SA054	pack, post-op incision care (suture).	F	0	1	CMS clinical review.
50590	Fragmenting of kidney stone.	EL014	room, radiographic-fluoroscopic.	NF	86	0	Consistent with the AMA RUC's CY2011 recommendation.
		EQ175	lithotripter, with C-arm (ESWL).	NF	86	67	Refined equipment time to reflect typical use exclusive to patient.
52214	Cystoscopy and treatment.	EF027	table, instrument, mobile.	NF	100	65	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	100	65	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	100	65	Refined equipment time to reflect typical use exclusive to patient.
		EQ153	laser (gs, uro, obg, ge) (Indigo Optima).	NF	100	65	Refined equipment time to reflect typical use exclusive to patient.
		EQ167	light source, xenon	NF	100	65	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
52224	Cystoscopy and treatment.	ES006	endoscope for- ceps, biopsy.	NF	100	65	Refined equipment time to reflect typical use exclusive to patient.
		ES007	endoscope for- ceps, grasping.	NF	100	65	Refined equipment time to reflect typical use exclusive to patient.
		ES018	fiberscope, flexi- ble, cystoscopy.	NF	100	92	Refined equipment time to reflect typical use exclusive to patient.
		ES031	video system, en- doscopy (proc- essor, digital capture, mon- itor, printer, cart).	NF	100	65	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Review Chart	3	0	CMS clinical re- view.
		SB019	drape-towel, sterile 18in x 26in.	NF	1	0	Duplicative.
		SB024	gloves, sterile	NF	0	1	CMS clinical re- view.
		SD270	Penis clamp	NF	1	0	Not a disposable according to submitted in- voice.
		SH047	lidocaine 1%–2% inj (Xylocaine).	NF	50	0	Duplicative.
		EF027	table, instrument, mobile.	NF	105	67	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	105	67	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500– \$1499).	NF	105	67	Refined equipment time to reflect typical use exclusive to patient.
		EQ153	laser (gs, uro, obg, ge) (Indigo Op- tima).	NF	105	67	Refined equipment time to reflect typical use exclusive to patient.
		EQ167	light source, xenon	NF	105	67	Refined equipment time to reflect typical use exclusive to patient.
		ES006	endoscope for- ceps, biopsy.	NF	105	67	Refined equipment time to reflect typical use exclusive to patient.
		ES007	endoscope for- ceps, grasping.	NF	105	67	Refined equipment time to reflect typical use exclusive to patient.
		ES018	fiberscope, flexi- ble, cystoscopy.	NF	105	94	Refined equipment time to reflect typical use exclusive to patient.
		ES031	video system, en- doscopy (proc- essor, digital capture, mon- itor, printer, cart).	NF	105	67	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
52287	Cystoscopy chemodenervation.	L037D	RN/LPN/MTA	NF	Review Chart	3	0	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Prepare biopsy Specimen.	5	2	CMS clinical review.
		SB019	drape-towel, sterile 18in x 26in.	NF	1	0	Duplicative.
		SB024	gloves, sterile	NF	3	1	CMS clinical review.
		SD270	Penis clamp	NF	1	0	Not a disposable according to submitted invoice.
		SH047	lidocaine 1%–2% inj (Xylocaine).	NF	50	0	Duplicative.
		SL036	cup, biopsy-specimen sterile 4oz.	NF	6	3	CMS clinical review.
		EF027	table, instrument, mobile.	NF	78	49	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	78	49	Refined equipment time to reflect typical use exclusive to patient.
		EQ170	light, fiberoptic headlight w-source.	NF	78	49	Refined equipment time to reflect typical use exclusive to patient.
53850	Prostatic microwave thermotx.	ES018	fiberscope, flexible, cystoscopy.	NF	78	76	Refined equipment time to reflect typical use exclusive to patient.
		ES031	video system, endoscopy (processor, digital capture, monitor, printer, cart).	NF	78	49	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Assist physician in performing procedure.	20	21	Conforming to physician time.
		SH048	lidocaine 2% jelly, topical (Xylocaine).	NF	10	0	Duplicative.
		EF020	stretcher, endoscopy.	NF	99	85	Refined equipment time to reflect typical use exclusive to patient.
		EF027	table, instrument, mobile.	NF	99	85	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	169	152	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	F	169	152	Refined equipment time to reflect typical use exclusive to patient.
		EQ037	TUMT system control unit.	NF	99	85	Refined equipment time to reflect typical use exclusive to patient.
		EQ168	light, exam	NF	169	152	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
64612	Destroy nerve face muscle.	EQ168	light, exam	F	169	152	Refined equipment time to reflect typical use exclusive to patient.
		EQ250	ultrasound unit, portable.	NF	99	85	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Prepare room, equipment, supplies.	2	4	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Setup ultrasound probe.	5	0	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Setup TUMT machine.	5	0	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Clean TUMT machine.	3	0	CMS clinical review.
		SB022	gloves, non-sterile	NF	3	2	CMS clinical review.
		SB024	gloves, sterile	NF	3	2	CMS clinical review.
		SH047	lidocaine 1%–2% inj (Xylocaine).	NF	3	30	CMS clinical review.
		EL006	lane, screening (oph).	F	39	27	Refined equipment time to reflect typical use exclusive to patient.
64615	Chemodenerv musc migraine.	EL006	lane, screening (oph).	NF	48	45	Refined equipment time to reflect typical use exclusive to patient.
		SC031	needle, 30g	F	0	1	CMS clinical review.
64615	Chemodenerv musc migraine.	EF023	table, exam	NF	24	18	Refined equipment time to reflect typical use exclusive to patient.
65800	Drainage of eye ...	EL006	Lane, Screening ..	NF	21	22	Refined equipment time to reflect typical use exclusive to patient.
67810	Biopsy eyelid & lid margin.	EQ137	instrument pack, basic (\$500–\$1499).	NF	21	22	Refined equipment time to reflect typical use exclusive to patient.
		EF014	light, surgical	NF	20	22	Refined equipment time to reflect typical use exclusive to patient.
		EF031	table, power	NF	20	22	Refined equipment time to reflect typical use exclusive to patient.
		EQ110	electrocautery-hyfreicator, up to 45 watts.	NF	1	22	Refined equipment time to reflect typical use exclusive to patient.
		EQ137	instrument pack, basic (\$500–\$1499).	NF	1	30	Refined equipment time to reflect typical use exclusive to patient.
		SB011	drape, sterile, fenestrated 16in x 29in.	NF	0	1	CMS clinical review.
		SB019	drape-towel, sterile 18in x 26in.	NF	4	1	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
72040	X-ray exam neck spine 3/<vws.	SC029	needle, 18–27g	NF	1	0	Standardized time input.
		ED025	film processor, wet	NF	20	4	Refined equipment time to reflect typical use exclusive to patient.
		EL012	room, basic radiology.	NF	20	13	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	20	4	Refined equipment time to reflect typical use exclusive to patient.
72050	X-ray exam neck spine 4/5vws.		Film jacket or jacket insert.	NF	1	0	Non-standard direct practice expense input.
		ED025	film processor, wet	NF	28	6	Refined equipment time to reflect typical use exclusive to patient.
		EL012	room, basic radiology.	NF	28	19	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	28	6	Refined equipment time to reflect typical use exclusive to patient.
72052	X-ray exam neck spine 6/>vws.		Film jacket or jacket insert.	NF	1	0	Non-standard direct practice expense input.
		ED025	film processor, wet	NF	36	8	Refined equipment time to reflect typical use exclusive to patient.
		EL012	room, basic radiology.	NF	36	25	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	36	8	Refined equipment time to reflect typical use exclusive to patient.
72191	Ct angiograph pelv w/o&w/dye.		Film jacket or jacket insert.	NF	1	0	Non-standard direct practice expense input.
		ED025	film processor, wet	NF	36	8	Refined equipment time to reflect typical use exclusive to patient.
		EL012	room, basic radiology.	NF	36	25	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	36	8	Refined equipment time to reflect typical use exclusive to patient.
72191	Ct angiograph pelv w/o&w/dye.	EL007	room, CT	NF	101	40	Refined equipment time to reflect typical use exclusive to patient.
		L041B	Radiologic Technologist.	NF	Retrieve prior appropriate imaging exams and hang for MD review, verify orders, review the chart to incorporate relevant clinical information.	0	5	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Greet patient, provide gowning, assure appropriate medical records are available.	0	3	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment		
72192	Ct pelvis w/o dye	L041B	Radiologic Technologist.	NF	Education/instruction/counseling/obtain consent.	0	2	CMS clinical review.		
		L041B	Radiologic Technologist.	NF	Prepare room, equipment, supplies.	0	2	Standardized time input.		
		L041B	Radiologic Technologist.	NF	Prepare and position patient/monitor patient/set up IV.	0	7	CMS clinical review.		
		L041B	Radiologic Technologist.	NF	Acquire images	0	28	CMS clinical review.		
		L041B	Radiologic Technologist.	NF	Clean room/equipment by physician staff.	0	3	CMS clinical review.		
		L046A	CT Technologist ..	NF	Retrieve prior appropriate imaging exams and hang for MD review, verify orders, review the chart to incorporate relevant clinical information.	5	0	CMS clinical review.		
		L046A	CT Technologist ..	NF	Greet patient, provide gowning, assure appropriate medical records are available.	3	0	CMS clinical review.		
		L046A	CT Technologist ..	NF	Education/instruction/counseling/obtain consent.	2	0	CMS clinical review.		
		L046A	CT Technologist ..	NF	Prepare room, equipment, supplies.	5	0	CMS clinical review.		
		L046A	CT Technologist ..	NF	Prepare and position patient/monitor patient/set up IV.	7	0	CMS clinical review.		
		L046A	CT Technologist ..	NF	Acquire images	28	0	CMS clinical review.		
		L046A	CT Technologist ..	NF	Clean room/equipment by physician staff.	3	0	CMS clinical review.		
		SK016	computer media, optical disk 2.6gb.	NF	1	0.1	CMS clinical review.		
		ED024	film processor, dry, laser.	NF	5	0	CMS clinical review.		
		ED032	printer, laser, paper.	NF	0	5	CMS clinical review.		
		EL007	room, CT	NF	45	22	CMS clinical review.		
		L046A	CT Technologist ..	NF	Pre-Service Period	6	4	CMS clinical review.		
		72193	Ct pelvis w/dye	SK013	computer media, dvd.	NF	1	0	CMS clinical review.
				SK016	computer media, optical disk 2.6gb.	NF	0	0.1	CMS clinical review.
SK076	slide sleeve (photo slides).			NF	0	1	CMS clinical review.		
SK091	x-ray envelope			NF	1	0	CMS clinical review.		
SK098	film, x-ray, laser print.			NF	4	8	CMS clinical review.		
ED024	film processor, dry, laser.			NF	5	0	CMS clinical review.		
ED032	printer, laser, paper.			NF	0	5	CMS clinical review.		
EL007	room, CT			NF	40	32	CMS clinical review.		
L046A	CT Technologist ..			NF	Pre-Service Period	7	4	CMS clinical review.		
L046A	CT Technologist ..			NF	Service Period	40	43	CMS clinical review.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment		
72194	Ct pelvis w/o & w/ dye.	SB006	drape, non-sterile, sheet 40in x 60in.	NF	1	0	CMS clinical review.		
		SB014	drape, sterile, three-quarter sheet.	NF	0	1	CMS clinical review.		
		SC001	angiocatheter 14g–24g.	NF	1	0	CMS clinical review.		
		SC002	angiocatheter set	NF	0	1	CMS clinical review.		
		SC025	needle, 14–20g, biopsy.	NF	0	1	CMS clinical review.		
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.		
		SC059	syringe, 25ml (MRI power injector).	NF	0	1	CMS clinical review.		
		SG068	plaster bandage (4in x 5yd uou).	NF	1	0	CMS clinical review.		
		SG075	tape, elastic, 1in (Elastoplast, Elasticon) (5yd uou).	NF	0	6	CMS clinical review.		
		SG079	tape, surgical paper 1in (Micropore).	NF	6	0	CMS clinical review.		
		SH065	sodium chloride 0.9% flush syringe.	NF	0	15	CMS clinical review.		
		SK013	computer media, dvd.	NF	1	0	CMS clinical review.		
		SK016	computer media, optical disk 2.6gb.	NF	0	0.1	CMS clinical review.		
		SK076	slide sleeve (photo slides).	NF	0	1	CMS clinical review.		
		SK091	x-ray envelope	NF	1	0	CMS clinical review.		
		ED024	film processor, dry, laser.	NF	10	7	CMS clinical review.		
		EL007	room, CT	NF	54	39	CMS clinical review.		
		ER029	film alternator (motorized film viewbox).	NF	10	7	CMS clinical review.		
		73221	Mri joint upr extrem w/o dye.	L046A	CT Technologist ..	NF	Pre-Service Period	7	4	CMS clinical review.
				L046A	CT Technologist ..	NF	Service Period	54	52	CMS clinical review.
SC025	needle, 14–20g, biopsy.			NF	0	1	CMS clinical review.		
SC029	needle, 18–27g			NF	1	0	CMS clinical review.		
SK013	computer media, dvd.			NF	1	0	CMS clinical review.		
SK016	computer media, optical disk 2.6gb.			NF	0	0.1	CMS clinical review.		
SK076	slide sleeve (photo slides).			NF	0	1	CMS clinical review.		
SK091	x-ray envelope			NF	1	0	CMS clinical review.		
SK098	film, x-ray, laser print.			NF	0	8	CMS clinical review.		
ED024	film processor, dry, laser.			NF	63	33	Refined equipment time to reflect typical use exclusive to patient.		
EL008	room, MR			NF	63	33	Refined equipment time to reflect typical use exclusive to patient.		
ER029	film alternator (motorized film viewbox).			NF	63	33	Refined equipment time to reflect typical use exclusive to patient.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
73721	Mri jnt of lwr extre w/o dye.	L047A	MRI Technologist	NF	Prepare room, equipment, supplies.	5	3	CMS clinical review.
		L047A	MRI Technologist	NF	Prepare and position patient/monitor patient/set up IV.	3	2	Standardized time input.
		L047A	MRI Technologist	NF	Escort patient from exam room due to magnetic sensitivity.	2	0	Non-standard direct practice expense input.
			Insert folder	NF	1	0	Non-standard direct practice expense input.
		ED024	film processor, dry, laser.	NF	63	33	Refined equipment time to reflect typical use exclusive to patient.
		EL008	room, MR	NF	63	33	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	63	33	Refined equipment time to reflect typical use exclusive to patient.
		L047A	MRI Technologist	NF	Prepare room, equipment, supplies.	5	3	CMS clinical review.
74150	Ct abdomen w/o dye.	L047A	MRI Technologist	NF	Prepare and position patient/monitor patient/set up IV.	3	2	Standardized time input.
		L047A	MRI Technologist	NF	Escort patient from exam room due to magnetic sensitivity.	2	0	Non-standard direct practice expense input.
			Insert folder	NF	1	0	Non-standard direct practice expense input.
		ED024	film processor, dry, laser.	NF	5	0	CMS clinical review.
		ED032	printer, laser, paper.	NF	0	5	CMS clinical review.
		EL007	room, CT	NF	32	22	CMS clinical review.
		L046A	CT Technologist ..	NF	Pre-Service Period	6	4	CMS clinical review.
		SK013	computer media, dvd.	NF	1	0	CMS clinical review.
74160	Ct abdomen w/dye	SK016	computer media, optical disk 2.6gb.	NF	0	0.1	CMS clinical review.
		SK076	slide sleeve (photo slides).	NF	0	1	CMS clinical review.
		SK091	x-ray envelope	NF	1	0	CMS clinical review.
		SK098	film, x-ray, laser print.	NF	4	8	CMS clinical review.
		ED024	film processor, dry, laser.	NF	7	0	CMS clinical review.
		ED032	printer, laser, paper.	NF	0	5	CMS clinical review.
		EL007	room, CT	NF	47	32	CMS clinical review.
		ER029	film alternator (motorized film viewbox).	NF	7	5	CMS clinical review.
74160	Ct abdomen w/dye	L046A	CT Technologist ..	NF	Pre-Service Period	7	4	CMS clinical review.
		L046A	CT Technologist ..	NF	Service Period	47	43	CMS clinical review.
		SB006	drape, non-sterile, sheet 40in x 60in.	NF	1	0	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
74170	Ct abdomen w/o & w/dye.	SB014	drape, sterile, three-quarter sheet.	NF	0	1	CMS clinical review.
		SC001	angiocatheter 14g–24g.	NF	1	0	CMS clinical review.
		SC002	angiocatheter set	NF	0	1	CMS clinical review.
		SC025	needle, 14–20g, biopsy.	NF	0	1	CMS clinical review.
		SC029	needle, 18–27g ...	NF	1	0	CMS clinical review.
		SC059	syringe, 25ml (MRI power injector).	NF	0	1	CMS clinical review.
		SG075	tape, elastic, 1in (Elastoplast, Elasticon) (5yd uou).	NF	0	6	CMS clinical review.
		SG079	tape, surgical paper 1in (Micropore).	NF	6	0	CMS clinical review.
		SH065	sodium chloride 0.9% flush syringe.	NF	0	15	CMS clinical review.
		SH068	sodium chloride 0.9% inj bacteriostatic (30ml uou).	NF	1	0	CMS clinical review.
		SK013	computer media, dvd.	NF	1	0	CMS clinical review.
		SK016	computer media, optical disk 2.6gb.	NF	0	0.1	CMS clinical review.
		SK076	slide sleeve (photo slides).	NF	0	1	CMS clinical review.
		SK091	x-ray envelope	NF	1	0	CMS clinical review.
		SK098	film, x-ray, laser print.	NF	6	4	CMS clinical review.
		ED024	film processor, dry, laser.	NF	15	7	Refined equipment time to reflect typical use exclusive to patient.
		EL007	room, CT	NF	65	39	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	15	7	Refined equipment time to reflect typical use exclusive to patient.
		L046A	CT Technologist ..	NF	Retrieve prior appropriate imaging exams and hang for MD review, verify orders, review the chart to incorporate relevant clinical information and confirm contrast protocol with interpreting MD.	7	4	CMS clinical review.
		L046A	CT Technologist ..	NF	Assist physician in performing procedure.	32	27	CMS clinical review.
L046A	CT Technologist ..	NF	Image Post Processing.	15	7	CMS clinical review.		
SB006	drape, non-sterile, sheet 40in x 60in.	NF	1	0	CMS clinical review.		
SB014	drape, sterile, three-quarter sheet.	NF	0	1	CMS clinical review.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
74175	Ct angio abdom w/ o & w/dye.	SC001	angiocatheter 14g–24g.	NF	1	0	CMS clinical review.
		SC002	angiocatheter set	NF	0	1	CMS clinical review.
		SC025	needle, 14–20g, biopsy.	NF	0	1	CMS clinical review.
		SC029	needle, 18–27g	NF	1	0	CMS clinical review.
		SC059	syringe, 25ml (MRI power injector).	NF	0	1	CMS clinical review.
		SG050	gauze, non-sterile 2in x 2in.	NF	0	1	CMS clinical review.
		SG075	tape, elastic, 1in (Elastoplast, Elasticon) (5yd uou).	NF	0	6	CMS clinical review.
		SG079	tape, surgical paper 1in (Micropore).	NF	6	0	CMS clinical review.
		SH016	barium suspension (Polibar).	NF	900	0	CMS clinical review.
		SH065	sodium chloride 0.9% flush syringe.	NF	0	15	CMS clinical review.
		SH068	sodium chloride 0.9% inj bacteriostatic (30ml uou).	NF	1	0	CMS clinical review.
		SK013	computer media, dvd.	NF	1	0	CMS clinical review.
		SK016	computer media, optical disk 2.6gb.	NF	0	0.1	CMS clinical review.
		SK076	slide sleeve (photo slides).	NF	0	1	CMS clinical review.
		SK091	x-ray envelope	NF	1	0	CMS clinical review.
		SK098	film, x-ray, laser print.	NF	14	8	CMS clinical review.
		EL007	room, CT	NF	101	40	Refined equipment time to reflect typical use exclusive to patient.
		L041B	Radiologic Technologist.	NF	Retrieve prior appropriate imaging exams and hang for MD review, verify orders, review the chart to incorporate relevant clinical information.	0	5	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Greet patient, provide gowning, assure appropriate medical records are available.	0	3	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Education/instruction/counseling/obtain consent.	0	2	CMS clinical review.
L041B	Radiologic Technologist.	NF	Prepare room, equipment, supplies.	0	2	Standardized time input.		
L041B	Radiologic Technologist.	NF	Prepare and position patient/monitor patient/set up IV.	0	7	CMS clinical review.		
L041B	Radiologic Technologist.	NF	Acquire images	0	28	CMS clinical review.		
L041B	Radiologic Technologist.	NF	Clean room/equipment by physician staff.	0	3	CMS clinical review.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
74176	Ct abd & pelvis	L046A	CT Technologist ..	NF	Retrieve prior appropriate imaging exams and hang for MD review, verify orders, review the chart to incorporate relevant clinical information.	5	0	CMS clinical review.
		L046A	CT Technologist ..	NF	Greet patient, provide gowning, assure appropriate medical records are available.	3	0	CMS clinical review.
		L046A	CT Technologist ..	NF	Education/instruction/counseling/obtain consent.	2	0	CMS clinical review.
		L046A	CT Technologist ..	NF	Prepare room, equipment, supplies.	5	0	CMS clinical review.
		L046A	CT Technologist ..	NF	Prepare and position patient/monitor patient/set up IV.	7	0	CMS clinical review.
		L046A	CT Technologist ..	NF	Aquire images	28	0	CMS clinical review.
		L046A	CT Technologist ..	NF	Clean room/equipment by physician staff.	3	0	CMS clinical review.
		SK016	computer media, optical disk 2.6gb.	NF	1	0.1	CMS clinical review.
		ED032	printer, laser, paper.	NF	8	7	CMS clinical review.
		ER029	film alternator (motorized film viewbox).	NF	27	7	CMS clinical review.
74177	Ct abd & pelv w/ contrast.	L046A	CT Technologist ..	NF	Service Period	40	39	CMS clinical review.
		SK016	computer media, optical disk 2.6gb.	NF	0	0.1	CMS clinical review.
		SK076	slide sleeve (photo slides).	NF	0	1	CMS clinical review.
		ED032	printer, laser, paper.	NF	10	7	CMS clinical review.
		EL007	room, CT	NF	42	39	CMS clinical review.
		ER029	film alternator (motorized film viewbox).	NF	42	7	CMS clinical review.
		L046A	CT Technologist ..	NF	Pre-Service Period	7	6	CMS clinical review.
		L046A	CT Technologist ..	NF	Service Period	58	52	CMS clinical review.
		SK016	computer media, optical disk 2.6gb.	NF	0	0.1	CMS clinical review.
		SK076	slide sleeve (photo slides).	NF	0	1	CMS clinical review.
74178	Ct abd & pelv 1/> regns.	SK098	film, x-ray, laser print.	NF	10	8	CMS clinical review.
		ED032	printer, laser, paper.	NF	20	10	CMS clinical review.
		EL007	room, CT	NF	57	48	CMS clinical review.
		ER029	film alternator (motorized film viewbox).	NF	57	10	CMS clinical review.
		L046A	CT Technologist ..	NF	Pre-Service Period	7	6	CMS clinical review.
		L046A	CT Technologist ..	NF	Service Period	83	64	CMS clinical review.
		SK016	computer media, optical disk 2.6gb.	NF	0	0.1	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
76830	Transvaginal us non-ob.	SK076	slide sleeve (photo slides).	NF	0	1	CMS clinical review.
		SK098	film, x-ray, laser print.	NF	23	16	CMS clinical review.
		ED024	film processor, dry, laser.	NF	5	0	CMS clinical review.
		ED032	printer, laser, paper.	NF	1	0	CMS clinical review.
		EF027	table, instrument, mobile.	NF	0	36	Refined equipment time to reflect typical use exclusive to patient.
		EF034	table, ultrasound ..	NF	0	36	Refined equipment time to reflect typical use exclusive to patient.
		EL015	room, ultrasound, general.	NF	37	0	CMS clinical review.
		EQ250	ultrasound unit, portable.	NF	0	36	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	10	0	CMS clinical review.
		ER086	ultrasound probe ..	NF	0	37	Refined equipment time to reflect typical use exclusive to patient.
76872	Us transrectal	L051B	RN/Diagnostic Medical Sonographer.	NF	Clean room/equipment by physician staff.	3	2	CMS clinical review.
		SB026	gown, patient	NF	0	1	CMS clinical review.
		SJ033	lubricating jelly (Surgilube).	NF	1	0	CMS clinical review.
		EF027	table, instrument, mobile.	NF	68	34	Refined equipment time to reflect typical use exclusive to patient.
		EF034	table, ultrasound ..	NF	68	34	Refined equipment time to reflect typical use exclusive to patient.
		EQ250	ultrasound unit, portable.	NF	68	34	Refined equipment time to reflect typical use exclusive to patient.
		ER086	ultrasound probe ..	NF	68	35	Refined equipment time to reflect typical use exclusive to patient.
		L051B	RN/Diagnostic Medical Sonographer.	NF	Retrieve prior images for comparison..	0	3	CMS clinical review.
		L051B	RN/Diagnostic Medical Sonographer.	NF	Review Chart	3	0	CMS clinical review.
		L051B	RN/Diagnostic Medical Sonographer.	NF	Obtain vital signs	3	0	CMS clinical review.
		L051B	RN/Diagnostic Medical Sonographer.	NF	Prepare room, equipment, supplies.	2	3	CMS clinical review.
		L051B	RN/Diagnostic Medical Sonographer.	NF	Prepare ultrasound probe.	5	0	CMS clinical review.
		L051B	RN/Diagnostic Medical Sonographer.	NF	Obtain vital signs	3	0	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
77003	Fluoroguide for spine inject.	L051B	RN/Diagnostic Medical Sonographer.	NF	Clean room/equipment by physician staff.	3	2	CMS clinical review.
		SB012	drape, sterile, for Mayo stand.	NF	1	0	CMS clinical review.
		SC019	iv tubing (extension).	NF	1	0	CMS clinical review.
		SH048	lidocaine 2% jelly, topical (Xylocaine).	NF	10	0	CMS clinical review.
		SJ001	alcohol isopropyl 70%.	NF	5	0	CMS clinical review.
		SJ032	lubricating jelly (K-Y) (5gm uou).	NF	2	0	CMS clinical review.
		SM018	glutaraldehyde 3.4% (Cidex, Maxicide, Wavicide).	NF	32	0	CMS clinical review.
		SM019	glutaraldehyde test strips (Cidex, Metrex).	NF	1	0	CMS clinical review.
		SM022	sanitizing cloth-wipe (surface, instruments, equipment).	NF	2	0	CMS clinical review.
		ED025	film processor, wet	NF	3	2	Refined equipment time to reflect typical use exclusive to patient.
77080	Dxa bone density axial.	EL014	room, radiographic-fluoroscopic.	NF	9	18	Refined equipment time to reflect typical use exclusive to patient.
		ER029	film alternator (motorized film viewbox).	NF	3	2	Refined equipment time to reflect typical use exclusive to patient.
		L041B	Radiologic Technologist.	NF	Clean room/equipment by physician staff.	2	1	CMS clinical review.
		L041B	Radiologic Technologist.	NF	Process films, hang films and review study with interpreting MD prior to patient discharge.	3	2	CMS clinical review.
77301	Radiotherapy dose plan imrt.	ER078	phantom, spine, DXA calibration check.	NF	1	2	Refined equipment time to reflect typical use exclusive to patient.
		ED011	computer system, record and verify.	NF	20	0	CMS clinical review.
		ED033	treatment planning system, IMRT (Corvus w-Pergrine 3D Monte Carlo).	NF	376	330	CMS clinical review.
		ER005	IMRT CT-based simulator.	NF	58	47	CMS clinical review.
		ER014	chamber, Farmer-type.	NF	45	47	Refined equipment time to reflect typical use exclusive to patient.
ER028	electrometer, PC-based, dual channel.	NF	45	47	Refined equipment time to reflect typical use exclusive to patient.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
78012	Thyroid uptake measurement.	ER050	phantom, solid water calibration check.	NF	45	47	Refined equipment time to reflect typical use exclusive to patient.
		ER089	IMRT accelerator	NF	45	47	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Obtain vital signs	3	0	CMS clinical review.
		EF010	chair, thyroid imaging.	NF	40	30	Refined equipment time to reflect typical use exclusive to patient.
78013	Thyroid imaging w/ blood flow.	ER063	thyroid uptake system.	NF	40	30	Refined equipment time to reflect typical use exclusive to patient.
		ER032	gamma camera system, single-dual head.	NF	48	38	Refined equipment time to reflect typical use exclusive to patient.
78014	Thyroid imaging w/ blood flow.	EF010	chair, thyroid imaging.	NF	65	55	Refined equipment time to reflect typical use exclusive to patient.
		ER032	gamma camera system, single-dual head.	NF	65	50	Refined equipment time to reflect typical use exclusive to patient.
		ER063	thyroid uptake system.	NF	65	55	Refined equipment time to reflect typical use exclusive to patient.
78070	Parathyroid planar imaging.	ER032	gamma camera system, single-dual head.	NF	73	68	Refined equipment time to reflect typical use exclusive to patient.
78071	Parathyrd planar w/wo subtrj.	ER032	gamma camera system, single-dual head.	NF	86	81	Refined equipment time to reflect typical use exclusive to patient.
86153	Cell enumeration phys interp.	EP106	CELLSEARCH system.	NF	16	0	Laboratory physician interpretation code.
		EP107	Laboratory Information System.	NF	4	0	Laboratory physician interpretation code.
		L045A	Cytotechnologist ..	NF	Collate images and review with Pathologist.	5	0	Laboratory physician interpretation code.
88120	Cyp urne 3–5 probes ea spec.	EP088	ThermoBrite	NF	107	321	CMS clinical review.
		EP092	Olympus BX41 Fluorescent Microscope (without filters or camera).	NF	1.33	73.00	CMS clinical review.
88121	Cyp urine 3–5 probes cmpr.	EP088	ThermoBrite	NF	26.75	160.50	CMS clinical review.
		EP090	IkoniLan Software	NF	2.97	29.70	CMS clinical review.
		EP091	IkoniScope	NF	2.97	29.70	CMS clinical review.
88300	Surgical path gross.	courier transportation cost.	NF	2.02	0	Indirect Practice Expense.
		Copath System with maintenance contract.	NF	3	0	Indirect Practice Expense.
		Copath software ..	NF	3	0	Indirect Practice Expense.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
88302	Tissue exam by pathologist.		specimen, solvent, and formalin disposal cost.	NF		0.18	0	Indirect Practice Expense.
			courier transportation cost.	NF		2.02	0	Indirect Practice Expense.
			equipment maintenance cost.	NF		0.61	0	Included in equipment cost per minute calculation.
			Copath System with maintenance contract.	NF		3	0	Indirect Practice Expense.
			Copath software ..	NF		3	0	Indirect Practice Expense.
88304	Tissue exam by pathologist.		specimen, solvent, and formalin disposal cost.	NF		0.35	0	Indirect Practice Expense.
			courier transportation cost.	NF		2.02	0	Indirect Practice Expense.
			equipment maintenance cost.	NF		0.61	0	Included in equipment cost per minute calculation.
			Copath System with maintenance contract.	NF		5	0	Indirect Practice Expense.
			Copath software ..	NF		5	0	Indirect Practice Expense.
88305	Tissue exam by pathologist.		specimen, solvent, and formalin disposal cost.	NF		0.35	0	Indirect Practice Expense.
			courier transportation cost.	NF		2.02	0	Indirect Practice Expense.
			equipment maintenance cost.	NF		0.61	0	Included in equipment cost per minute calculation.
			Copath System with maintenance contract.	NF		4	0	Indirect Practice Expense.
			Copath software ..	NF		4	0	Indirect Practice Expense.
88307	Tissue exam by pathologist.		specimen, solvent, and formalin disposal cost.	NF		1.85	0	Indirect Practice Expense.
			courier transportation cost.	NF		2.02	0	Indirect Practice Expense.
			equipment maintenance cost.	NF		0.61	0	Included in equipment cost per minute calculation.
			Copath System with maintenance contract.	NF		10	0	Indirect Practice Expense.
			Copath software ..	NF		10	0	Indirect Practice Expense.
88309	Tissue exam by pathologist.		specimen, solvent, and formalin disposal cost.	NF		1.85	0	Indirect Practice Expense.
			courier transportation cost.	NF		2.02	0	Indirect Practice Expense.
			equipment maintenance cost.	NF		0.61	0	Included in equipment cost per minute calculation.
			Copath System with maintenance contract.	NF		12	0	Indirect Practice Expense.
			Copath software ..	NF		12	0	Indirect Practice Expense.
90791	Psych diagnostic evaluation.			NF				2012 Fully Implemented PE RVUs maintained.
90832	Psytx pt&/family 30 minutes.			NF				2012 Fully Implemented PE RVUs maintained.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
90834	Psytx pt&/family 45 minutes.			NF				2012 Fully Implemented PE RVUs maintained.
90836	Psytx pt&/fam w/ e&m 45 min.			NF				2012 Fully Implemented PE RVUs maintained.
91112	Gi wireless capsule measure.		Activation Fixture	NF		5	0	CMS clinical review.
			Docking Station ...	NF		40	0	CMS clinical review.
			MotilGI software ..	NF		40	0	CMS clinical review.
		EQ352	Data receiver	NF		7,220	2,880	CMS clinical review.
		SA048	pack, minimum multi-specialty visit.	NF		1	0	CMS clinical review.
			SmartBar	NF		1	0	CMS clinical review.
92081	Visual field examination(s).	SA050	pack, ophthalmology visit (no dilation).	NF		1	0	CMS clinical review.
		EL006	lane, screening (oph).	NF		12	17	Refined equipment time to reflect typical use exclusive to patient.
		EQ029	Humphrey field analyzer.	NF		12	17	Refined equipment time to reflect typical use exclusive to patient.
		EQ165	lens set, trial, full diameter, w-frame.	NF		12	17	CMS clinical review.
92082	Visual field examination(s).	SA050	pack, ophthalmology visit (no dilation).	NF		1	0	CMS clinical review.
		EL006	lane, screening (oph).	NF		22	27	Refined equipment time to reflect typical use exclusive to patient.
		EQ029	Humphrey field analyzer.	NF		22	27	Refined equipment time to reflect typical use exclusive to patient.
		EQ165	lens set, trial, full diameter, w-frame.	NF		22	27	CMS clinical review.
92083	Visual field examination(s).	SA050	pack, ophthalmology visit (no dilation).	NF		1	0	CMS clinical review.
		EL006	lane, screening (oph).	NF		32	37	Refined equipment time to reflect typical use exclusive to patient.
		EQ029	Humphrey field analyzer.	NF		32	37	Refined equipment time to reflect typical use exclusive to patient.
		EQ165	lens set, trial, full diameter, w-frame.	NF		32	37	CMS clinical review.
92235	Eye exam with photos.	ED008	camera, retinal (TRC 50IX, w-ICG, filters, motor drives).	NF		60	35	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
93015	Cardiovascular stress test.	EF030	table, motorized (for instruments-equipment).	NF	60	35	Refined equipment time to reflect typical use exclusive to patient.
		EL005	lane, exam (oph)	NF	60	35	Refined equipment time to reflect typical use exclusive to patient.
		L038A	COMT/COT/RN/CST.	NF	Monitor pt. following service/ check tubes, monitors, drains.	5	2	CMS clinical review.
		L039A	Certified Retinal Angio.	NF	Assist physician in performing procedure.	40	20	CMS clinical review.
		EF023	table, exam	NF	58	46	Refined equipment time to reflect typical use exclusive to patient.
93017	Cardiovascular stress test.	EQ078	cardiac monitor w-treadmill (12-lead PC-based ECG).	NF	58	46	Refined equipment time to reflect typical use exclusive to patient.
		L051A	RN	NF	Assist physician in performing procedure.	20	14	CMS clinical review.
		EF023	table, exam	NF	58	46	Refined equipment time to reflect typical use exclusive to patient.
		EQ078	cardiac monitor w-treadmill (12-lead PC-based ECG).	NF	58	46	Refined equipment time to reflect typical use exclusive to patient.
93925	Lower extremity study.	L051A	RN	NF	Assist physician in performing procedure.	20	14	CMS clinical review.
		L051A	RN	NF	Complete diagnostic forms, lab & X-ray requisitions.	0	4	CMS clinical review.
		ED011	computer system, record and verify.	NF	10	0	CMS clinical review.
		ED021	computer, desktop, w-monitor.	NF	95	7	Refined equipment time to reflect typical use exclusive to patient.
		ED025	film processor, wet	NF	10	7	Refined equipment time to reflect typical use exclusive to patient.
		ED034	video SVHS VCR (medical grade).	NF	95	0	CMS clinical review.
		EL016	room, ultrasound, vascular.	NF	95	76	Refined equipment time to reflect typical use exclusive to patient.
		ER067	x-ray view box, 4 panel.	NF	10	7	Refined equipment time to reflect typical use exclusive to patient.
		L054A	Vascular Technologist.	NF	Provide pre-service education/ obtain consent.	3	2	CMS clinical review.
L054A	Vascular Technologist.	NF	Prepare room, equipment, supplies.	3	2	Standardized time input.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
93926	Lower extremity study.	L054A	Vascular Technologist.	NF	Prepare and position patient.	3	2	Standardized time input.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: Collate preliminary data, arrange images, archive.	10	7	CMS clinical review.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: Record patient history.	1	0	CMS clinical review.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: QA documentation.	4	0	CMS clinical review.
		SK086	video tape, VHS ..	NF	1	0	CMS clinical review.
		ED011	computer system, record and verify.	NF	10	0	CMS clinical review.
		ED021	computer, desktop, w-monitor.	NF	59	4	Refined equipment time to reflect typical use exclusive to patient.
		ED025	film processor, wet	NF	10	4	Refined equipment time to reflect typical use exclusive to patient.
		ED034	video SVHS VCR (medical grade).	NF	59	0	CMS clinical review.
		EL016	room, ultrasound, vascular.	NF	59	42	Refined equipment time to reflect typical use exclusive to patient.
		ER067	x-ray view box, 4 panel.	NF	10	4	Refined equipment time to reflect typical use exclusive to patient.
		L054A	Vascular Technologist.	NF	Provide pre-service education/ obtain consent.	3	2	CMS clinical review.
		L054A	Vascular Technologist.	NF	Prepare room, equipment, supplies.	3	2	Standardized time input.
		L054A	Vascular Technologist.	NF	Prepare and position patient.	3	2	Standardized time input.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: Collate preliminary data, arrange images, archive.	8	4	CMS clinical review.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: Record patient history.	1	0	CMS clinical review.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: QA documentation.	4	0	CMS clinical review.
93970	Extremity study	SK086	video tape, VHS ..	NF	1	0	CMS clinical review.
		ED011	computer system, record and verify.	NF	10	0	CMS clinical review.
		ED021	computer, desktop, w-monitor.	NF	71	7	Refined equipment time to reflect typical use exclusive to patient.
		ED025	film processor, wet	NF	10	7	Refined equipment time to reflect typical use exclusive to patient.
		ED034	video SVHS VCR (medical grade).	NF	71	0	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
93971	Extremity study	EL016	room, ultrasound, vascular.	NF	71	52	Refined equipment time to reflect typical use exclusive to patient.
		ER067	x-ray view box, 4 panel.	NF	10	7	Refined equipment time to reflect typical use exclusive to patient.
		L054A	Vascular Technologist.	NF	Provide pre-service education/ obtain consent.	3	2	CMS clinical review.
		L054A	Vascular Technologist.	NF	Prepare room, equipment, supplies.	3	2	Standardized time input.
		L054A	Vascular Technologist.	NF	Prepare and position patient.	3	2	Standardized time input.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: Collate preliminary data, arrange images, archive.	10	7	CMS clinical review.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: Record patient history.	1	0	CMS clinical review.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: QA documentation.	4	0	CMS clinical review.
		SK086	video tape, VHS ..	NF	1	0	CMS clinical review.
		ED011	computer system, record and verify.	NF	10	0	CMS clinical review.
		ED021	computer, desktop, w-monitor.	NF	45	4	Refined equipment time to reflect typical use exclusive to patient.
		ED025	film processor, wet	NF	10	4	Refined equipment time to reflect typical use exclusive to patient.
		ED034	video SVHS VCR (medical grade).	NF	45	0	CMS clinical review.
		EL016	room, ultrasound, vascular.	NF	45	30	CMS clinical review.
		ER067	x-ray view box, 4 panel.	NF	10	4	Refined equipment time to reflect typical use exclusive to patient.
		L054A	Vascular Technologist.	NF	Provide pre-service education/ obtain consent.	3	2	CMS clinical review.
		L054A	Vascular Technologist.	NF	Prepare room, equipment, supplies.	3	2	Standardized time input.
		L054A	Vascular Technologist.	NF	Prepare and position patient.	3	2	Standardized time input.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: Collate preliminary data, arrange images, archive.	6	4	CMS clinical review.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: Record patient history.	1	0	CMS clinical review.
		L054A	Vascular Technologist.	NF	Other Clinical Activity: QA documentation.	4	0	CMS clinical review.
		SB006	drape, non-sterile, sheet 40in x 60in.	NF	2	1	CMS clinical review.
		SK086	video tape, VHS ..	NF	1	0	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
95076	Ingest challenge ini 120 min.	EF023	table, exam	NF	141	133	Refined equipment time to reflect typical use exclusive to patient.
		EQ168	light, exam	NF	141	133	Refined equipment time to reflect typical use exclusive to patient.
		L037D	RN/LPN/MTA	NF	Prepare testing doses.	15	7	CMS clinical review.
95115	Immunotherapy one injection.	EF040	refrigerator, vaccine, commercial grade, w-alarm lock.	NF	15	0	CMS clinical review.
95117	Immunotherapy injections.	EF041	x-ray machine, portable.	NF	17	0	CMS clinical review.
95782	Polysom <6 yrs 4/ > paramtrs.	EF003	bedroom furniture (hospital bed, table, reclining chair).	NF	660	602	Refined equipment time to reflect typical use exclusive to patient.
			Crib	NF	660	0	CMS clinical review.
		EQ134	impedance meter, 32-channel.	NF	660	602	Refined equipment time to reflect typical use exclusive to patient.
		EQ272	sleep diagnostic system, attended (w-acquisition station, review master, computer).	NF	660	662	Refined equipment time to reflect typical use exclusive to patient.
		ER088	Capnograph	NF	660	0	Duplicative.
			Infrared illuminator	NF	660	602	Refined equipment time to reflect typical use exclusive to patient.
		L047B	REEGT	NF	Provide pre-service education/obtain consent.	5	3	CMS clinical review.
		L047B	REEGT	NF	Other Clinical Activity—specify: Set up and calibrate all monitoring and recording equipment (initial), including capnograph (for child).	6	5	CMS clinical review.
		L047B	REEGT	NF	Other Clinical Activity—specify: Measure and mark head and face. Apply and secure electrodes to head and face. Check impedances. Reapply electrodes as needed. (1.5 min per electrode for child, 1 min per electrode for adult).	30	20	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
95783	Polysom <6 yrs cpap/bilvl.	L047B	REEGT	NF	Other Clinical Activity—specify: Apply recording devices for cardio-respiratory, leg movements, body positioning and snoring.	0	15	CMS clinical review.
		L047B	REEGT	NF	Other Clinical Activity—specify: Apply recording devices for cardio-respiratory, leg movements, body positioning, snoring and capnography.	20	0	CMS clinical review.
		L047B	REEGT	NF	Other Clinical Activity—specify: Daytime tech reviews and edits recording, marks artifacts, scores sleep stages, performs evaluation of physiological changes.	100	97	CMS clinical review.
		EF003	bedroom furniture (hospital bed, table, reclining chair).	NF	660	647	Refined equipment time to reflect typical use exclusive to patient.
			Crib	NF	660	0	CMS clinical review.
		EQ134	impedance meter, 32-channel.	NF	660	647	Refined equipment time to reflect typical use exclusive to patient.
		EQ272	sleep diagnostic system, attended (w-acquisition station, review master, computer).	NF	660	707	Refined equipment time to reflect typical use exclusive to patient.
			Capnograph	NF	660	0	Duplicative.
		ER088	Infrared illuminator	NF	660	647	Refined equipment time to reflect typical use exclusive to patient.
		L047B	REEGT	NF	Provide pre-service education/obtain consent.	5	3	CMS clinical review.
L047B	REEGT	NF	Other Clinical Activity—specify: Set up and calibrate all monitoring and recording equipment (initial), including capnograph (for child).	6	5	CMS clinical review.		

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
		L047B	REEGT	NF	Other Clinical Activity—specify: Measure and mark head and face. Apply and secure electrodes to head and face. Check impedances. Reapply electrodes as needed. (1.5 min per electrode for child, 1 min per electrode for adult).	30	20	CMS clinical review.
		L047B	REEGT	NF	Other Clinical Activity—specify: Apply recording devices for cardio-respiratory, leg movements, body positioning and snoring.	0	15	CMS clinical review.
		L047B	REEGT	NF	Other Clinical Activity—specify: Apply recording devices for cardio-respiratory, leg movements, body positioning, snoring and capnography.	20	0	CMS clinical review.
		L047B	REEGT	NF	Other Clinical Activity—specify: Daytime tech reviews and edits recording, marks artifacts, scores sleep stages, performs evaluation of physiological changes.	100	97	CMS clinical review.
95861	Muscle test 2 limbs.	EF023	table, exam	NF	44	41	Refined equipment time to reflect typical use exclusive to patient.
		EQ024	EMG—NCV—EP system, 8 channel.	NF	44	41	Refined equipment time to reflect typical use exclusive to patient.
		L037A	Electrodiagnostic Technologist.	NF	Assist physician in performing procedure.	19	29	Conforming to physician time.
95863	Muscle test 3 limbs.	EF023	table, exam	NF	58	52	Refined equipment time to reflect typical use exclusive to patient.
		EQ024	EMG—NCV—EP system, 8 channel.	NF	58	52	Refined equipment time to reflect typical use exclusive to patient.
95864	Muscle test 4 limbs.	EF023	table, exam	NF	71	62	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
95868	Muscle test cran nerve bilat.	EQ024	EMG—NCV—EP system, 8 channel.	NF	71	62	Refined equipment time to reflect typical use exclusive to patient.
		EF023	table, exam	NF	35	32	Refined equipment time to reflect typical use exclusive to patient.
		EQ024	EMG—NCV—EP system, 8 channel.	NF	35	32	Refined equipment time to reflect typical use exclusive to patient.
95907	Motor&sens 1–2 nrv cndj tst.	SG051	gauze, non-sterile 4in x 4in.	NF	0	4	CMS clinical review.
		SG055	gauze, sterile 4in x 4in.	NF	4	0	CMS clinical review.
		SG079	tape, surgical paper 1in (Micropore).	NF	12	0	CMS clinical review.
		SJ022	electrode skin prep gel (NuPrep).	NF	100	0	CMS clinical review.
95908	Motor&sens 3–4 nrv cndj tst.	SG051	gauze, non-sterile 4in x 4in.	NF	0	8	CMS clinical review.
		SG055	gauze, sterile 4in x 4in.	NF	8	0	CMS clinical review.
		SG079	tape, surgical paper 1in (Micropore).	NF	24	0	CMS clinical review.
		SJ022	electrode skin prep gel (NuPrep).	NF	100	0	CMS clinical review.
95909	Motor&sens 5–6 nrv cndj tst.	SG051	gauze, non-sterile 4in x 4in.	NF	0	12	CMS clinical review.
		SG055	gauze, sterile 4in x 4in.	NF	12	0	CMS clinical review.
		SG079	tape, surgical paper 1in (Micropore).	NF	36	0	CMS clinical review.
		SJ022	electrode skin prep gel (NuPrep).	NF	100	0	CMS clinical review.
95910	Motor&sens 7–8 nrv cndj test.	L037A	Electrodiagnostic Technologist.	NF	50	40	Conforming to physician time.
		SG051	gauze, non-sterile 4in x 4in.	NF	0	16	CMS clinical review.
		SG055	gauze, sterile 4in x 4in.	NF	16	0	CMS clinical review.
		SG079	tape, surgical paper 1in (Micropore).	NF	48	0	CMS clinical review.
95911	Motor&sen 9–10 nrv cndj test.	SJ022	electrode skin prep gel (NuPrep).	NF	100	0	CMS clinical review.
		L037A	Electrodiagnostic Technologist.	NF	64	50	Conforming to physician time.
		SG051	gauze, non-sterile 4in x 4in.	NF	0	20	CMS clinical review.
		SG055	gauze, sterile 4in x 4in.	NF	20	0	CMS clinical review.
95912	Motor&sen 11–12 nrv cnd test.	SG079	tape, surgical paper 1in (Micropore).	NF	60	0	CMS clinical review.
		SJ022	electrode skin prep gel (NuPrep).	NF	100	0	CMS clinical review.
		L037A	Electrodiagnostic Technologist.	NF	77	60	Conforming to physician time.
		SG051	gauze, non-sterile 4in x 4in.	NF	0	24	CMS clinical review.
95912	Motor&sen 11–12 nrv cnd test.	SG055	gauze, sterile 4in x 4in.	NF	24	0	CMS clinical review.
		SG079	tape, surgical paper 1in (Micropore).	NF	72	0	CMS clinical review.
		SG051	gauze, non-sterile 4in x 4in.	NF	0	24	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
95913	Motor&sens 13/>nrv cnd test.	SJ022	electrode skin prep gel (NuPrep).	NF	100	0	CMS clinical review.
		L037A	Electrodiagnostic Technologist.	NF	87	70	Conforming to physician time.
		SG051	gauze, non-sterile 4in x 4in.	NF	0	26	CMS clinical review.
		SG055	gauze, sterile 4in x 4in.	NF	26	0	CMS clinical review.
		SG079	tape, surgical paper 1in (Micropore).	NF	78	0	CMS clinical review.
		SJ022	electrode skin prep gel (NuPrep).	NF	100	0	CMS clinical review.
95921	Autonomic nrv parasym interv.	EF032	table, tilt (w-trendelenberg).	NF	64	55	Refined equipment time to reflect typical use exclusive to patient.
		EQ051	arterial tonometry acquisition system (WR Testworks).	NF	64	55	Refined equipment time to reflect typical use exclusive to patient.
		EQ052	arterial tonometry monitor (Colin Pilot).	NF	64	55	Refined equipment time to reflect typical use exclusive to patient.
		L037A	Electrodiagnostic Technologist.	NF	Greet patient, provide gowning, assure appropriate medical records are available.	3	0	CMS clinical review.
		L037A	Electrodiagnostic Technologist.	NF	Obtain vital signs	3	0	CMS clinical review.
		L037A	Electrodiagnostic Technologist.	NF	Monitor pt. following service/ check tubes, monitors, drains.	5	2	CMS clinical review.
95922	Autonomic nrv adrenrg interv.	EF032	table, tilt (w-trendelenberg).	NF	79	70	Refined equipment time to reflect typical use exclusive to patient.
		EQ051	arterial tonometry acquisition system (WR Testworks).	NF	79	70	Refined equipment time to reflect typical use exclusive to patient.
		EQ052	arterial tonometry monitor (Colin Pilot).	NF	79	70	Refined equipment time to reflect typical use exclusive to patient.
		L037A	Electrodiagnostic Technologist.	NF	Greet patient, provide gowning, assure appropriate medical records are available.	3	0	CMS clinical review.
		L037A	Electrodiagnostic Technologist.	NF	Obtain vital signs	3	0	CMS clinical review.
		L037A	Electrodiagnostic Technologist.	NF	Monitor pt. following service/ check tubes, monitors, drains.	5	2	CMS clinical review.
95923	Autonomic nrv syst funj test.	EQ035	QSART acquisition system (Q-Sweat).	NF	74	61	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
95924	Ans parasymp & symp w/tilt.	EQ124	stimulator, constant current, w-stimulating and grounding electrodes (Grass Telefactor).	NF	74	61	Refined equipment time to reflect typical use exclusive to patient.
		EQ171	light, infra-red, ceiling mount.	NF	74	61	Refined equipment time to reflect typical use exclusive to patient.
		L037A	Electrodiagnostic Technologist.	NF	Assist physician in performing procedure.	55	45	CMS clinical review.
		L037A	Electrodiagnostic Technologist.	NF	Monitor pt. following service/ check tubes, monitors, drains.	5	2	CMS clinical review.
		SJ020	electrode conductive gel.	NF	5	0	CMS clinical review.
		EF032	table, tilt (w-trendelenberg).	NF	79	76	Refined equipment time to reflect typical use exclusive to patient.
		EQ051	arterial tonometry acquisition system (WR Testworks).	NF	79	76	Refined equipment time to reflect typical use exclusive to patient.
96920	Laser tx skin < 250 sq cm.	EQ052	arterial tonometry monitor (Colin Pilot).	NF	79	76	Refined equipment time to reflect typical use exclusive to patient.
		L037A	Electrodiagnostic Technologist.	NF	Monitor pt. following service/ check tubes, monitors, drains.	5	2	CMS clinical review.
		EF031	table, power	NF	20	26	Refined equipment time to reflect typical use exclusive to patient.
		EQ161	laser, excimer	NF	20	26	Refined equipment time to reflect typical use exclusive to patient.
		EQ168	light, exam	NF	17	26	Refined equipment time to reflect typical use exclusive to patient.
			Annual Laser Service Package.	NF	1	0	Included in equipment cost per minute calculation.
		L037D	RN/LPN/MTA	NF	Monitor pt. following service/ check tubes, monitors, drains.	3	1	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Clean room/equipment by physician staff.	3	2	CMS clinical review.
		SF028	laser tip (single use).	NF	1	0	CMS clinical review.
		SJ029	ice pack, instant ...	NF	4	1	CMS Code correction.
96921	Laser tx skin 250–500 sq cm.	EF031	table, power	NF	23	29	Refined equipment time to reflect typical use exclusive to patient.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
96922	Laser tx skin >500 sq cm.	EQ161	laser, excimer	NF	23	29	Refined equipment time to reflect typical use exclusive to patient.
		EQ168	light, exam	NF	23	29	Refined equipment time to reflect typical use exclusive to patient.
			Annual Laser Service Package.	NF	1	0	Included in equipment cost per minute calculation.
		L037D	RN/LPN/MTA	NF	Monitor pt. following service/ check tubes, monitors, drains.	3	1	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Clean room/equipment by physician staff.	3	2	CMS clinical review.
		SF028	laser tip (single use).	NF	1	0	CMS clinical review.
		SJ029	ice pack, instant ...	NF	4	2	CMS Code correction.
		EF031	table, power	NF	33	39	Refined equipment time to reflect typical use exclusive to patient.
		EQ161	laser, excimer	NF	33	39	Refined equipment time to reflect typical use exclusive to patient.
		EQ168	light, exam	NF	30	39	Refined equipment time to reflect typical use exclusive to patient.
97150	Group therapeutic procedures.		Annual Laser Service Package.	NF	1	0	Included in equipment cost per minute calculation.
		L037D	RN/LPN/MTA	NF	Monitor pt. following service/ check tubes, monitors, drains.	3	1	CMS clinical review.
		L037D	RN/LPN/MTA	NF	Clean room/equipment by physician staff.	3	2	CMS clinical review.
		SF028	laser tip (single use).	NF	1	0	CMS clinical review.
		EQ248	ultrasonic biometry, pachymeter.	NF	10	5	Refined equipment time to reflect typical use exclusive to patient.
		EQ269	blood pressure monitor, ambulatory, w-battery charger.	NF	1	0	CMS clinical review.
		SA007	kit, cooking activity ingredients (mac-cheese).	NF	1	0	CMS clinical review.
99495	Trans care mgmt 14 day disch.	L042A	RN/LPN	F	Communication (with patient, family members, guardian or caretaker, surrogate decision makers, and/or other professionals) regarding aspects of care, etc..	0	45	CMS clinical review.

TABLE 74—CPT CODES WITH REFINED DIRECT PE RECOMMENDATIONS FOR CY 2013 INTERIM CODES—Continued

CPT Code	CPT Code description	CMS Code	CMS Code description	NonFac/Fac	Labor activity (if applicable)	RUC recommendation or current value (min or qty)	CMS refinement (min or qty)	Comment
99496	Trans care mgmt 7 day disch.	L042A	RN/LPN	NF	Communication (with patient, family members, guardian or caretaker, surrogate decision makers, and/or other professionals) regarding aspects of care, etc..	60	70	CMS clinical review.
		L042A	RN/LPN	F	Communication (with patient, family members, guardian or caretaker, surrogate decision makers, and/or other professionals) regarding aspects of care, etc..	0	70	CMS clinical review.

17. On page 69138, a. Top two thirds of the page, first column, first full paragraph, line 1, the phrase “The CY 2013 PFS CF is

“\$25.0008” is corrected to read “The CY 2013 PFS CF is \$25.0070.” b. Third column, first full paragraph, line 19, the phrase “CF to be \$25.0008” is corrected to read “CF to be \$25.0070.”

c. Lower half of the page, in Table 87: Calculation of the CY 2013 PFS CF, the list entry

CY 2013 Conversion Factor	\$25.0008
---------------------------------	-------	-----------

is corrected to read as follows:

CY 2013 Conversion Factor	\$25.0070
---------------------------------	-------	-----------

18. On page 69139, top quarter of the page, in Table 88: Calculation of the CY 2013 Anesthesia CF, the list entry

CY 2013 Anesthesia Factor	\$15.93
---------------------------------	-------	---------

is corrected to read as follows:

CY 2013 Anesthesia Factor	\$16.1236
---------------------------------	-------	-----------

19. On page 69145, second column, first partial paragraph, lines 20 and 21, the phrase that reads “pharmacy for use upon a physician’s order” is corrected to read “pharmacy for use upon a valid prescription.”

20. On page 69212, second column, first full paragraph, lines 5–8, the phrase “Measure 190: Referral for Otologic Evaluation for Patients with Acute or Chronic Dizziness” is corrected to read “Measure 190: Referral for Otologic Evaluation for Patients with a History of Sudden or Rapidly Progressive Hearing Loss.”

21. On page 69237, in Table 95: Individual Quality Measures for the Physician Quality Reporting System Proposed to be Available for Reporting via Claims, Registry, EHR, or GRPO Web Interface Beginning in 2013 or 2014*, Measures #189 and #190 are deleted.

22. On page 69267, after Table 95: Individual Quality Measures for the Physician Quality Reporting System Proposed to be Available for Reporting via Claims, Registry, EHR, or GRPO Web Interface Beginning in 2013 or 2014*, the following note is added:

*Measures that can be reported using the GPRO web interface.

†These measures can only be reported by participants using the GPRO. They are not available for reporting for individual Eligible Professionals using this reporting method.

‡Titles and descriptions in this table are aligned with 2013 Physician Quality Reporting System Claims and Qualified Registry measure titles and descriptions, and may differ from existing measures in other programs. Please reference the National Quality Forum (NQF) and

Physician Quality Reporting System numbers for clarification.
 ◊Measures to be deleted in 2014.
 ‡Measures to be added in 2013.
 ○Measures to be added in 2014.
 23. On page 69269, in Table 96: PQRS Quality Measures Available for Reporting for Group Practices Using the GPRO Web Interface for 2013 and Beyond, in the Measure and Title description for NQF/PQRS 0097/46 the phrase that reads “seen within 60 days following discharge” is corrected to read “seen within 30 days following discharge.”
 24. On page 69277, in Table 108: HIV/AIDS Measures Group, the following

measures: HIV/AIDS Measures Group: PQRS Measure #206 (“HIV/AIDS: Screening for High Risk Sexual Behaviors”) and #207 (“HIV/AIDS: Screening for Injection Drug Use”) are deleted.
 25. On page 69300,
 a. Third column, line 22–23, the phrase “a deadline of February 28, 2013 to request an informal review” is corrected to read “a deadline of 90 days following the receipt of the feedback reports to request an informal review.”
 b. Lines 27–28, the phrase “a deadline of February 28, 2014 to request an informal review” is corrected to read “a

deadline of 90 days following the receipt of the feedback reports to request an informal review.”
 26. On pages 69344 through 69345, we are correcting Table 134: CY 2013 PFS Final Rule with Comment Period Estimated Impact on Total Allowed Charges by Specialty* and the first footnote (*) that reads: *Table 83 shows only the final payment policy impact on PFS services. We note that these impacts do not include the effects of the negative January 2013 conversion factor change under current law.” to read as follows:

TABLE 134—CY 2013 FINAL RULE WITH COMMENT PERIOD ESTIMATED IMPACT ON TOTAL ALLOWED CHARGES BY SPECIALTY *
 [Estimated impact for RVU changes *]

Specialty (A)	Allowed charges (mil) (B)	Impact of work and MP RVU changes % (C)	Impact of PE RVU changes % (D)	Combined impact % (E)
TOTAL	\$86,384	0	0	0
01-ALLERGY/IMMUNOLOGY	200	0	2	2
02-ANESTHESIOLOGY	1,817	0	2	2
03-CARDIAC SURGERY	369	0	-1	-1
04-CARDIOLOGY	6,733	-1	-2	-2
05-COLON AND RECTAL SURGERY	153	0	2	2
06-CRITICAL CARE	263	0	1	1
07-DERMATOLOGY	3,024	0	0	0
08-EMERGENCY MEDICINE	2,839	0	0	0
09-ENDOCRINOLOGY	437	0	1	1
10-FAMILY PRACTICE	5,943	2	5	7
11-GASTROENTEROLOGY	1,896	0	0	0
12-GENERAL PRACTICE	587	0	1	1
13-GENERAL SURGERY	2,283	0	1	1
14-GERIATRICS	220	1	3	5
15-HAND SURGERY	135	0	1	1
16-HEMATOLOGY/ONCOLOGY	1,909	0	2	2
17-INFECTIOUS DISEASE	629	0	1	1
18-INTERNAL MEDICINE	11,163	1	3	5
19-INTERVENTIONAL PAIN MGMT	538	0	1	1
20-INTERVENTIONAL RADIOLOGY	204	0	-2	-3
21-MULTISPECIALTY CLINIC/OTHER PHY	81	0	0	0
22-NEPHROLOGY	2,080	0	0	0
23-NEUROLOGY	1,604	-2	-5	-7
24-NEUROSURGERY	687	0	0	0
25-NUCLEAR MEDICINE	49	0	-2	-3
27-OBSTETRICS/GYNECOLOGY	704	0	0	0
28-OPHTHALMOLOGY	5,645	-3	0	-3
29-ORTHOPEDIC SURGERY	3,643	0	0	0
30-OTOLARNGOLOGY	1,076	0	2	2
31-PATHOLOGY	1,210	0	-6	-6
32-PEDIATRICS	65	1	3	3
33-PHYSICAL MEDICINE	999	-1	-3	-4
34-PLASTIC SURGERY	356	0	1	1
35-PSYCHIATRY	1,170	-1	3	2
36-PULMONARY DISEASE	1,703	0	1	1
37-RADIATION ONCOLOGY	1,988	0	-7	-7
38-RADIOLOGY	4,818	0	-3	-3
39-RHEUMATOLOGY	548	0	0	0
40-THORACIC SURGERY	343	0	-1	-1
41-UROLOGY	1,918	0	-1	-2
42-VASCULAR SURGERY	888	0	-2	-2
43-AUDIOLOGIST	57	0	-4	-4
44-CHIROPRACTOR	746	0	1	1
45-CLINICAL PSYCHOLOGIST	575	1	-3	-2
46-CLINICAL SOCIAL WORKER	406	1	-3	-2

TABLE 134—CY 2013 FINAL RULE WITH COMMENT PERIOD ESTIMATED IMPACT ON TOTAL ALLOWED CHARGES BY SPECIALTY *—Continued

[Estimated impact for RVU changes *]

Specialty (A)	Allowed charges (mil) (B)	Impact of work and MP RVU changes % (C)	Impact of PE RVU changes % (D)	Combined impact % (E)
47-DIAGNOSTIC TESTING FACILITY	888	0	-7	-7
48-INDEPENDENT LABORATORY	1,073	0	-14	-14
49-NURSE ANES/ANES ASST	1,008	0	2	2
50-NURSE PRACTITIONER	1,623	1	3	4
51-OPTOMETRY	1,061	-1	1	1
52-ORAL/MAXILLOFACIAL SURGERY	45	0	1	1
53-PHYSICAL/OCCUPATIONAL THERAPY	2,636	0	4	4
54-PHYSICIAN ASSISTANT	1,229	1	2	3
55-PODIATRY	1,925	0	2	2
56-PORTABLE X-RAY SUPPLIER	106	0	5	5
57-RADIATION THERAPY CENTERS	72	0	-9	-9
98-OTHER	19	0	1	1

* Table 134 shows only the final payment policy impact on PFS services. We note that these impacts do not include the effects of the negative January 2013 conversion factor change under current law.

27. On pages 69347 through 69348, we are correcting Table 135: CY 2013 PFS Final Rule with Comment Period Estimated Impact on Total Allowed Charges by Specialty by Selected

Policy* and the text in the first footnote (*) for Table 135 that reads “*Table 135 shows only the proposed payment policy impact on PFS services. We note that these impacts do not include the

effects of the negative January 2013 conversion factor change under current law.” to read as follows:

TABLE 135—CY 2013 PFS FINAL RULE WITH COMMENT PERIOD ESTIMATED IMPACT ON TOTAL ALLOWED CHARGES BY SPECIALTY BY SELECTED POLICY* ESTIMATED IMPACT FOR RVU CHANGES*

Specialty (A)	Allowed charges (mil) (B)	Impact of end of PPS transition % (C)	New, revised, potentially misvalued codes, MPPR, new utilization and other factors % (D)	Updated equipment interest rate assumption % (E)	Transitional care management % (F)	Input changes for certain radiation therapy procedures % (G)	Total (cumulative impact) % (H)
TOTAL	86,384	0	0	0	0	0	0
01-ALLERGY/IMMUNOLOGY	200	0	0	2	0	0	2
02-ANESTHESIOLOGY	1,817	1	1	0	0	0	2
03-CARDIAC SURGERY	369	-1	0	0	0	0	-1
04-CARDIOLOGY	6,733	-2	0	0	-1	0	-2
05-COLON AND RECTAL SURGERY	153	1	0	0	0	0	2
06-CRITICAL CARE	263	0	0	0	0	0	1
07-DERMATOLOGY	3,024	0	0	1	-1	0	0
08-EMERGENCY MEDICINE	2,839	0	0	0	0	0	0
09-ENDOCRINOLOGY	437	1	1	0	-1	0	1
10-FAMILY PRACTICE	5,943	1	1	0	4	0	7
11-GASTROENTEROLOGY	1,896	0	0	0	0	0	0
12-GENERAL PRACTICE	587	1	0	0	-1	0	1
13-GENERAL SURGERY	2,283	1	0	0	0	0	1
14-GERIATRICS	220	1	1	0	2	0	5
15-HAND SURGERY	135	1	0	0	-1	0	1
16-HEMATOLOGY/ONCOLOGY	1,909	-1	3	1	-1	0	2
17-INFECTIOUS DISEASE	629	1	1	0	0	0	1
18-INTERNAL MEDICINE	11,163	1	1	0	3	0	5
19-INTERVENTIONAL PAIN MGMT	538	1	0	0	-1	0	1
20-INTERVENTIONAL RADIOLOGY	204	-2	0	0	0	0	-3
21-MULTISPECIALTY CLINIC/OTHER PHY	81	0	0	0	0	0	0
22-NEPHROLOGY	2,080	0	0	0	0	0	0
23-NEUROLOGY	1,604	1	-8	0	0	0	-7
24-NEUROSURGERY	687	0	0	0	0	0	0
25-NUCLEAR MEDICINE	49	-2	0	-1	0	0	-3
27-OBSTETRICS/GYNECOLOGY	704	0	0	0	-1	0	0
28-OPHTHALMOLOGY	5,645	2	-4	0	0	0	-3
29-ORTHOPEDIC SURGERY	3,643	1	0	0	0	0	0
30-OTOLARNGOLOGY	1,076	1	1	1	-1	0	2
31-PATHOLOGY	1,210	-1	-5	0	0	0	-6
32-PEDIATRICS	65	1	0	0	3	0	3
33-PHYSICAL MEDICINE	999	1	-5	0	-1	0	-4

TABLE 135—CY 2013 PFS FINAL RULE WITH COMMENT PERIOD ESTIMATED IMPACT ON TOTAL ALLOWED CHARGES BY SPECIALTY BY SELECTED POLICY* ESTIMATED IMPACT FOR RVU CHANGES*—Continued

Specialty	Allowed charges (mil)	Impact of end of PPIS transition %	New, revised, potentially misvalued codes, MPPR, new utilization and other factors %	Updated equipment interest rate assumption %	Transitional care management %	Input changes for certain radiation therapy procedures %	Total (cumulative impact) %
(A)	(B)	(C)	(D)	(E)	(F)	(G)	(H)
34—PLASTIC SURGERY	\$356	1	0	0	0	0	1
35—PSYCHIATRY	1,170	0	2	0	-1	0	2
36—PULMONARY DISEASE	1,703	0	1	0	-1	0	1
37—RADIATION ONCOLOGY	1,988	-4	2	-3	-1	-1	-7
38—RADIOLOGY	4,818	-2	0	-1	0	0	-3
39—RHEUMATOLOGY	548	0	1	0	-1	0	0
40—THORACIC SURGERY	343	-1	0	0	0	0	-1
41—UROLOGY	1,918	-2	0	0	-1	0	-2
42—VASCULAR SURGERY	888	-1	-1	0	0	0	-2
43—AUDIOLOGIST	57	-3	0	0	0	0	-4
44—CHIROPRACTOR	746	1	0	0	0	0	1
45—CLINICAL PSYCHOLOGIST	575	-2	1	0	0	0	-2
46—CLINICAL SOCIAL WORKER	406	-2	0	0	0	0	-2
47—DIAGNOSTIC TESTING FACILITY	888	-5	0	-2	-1	0	-7
48—INDEPENDENT LABORATORY	1,073	-2	-12	1	-1	0	-14
49—NURSE ANES/ANES ASST	1,008	2	0	0	0	0	2
50—NURSE PRACTITIONER	1,623	1	1	0	2	0	4
51—OPTOMETRY	1,061	2	-1	0	0	0	1
52—ORAL/MAXILLOFACIAL SURGERY	45	1	0	1	-1	0	1
53—PHYSICAL/OCCUPATIONAL THERAPY	2,636	2	2	0	0	0	4
54—PHYSICIAN ASSISTANT	1,229	1	0	0	2	0	3
55—PODIATRY	1,925	2	0	1	-1	0	2
56—PORTABLE X-RAY SUPPLIER	106	1	4	1	-1	0	5
57—RADIATION THERAPY CENTERS	72	-5	4	-5	-1	-1	-9
98—OTHER	19	1	0	0	0	0	1

*Table 135 shows only the final payment policy impact on PFS services. We note that these impacts do not include the effects of the negative January 2013 conversion factor change under current law."

28. On pages 69350 through 69351, we are correcting Table 136 Impact of Final Rule with Comment Period on CY 2013 Payment for Selected Procedures* to read as follows:

**Table 136: Impact of Final Rule with Comment Period on CY 2013 Payment
for Selected Procedures***

CPT/ HCPCS ¹	MOD	Short Descriptor	Facility					Nonfacility				
			CY 2012 ²	CY 2013 ³ (pre update)	% Change (pre update)	CY 2013 ⁴ (post update)	% Change (post update)	CY 2012 ²	CY 2013 ³ (pre update)	% Change (pre update)	CY 2013 ⁴ (post update)	% Change (post update)
11721		Debride nail 6 or more	\$25.19	\$24.50	-3%	\$18.01	-29%	\$43.57	\$44.91	3%	\$33.01	-24%
17000		Destruct premalg lesion	\$56.16	\$57.16	2%	\$42.01	-25%	\$81.01	\$83.36	3%	\$61.27	-24%
27130		Total hip arthroplasty	\$1,445.58	\$1,454.48	1%	\$1,069.05	-26%	NA	NA	NA	NA	NA
27244		Treat thigh fracture	\$1,231.48	\$1,242.18	1%	\$913.01	-26%	NA	NA	NA	NA	NA
27447		Total knee arthroplasty	\$1,544.29	\$1,552.81	1%	\$1,141.32	-26%	NA	NA	NA	NA	NA
33533		Cabg arterial single	\$1,950.35	\$1,906.31	-2%	\$1,401.14	-28%	NA	NA	NA	NA	NA
35301		Rechanneling of artery	\$1,112.35	\$1,096.22	-1%	\$805.73	-28%	NA	NA	NA	NA	NA
43239		Upper gi endoscopy biopsy	\$174.61	\$174.54	0%	\$128.29	-27%	\$351.61	\$359.28	2%	\$264.07	-25%
66821		After cataract laser surgery	\$307.70	\$325.26	6%	\$239.07	-22%	\$326.08	\$344.99	6%	\$253.57	-22%
66984		Cataract surg w/iol 1 stage	\$760.74	\$667.87	-12%	\$490.89	-35%	NA	NA	NA	NA	NA
67210		Treatment of retinal lesion	\$504.10	\$520.55	3%	\$382.61	-24%	\$523.84	\$538.92	3%	\$396.11	-24%
71010		Chest x-ray 1 view frontal	NA	NA	NA	NA	NA	\$23.83	\$23.82	0%	\$17.50	-27%
71010	26	Chest x-ray 1 view frontal	\$8.85	\$8.85	0%	\$6.50	-27%	\$8.85	\$8.85	0%	\$6.50	-27%
77056		Mammogram both breasts	NA	NA	NA	NA	NA	\$112.32	\$114.66	2%	\$84.27	-25%
77056	26	Mammogram both breasts	\$42.55	\$42.19	-1%	\$31.01	-27%	\$42.55	\$42.19	-1%	\$31.01	-27%
77057		Mammogram screening	NA	NA	NA	NA	NA	\$81.35	\$81.66	0%	\$60.02	-26%
77057	26	Mammogram screening	\$34.38	\$34.02	-1%	\$25.01	-27%	\$34.38	\$34.02	-1%	\$25.01	-27%
77427		Radiation tx management x5	\$177.00	\$178.28	1%	\$131.04	-26%	\$177.00	\$178.28	1%	\$131.04	-26%
88305	26	Tissue exam by pathologist	\$36.08	\$36.74	2%	\$27.01	-25%	\$36.08	\$36.74	2%	\$27.01	-25%
90935		Hemodialysis one evaluation	\$72.84	\$71.11	-2%	\$52.26	-28%	NA	NA	NA	NA	NA
92012		Eye exam establish patient	\$51.40	\$53.08	3%	\$39.01	-24%	\$82.71	\$87.44	6%	\$64.27	-22%
92014		Eye exam&tx estab pt 1/>vst	\$78.29	\$80.29	3%	\$59.02	-25%	\$119.81	\$126.23	5%	\$92.78	-23%
93000		Electrocardiogram complete	NA	NA	NA	NA	NA	\$19.06	\$18.37	-4%	\$13.50	-29%
93010		Electrocardiogram report	\$8.51	\$8.17	-4%	\$6.00	-29%	\$8.51	\$8.17	-4%	\$6.00	-29%
93015		Cardiovascular stress test	NA	NA	NA	NA	NA	\$88.50	\$79.61	-10%	\$58.52	-34%

CPT/HCPCS ¹	MOD	Short Descriptor	Facility					Nonfacility				
			CY 2012 ²	CY 2013 ³ (pre update)	% Change (pre update)	CY 2013 ⁴ (post update)	% Change (post update)	CY 2012 ²	CY 2013 ³ (pre update)	% Change (pre update)	CY 2013 ⁴ (post update)	% Change (post update)
93307	26	Tte w/o doppler complete	\$45.95	\$44.23	-4%	\$32.51	-29%	\$45.95	\$44.23	-4%	\$32.51	-29%
93458	26	L hrt artery/ventricle angio	\$315.87	\$315.73	0%	\$232.06	-27%	\$315.87	\$315.73	0%	\$232.06	-27%
98941		Chiropract manj 3-4 regions	\$30.63	\$30.62	0%	\$22.51	-27%	\$36.08	\$36.40	1%	\$26.76	-26%
99203		Office/outpatient visit new	\$74.88	\$75.19	0%	\$55.27	-26%	\$105.18	\$108.19	3%	\$79.52	-24%
99213		Office/outpatient visit est	\$49.69	\$49.67	0%	\$36.51	-27%	\$70.46	\$72.81	3%	\$53.51	-24%
99214		Office/outpatient visit est	\$76.24	\$76.55	0%	\$56.27	-26%	\$104.16	\$106.83	3%	\$78.52	-25%
99222		Initial hospital care	\$133.09	\$134.73	1%	\$99.03	-26%	NA	NA	NA	NA	NA
99223		Initial hospital care	\$195.38	\$198.01	1%	\$145.54	-26%	NA	NA	NA	NA	NA
99231		Subsequent hospital care	\$38.12	\$38.11	0%	\$28.01	-27%	NA	NA	NA	NA	NA
99232		Subsequent hospital care	\$69.78	\$70.09	0%	\$51.51	-26%	NA	NA	NA	NA	NA
99233		Subsequent hospital care	\$100.07	\$101.05	1%	\$74.27	-26%	NA	NA	NA	NA	NA
99236		Observ/hosp same date	\$212.05	\$212.30	0%	\$156.04	-26%	NA	NA	NA	NA	NA
99239		Hospital discharge day	\$103.13	\$104.79	2%	\$77.02	-25%	NA	NA	NA	NA	NA
99283		Emergency dept visit	\$60.25	\$59.88	-1%	\$44.01	-27%	NA	NA	NA	NA	NA
99284		Emergency dept visit	\$114.71	\$114.66	0%	\$84.27	-27%	NA	NA	NA	NA	NA
99291		Critical care first hour	\$217.16	\$217.75	0%	\$160.04	-26%	\$267.20	\$272.18	2%	\$200.06	-25%
99292		Critical care addl 30 min	\$108.92	\$109.55	1%	\$80.52	-26%	\$119.47	\$120.78	1%	\$88.77	-26%
99348		Home visit est patient	NA	NA	NA	NA	NA	\$82.03	\$82.34	0%	\$60.52	-26%
99350		Home visit est patient	NA	NA	NA	NA	NA	\$171.21	\$173.52	1%	\$127.54	-26%
G0008		Immunization admin	NA	NA	NA	NA	NA	\$24.17	\$25.86	7%	\$19.01	-21%

29. On page 69351,

a. Footnote 3 “Payments based on the 2012 conversion factor of 34.0376, adjusted to 34.0066 to include the budget neutrality adjustment” is corrected to read “Payments based on the 2012 conversion factor of 34.0376, adjusted to 34.0230 to include the budget neutrality adjustment.”

b. Footnote 4 for Table 136 “Payments based on the 2013 conversion factor of 25.0008, which includes the budget neutrality adjustment” is corrected to read “Payments based on the 2013 conversion factor of 25.0070, which includes the budget neutrality adjustment.”

(Catalog of Federal Domestic Assistance Program No. 93.773, Medicare—Hospital

Insurance; and Program No. 93.774, Medicare—Supplementary Medical Insurance Program)

Dated: August 2, 2013.

Jennifer M. Cannistra,
Executive Secretary to the Department,
Department of Health and Human Services.

[FR Doc. 2013–19378 Filed 8–9–13; 8:45 am]

BILLING CODE 4120-01-P