

(EPA ICR No. 1541.12, OMB Control No. 2060-0183), to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act. This is a proposed extension of the ICR, which is currently approved through March 31, 2019. Public comments were previously requested, via the **Federal Register**, on June 29, 2017 during a 60-day comment period. This notice allows for an additional 30 days for public comments. A fuller description of the ICR is given below, including its estimated burden and cost to the public. An agency may neither conduct nor sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

**DATES:** Additional comments may be submitted on or before March 13, 2019.

**ADDRESSES:** Submit your comments, referencing Docket ID Number EPA-HQ-OECA-2014-0046, to: (1) EPA online using [www.regulations.gov](http://www.regulations.gov) (our preferred method), or by email to [docket.oeca@epa.gov](mailto:docket.oeca@epa.gov), or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW, Washington, DC 20460; and (2) OMB via email to [oir\\_submission@omb.eop.gov](mailto:oir_submission@omb.eop.gov). Address comments to OMB Desk Officer for EPA.

EPA's policy is that all comments received will be included in the public docket without change, including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other information whose disclosure is restricted by statute.

**FOR FURTHER INFORMATION CONTACT:** Patrick Yellin, Monitoring, Assistance, and Media Programs Division, Office of Compliance, Mail Code 2227A, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460; telephone number: (202) 564-2970; fax number: (202) 564-0050; email address: [yellin.patrick@epa.gov](mailto:yellin.patrick@epa.gov).

**SUPPLEMENTARY INFORMATION:** Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at [www.regulations.gov](http://www.regulations.gov), or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit: <http://www.epa.gov/dockets>.

**Abstract:** The National Emission Standards for Hazardous Air Pollutants (NESHAP) for Benzene Waste Operations (40 CFR part 61, subpart FF) apply to existing facilities and new facilities that generate waste containing benzene, such as chemical manufacturing plants, coke by-product recovery plants, petroleum refineries, and those owners and operators of hazardous waste treatment, storage, and disposal facilities (TSDF) that receive wastes from the above facilities. In general, all NESHAP standards require initial notifications, performance tests, and periodic reports by the owners/operators of the affected facilities. They are also required to maintain records of the occurrence and duration of any startup, shutdown, or malfunction in the operation of an affected facility, or any period during which the monitoring system is inoperative. These notifications, reports, and records are essential in determining compliance with 40 CFR part 61, subpart FF.

**Form Numbers:** None.

**Respondents/affected entities:** Owners and operators of benzene waste facilities.

**Respondent's obligation to respond:** Mandatory (40 CFR part 61, subpart FF).

**Estimated number of respondents:** 270 (total).

**Frequency of response:** Quarterly and annually.

**Total estimated burden:** 19,500 hours (per year). Burden is defined at 5 CFR 1320.3(b).

**Total estimated cost:** \$2,130,000 (per year), which includes \$0 in annualized capital/startup and/or operation & maintenance costs.

**Changes in the Estimates:** There is an adjustment increase in the total estimated burden as currently identified in the OMB Inventory of Approved Burdens. This increase is not due to any program changes, but reflects the addition of burden hours to account for the time spent by existing facilities to re-familiarize themselves annually with the rule requirements.

**Courtney Kerwin,**

*Director, Regulatory Support Division.*

[FR Doc. 2019-01877 Filed 2-8-19; 8:45 am]

**BILLING CODE 6560-50-P**

## ENVIRONMENTAL PROTECTION AGENCY

[FRL-9989-26—Region 9]

### Clean Air Act Prevention of Significant Deterioration Permit Issued to Tucson Electric Power for the Irvington Generating Station Project

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice of final action.

**SUMMARY:** This notice announces that the Pima County Department of Environmental Quality (PDEQ) issued a final permit decision to Tucson Electric Power for a Clean Air Act Prevention of Significant Deterioration (PSD) permit (Permit No. 1052) for the Irvington Generating Station Project (Project). The PDEQ is authorized to issue PSD permit decisions pursuant to a delegation agreement with the Environmental Protection Agency (EPA), Region IX (EPA Region IX), in which the PDEQ "stands in the shoes" of the EPA when administering certain elements of the PSD permitting program. The PDEQ's final permit decision is a federally-issued PSD permit decision and serves as a final agency action by the EPA.

**DATES:** The final PSD permit decision for the Project was issued and became effective on December 3, 2018. Pursuant to section 307(b)(1) of the Clean Air Act, 42 U.S.C. 7607(b)(1), judicial review of this final permit decision, to the extent it is available, may be sought by filing a petition for review in the United States Court of Appeals for the Ninth Circuit within 60 days of April 12, 2019.

**ADDRESSES:** The PDEQ established a web page for this action at <http://webcms.pima.gov/cms/One.aspx?portalId=169&pageId=363558>, where documents associated with this action, including the final PSD permit, is available. Please contact the PDEQ contact identified in the **FOR FURTHER INFORMATION CONTACT** section for additional information about accessing materials for this action. Additionally, anyone who wishes to review the EPA's Environmental Appeal Board's (EAB) decision described below or documents in the EAB's electronic docket for its decision can obtain them at <http://www.epa.gov/eab>.

**FOR FURTHER INFORMATION CONTACT:**

Rupesh Patel, Air Quality Program Manager, PDEQ, (520) 724-7341, [Rupesh.Patel@pima.gov](mailto:Rupesh.Patel@pima.gov) or Lisa Beckham, Air Permits Office, EPA Region IX, (415) 972-3811, [beckham.lisa@epa.gov](mailto:beckham.lisa@epa.gov).

*Notice of Final Action And Supplementary Information:* On August

8, 2018, the PDEQ issued PSD Permit No. 1052 to Tucson Electric Power under 40 CFR 124.15, authorizing the construction and operation of the Project. EPA regulations at 40 CFR 124.19 provided an opportunity for administrative review by the EPA's EAB of this initial permit decision. The EPA's EAB received one petition for review of the permit. By its own terms, and consistent with 40 CFR 124.15(b), the effective date of the permit was delayed as the result of the filing of a petition for review of the PDEQ's permit decision with the EAB.

On December 3, 2018, the EAB denied review of the permit decision. *See In re Tucson Electric Power*, PSD Appeal No. 18-02 (EAB Dec. 3, 2018) (Order Denying Review). Following the EAB's action, pursuant to 40 CFR 124.19(l)(2), the PDEQ issued a final permit decision on December 3, 2018. All conditions of the PSD permit, as initially issued by the PDEQ on August 8, 2018, were final and effective as of December 3, 2018.

Dated: December 26, 2018.

Elizabeth J. Adams,

Division Director, Region IX.

[FR Doc. 2019-01921 Filed 2-8-19; 8:45 am]

BILLING CODE 6560-50-P

## ENVIRONMENTAL PROTECTION AGENCY

[EPA-HQ-OECA-2013-0331; FRL-9988-76-OEI]

### Information Collection Request Submitted to OMB for Review and Approval; Comment Request; NSPS for New Residential Wood Heaters (Renewal)

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** The Environmental Protection Agency (EPA) has submitted an information collection request (ICR), NSPS for New Residential Wood Heaters (EPA ICR No. 1176.13, OMB Control No. 2060-0161), to the Office of Management and Budget (OMB) for review and approval in accordance with the Paperwork Reduction Act. This is a proposed extension of the ICR, which is currently approved through March 31, 2019. Public comments were previously requested, via the **Federal Register**, on June 29, 2017 during a 60-day comment period. This notice allows for an additional 30 days for public comments. A fuller description of the ICR is given below, including its estimated burden and cost to the public. An agency may neither conduct nor sponsor, and a

person is not required to respond to, a collection of information unless it displays a currently valid OMB control number.

**DATES:** Additional comments may be submitted on or before March 13, 2019.

**ADDRESSES:** Submit your comments, referencing Docket ID Number EPA-HQ-OECA-2013-0331, to: (1) EPA online using [www.regulations.gov](http://www.regulations.gov) (our preferred method), or by email to [docket.oeca@epa.gov](mailto:docket.oeca@epa.gov), or by mail to: EPA Docket Center, Environmental Protection Agency, Mail Code 28221T, 1200 Pennsylvania Ave. NW, Washington, DC 20460; and (2) OMB via email to [oira\\_submission@omb.eop.gov](mailto:oira_submission@omb.eop.gov). Address comments to OMB Desk Officer for EPA.

EPA's policy is that all comments received will be included in the public docket without change, including any personal information provided, unless the comment includes profanity, threats, information claimed to be Confidential Business Information (CBI), or other information whose disclosure is restricted by statute.

**FOR FURTHER INFORMATION CONTACT:**

Patrick Yellin, Monitoring, Assistance, and Media Programs Division, Office of Compliance, Mail Code 2227A, Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460; telephone number: (202) 564-2970; fax number: (202) 564-0050; email address: [yellin.patrick@epa.gov](mailto:yellin.patrick@epa.gov).

**SUPPLEMENTARY INFORMATION:**

Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at [www.regulations.gov](http://www.regulations.gov), or in person at the EPA Docket Center, WJC West, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA's public docket, visit: <http://www.epa.gov/dockets>.

**Abstract:** The New Source Performance Standards (NSPS) for New Residential Wood Heaters (40 CFR 60, Subpart AAA) apply to existing facilities and new facilities that contain wood heaters. A wood heater is defined as an enclosed, wood burning appliance capable of and intended for residential or space heating and domestic water heating. Unless otherwise specified, these devices include, but are not limited to, adjustable burn rate wood heaters, single burn rate wood heaters and pellet stoves. New facilities include those that commenced construction, modification or reconstruction after the date of proposal.

One feature of the NSPS requires emphasis at the outset, which is that the requirements of subpart AAA establish a certification program instead of the usual NSPS requirements, where each affected facility is required to demonstrate compliance through performance testing. Under the subpart AAA-required certification program, a single wood heater is tested to demonstrate compliance with particulate matter (PM) emission limits for an entire model line, which could consist of thousands of stoves. The use of a certification approach significantly reduces the compliance burden, including information collection, for the manufacturers of wood heating appliances. In order to minimize risks to the environment from intentional or accidental misuse of the certification approach, subpart AAA includes several safeguards, some of which entail reporting and recordkeeping.

**Form Numbers:** None.

**Respondents/affected entities:**

Owners and operators of facilities that contain new residential wood heaters.

**Respondent's obligation to respond:** Mandatory (40 CFR part 60, subpart AAA).

**Estimated number of respondents:** 45 (total).

**Frequency of response:** Initially, occasionally, and annually.

**Total estimated burden:** 4,320 hours (per year). Burden is defined at 5 CFR 1320.3(b).

**Total estimated cost:** \$1,210,000 (per year), which includes \$740,000 in annualized capital/startup and/or operation & maintenance costs.

**Changes in the estimates:** There is an increase in the total estimated respondent annual burden as currently identified in the OMB Inventory of Approved Burdens due to an increase in the number of test laboratories and third-party certifiers subject to these standards. The number of sources has been adjusted in this ICR to reflect more current information obtained regarding the number of manufacturers certifying model lines in advance of Subpart AAA's Step 2 p.m. standards, which go into effect in 2020, as well as data that indicates a decline in the number of manufacturers based on ongoing industry consolidation and decreasing market size, and to reflect additional entities obtaining EPA approval as test laboratories or third-party certifiers.

There is a decrease in capital/startup costs as compared to the previous ICR. This change is due to a decrease in the number of manufacturers, and because initial compliance requirements for test laboratories and third-party certifiers within the standard occurred during the