

(A) Analog and digital AM, FM, and TV broadcast stations must conduct tests of the EAS header and EOM codes at least once a week at random days and times. Effective December 31, 2006, DAB stations must conduct these tests on all audio streams. Effective December 31, 2006, DTV stations must conduct these tests on all program streams.

(B) Analog cable systems and digital cable systems with 5,000 or more subscribers per headend and wireless cable systems with 5,000 or more subscribers must conduct tests of the EAS Header and EOM Codes at least once a week at random days and times on all programmed channels.

(C) Analog cable systems and digital cable systems serving fewer than 5,000 subscribers per headend and wireless cable systems with fewer than 5,000 subscribers must conduct tests of the EAS Header and EOM Codes at least once a week at random days and times on at least one programmed channel.

(D) SDARS providers must conduct tests of the EAS Header and EOM codes at least once a week at random days and times on all channels.

(ii) DBS providers, analog and digital class D non-commercial educational FM stations, and analog and digital LPTV stations are not required to transmit this test but must log receipt, as specified in §§ 11.35(a) and 11.54(b)(13).

(iii) The EAS weekly test is not required during the week that a monthly test is conducted.

(iv) EAS Participants are not required to transmit a video message when transmitting the required weekly test.

(3) *Periodic National Tests.* National Primary (NP) sources shall participate in tests as appropriate. The FCC may request a report of these tests.

(4) *EAS activations and special tests.* The EAS may be activated for emergencies or special tests at the State or Local Area level by an EAS Participant instead of the monthly or weekly tests required by this section. To substitute for a monthly test, activation must include transmission of the EAS header codes, Attention Signal, emergency message and EOM code and comply with the visual message requirements in § 11.51. To substitute for the weekly test of the EAS header codes

and EOM codes in paragraph (a)(2)(i) of this section, activation must include transmission of the EAS header and EOM codes. Analog and digital television broadcast stations, analog cable systems, digital cable systems, wireless cable systems, and DBS providers shall comply with the aural and visual message requirements in § 11.51. Special EAS tests at the State and Local Area levels may be conducted on daily basis following procedures in State and Local Area EAS plans.

(b) Entries shall be made in EAS Participant records, as specified in §§ 11.35(a) and 11.54(b)(13).

[70 FR 71038, Nov. 25, 2005]

PART 12—REDUNDANCY OF COMMUNICATIONS SYSTEMS

Sec.

12.1 Purpose.

12.2 Backup power.

12.3 911 and E911 analyses and reports.

AUTHORITY: Sections 1, 4(i), 4(j), 4(o), 5(c), 218, 219, 301, 303(g), 303(j), 303(r), 332, 403, 621(b)(3), and 621(d) of the Communications Act of 1934, as amended, 47 U.S.C. 151, 154(i), 154(j), 154(o), 155(c), 218, 219, 301, 303(g), 303(j), 303(r), 332, 403, 621(b)(3), and 621(d), unless otherwise noted.

SOURCE: 72 FR 37673, July 11, 2007, unless otherwise noted.

§ 12.1 Purpose.

The rules in this part include requirements that will help ensure the resiliency, redundancy and reliability of communications systems, particularly 911 and E911 networks and/or systems.

§ 12.2 Backup power.

Local exchange carriers (LECs), including incumbent LECs (ILECs) and competitive LECs (CLECs), and commercial mobile radio service (CMRS) providers must have an emergency backup power source for all assets that are normally powered from local AC commercial power, including those inside central offices, cell sites, remote switches and digital loop carrier system remote terminals. LECs and CMRS providers should maintain emergency back-up power for a minimum of 24 hours for assets inside central offices and eight hours for cell sites, remote