§ 76.602

days to come into compliance with any perceived signal quality problems which need to be corrected. The Commission may request cable operators to test their systems at any time.

NOTE 2 TO §76.601: Section 76.1717 contains recordkeeping requirements for each system operator in order to show compliance with the technical rules of this subpart.

NOTE 3 TO \$76.601: Section 76.1704 contains recordkeeping requirements for proof of performance tests.

[65 FR 53615, Sept. 5, 2000]

§ 76.602 Incorporation by reference.

(a) The materials listed in this section are incorporated by reference in this part. These incorporations by reference were approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. These materials are incorporated as they exist on the date of the approval, and notice of any change in these materials will be published in the FED-ERAL REGISTER. The materials are available for purchase at the corresponding addresses as noted, and all are available for inspection at the Federal Communications Commission, 445 12th. St., SW., Reference Information Center, Room CY-A257, Washington, DC 20554 and at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/ federal_register/
code_of_federal_regulations/

code_of_federal_regulations/ ibr locations.html.

- (b) The following materials are available for purchase from at least one of the following addresses: Global Engineering Documents, 15 Inverness Way East, Englewood, CO 80112 or at http://global.ihs.com; or American National Standards Institute, 25 West 43rd Street, 4th Floor, New York, NY 10036 or at http://webstore.ansi.org/ansidocstore/default.asp; or Society of Cable Telecommunications Engineers at http://www.scte.org/standards/index.cfm; or Advanced Television Systems Committee, 1750 K Street, NW., Suite 1200, Washington, DC 20006 or at http://www.atsc.org/standards.
- (1) ANSI/SCTE 26 2001 (formerly DVS 194): "Home Digital Network Interface Specification with Copy Protection," 2001, IBR approved for §76.640.

- (2) SCTE 28 2003 (formerly DVS 295): "Host-POD Interface Standard," 2003, IBR approved for §76.640.
- (3) SCTE 41 2003 (formerly DVS 301): "POD Copy Protection System," 2003, IBR approved for § 76.640.
- (4) ANSI/SCTE 54 2003 (formerly DVS 241), "Digital Video Service Multiplex and Transport System Standard for Cable Television," 2003, IBR approved for § 76.640.
- (5) ANSI/SCTE 65 2002 (formerly DVS 234), "Service Information Delivered Out-of-Band for Digital Cable Television," 2002, IBR approved for §76.640.
- (6) CEA-931-A, "Remote Control Command Pass-through Standard for Home Networking," 2003, IBR approved for § 76.640.
- (7) SCTE 40 2003 (formerly DVS 313), "Digital Cable Network Interface Standard," 2003, IBR approved for § 76.640.
- (8) ATSC A/65B: "ATSC Standard: Program and System Information Protocol for Terrestrial Broadcast and Cable (Revision B)," March 18, 2003, IBR approved for § 76.640.
- (9) CEA-542-B: "CEA Standard: Cable Television Channel Identification Plan," July 2003, IBR approved for \$76.605.

[68 FR 66734, Nov. 28, 2003, as amended at 69 FR 18803, Apr. 9, 2004; 69 FR 57861, Sept. 28, 2004]

§ 76.605 Technical standards.

- (a) The following requirements apply to the performance of a cable television system as measured at any subscriber terminal with a matched impedance at the termination point or at the output of the modulating or processing equipment (generally the headend) of the cable television system or otherwise as noted. The requirements are applicable to each NTSC or similar video downstream cable television channel in the system:
- (1)(i) The cable television channels delivered to the subscriber's terminal shall be capable of being received and displayed by TV broadcast receivers used for off-the-air reception of TV broadcast signals, as authorized under part 73 of this chapter; and
- (ii) Cable television systems shall transmit signals to subscriber premises