§ 15.1

- 15.237 Operation in the bands 72.0-73.0 MHz, $74.6-74.8 \; \mathrm{MHz} \; \mathrm{and} \; 75.2-76.0 \; \mathrm{MHz}.$
- 15.239 Operation in the band 88–108 MHz.
- 15.240 Operation in the band 433.5-434.5 MHz.
- 15.241 Operation in the band 174-216 MHz.
- 15.242 Operation in the bands 174-216 MHz and 470-668 MHz.
- 15.243 Operation in the band 890–940 MHz. 15.245 Operation within the bands 902–928 MHz, 2435–2465 MHz, 5785–5815 MHz, 10500– 10550 MHz, and 24075-24175 MHz.
- 15.247 Operation within the bands 902-928 MHz, 2400–2483.5 MHz, and 5725–5850 MHz.
- 15.249 Operation within the bands 902-928 MHz, 2400-2483.5 MHz, 5725-5875 MHz, and 24.0-24.25 GHz.
- 15.250 Operation of wideband systems within the band 5925-7250 MHz.
- 15.251 Operation within the bands 2.9-3.26GHz, 3.267-3.332 GHz, 3.339-3.3458 GHz, and $3.358-3.6~{\rm GHz}.$
- 15.252 Operation of wideband vehicular radar systems within the bands 16.2-17.7 GHz and 23.12-29.0 GHz.
- 15.253 Operation within the bands 46.7-46.9 GHz and 76.0-77.0 GHz.
- 15.255 Operation within the band 57-64 GHz. 15.257
 - Operation within the band 92-95 GHz.

Subpart D—Unlicensed Personal **Communications Service Devices**

- 15.301 Scope.
- 15.303 Definitions.
- 15.305 Equipment authorization requirement.
- 15.307 Coordination with fixed microwave service.
- 15.309 Cross reference.
- Labeling requirements. 15.311
- 15.313 Measurement procedures.
- Conducted limits. 15.315
- 15.317 Antenna requirement.
- 15.319 General technical requirements.
- 15.321 [Reserved]
- 15.323 Specific requirements for devices operating in the 1920-1930 MHz sub-band.

Subpart E—Unlicensed National Information Infrastructure Devices

- 15.401 Scope.
- 15.403 Definitions.
- 15.405 Cross reference.
- 15.407 General technical requirements.

Subpart F-Ultra-Wideband Operation

- 15.501 Scope.
- 15.503 Definitions.
- 15.505 Cross reference.
- Marketing of UWB equipment. 15.507
- 15.509 Technical requirements for ground penetrating radars and wall imaging systems.
- 15.510 Technical requirements for through D-wall imaging systems.

- 15.511 Technical requirements for surveillance systems.
- 15.513 Technical requirements for medical imaging systems.
- 15.515 Technical requirements for vehicular radar systems.
- 15.517 Technical requirements for indoor UWB systems.
- 15.519 Technical requirements for hand held UWB systems.
- 15.521 Technical requirements applicable to all UWB devices.
- 15.523 Measurement procedures.
- 15.525 Coordination requirements.

Subpart G—Access Broadband Over Power Line (Access BPL)

- 15.601Scope.
- 15.603 Definitions.
- 15.605 Cross reference.
- Equipment authorization of Access 15.607 BPL equipment.
- 15.609 Marketing of Access BPL equipment.
- 15.611 General technical requirements.
- 15.613 Measurement procedures
- 15.615 General administrative requirements.

Subpart H—Television Band Devices

- 15.703 Definitions.
- 15.705Cross reference.
- 15.706 Information to the user.
- 15.707 Permissible channels of operation. 15.709
- General technical requirements. 15.711 Interference avoidance mechanisms.
- 15.712Interference protection requirements.
- 15.713 TV bands database.
- 15.714 TV bands database administration fees.
- 15.715 TV bands database administrator.
- 15.717 TVBDs that rely on spectrum sensing.

AUTHORITY: 47 U.S.C. 154, 302a, 303, 304, 307, 336, and 544a.

SOURCE: 54 FR 17714, Apr. 25, 1989, unless otherwise noted.

Subpart A—General

§15.1 Scope of this part.

- (a) This part sets out the regulations under which an intentional, unintentional, or incidental radiator may be operated without an individual license. It also contains the technical specifications, administrative requirements and other conditions relating to the marketing of part 15 devices.
- (b) The operation of an intentional or unintentional radiator that is not in accordance with the regulations in this part must be licensed pursuant to the

provisions of section 301 of the Communications Act of 1934, as amended, unless otherwise exempted from the licensing requirements elsewhere in this chapter.

(c) Unless specifically exempted, the operation or marketing of an intentional or unintentional radiator that is not in compliance with the administrative and technical provisions in this part, including prior Commission authorization or verification, as appropriate, is prohibited under section 302 of the Communications Act of 1934, as amended, and subpart I of part 2 of this chapter. The equipment authorization and verification procedures are detailed in subpart J of part 2 of this chapter.

§ 15.3 Definitions.

- (a) Auditory assistance device. An intentional radiator used to provide auditory assistance to a handicapped person or persons. Such a device may be used for auricular training in an education institution, for auditory assistance at places of public gatherings, such as a church, theater, or auditorium, and for auditory assistance to handicapped individuals, only, in other locations.
- (b) Biomedical telemetry device. An intentional radiator used to transmit measurements of either human or animal biomedical phenomena to a receiver.
- (c) Cable input selector switch. A transfer switch that is intended as a means to alternate between the reception of broadcast signals via connection to an antenna and the reception of cable television service.
- (d) Cable locating equipment. An intentional radiator used intermittently by trained operators to locate buried cables, lines, pipes, and similar structures or elements. Operation entails coupling a radio frequency signal onto the cable, pipes, etc. and using a receiver to detect the location of that structure or element.
- (e) Cable system terminal device (CSTD). A TV interface device that serves, as its primary function, to connect a cable system operated under part 76 of this chapter to a TV broadcast receiver or other subscriber premise equipment. Any device which

functions as a CSTD in one of its operating modes must comply with the technical requirements for such devices when operating in that mode.

- (f) Carrier current system. A system, or part of a system, that transmits radio frequency energy by conduction over the electric power lines. A carrier current system can be designed such that the signals are received by conduction directly from connection to the electric power lines (unintentional radiator) or the signals are received overthe-air due to radiation of the radio frequency signals from the electric power lines (intentional radiator).
- (g) CB receiver. Any receiver that operates in the Personal Radio Services on frequencies allocated for Citizens Band (CB) Radio Service stations, as well as any receiver provided with a separate band specifically designed to receive the transmissions of CB stations in the Personal Radio Services. This includes the following: (1) A CB receiver sold as a separate unit of equipment: (2) the receiver section of a CB transceiver; (3) a converter to be used with any receiver for the purpose of receiving CB transmissions; and, (4) a multiband receiver that includes a band labelled "CB" or "11-meter" in which such band can be separately selected, except that an Amateur Radio Service receiver that was manufactured prior to January 1, 1960, and which includes an 11-meter band shall not be considered to be a CB receiver.
- (h) Class A digital device. A digital device that is marketed for use in a commercial, industrial or business environment, exclusive of a device which is marketed for use by the general public or is intended to be used in the home.
- (i) Class B digital device. A digital device that is marketed for use in a residential environment notwithstanding use in commercial, business and industrial environments. Examples of such devices include, but are not limited to, personal computers, calculators, and similar electronic devices that are marketed for use by the general public.

Note: The responsible party may also qualify a device intended to be marketed in a commercial, business or industrial environment as a Class B device, and in fact is encouraged to do so, provided the device complies with the technical specifications for a