

(2) In addition to the requirements stated in paragraph (b)(1) of this section, all persons who receive new or additional DBS authorizations after January 19, 1996 shall complete construction of the first satellite in their respective DBS systems within four years of grant of the authorization. All satellite stations in such a DBS system shall be in operation within six years of the grant of the authorization.

(3) DBS licensees shall be required to proceed consistent with all applicable due diligence obligations, unless otherwise determined by the Commission upon proper showing in any particular case. Transfer of control of the authorization shall not be considered to justify extension of these deadlines.

(c) *Geographic service requirements.* Those entities acquiring DBS authorizations after January 19, 1996, or who after January 19, 1996 modify a previous DBS authorization to launch a replacement satellite, must provide DBS service to Alaska and Hawaii where such service is technically feasible from the authorized orbital location. This requirement does not apply to DBS satellites authorized to operate at the 61.5° W.L. orbital location. DBS applicants seeking to operate from locations other than 61.5° W.L. who do not provide service to Alaska and Hawaii, must provide technical analyses to the Commission demonstrating that such service is not feasible as a technical matter, or that while technically feasible such services would require so many compromises in satellite design and operation as to make it economically unreasonable.

(d) *DBS subject to competitive bidding.* Mutually exclusive initial applications to provide DBS are subject to competitive bidding procedures. The general competitive bidding procedures set forth in part 1, subpart Q of this chapter will apply unless otherwise provided in this part.

(e) *DBS long form application.* Winning bidders are subject to the provisions of § 1.2107 of this chapter except that in lieu of a FCC Form 601 each winning bidder shall submit the long-form satellite service application (FCC Form 312) within thirty (30) days after being notified by Public Notice that it is the winning bidder. Each winning bidder

will also be required to submit by the same deadline the information described in § 25.215 (Technical) and § 25.601 (EEO), and in paragraph (f) of this section. Each winner also will be required to file, by the same deadline, a signed statement describing its efforts to date and future plans to come into compliance with any applicable spectrum limitations, if it is not already in compliance. Such information shall be submitted pursuant to the procedures set forth in § 25.114 and any associated Public Notices.

(f) *Technical qualifications.* DBS operations must be in accordance with the sharing criteria and technical characteristics contained in Appendices 30 and 30A of the ITU's Radio Regulations. Operation of systems using differing technical characteristics may be permitted, with adequate technical showing, and if a request has been made to the ITU to modify the appropriate Plans to include the system's technical parameters.

[67 FR 51113, Aug. 7, 2002]

§ 25.149 Application requirements for ancillary terrestrial components in the mobile-satellite service networks operating in the 1.5/1.6 GHz, 1.6/2.4 GHz and 2 GHz mobile-satellite service.

(a) Applicants for ancillary terrestrial component authority shall demonstrate that the applicant does or will comply with the following through certification or explanatory technical exhibit, as appropriate:

(1) ATC shall be deployed in the forward-band mode of operation whereby the ATC mobile terminals transmit in the MSS uplink bands and the ATC base stations transmit in the MSS downlink bands in portions of the 2000–2020 MHz/2180–2200 MHz bands (2 GHz band), the 1626.5–1660.5 MHz/1525–1559 MHz bands (L-band), and the 1610–1626.5 MHz/2483.5–2500 MHz bands (Big LEO band).

NOTE TO PARAGRAPH (a)(1): An L-band MSS licensee is permitted to apply for ATC authorization based on a non-forward-band mode of operation provided it is able to demonstrate that the use of a non-forward-band mode of operation would produce no greater potential interference than that produced as a result of implementing the rules of this section.

(2) ATC operations shall be limited to certain frequencies:

(i) In the 2000–2020 MHz/2180–2200 MHz bands (2 GHz MSS band), ATC operations are limited to the selected assignment of the 2 GHz MSS licensee that seeks ATC authority.

(ii) In the 1626.5–1660.5 MHz/1525–1559 MHz bands (L-band), ATC operations are limited to the frequency assignments authorized and internationally coordinated for the MSS system of the MSS licensee that seeks ATC authority.

(iii) In the 1610–1626.5 MHz/2483.5–2500 MHz bands (Big LEO bands), ATC operations are limited to the 1610–1617.775 MHz, 1621.35–1626.5 MHz, and 2483.5–2495 MHz bands and to the specific frequencies authorized for use by the MSS licensee that seeks ATC authority.

(3) ATC operations shall not exceed the geographical coverage area of the mobile satellite service network of the applicant for ATC authority.

(4) ATC base stations shall comply with all applicable antenna and structural clearance requirements established in part 17 of this chapter.

(5) ATC base stations and mobile terminals shall comply with part 1 of this chapter, Subpart I—Procedures Implementing the National Environmental Policy Act of 1969, including the guidelines for human exposure to radio frequency electromagnetic fields as defined in §§1.1307(b) and 1.1310 of this chapter for PCS networks.

(6) ATC base station operations shall use less than all available MSS frequencies when using all available frequencies for ATC base station operations would exclude otherwise available signals from MSS space-stations.

(b) Applicants for an ancillary terrestrial component shall demonstrate that the applicant does or will comply with the following criteria through certification:

(1) *Geographic and temporal coverage.*

(i) For the 2 GHz MSS band, an applicant must demonstrate that it can provide space-segment service covering all 50 states, Puerto Rico, and the U.S. Virgin Islands one-hundred percent of the time, unless it is not technically possible, consistent with the coverage requirements for 2 GHz MSS GSO operators.

(ii) For the L-band, an applicant must demonstrate that it can provide space-segment service covering all 50 states, Puerto Rico, and the U.S. Virgin Islands one-hundred percent of the time, unless it is not technically possible for the MSS operator to meet the coverage criteria from its orbital position.

(iii) For the Big LEO band, an applicant must demonstrate that it can provide space-segment service to all locations as far north as 70° North latitude and as far south as 55° South latitude for at least seventy-five percent of every 24-hour period, *i.e.*, that at least one satellite will be visible above the horizon at an elevation angle of at least 5° for at least 18 hours each day, and on a continuous basis throughout the fifty states, Puerto Rico and the U.S. Virgin Islands, *i.e.*, that at least one satellite will be visible above the horizon at an elevation angle of at least 5° at all times.

(2) *Replacement satellites.* (i) Operational NGSO MSS ATC systems shall maintain an in-orbit spare satellite.

(ii) Operational GSO MSS ATC systems shall maintain a spare satellite on the ground within one year of commencing operations and launch it into orbit during the next commercially reasonable launch window following a satellite failure.

(iii) All MSS ATC licensees must report any satellite failures, malfunctions or outages that may require satellite replacement within ten days of their occurrence.

(3) *Commercial availability.* Mobile-satellite service must be commercially available (*viz.*, offering services for a fee) in accordance with the coverage requirements that pertain to each band as a prerequisite to an MSS licensee's offering ATC service.

(4) *Integrated services.* MSS ATC licensees shall offer an integrated service of MSS and MSS ATC. Applicants for MSS ATC may establish an integrated service offering by affirmatively demonstrating that:

(i) The MSS ATC operator will use a dual-mode handset that can communicate with both the MSS network and the MSS ATC component to provide the proposed ATC service; or

(ii) Other evidence establishing that the MSS ATC operator will provide an integrated service offering to the public.

(5) *In-band operation.* (i) In the 2 GHz MSS band, MSS ATC is limited to an MSS licensee's selected assignment. MSS ATC operations on frequencies beyond the MSS licensee's selected assignment are prohibited.

(ii) In the Big LEO bands, MSS ATC is limited to no more than 7.775 MHz of spectrum in the L-band and 11.5 MHz of spectrum in the S-band. Licensees in these bands may implement ATC only on those channels on which MSS is authorized, consistent with the Big LEO band-sharing arrangement.

(iii) In the L-band, MSS ATC is limited to those frequency assignments available for MSS use in accordance with the Mexico City Memorandum of Understanding, its successor agreements or the result of other organized efforts of international coordination.

(c) *Equipment certification.* (1) Each ATC MET utilized for operation under this part and each transmitter marketed, as set forth in § 2.803 of this chapter, must be of a type that has been authorized by the Commission under its certification procedure for use under this part.

(2) Any manufacturer of radio transmitting equipment to be used in these services may request equipment authorization following the procedures set forth in subpart J of part 2 of this chapter. Equipment authorization for an individual transmitter may be requested by an applicant for a station authorization by following the procedures set forth in part 2 of this chapter.

(3) Licensees and manufacturers are subject to the radiofrequency radiation exposure requirements specified in §§ 1.1307(b), 2.1091 and 2.1093 of this chapter, as appropriate. MSS ATC base stations must comply with the requirements specified in § 1.1307(b) of this chapter for PCS base stations. MSS ATC mobile terminals must comply with the requirements specified for mobile and portable PCS transmitting devices in § 1.1307(b) of this chapter. MSS ATC mobile terminals must also comply with the requirements in §§ 2.1091 and 2.1093 of this chapter for Satellite Communications Services devices. Ap-

plications for equipment authorization of mobile or portable devices operating under this section must contain a statement confirming compliance with these requirements for both fundamental emissions and unwanted emissions. Technical information showing the basis for this statement must be submitted to the Commission upon request.

(d) Applicants for an ancillary terrestrial component authority shall demonstrate that the applicant does or will comply with the provisions of §§ 1.924 and 25.203(e) through 25.203(g) and with §§ 25.252, 25.253, or 25.254, as appropriate, through certification or explanatory technical exhibit.

(e) Except as provided for in paragraph (f) of this section, no application for an ancillary terrestrial component shall be granted until the applicant has demonstrated actual compliance with the provisions of paragraph (b) of this section. Upon receipt of ATC authority, all ATC licensees must ensure continued compliance with this section and §§ 25.252, 25.253, or 25.254, as appropriate.

(f) Special provision for operational MSS systems. Applicants for MSS ATC authority with operational MSS systems that are in actual compliance with the requirements prescribed in paragraphs (b)(1), (b)(2), and (b)(3) of this section at the time of application may elect to satisfy the requirements of paragraphs (b)(4) and (b)(5) of this section prospectively by providing a substantial showing in its certification regarding how the applicant will comply with the requirements of paragraphs (b)(4) and (b)(5) of this section. Notwithstanding § 25.117(f) and paragraph (e) of this section, the Commission may grant an application for ATC authority based on such a prospective substantial showing if the Commission finds that operations consistent with the substantial showing will result in actual compliance with the requirements prescribed in paragraphs (b)(4) and (b)(5) of this section. An MSS ATC applicant that receives a grant of ATC authority pursuant to this paragraph (f) shall notify the Commission within 30 days once it begins providing ATC service. This notification must take the form of a letter formally filed with

§ 25.150

47 CFR Ch. I (10–1–09 Edition)

the Commission in the appropriate MSS license docket and shall contain a certification that the MSS ATC service is consistent with its ATC authority.

[68 FR 47859, Aug. 12, 2003, as amended at 69 FR 48162, Aug. 9, 2004; 70 FR 19318, Apr. 13, 2005, 73 FR 25592, May 7, 2008]

PROCESSING OF APPLICATIONS

§ 25.150 Receipt of applications.

Applications received by the Commission are given a file number and (domestic only) a unique station identifier for administrative convenience. Neither the assignment of a file number and/or other identifier nor the listing of the application on public notice as received for filing indicates that the application has been found acceptable for filing or precludes the subsequent return or dismissal of the application if it is found to be defective or not in accordance with the Commission's rules.

§ 25.151 Public notice period.

(a) At regular intervals, the Commission will issue public notices listing:

- (1) The receipt of applications for new station authorizations;
 - (2) The receipt of applications for license or registration of receive-only earth stations;
 - (3) The receipt of applications for major modifications to station authorizations;
 - (4) The receipt of major amendments to pending applications;
 - (5) The receipt of applications to assign or transfer control of space station facilities, transmitting earth station facilities, or international receive-only earth station facilities;
 - (6) Significant Commission actions regarding applications;
 - (7) Information which the Commission in its discretion believes to be of public significance; and
 - (8) Special environmental considerations as required by part 1 of this chapter.
- (b) Special public notices may also be issued at other times under special circumstances involving non-routine matters where speed is of the essence and efficiency of Commission process will be served thereby.

(c) A public notice will not normally be issued for receipt of any of the following applications:

- (1) For authorization of a minor technical change in the facilities of an authorized station;
 - (2) For temporary authorization pursuant to § 25.120.
 - (3) For an authorization under any of the proviso clauses of section 308(a) of the Communications Act of 1934, as amended [47 U.S.C. 308(a)];
 - (4) For consent to an involuntary assignment or transfer of control of a transmitting earth station authorization; or
 - (5) For consent to an assignment or transfer of control of a space station authorization or a transmitting earth station authorization, where the assignment or transfer does not involve a substantial change in ownership or control; or
 - (6) For change in location of an earth station operating in the 4/6 GHz and 10.95–11.7 GHz bands by no more than 1° in latitude and/or longitude and for change in location of an earth station operating in the 12/14 GHz bands by no more than 10° in latitude and/or longitude.
- (d) Except as specified in paragraph (e) of this section, no application that has appeared on public notice will be granted until the expiration of a period of thirty days following the issuance of the public notice listing the application, or any major amendment thereto. Any comments or petitions must be delivered to the Commission by that date in accordance with § 25.154.
- (e)(1) Applicants seeking authority to operate a temporary fixed earth station pursuant to § 25.277 may consider their applications “provisionally granted,” and may initiate operations upon the placement of the complete FCC Form 312 application on public notice, provided that
- (i) The temporary fixed earth station will operate only in the conventional Ku-band (14.0–14.5 GHz and 11.7–12.2 GHz bands);
 - (ii) The temporary fixed earth station's operations will be consistent with all routine-licensing requirements for the conventional Ku-band; and