§ 74.797

(c) In connection with the on-channel conversion of existing analog transmitters for digital operation, a limited allowance is made for transmitters with final amplifiers that do not meet the attenuation of the Simple emission mask at the channel edges. Station licensees may obtain equivalent compliance with this attenuation requirement in the following manner:

(1) Measure the level of attenuation of emissions below the average digital power output at the channel edges in a 500 kHz bandwidth; measurements made over a different measurement bandwidth should be corrected to the equivalent attenuation level for a 500 kHz bandwidth using the formula given in \$74.794:

(2) Calculate the difference in dB between the 46 dB channel-edge attenuation requirement of the Simple mask;

- (3) Subtract the value determined in the previous step from the authorized effective radiated power ("ERP") of the analog station being converted to digital operation. Then subtract an additional 6 dB to account for the approximate difference between analog peak and digital average power. For this purpose, the ERP must be expressed in decibels above one kilowatt: ERP(dBk) = 10 log ERP(kW);
- (4) Convert the ERP calculated in the previous step to units of kilowatts; and
- (5) The ERP value determined through the above procedure will produce equivalent compliance with the attenuation requirement of the simple emission mask at the channel edges and should be specified as the digital ERP in the minor change application for an on-channel digital conversion. The transmitter may not be operated to produce a higher digital ERP than this value.

[69 FR 69336, Nov. 29, 2004]

$\S\,74.797~$ Biennial Ownership Reports.

The Ownership Report FCC Form 323 must be electronically filed no later than November 1, 2009, and every two years thereafter by each licensee of a low power television station or Respondent (as defined in §73.3615(a) of this chapter). Beginning with the 2011 filing, a licensee or Respondent with a current and unamended Report on file at the Commission may certify elec-

tronically that it has reviewed its current Report and that it is accurate, in lieu of filing a new Report. Ownership Reports shall provide information as of October 1 of the year in which the report is filed. For information on filing requirements, filers should refer to §73.3615(a) of this chapter.

[74 FR 25168, May 27, 2009]

Subpart H—Low Power Auxiliary Stations

§74.801 Definitions.

Cable television system operator. A cable television operator is defined in §76.5(cc) of the rules.

Low power auxiliary station. An auxiliary station authorized and operated pursuant to the provisions set forth in this subpart. Devices authorized as low power auxiliary stations are intended to transmit over distances of approximately 100 meters for uses such as wireless microphones, cue and control communications, and synchronization of TV camera signals.

Motion picture producer. Motion picture producer refers to a person or organization engaged in the production or filming of motion pictures.

Television program producer. Television program producer refers to a person or organization engaged in the production of television programs.

Wireless assist video device. An auxiliary station authorized and operated by motion picture and television program producers pursuant to the provisions of this subpart. These stations are intended to transmit over distances of approximately 300 meters for use as an aid in composing camera shots on motion picture and television sets.

(Sec. 5, 48 Stat. 1068; 47 U.S.C. 155)

[42 FR 14729, March 16, 1977, as amended at 43 FR 14662, Apr. 7, 1978; 51 FR 4603, Feb. 6, 1986; 51 FR 9966, Mar. 24, 1986; 54 FR 41842, Oct. 12, 1989; 68 FR 12772, Mar. 17, 2003]

§74.802 Frequency assignment.

(a) Frequencies within the following bands may be assigned for use by low power auxiliary stations:

 $\begin{array}{c} 26.100\text{--}26.480 \text{ MHz} \\ 54.000\text{--}72.000 \text{ MHz} \\ 76.000\text{--}88.000 \text{ MHz} \end{array}$

Federal Communications Commission

161.625–161.775 MHz (except in Puerto Rico or the Virgin Islands) 174.000–216.000 MHz 450.000–451.000 MHz 455.000–456.000 MHz 470.000–488.000 MHz 488.000–494.000 MHz (except Hawaii) 494.000–698.000 MHz 614.000–698.000 MHz

- (b) Operations in the bands allocated for TV broadcasting, listed below, are limited to locations removed from existing co-channel TV broadcast stations by not less than the following distances unless otherwise authorized by the FCC. (See §73.609 for zone definitions.)
- (1) 54.000-72.000 MHz and 76.000-88.000 MHz:

Zone I 105 km (65 miles) Zones II and III 129 km (80 miles)

(2) 174.000-216.000 MHz

944,000-952,000 MHz

Zone I 97 km (60 miles) Zones II and III 129 km (80 miles)

(3) 470.000–608.000 MHz and 614.000–698.000 MHz.

All zones 113 km (70 miles)

- (c) Specific frequency operation is required when operating within the bands allocated for TV broadcasting.
- (1) The frequency selection shall be offset from the upper or lower band limits by 25 kHz or an integral multiple thereof.
- (2) One or more adjacent 25 kHz segments within the assignable frequencies may be combined to form a channel whose maximum bandwidth shall not exceed 200 kHz.
- (d) Low power auxiliary licensees will not be granted exclusive frequency assignments.
- (e) Clearing mechanisms for the 700 MHz Band. This section sets forth provisions relating to the transition of low power auxiliary stations operating at 698–806 MHz (700 MHz band).
- (1) Any low power auxiliary station that operates at frequencies in the 700 MHz band while transitioning its operations out of that band must not cause harmful interference and must accept interference from any commercial or public safety wireless licensees in the 700 MHz band.
- (2) Any low power auxiliary station that operates at frequencies in the 700

MHz band will have until no later than June 12, 2010 to transition its operations completely out of the 700 MHz band, subject to the following. During this transition period, any commercial or public safety licensee in the 700 MHz band may choose one or both of the following voluntary methods to notify low power auxiliary stations:

- (i) Any commercial or public safety licensee in the 700 MHz band may notify the Commission that it has initiated or will be initiating operations on specified frequencies in a particular market(s) in the 700 MHz band. The wireless operations initiated by the commercial or public safety 700 MHz licensees may include system testing or trials. Following receipt of the notification, the Commission will issue a public notice providing that operators of low power auxiliary stations, including wireless microphones, in the 700 MHz band in those market(s) will be required to cease operations within 60 days after the Commission's notice is released.
- (ii) Any commercial or public safety licensee in the 700 MHz band may notify any low power auxiliary station users operating in the 700 MHz band that it has initiated or will be initiating operations on specified frequencies in the market in which the low power auxiliary station is operating. The wireless operations initiated by the commercial or public safety 700 MHz licensees may include system testing or trials. Upon receipt of such notice, the low power auxiliary station in the affected market area must cease operation within 60 days.
- (iii) In the event that both of these notice provisions in paragraphs (e)(2)(i) and (ii) of this section are used with respect to a particular low power auxiliary station, the low power auxiliary station will have to cease operations in the market(s) in accordance with whichever notice provides for earlier termination of its operations.
- (3) Notwithstanding this 60 day notice requirement, any low power auxiliary station that causes harmful interference to any commercial or public

§ 74.803

safety 700 MHz licensee must cease operations immediately, consistent with the rules for secondary use.

[52 FR 2535, Jan. 23, 1987, as amended at 68 FR 12772, Mar. 17, 2003; 75 FR 3638, Jan. 22, 2010]

§74.803 Frequency selection to avoid interference.

(a) Where two or more low power auxiliary licensees need to operate in the same area, the licensees shall endeavor to select frequencies or schedule operation in such manner as to avoid mutual interference. If a mutually satisfactory arrangement cannot be reached, the Commission shall be notified and it will specify the frequency or frequencies to be employed by each licensee.

(b) The selection of frequencies in the bands allocated for TV broadcasting for use in any area shall be guided by the need to avoid interference to TV broadcast reception. In these bands, low power auxiliary station usage is secondary to TV broadcasting and land mobile stations operating in the UHF-TV spectrum and must not cause harmful interference. If such interference occurs, low power auxiliary station operation must immediately cease and may not be resumed until the interference problem has been resolved.

 $[42\ {\rm FR}\ 14729,\ {\rm Mar.}\ 16,\ 1977,\ {\rm as\ amended}\ {\rm at\ 52}\ {\rm FR}\ 2535,\ {\rm Jan.}\ 23,\ 1987]$

§74.831 Scope of service and permissible transmissions.

The license for a low power auxiliary station authorizes the transmission of cues and orders to production personnel and participants in broadcast programs and motion pictures and in the preparation therefor, the transmission of program material by means of a wireless microphone worn by a performer and other participants in a program or motion picture during rehearsal and during the actual broadcast, filming, or recording, or the transmission of comments, interviews, and reports from the scene of a remote broadcast. Low power auxiliary stations operating in the 944-952 MHz band may, in addition, transmit synchronizing signals and various control signals to portable or hand-carried TV cameras which employ low power radio

signals in lieu of cable to deliver picture signals to the control point at the scene of a remote broadcast.

 $[42\ FR\ 14729,\ Mar.\ 16,\ 1977,\ as\ amended\ at\ 51\ FR\ 4603,\ Feb.\ 6,\ 1986]$

§74.832 Licensing requirements and procedures.

- (a) A license authorizing operation of one or more low power auxiliary stations will be issued only to the following:
- (1) A licensee of an AM, FM, TV, or International broadcast station or low power TV station. Low power auxiliary stations will be licensed for used with a specific broadcast or low power TV station or combination of stations licensed to the same licensee within the same community.
 - (2) A broadcast network entity.
- (3) A cable television system operator who operates a cable system that produces program material for origination or access cablecasting, as defined in §76.5(r).
- (4) Motion picture producers as defined in $\S74.801$.
- (5) Television program producers as defined in §74.801.
- (6) Licensees and conditional licensees of stations in the Service and Multichannel Multipoint Distribution Service as defined in §21.2 of this chapter, or entities that hold an executed lease agreement with an MDS or MMDS licensee or conditional licensee or with an Instructional Television Fixed Service licensee or permittee.
- (b) An application for a new or renewal of low power auxiliary license shall specify the frequency band or bands desired. Only those frequency bands necessary for satisfactory operation shall be requested.
- (c) Licensees of AM, FM, TV, and International broadcast stations; low power TV stations; and broadcast network entities may be authorized to operate low power auxiliary stations in the frequency bands set forth in §74.802(a).
- (d) Cable television operations, motion picture and television program producers may be authorized to operate low power auxiliary stations only in the bands allocated for TV broadcasting.