

§ 80.361

this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. Copies of this standard can be inspected at the Federal Communications Commission, 445 12th Street, SW., Washington, DC (Reference Information Center) or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html. The ITU-R Recommendation can be purchased from the International Telecommunication Union (ITU), Place des Nations, CH-1211 Geneva 20, Switzerland.

(c) *Working frequencies.* Coast and ship stations may use DSC techniques for general calling purposes on their assigned working frequencies in the

47 CFR Ch. I (10-1-11 Edition)

2000-27500 kHz band and on those frequencies in the 156-162 MHz band which are allocated for maritime control, commercial, non-commercial and public correspondence communications.

[51 FR 31213, Sept. 2, 1986, as amended at 54 FR 49995, Dec. 4, 1989; 56 FR 9890, Mar. 8, 1991; 56 FR 14150, Apr. 5, 1991; 68 FR 46969, Aug. 7, 2003; 73 FR 4485, Jan. 25, 2008]

§ 80.361 Frequencies for narrow-band direct-printing (NBDP), radioprinter and data transmissions.

(a) *Paired channels.* The following frequencies are available for assignment to public coast stations for narrow-band direct-printing (NBDP) and data transmissions. The paired ship frequencies are available for use by authorized ship stations for NBDP and data transmissions.

Ch. no.	Paired frequencies for NBDP and data transmissions (kHz)															
	4 MHz		6 MHz		8 MHz		12 MHz		16 MHz		18/19 MHz		22 MHz		25/26 MHz	
	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship
1	4210.5	4178.5	6314.5	6263.0	8417.0	8377.0	12579.5	12477.0	16807.0	16693.5	19681.0	18870.5	22376.5	22284.5	26101.0	25173.0
2	4211.0	4173.0	6315.0	6263.5	8417.5	8377.5	12580.0	12477.5	16807.5	16694.0	19681.5	18871.0	22377.0	22285.0	26101.5	25173.5
3	4211.5	4173.5	6315.5	6264.0	8418.0	8378.0	12580.5	12478.0	16808.0	16694.5	19682.0	18871.5	22377.5	22285.5	26102.0	25174.0
4	4212.0	4174.0	6316.0	6264.5	8418.5	8378.5	12581.0	12478.5	16808.5	16695.0	19682.5	18872.0	22378.0	22286.0	26102.5	25174.5
5	4212.5	4174.5	6316.5	6265.0	8419.0	8379.0	12581.5	12479.0	16809.0	16695.5	19683.0	18872.5	22378.5	22286.5	26103.0	25175.0
6	4213.0	4175.0	6317.0	6265.5	8419.5	8379.5	12582.0	12479.5	16809.5	16696.0	19683.5	18873.0	22379.0	22287.0	26103.5	25175.5
7	4213.5	4175.5	6317.5	6266.0	8420.0	8380.0	12582.5	12480.0	16810.0	16696.5	19684.0	18873.5	22379.5	22287.5	26104.0	25176.0
8	4214.0	4176.0	6318.0	6266.5	8420.5	8380.5	12583.0	12480.5	16810.5	16697.0	19684.5	18874.0	22380.0	22288.0	26104.5	25176.5
9	4214.5	4176.5	6318.5	6267.0	8421.0	8381.0	12583.5	12481.0	16811.0	16697.5	19685.0	18874.5	22380.5	22288.5	26105.0	25177.0
10	4215.0	4177.0	6319.0	6267.5	8421.5	8381.5	12584.0	12481.5	16811.5	16698.0	19685.5	18875.0	22381.0	22289.0	26105.5	25177.5
11	4215.5	4177.5	6319.5	6268.0	8422.0	8382.0	12584.5	12482.0	16812.0	16698.5	19686.0	18875.5	22381.5	22289.5	26106.0	25178.0
12	4216.0	4178.0	6320.0	6268.5	8422.5	8382.5	12585.0	12482.5	16812.5	16699.0	19686.5	18876.0	22382.0	22290.0	26106.5	25178.5
13	4216.5	4178.5	6320.5	6269.0	8423.0	8383.0	12585.5	12483.0	16813.0	16699.5	19687.0	18876.5	22382.5	22290.5	26107.0	25179.0
14	4217.0	4179.0	6321.0	6269.5	8423.5	8383.5	12586.0	12483.5	16813.5	16700.0	19687.5	18877.0	22383.0	22291.0	26107.5	25179.5
15	4217.5	4179.5	6321.5	6270.0	8424.0	8384.0	12586.5	12484.0	16814.0	16700.5	19688.0	18877.5	22383.5	22291.5	26108.0	25180.0
16	4218.0	4180.0	6322.0	6270.5	8424.5	8384.5	12587.0	12484.5	16814.5	16701.0	19688.5	18878.0	22384.0	22292.0	26108.5	25180.5
17	4218.5	4180.5	6322.5	6271.0	8425.0	8385.0	12587.5	12485.0	16815.0	16701.5	19689.0	18878.5	22384.5	22292.5	26109.0	25181.0
18	4219.0	4181.0	6323.0	6271.5	8425.5	8385.5	12588.0	12485.5	16815.5	16702.0	19689.5	18879.0	22385.0	22293.0	26109.5	25181.5
19	4219.5	4181.5	6323.5	6272.0	8426.0	8386.0	12588.5	12486.0	16816.0	16702.5	19690.0	18879.5	22385.5	22293.5	26110.0	25182.0
20	4220.0	4182.0	6324.0	6272.5	8426.5	8386.5	12589.0	12486.5	16816.5	16703.0	19690.5	18880.0	22386.0	22294.0	26110.5	25182.5
21	4220.5	4182.5	6324.5	6273.0	8427.0	8387.0	12589.5	12487.0	16817.0	16703.5	19691.0	18880.5	22386.5	22294.5	26111.0	25183.0
22	4221.0	4183.0	6325.0	6273.5	8427.5	8387.5	12590.0	12487.5	16817.5	16704.0	19691.5	18881.0	22387.0	22295.0	26111.5	25183.5
23	4221.5	4183.5	6325.5	6274.0	8428.0	8388.0	12590.5	12488.0	16818.0	16704.5	19692.0	18881.5	22387.5	22295.5	26112.0	25184.0
24	4222.0	4184.0	6326.0	6274.5	8428.5	8388.5	12591.0	12488.5	16818.5	16705.0	19692.5	18882.0	22388.0	22296.0	26112.5	25184.5
25	4222.5	4184.5	6326.5	6275.0	8429.0	8389.0	12591.5	12489.0	16819.0	16705.5	19693.0	18882.5	22388.5	22296.5	26113.0	25185.0
26	4223.0	4185.0	6327.0	6275.5	8429.5	8389.5	12592.0	12489.5	16819.5	16706.0	19693.5	18883.0	22389.0	22297.0	26113.5	25185.5
27	4223.5	4185.5	6327.5	6276.0	8430.0	8390.0	12592.5	12490.0	16820.0	16706.5	19694.0	18883.5	22389.5	22297.5	26114.0	25186.0
28	4224.0	4186.0	6328.0	6276.5	8430.5	8390.5	12593.0	12490.5	16820.5	16707.0	19694.5	18884.0	22390.0	22298.0	26114.5	25186.5
29	4224.5	4186.5	6328.5	6277.0	8431.0	8391.0	12593.5	12491.0	16821.0	16707.5	19695.0	18884.5	22390.5	22298.5	26115.0	25187.0
30	4225.0	4187.0	6329.0	6277.5	8431.5	8391.5	12594.0	12491.5	16821.5	16708.0	19695.5	18885.0	22391.0	22299.0	26115.5	25187.5
31	4225.5	4187.5	6329.5	6278.0	8432.0	8392.0	12594.5	12492.0	16822.0	16708.5	19696.0	18885.5	22391.5	22299.5	26116.0	25188.0
32	4226.0	4188.0	6330.0	6278.5	8432.5	8392.5	12595.0	12492.5	16822.5	16709.0	19696.5	18886.0	22392.0	22300.0	26116.5	25188.5
33	4226.5	4188.5	6330.5	6279.0	8433.0	8393.0	12595.5	12493.0	16823.0	16709.5	19697.0	18886.5	22392.5	22300.5	26117.0	25189.0
34	4227.0	4189.0	6331.0	6279.5	8433.5	8393.5	12596.0	12493.5	16823.5	16710.0	19697.5	18887.0	22393.0	22301.0	26117.5	25189.5
35	4227.5	4189.5	6331.5	6280.0	8434.0	8394.0	12596.5	12494.0	16824.0	16710.5	19698.0	18887.5	22393.5	22301.5	26118.0	25190.0
36	4228.0	4190.0	6332.0	6280.5	8434.5	8394.5	12597.0	12494.5	16824.5	16711.0	19698.5	18888.0	22394.0	22302.0	26118.5	25190.5
37	4228.5	4190.5	6332.5	6281.0	8435.0	8395.0	12597.5	12495.0	16825.0	16711.5	19699.0	18888.5	22394.5	22302.5	26119.0	25191.0
38	4229.0	4191.0	6333.0	6281.5	8435.5	8395.5	12598.0	12495.5	16825.5	16712.0	19699.5	18889.0	22395.0	22303.0	26119.5	25191.5
39	4229.5	4191.5	6333.5	6282.0	8436.0	8396.0	12598.5	12496.0	16826.0	16712.5	19700.0	18889.5	22395.5	22303.5	26120.0	25192.0
40	4230.0	4192.0	6334.0	6282.5	8436.5	8396.5	12599.0	12496.5	16826.5	16713.0	19700.5	18890.0	22396.0	22304.0	26120.5	25192.5
41	4230.5	4192.5	6334.5	6283.0	8437.0	8397.0	12599.5	12497.0	16827.0	16713.5	19701.0	18890.5	22396.5	22304.5	26121.0	25193.0
42	4231.0	4193.0	6335.0	6283.5	8437.5	8397.5	12600.0	12497.5	16827.5	16714.0	19701.5	18891.0	22397.0	22305.0	26121.5	25193.5
43	4231.5	4193.5	6335.5	6284.0	8438.0	8398.0	12600.5	12498.0	16828.0	16714.5	19702.0	18891.5	22397.5	22305.5	26122.0	25194.0
44	4232.0	4194.0	6336.0	6284.5	8438.5	8398.5	12601.0	12498.5	16828.5	16715.0	19702.5	18892.0	22398.0	22306.0	26122.5	25194.5
45	4232.5	4194.5	6336.5	6285.0	8439.0	8399.0	12601.5	12499.0	16829.0	16715.5	19703.0	18892.5	22398.5	22306.5	26123.0	25195.0

Ch. no.	Paired frequencies for NBDP and data transmissions (kHz)																
	4 MHz		6 MHz		8 MHz		12 MHz		16 MHz		18/19 MHz		22 MHz		25/26 MHz		
	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	Coast	Ship	
46																	
47																	
48																	
49																	
50																	
51																	
52																	
53																	
54																	
55																	
56																	
57																	
58																	
59																	
60																	
61																	
62																	
63																	
64																	
65																	
66																	
67																	
68																	
69																	
70																	
71																	
72																	
73																	
74																	
75																	
76																	
77																	
78																	
79																	
80																	
81																	
82																	
83																	
84																	
85																	
86																	
87																	
88																	
89																	
90																	

91	12624.0	12522.0	16851.5	16728.5	22421.5	22329.5
92	12624.5	12522.5	16852.0	16729.0	22422.0	22330.0
93	12625.0	12523.0	16852.5	16729.5	22422.5	22330.5
94	12625.5	12523.5	16853.0	16730.0	22423.0	22331.0
95	12626.0	12524.0	16853.5	16730.5	22423.5	22331.5
96	12626.5	12524.5	16854.0	16731.0	22424.0	22332.0
97	12627.0	12525.0	16854.5	16731.5	22424.5	22332.5
98	12627.5	12525.5	16855.0	16732.0	22425.0	22333.0
99	12628.0	12526.0	16855.5	16732.5	22425.5	22333.5
100	12628.5	12526.5	16856.0	16733.0	22426.0	22334.0
101	12629.0	12527.0	16856.5	16733.5	22426.5	22334.5
102	12629.5	12527.5	16857.0	16739.0		
103	12630.0	12528.0	16857.5	16739.5		
104	12630.5	12528.5	16858.0	16740.0		
105	12631.0	12529.0	16858.5	16740.5		
106	12631.5	12529.5	16859.0	16741.0		
107	12632.0	12530.0	16859.5	16741.5		
108			16860.0	16742.0		
109			16860.5	16742.5		
110			16861.0	16743.0		
111			16861.5	16743.5		
112			16862.0	16744.0		
113			16862.5	16744.5		
114			16863.0	16745.0		
115			16863.5	16745.5		
116			16864.0	16746.0		
117			16864.5	16746.5		
118			16865.0	16747.0		
119			16865.5	16747.5		
120			16866.0	16748.0		
121			16866.5	16748.5		
122			16867.0	16749.0		
123			16867.5	16749.5		
124			16868.0	16750.0		
125			16868.5	16750.5		
126			16869.0	16751.0		
127			16869.5	16751.5		
128			16870.0	16752.0		
129			16870.5	16752.5		
130			16871.0	16753.0		
131			16871.5	16753.5		
132			16872.0	16754.0		

§ 80.363

47 CFR Ch. I (10–1–11 Edition)

(b) The following table describes the frequencies and Channel Series with F1B, J2B, or J2D emission which are assignable to ship stations for NBDP

and data transmissions with other ship stations and public coast stations. Public coast stations may receive only on these frequencies.

NON-PAIRED NBDP CHANNELS (kHz)

Channel series:								
1	4202.5	6300.5	8396.5	12560.0	16785.0	18893.0	22352.0	25193.0
2	4203.0	6301.0	8397.0	12560.5	16785.5	18893.5	22352.5	25193.5
3	4203.5	6301.5	8397.5	12561.0	16786.0	18894.0	22353.0	25194.0
4	4204.0	6302.0	8398.0	12561.5	16786.5	18894.5	22353.5	25194.5
5	4204.5	6302.5	8398.5	12562.0	16787.0	18895.0	22354.0	25195.0
6	4205.0	6303.0	8399.0	12562.5	16787.5	18895.5	22354.5	25195.5
7	4205.5	6303.5	8399.5	12563.0	16788.0	18896.0	22355.0	25196.0
8	4206.0	6304.0	8400.0	12563.5	16788.5	18896.5	22355.5	25196.5
9	4206.5	6304.5	8400.5	12564.0	16789.0	18897.0	22356.0	25197.0
10	4207.0	6305.0	8401.0	12564.5	16789.5	18897.5	22356.5	25197.5
11		6305.5	8401.5	12565.0	16790.0	18898.0	22357.0	25198.0
12		6306.0	8402.0	12565.5	16790.5		22357.5	25198.5
13		6306.5	8402.5	12566.0	16791.0		22358.0	25199.0
14		6307.0	8403.0	12566.5	16791.5		22358.5	25199.5
15		6307.5	8403.5	12567.0	16792.0		22359.0	25200.0
16		6308.0	8404.0	12567.5	16792.5		22359.5	25200.5
17		6308.5	8404.5	12568.0	16793.0		22360.0	25201.0
18		6309.0	8405.0	12568.5	16793.5		22360.5	25201.5
19		6309.5	8405.5	12569.0	16794.0		22361.0	25202.0
20		6310.0	8406.0	12569.5	16794.5		22361.5	25202.5
21		6310.5	8406.5	12570.0	16795.0		22362.0	25203.0
22		6311.0	8407.0	12570.5	16795.5		22362.5	25203.5
23		6311.5	8407.5	12571.0	16796.0		22363.0	25204.0
24			8408.0	12571.5	16796.5		22363.5	25204.5
25			8408.5	12572.0	16797.0		22364.0	25205.0
26			8409.0	12572.5	16797.5		22364.5	25205.5
27			8409.5	12573.0	16798.0		22365.0	25206.0
28			8410.0	12573.5	16798.5		22365.5	25206.5
29			8410.5	12574.0	16799.0		22366.0	25207.0
30			8411.0	12574.5	16799.5		22366.5	25207.5
31			8411.5	12575.0	16800.0		22367.0	25208.0
32			8412.0	12575.5	16800.5		22367.5	
33			8412.5	12576.0	16801.0		22368.0	
34			8413.0	12576.5	16801.5		22368.5	
35			8413.5		16802.0		22369.0	
36			8414.0		16802.5		22369.5	
37					16803.0		22370.0	
38					16803.5		22370.5	
39					16804.0		22371.0	
40							22371.5	
41							22372.0	
42							22372.5	
43							22373.0	
44							22373.5	
45							22374.0	

(c) *Distress and calling.* The frequencies 2174.5 kHz, 4177.5 kHz, 6268.0 kHz, 8376.5 kHz, 12520.0 kHz, and 16695.0 kHz may be used for NBDP and data transmissions by coast and ship stations on a simplex basis for distress and safety purposes.

(d) The frequencies in the 156–162 MHz band available for assignment to public coast stations that are contained in § 80.371(c) of this part are also available for radioprinter and data communications between ship and

coast stations using F1B, F2B, F1D, or F2D emission.

[51 FR 31213, Sept. 2, 1986, as amended at 56 FR 9890, Mar. 8, 1991; 57 FR 43407, Sept. 21, 1992; 58 FR 16504, Mar. 29, 1993; 68 FR 46969, Aug. 7, 2003]

§ 80.363 Frequencies for facsimile.

(a) The non-paired frequencies with F1C, F3C, J2C or J3C emission which are assignable to ship and public coast stations for facsimile are as follows:

(1) *Ship station frequencies.* The following frequencies are available for use