requirement may be granted an exception to these requirements.

NOTE TO PARAGRAPH (c): Links authorized prior to April 1, 1987, need not comply with this requirement.

[61 FR 26677, May 28, 1996, as amended at 65 FR 38330, June 20, 2000]

#### § 101.145 Interference to geostationary-satellites.

These limitations are necessary to minimize the probability of harmful interference to reception in the bands 2655–2690 MHz, 5925–7075 MHz, and 12.7–13.25 GHz on board geostationary-space stations in the fixed-satellite service.

- (a) Stations authorized prior to July 1, 1976 in the band 2655–2690 MHz, which exceed the power levels in paragraphs (b) and (c) of this section are permitted to operate indefinitely, provided that the operation of such stations does not result in harmful interference to reception in these bands on board geostationary space stations.
- (b) 2655 to 2690 MHz and 5925 to 7075 MHz. No directional transmitting antenna utilized by a fixed station operating in these bands with EIRP greater than 35 dBW may be aimed within 2 degrees of the geostationary-satellite orbit, taking into account atmospheric refraction. However, exception may be made in unusual circumstances upon a showing that there is no reasonable alternative to the transmission path proposed. If there is no evidence that such exception would cause possible harmful interference to an authorized satellite system, said transmission path may be authorized on waiver basis where the maximum value of the equivalent isotropically radiated power (EIRP) does not exceed:
- (1) +47 dBW for any antenna beam directed within 0.5 degrees of the stationary satellite orbit; or
- (2) +47 to +55 dBW, on a linear decibel scale (8 dB per degree) for any antenna beam directed between 0.5 degrees and 1.5 degrees of the stationary orbit.
- (c) 12.7 to 13.25 GHz. No directional transmitting antenna utilized by a fixed station operating in this band with EIRP greater than 45 dBW may be aimed within 1.5 degrees of the geostationary-satellite orbit, taking into account atmospheric refraction.

(d) Methods for calculating the azimuths to be avoided may be found in: CCIR Report No. 393 (Green Books), New Delhi, 1970; in "Radio-Relay Antenna Pointing for controlled Interference With Geostationary-Satellites" by C. W. Lundgren and A. S. May, Bell System Technical Journal, Vol. 48, No. 10, pp. 3387-3422, December 1969; and in "Geostationary Orbit Avoidance Computer Program" by Richard G. Gould, Common Carrier Bureau Report CC-7201, FCC, Washington, DC, 1972. This latter report is available through the National Technical Information Service, U.S. Department of Commerce, Springfield, VA 22151, in printed form (PB-211 500) or source card deck (PB-211 501).

[61 FR 26677, May 28, 1996, as amended at 65 FR 38330, June 20, 2000; 68 FR 12777, Mar. 17, 2003; 77 FR 54433, Sept. 5, 2012]

#### § 101.147 Frequency assignments.

(a) Frequencies in the following bands are available for assignment for fixed microwave services.

```
928.0-929.0 MHz (28)
932.0-932.5 MHz (27)
932.5-935 MHz (17)
941.0 - 941.5 \text{ MHz} (27)
941.5-944 MHz (17) (18)
952.0-960.0 MHz (28)
1,\!850\!\!-\!\!1,\!990~\mathrm{MHz}~(20)~(22)
2,110-2,130 MHz) (1) (3) (7) (20) (23)
2,130-2,150 MHz (20) (22)
2,160-2,180 MHz (1) (2) (20) (23)
2,180-2,200 MHz (20) (22)
2,450-2,500 MHz (12)
2,650-2,690 MHz
3,700-4,200 MHz (8) (14) (25)
5,925-6,425 MHz (6) (14) (25)
6,425-6,525 MHz (24)
6,525-6.875 MHz (14) (33)
6.875-7.125 MHz (10), (34)
10,550-10,680 MHz (19)
10,700-11,700 MHz (8) (9) (19) (25)
11,700-12,200 MHz (24)
12,200-12,700 MHz (31)
12,700-13,200 (22), (34)
13,200-13,250 MHz (4) (24) (25)
14,200-14,400 MHz (24)
17.700-18.820 MHz (5) (10) (15)
17,700-18,300 MHz (10) (15)
18,820-18,920 MHz (22)
18.300-18.580 MHz (5) (10) (15)
18.580-19.300 MHz (22) (30)
18.920-19.160 MHz (5 (10) (15)
19.160-19.260 MHz (22)
19,260-19,700 MHz (5) (10) (15)
19.300-19,700 MHz (5) (10) (15)
21,200-22,000~\mathrm{MHz}~(4)~(11)~(12)~(13)~(24)~(25)~(26)
```

```
22,000–23,600 MHz (4) (11) (12) (24) (25) (26) 24,250–25,250 MHz (16) 29,100–29,250 MHz (16) 31,000–31,300 MHz (16) 37,000–40,000 MHz (4)(32) 42,000–42,500 MHz (5) (17) 81,000–76,000 MHz (5) (17) 81,000–86,000 MHz (5) (17) 92,000–94,000 MHz (17) 94,100–95,000 MHz (17)
```

#### Notes

- (1) Frequencies in this band are shared with control and repeater stations in the Public Mobile Services and with stations in the International Fixed Public Radio communication Services located south of 25°30′ north latitude in the State of Florida and U. S. possessions in the Caribbean area. Additionally, the band 2160–2162 MHz is shared with stations in the Multipoint Distribution Service.
- (2) Except upon showing that no alternative frequencies are available, no new assignments will be made in the band 2160–2162 MHz for stations located within 80.5 kilometers (50 miles) of the coordinates of the cities listed in §21.901(c) of this chapter.
- (3) Television transmission in this band is not authorized and radio frequency channel widths may not exceed 3.5 MHz.
- (4) Frequencies in this band are shared with fixed and mobile stations licensed in other services.
- (5) Frequencies in this band are shared with stations in the fixed-satellite service.
- (6) These frequencies are not available for assignment to mobile earth stations.
- (7) Frequencies in the band 2110–2120 MHz may be authorized on a case-by-case basis to Government or non-Government space research earth stations for telecommand purposes in connection with deep space research.
- (8) This frequency band is shared with station(s) in the Local Television Transmission Service and, in the U.S. Possessions in the Caribbean area, with stations in the International Fixed Public Radiocommunications Services.
- (9) The band segments 10.95–11.2 and 11.45–11.7 GHz are shared with space stations (space to earth) in the fixed-satellite service.
- (10) This band is co-equally shared with stations in the fixed services under parts 74, 78 and 101 of this chapter.
- (11) Frequencies in this band are shared with Government stations.
- (12) Frequencies in this band are available for assignment to the common carrier and private-operational fixed point-to-point microwave services.
- (13) Frequencies in this band are shared with stations in the earth exploration satellite service (space to earth).

- (14) Frequencies in this band are shared with stations in the fixed-satellite service.
- (15) Stations licensed as of September 9, 1983 to use frequencies in the 17.7-19.7 GHz band may, upon proper application, continue to be authorized for such operation.
- (16) As of June 30, 1997, frequencies in these bands are available for assignment only to LMDS radio stations, except for non-LMDS radio stations authorized pursuant to applications refiled no later than June 26, 1998.
- (17) Frequencies in these bands are shared with Government fixed stations and stations in the Private Operational Fixed Point-to-Point Microwave Service (part 101).
- (18) Frequencies in the 942 to 944 MHz band are also shared with broadcast auxiliary stations.
- (19) Frequencies in this band are shared with stations in the private-operational fixed point-to-point microwave service.
- (20) New facilities in these bands will be licensed only on a secondary basis. Facilities licensed or applied for before January 16, 1992, are permitted to make minor modifications in accordance with §101.81 and retain their primary status.
- (21) Any authorization of additional stations to use the 2160-2162 MHz band for Multipoint Distribution Service applied for after January 16, 1992, will be secondary to use of the band for emerging technology services.
- (22) Frequencies in these bands are for the exclusive use of Private Operational Fixed Point-to-Point Microwave Service (part 101). Frequencies in the 12,700–13,200 MHz band, which were available only to stations authorized in the 12,200–12,700 MHz band as of September 9, 1983, are not available for new facilities.
- (23) Frequencies in these bands are for the exclusive use of Common Carrier Fixed Point-to-Point Microwave Service (part 101).
- (24) Frequencies in these bands are available for assignment to television pickup and television non-broadcast pickup stations. The maximum power for the local television transmission service in the 14.2–14.4 GHz band is +45 dBW except that operations are not permitted within 1.5 degrees of the geostationary orbit. Beginning March 1, 2005, no new LTTS operators will be licensed and no existing LTTS licenses shall be issued in the 11.7–12.2 and 14.2–14.4 GHz bands.
- (25) Frequencies in these bands are available for assignment to television STL stations.
- (26) Frequencies from 21.8–22.0 GHz and 23.0–23.2 GHz may be authorized for low power, limited coverage systems subject to the provisions of paragraph (s)(8) of this section.
- (27) Frequencies in the 932 to 932.5 MHz and 941 to 941.5 MHz bands are shared with Government fixed point-to-multipoint stations. Frequencies in these bands are paired with

one another and are available for flexible use for transmission of the licensee's products and information services, excluding video entertainment material. 932.00625/941.00625 MHz to 932.24375/941.24375 MHz is licensed by Economic Area. 932.25625/941.25625 MHz to 932.49375/941.49375 MHz is licensed on a site-by-site basis.

(28) Licensees that obtain authorizations in the 928/952/956 MHz MAS bands subsequent to July 1, 1999 are limited to private internal services, as defined in \$101.1305, Incumbent operations in the 928/952/956 MHz MAS bands, as defined in §101.1331(a), are subject to grandfather rights pursuant to \$101.1331. The 928.85-929.0 MHz and 959.85-960.0 MHz bands are licensed on a geographic area basis with no eligibility restrictions. The 928.0-928.85 MHz band paired with the 952.0-952.85 MHz band, in addition to unpaired frequencies in the 956.25-956.45 MHz band, are licensed on a site-by-site basis and used for terrestrial point-to-point and point-to-multipoint fixed and limited mobile operations. The 928.85-929.0 MHz band paired with the 959.85-960.0 MHz band is licensed by Economic Area and used for terrestrial point-to-point and pointto-multipoint fixed operations.

(29) Frequencies in this band are shared with stations in the Multipoint Distribution Service (part 21). These frequencies may be used for the transmission of the licensee's products and information services, excluding video entertainment material to the licensee's customers

(30) The frequency band 18,580-19,300 GHz is not available for new licensees after June 8, 2000, except for low power indoor stations in the band 18,820-18,870 MHz and 19,160-19,210 MHz.

(31) This frequency band can be used for Multichannel Video Distribution and Data Service (MVDDS) shared with Direct Broadcast Satellite (DBS) Services on a co-primary non-harmful interference basis and on a co-primary basis with NGSO FSS satellite earth stations. Incumbent private operational fixed point-to-point licensees can also use these frequencies on a site by site basis.

(32) Frequencies in this band are shared with stations in the fixed-satellite service, subject to the conditions specified in footnote 15 of §25.202(a)(1) of this chapter, see 47 CFR 47 25.202(a)(1) n.16.

(33) The coordination of a new 30 megahertz link in the 6,525–6,875 MHz band should be attempted only if it cannot be accommodated in the 5,925–6,425 MHz band.

(34) In the bands 6,875–7,125 MHz and 12,700–13,150 MHz, links shall not intersect with the service areas of television pickup stations.

(b) Frequencies normally available for assignment in this service are set forth with applicable limitations in the following tables: 928–960 MHz Multiple

address system (MAS) frequencies are available for the point-to-multipoint and point-to-point transmission of a licensee's products or services, excluding video entertainment material, to a licensee's customer or for its own internal communications. The paired frequencies listed in this section are used for two-way communications between a master station and remote stations. Ancillary one-way communications on paired frequencies are permitted on a case-by-case basis. Ancillary communications between interrelated master stations are permitted on a secondary basis. The normal channel bandwidth assigned will be 12.5 kHz. EA licensees, however, may combine contiguous channels without limit or justification. Site-based licensees may combine contiguous channels up to 50 kHz, and more than 50 kHz only upon a showing of adequate justification. Any bandwidth (12.5 kHz, 25 kHz or greater) authorized in accordance with this section may be subdivided into narrower bandwidths to create additional (or sub) frequencies without the need to specify each discrete frequency within the specific bandwidth. Equipment that is used to create additional frequencies by narrowing bandwidth (whether authorized for a 12.5 kHz, 25 kHz or greater bandwidth) will be required to meet, at a minimum, the ±0.00015 percent tolerance requirement so that all subfrequencies will be within the emission mask. Systems licensed for frequencies in these MAS bands prior to August 1, 1975, may continue to operate as authorized until June 11, 1996, at which time they must comply with current MAS operations based on the 12.5 kHz channelization set forth in this paragraph. Systems licensed between August 1, 1975, and January 1, 1981, inclusive, are required to comply with the grandfathered 25 kHz standard bandwidth and channelization requirements set forth in this paragraph. Systems originally licensed after January 1, 1981, and on or before May 11, 1988, with bandwidths of 25 kHz and above, will be grandfathered indefinitely.

NOTE TO PARAGRAPH (b) INTRODUCTORY TEXT: Paragraphs (b)(1) through (b)(5) and Tables 1 through 7 of this section pertain to Multiple Address System (MAS) frequencies and paragraph (b)(6) and Tables 8 through 11

of this section pertain to Point-To-Point frequencies.

(1) Frequencies listed in this paragraph are designated for private internal use and are subject to site-based licensing.

TABLE 1—PAIRED FREQUENCIES (MHZ)
[12.5 kHz bandwidth]

Remote transmit	Master transmit
928.00625	952.00625
928.01875	952.01875
928.03125	952.03125
928.04375	952.04375
928.05625	952.05625
928.06875	952.06875
928.08125	952.08125
928.09375	952.09375
928.10625	952.10625
928.11875	952.11875
928.13125	952.13125
928.14375	952.14375
928.15625	952.15625
928.16875	952.16875
928.18125	952.18125
928.19375	952.19375
928.20625	952.20625
928.21875	952.21875
928.23125	952.23125
928.24375	952.24375
928.25625	952.25625
928.26875	952.26875
928.28125	952.28125
928.29375	952.29375
928.30625	952.30625
928.31875	952.31875
928.33125	952.33125
928.34375	952.34375

# UNPAIRED FREQUENCIES (MHZ)

[12.5 kHz bandwidth]

956.25625	956.33125	956.39375
956.26875	956.34375	956.40625
956.28125	956.35625	956.41875
956.29375	956.36875	956.43125
956.30625	956.38125	956.44375
956.31875		

TABLE 2—PAIRED FREQUENCIES (MHz) [25 kHz bandwidth]

Remote transmit	Master transmit
928.0125	952.0125
928.0375	952.0375
928.0625	952.0625
928.0875	952.0875
928.1125	952.1125
928.1375	952.1375
928.1625	952.1625
928.1875	952.1875
928.2125	952.2125
928.2375	952.2375
928.2625	952.2625
928.2875	952.2875

# TABLE 2—PAIRED FREQUENCIES (MHz)—Continued

[25 kHz bandwidth]

Remote transmit	Master transmit
928.3125	952.3125
928.3375	952.3375

# UNPAIRED FREQUENCIES (MHz)

[25 kHz bandwidth]

956.2625	956.3375	956.4125
956.2875	956.3625	956.4375
956.3125	956.3875	

(2) Frequencies listed in this paragraph are designated for private internal use and are subject to site-based licensing.

TABLE 3—PAIRED FREQUENCIES (MHZ)
[12.5 kHz bandwidth]

[12.5 KHZ bandwidth]		
	Remote transmit	Master transmit
928.35625		952.35625
928.36875		952.36872
928.38125		952.38125
928.39375		952.39375
928.40625		952.40625
928.41875		952.41875
928.43125		952.43125
928.44375		952.44375
928.45625		952.45625
928.46875		952.46875
928.48125		952.48125
928.49375		952.49375
928.50625		952.50625
928.51875		952.51875
928.53125		952.53125
928.54375		952.54375
928.55625		952.55625
928.56875		952.56875
928.58125		952.58125
928.59375		952.59375
928.60625		952.60625
928.61875		952.61875
928.63125		952.63125
928.64375		952.64375
928.65625		952.65625
928.66875		952.66875
		952.68125
		952.69375
		952.70625
		952.71875
		952.73125
		952.74375
		952.75625
		952.76875
		952.78125
		952.79375
		952.80625
		952.81875
		952.83125
928.84375		952.84375

#### **Federal Communications Commission**

TABLE 4—PAIRED FREQUENCIES (MHz) [25 kHz bandwidth]

Remote transmit	Master transmit
928.3625	952.3625
928.3875	952.3875
928.4125	952.4125
928.4375	952.4375
928.4625	952.4625
928.4875	952.4875
928.5125	952.5125
928.5375	952.5375
928.5625	952.5625
928.5875	952.5875
928.6125	952.6125
928.6375	952.6375
928.6625	952.6625
928.6875	952.6875
928.7125	952.7125
928.7375	952.7375
928.7625	952.7625
928.7875	952.7875
928.8125	952.8125
928.8375	952.8375

(3) Frequencies listed in this paragraph are not restricted to private internal use and are licensed by geographic area. Incumbent facilities must be protected.

TABLE 5—PAIRED FREQUENCIES (MHZ) [12.5 kHz bandwidth]

Remote transmit	Master transmit
928.85625	959.85625
928.86875	959.86875
928.88125	959.88125
928.89375	959.89375
928.90625	959.90625
928.91875	959.91875
928.93125	959.93125
928.94375	959.94375
928.95625	959.95625
928.96875	959.96875
928.98125	959.98125
928.99375	959.99375

TABLE 6—PAIRED FREQUENCIES (MHz) [25 kHz bandwidth]

Remote transmit	Master transmit
928.8625928.8875	959.8625 959.8875
928.9125 928.9375	959.9125 959.9375
928.9625	959.9375
928.9875	959.9875

(4) Frequencies listed in this paragraph are licensed by either economic area or on a site-by-site basis.

TABLE 7—PAIRED FREQUENCIES

Remote transmit	Master transmit
Licensed by Economic Area	
(12.5 kHz bandwidth):	
932.00625	941.00625
932.01875	941.01875
932.03125	941.03125
932.04375	941.04375
932.05625	941.05625
932.06875	941.06875
932.08125	941.08125
932.09375	941.09375
(50 kHz bandwidth):	
932.12500	941.12500
(12.5 kHz bandwidth):	
932.15625	941.15625
932.16875	941.16875
932.18125	941.18125
932.19375	941.19375
932.20625	941.20625
932.21875	941.21875
932.23125	941.23125
932.24375	941.24375
Reserved for public safety and private internal u	se. Licensed

Heserved for public saf on site-by-site basis. (12.5 kHz banduid!)

2.5 kHz bandwidth):	
932.25625	941.25625
932.26875	941.26875
932.28125	941.28125
932.29375	941.29375
932.30625	941.30625
932.31875	941.31875
932.33125	941.33125
932.34375	941.34375
932.35625	941.35625
932.36875	941.36875
932.38125	941.38125
932.39375	941.39375
932.40625	941.40625
932.41875	941.41875
932.43125	941.43125

Reserved for Public Safety and Federal Government Use. Licensed on site-by-site basis. (12.5 kHz bandwidth).

2.5 kHz bandwidtn):	
932.44375	941.44375
932.45625	941.45625
932.46875	941.46875
932.48125	941.48125
932.49375	941.49375

(5) Equivalent power and antenna heights for multiple address master stations:

Antenna height (AAT) in meters	Maximum radiated	
	Watts	dBm
Above 305	200	53
Above 274 to 305	250	54
Above 244 to 274	315	55
Above 213 to 244	400	56
Above 182 to 213	500	57
Above 152.5 to 182	630	58
152.5 and below	1,000	60

For mobile operations the maximum ERP is 25 watts (44 dBm).

(6) Fixed point-to-point frequencies.

#### 47 CFR Ch. I (10-1-13 Edition)

#### TABLE 8—PAIRED FREQUENCIES

[All frequencies may be used by Common Carrier Fixed Point-to-Point and Private Operational Fixed Point-to-Point Micro-wave Service licensees; 25 kHz bandwidth]

Transmit (receive) (MHz)	Receive (transmit) (MHz)
932.5125	941.5125
932.5375	941.5375
932.5625	941.5625
932.5875	941.5875
932.6125	941.6125
932.6375	941.6375
932.6625	941.6625
934.8375	943.8375
934.8625	943.8625
934.8875	943.8875
934.9125	943.9125
934.9375	943.9375
934.9625	943.9625
934.9875	943.9875

# TABLE 9—PAIRED FREQUENCIES

[Frequencies may be used only by Private Operational Fixed Point-to-Point Microwave Service licensees, unless otherwise noted; 50 kHz bandwidth]

Transmit (receive) (MHz)	Receive (transmit) (MHz)
932.701	1941.70
932.75 1	1941.75
934.80 1	1943.80
956.65	953.05
956.75	953.15
956.85	953.25
956.95	953.35
957.05	953.45
957.25	953.65
957.35	953.75
957.45	953.85
957.65	954.05
957.75	954.15
957.85	954.25
958.05	954.45
958.15	954.55
958.25	954.65
958.45	954.85
958.55	954.95
958.65	955.05
958.85	955.25
958.95	955.35
959.05	955.45
959.25	955.65
959.35	955.75
959.45	955.85
959.55	955.95
959.65	956.05
1 There a for an area of a color of a color of the color of the color	

<sup>&</sup>lt;sup>1</sup>These frequencies also may be used by Common Carrier Fixed Point-to-Point Microwave licensees.

# TABLE 10—PAIRED FREQUENCIES

[Frequencies may be used only by Private Operational Fixed Point-to-Point Microwave licensees, unless otherwise noted; 100 kHz bandwidth]

Transmit (receive) (MHz)	Receive (transmit) (MHz)
932.8250 <sup>1</sup>	1941.8250 1941.9250

TABLE 10—PAIRED FREQUENCIES—Continued

[Frequencies may be used only by Private Operational Fixed Point-to-Point Microwave licensees, unless otherwise noted; 100 kHz bandwidth]

Transmit (receive) (MHz)	Receive (transmit) (MHz)
933.0250 1	1942.0250
934.5250 1	1943.5250
934.6250 1	1943.6250
934.7250 1	1943.7250
956.6	953.0
956.7	953.1
956.8	953.2
956.9	953.3
957.0	953.4
957.1	953.5
957.2	953.6
957.3	953.7
957.4	953.8
957.5	953.9
957.6	954.0
957.7	954.1
957.8	954.2
957.9	954.3
958.0	954.4
958.1	954.5
958.2	954.6
958.3	954.7
958.4	954.8
958.5	954.9
958.6	955.0
958.7	955.1
958.8	955.2
958.9	955.3
959.0	955.4
959.1	955.5
959.2	955.6
959.3	955.7
959.4	955.8
959.5	955.9
959.6	956.0
959.7	956.1

<sup>&</sup>lt;sup>1</sup>These frequencies also may be used by Common Carrier Fixed Point-to-Point Microwave licensees.

#### TABLE 11—PAIRED FREQUENCIES

[Frequencies may be used only by Private Operational Fixed Point-to-Point Microwave licensees, unless otherwise noted; (200 kHz bandwidth)]

Transmit (receive) (MHz)	Receive (transmit) (MHz)
933.1750 1	1942.1750
933.3750 1	1 942.3750
933.5750 1	1 942.5750
933.7750 1	1 942.7750
933.9750 1	1 942.9750
934.1750 1	1943.1750
934.3750 1	1943.3750
957.15	953.55
957.55	953.95
957.95	954.35
958.35	954.75
958.75	955.15
959.15	955.55

<sup>&</sup>lt;sup>1</sup>These frequencies also may be used by Common Carrier Fixed Point-to-Point Microwave licensees.

<sup>(</sup>c) 1850-1990 MHz. (1) 10 MHz maximum bandwidth.

### PAIRED FREQUENCIES

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1855	1935
1865	1945
1875	1955
1885	1965
1895	1975
1905	1985

#### UNPAIRED FREQUENCIES

1915 <sup>1</sup> 1925 <sup>1</sup>

(2) 5 MHz maximum bandwidth.

#### PAIRED FREQUENCIES

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1860	1940
1870	1950
1880	1960
1890	1970
1900	1980

(d) 2130–2150 MHz; 2180–2200 MHz. 800 kHz maximum bandwidth, unless noted.

#### PAIRED FREQUENCIES

2130–2150	2180-2200
Transmit (receive) (MHz)	Receive (transmit) (MHz)
2130.8	2180.8
2131.6	12181.6
2132.4	2182.4
2133.2	12183.2
2134.0	2184.0
2134.8	12184.8
2135.6	2185.6
2136.4	12186.4
2137.2	2187.2
2138.0	12188.0
2139.6	12189.6
2138.8	2188.8
2140.4	2190.4
2141.2	12191.2
2142.0	2192.0
2142.8	12192.8
2143.6	2193.6
2144.4	12194.4
2145.2	2195.2
2146.0	<sup>1</sup> 2196.0
2146.8	2196.8
2147.6	12197.6
2148.4	2198.4
2149.2	2199.2

<sup>&</sup>lt;sup>1</sup>Consideration will be given on a case-by-case basis to assigning these frequency pairs to systems employing 1600 KHz bandwidth transmissions.

(e) [Reserved]

- (f) 2450-2500 MHz. (1) This band is shared with other communications services and is not subject to protection from interference from industrial, scientific, and medical devices operating on 2450 MHz.
- (2) Stations licensed in this band under this part prior to March 1, 1996, are grandfathered and may continue their authorized operations. Stations licensed in the 2483.5-2500 MHz portion of the band as of July 25, 1985, and licensees whose initial applications were filed on or before July 25, 1985, are grandfathered, and may continue operations, subject only to license renewal, on a co-primary basis with with the mobile-satellite and radiodetermination-satellite services, and in the segment 2495-2500 MHz, their operations are also on a co-primary basis with part 27 fixed and mobile except aeronautical mobile service operations.
- (3) 625 KHz bandwidth channels. The normal bandwidth authorized will be 625 KHz. Upon adequate justification, additional contiguous channels may be authorized to provide up to a 2500 KHz bandwidth.

#### PAIRED FREQUENCIES

Transmit (receive) (MHz)	Receive (transmit) (MHz)
2450.3125	. 2467.5625
2450.9375	. 2468.1875
2451.5625	. 2468.8125
2452.1875	. 2469.4375
2452.8125	. 2470.0625
2453.4375	. 2470.6875
2454.0625	. 2471.3125
2454.6875	. 2471.9375
2455.3125	. 2472.5625
2455.9375	. 2473.1875
2456.5625	. 2473.8125
2457.1875	. 2474.4375
2457.8125	. 2475.0625
2458.4375	. 2475.6875
2459.0625	. 2476.3125
2459.6875	. 2476.9375
2460.3125	. 2477.5625
2460.9375	. 2478.1875
2461.5625	. 2478.8125
2462.1875	. 2479.4375
2462.8125	. 2480.0625
2463.4375	. 2480.6875
2464.0625	. 2481.3125
2464.6875	. 2481.9375
2465.3125	. 2482.5625
2465.9375	. 2483.1875

(g) [Reserved]

(h) 3,700 to 4,200 MHz. 20 MHz maximum authorized bandwidth.

20 MHz bandwidth channels:

<sup>&</sup>lt;sup>1</sup> Available for systems employing one-way transmission.

Transmit (receive) (MHz)	Receive (transmit) (MHz)
3710	3750
3730	3770
3790	3830
3810	3850
3870	3910
3890	3930
3950	3990
3970	4010
4030	4070
4050	4090
4110	4150
4130	4170
N/A	<sup>1</sup> 4190

<sup>&</sup>lt;sup>1</sup> This frequency may be assigned for unpaired use.

(i) 5,925 to 6,425 MHz. 60 MHz authorized bandwidth.

### (1) 400 kHz bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
5925.225		6177.100
5925.625		6177.500
5926.050		6177.925
5926.450		6178.325
5926.875		6178.750
5927.275		6179.150
5927.725		6179.600
5928.125		6180.000
5928.550		6180.425
5928.950		6180.825
5929.375		6181.250
5929.775		6181.650
6168.350		6420.225
6168.750		6420.625
6169.175		6421.050
6169.575		6421.450
6170.000		6421.875
6170.400		6422.275
6170.850		6422.725
6171.250		6423.125
6171.675		6423.550
6172.075		6423.950
6172.500		6424.375
6172.900		6424.775

### (2) 800 kHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
5925.425	6177.300
5926.250	6178.125
5927.075	6178.950
5927.925	6179.800
5928.750	6180.625
5929.575	6181.450
6168.550	6420.425
6169.375	6421.250
6170.200	6422.075
6171.050	6422.925
6171.875	6423.750
6172.700	6424.575
	1

# (3) 1.25 MHz bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
5925.625		6177.500
5926.875		6178.750
		6180.000
5929.375		6181.250
		6360.933
		6362.168
		6363,404
6112.599		6364.639
6113.834		6365.874
		6367.110
		6368.345
		6369.581
		6370.816
6120.011		6372.051
6121.247		6373.287
		6374.522
		6375.758
		6376.993
		6378.229
		6379.464
		6380.699
		6381.935
		6383.170
		6384.406
		6385.641
		6386.876
		6388.112
		6389.347
		6390.583
		6391.818
		6393.054
		6394.289
		6395.524
		6396.760
		6397.995
		6399.231
		6400.466
6149.661		6401.701
		6402.937
		6404.172
		6405.408
		6406.643
		6407.879
6157.074		6409.114
6158.309		6410.349
6159.545		6411.585
6160.780		6412.820
6162.016		6414.056
6163.251		6415.291
6164.486		6416.526
6165.722		6417.762
6166.957		6418.997
6168.750		6420.625
		6421.875
		6423.125
		6424.375
6173.750		N/A
6175.000		N/A
6176.250		N/A
		. 4// (

<sup>&</sup>lt;sup>1</sup> These frequencies may be assigned for unpaired use.

### (4) 2.5 MHz bandwidth channels:

		- ·
	Transmit (receive) (MHz)	Receive (transmit) (MHz)
5926.250		6178.125
5928.750		6180.625
6109.510		6361.550
6111.981		6364.021
6114.452		6366.492

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6116.923	6368.963
6119.394	6371.434
6121.865	6373.905
6124.335	6376.375
6126.806	6378.846
6129.277	6381.317
6131.748	6383.788
6134.219	6386.259
6136.690	6388.730
6139.160	6391.200
6141.631	6393.671
6144.102	6396.142
6146.573	6398.613
6149.044	6401.084
6151.515	6403.555
6153.985	6406.025
6156.456	6408.496
6158.927	6410.967
6161.398	6413.438
6163.869	6415.909
6166.340	6418.380
6169.375	6421.250
6171.875	6423.750
6175.625 1	N/A

<sup>&</sup>lt;sup>1</sup> This frequency may be assigned for unpaired use.

## (5) 3.75 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6111.364	6363.404
6116.305	6368.345
6121.247	6373.287
6126.189	6378.229
6131.130	6383.170
6136.072	6388.112
6141.014	6393.054
6145.955	6397.995
6150.897	6402.937
6155.839	6407.879
6160.780	6412.820
6165.722	6417.762
6175.000 1	N/A

<sup>&</sup>lt;sup>1</sup> This frequency may be assigned for unpaired use.

#### (6) 5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6110.75	6362.79
6115.69	6367.73
6120.63	6372.67
6125.57	6377.61
6130.51	6382.55
6135.45	6387.49
6140.40	6392.44
6145.34	6397.38
6150.28	6402.32
6155.22	6407.26
6160.16	6412.20
6165.10	6417.14

#### (7) 10 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
5935.32	6187.36

Transmit (receive) (MHz)	Receive (transmit) (MHz)
5945.20	6197.24
5955.08	6207.12
5964.97	6217.01
5974.85	6226.89
5984.73	6236.77
5994.62	6246.66
6004.50	6256.54
6014.38	6266.42
6024.27	6276.31
6034.15	6286.19
6044.03	6296.07
6053.92	6305.96
6063.80	6315.84
6073.68	6325.72
6083.57	6335.61
6093.45	6345.49
6103.33	6355.37
6113.221	1 6365.26
6123.101	16375.14
6132.981	1 6385.02
6142.87 1	1 6394.91
6152.75 1	1 6404.79
6162.63 <sup>1</sup>	<sup>1</sup> 6414.67

<sup>&</sup>lt;sup>1</sup> Alternate channels. These channels are set aside for narrow bandwidth systems and should be used only if all other channels are blocked.

#### (8) 30 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
5945.20	6197.24
5974.85	6226.89
6004.50	6256.54
6034.15	6286.19
6063.80	6315.84
6093.45	6345.49
6123.101	<sup>1</sup> 6375.14
6152.75 1	<sup>1</sup> 6404.79

<sup>&</sup>lt;sup>1</sup> Alternate channels. These channels are set aside for narrow bandwidth systems and should be used only if all other channels are blocked.

#### (9) 60 MHz bandwidth channels: 1

Transmit (receive) (MHz)	Receive (transmit) (MHz)
5960.025	6212.065
6019.325	6271.365
6078.625	6330.665
6137.925	6389.965

(j) 6,425 to 6,525 MHz: Mobile. Paired and un-paired operations permitted. Use of this spectrum for direct delivery of video programs to the general public or multi-channel cable distribution is not permitted. This band is co-equally shared with mobile stations licensed pursuant to parts 74 and 78 of the Commission's Rules. Stations not intended to be operated while in motion will be licensed under the provision of §101.31. The following channel plans apply.

# (1) 1 MHz maximum authorized bandwidth channels:

Transmit (or receive) (MHz)	Receive (or transmit) (MHz)
6425.5	6475.5 6500.5

# (2) 8 MHz maximum authorized bandwidth channels:

Transmit (or receive) (MHz)	Receive (or transmit) (MHz)
6430.0	6480.0
6438.0	6488.0
6446.0	6596.0
6455.0	6505.0
6463.0	6513.0
6471.0	6521.0

# $\left(3\right)$ 25 MHz maximum authorized bandwidth channels:

Transmit (or receive) (MHz)	Receive (or transmit) (MHz)
6437.5	6487.5 6512.5

(k)  $6,525\ to\ 6,875\ MHz.$  10 MHz authorized bandwidth.

#### (1) 400 kHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6525.225	6870.225
6525.625	6870.625
6526.050	6871.050
6526.450	6871.450
6526.875	6871.875
6527.275	6872.275
6527.725	6872.725
6528.125	6873.125
6528.550	6873.550
6528.950	6873.950
6529.375	6874.375
6529.775	6874.775

#### (2) 800 kHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6525.425	6870.425
6526.250	6871.250
6527.075	6872.075
6527.925	6872.925
6528.750	6873.750
6529.575	6874.575

#### (3) 1.25 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6525.625	6870.625
6526.875	6871.875
6528.125	6873.125
6529.3756540.625 <sup>1</sup>	6874.375 16718.125
6541.875 <sup>1</sup>	16719.375
6543.125 1	<sup>1</sup> 6713.125
6544.375 1	16714.375
6545.625 <sup>1</sup>	<sup>1</sup> 6715.625 <sup>1</sup> 6716.875
6548.125	6728.125
6549.375	6729.375
6550.625	6730.625
6551.875	6731.875
6553.125 <sup>1</sup>	<sup>1</sup> 6723.125 <sup>1</sup> 6724.375
6555.625 <sup>1</sup>	16725.625
6556.875 <sup>1</sup>	16726.875
6558.125	6738.125
6559.375	6739.375
6560.625	6740.625 6741.875
6563.125	6733.125
6564.375	6734.375
6565.625	6735.625
6566.875	6736.875 1 6720.625
6569.375 <sup>1</sup>	<sup>1</sup> 6721.875
6580.625 1	1 6868.125
6581.875 1	1 6869.375
6583.125	6743.125
6584.375	6744.375 6745.625
6586.875	6746.875
6588.125	6748.125
6589.375	6749.375
6590.625	6750.625
6591.875	6751.875 6753.125
6594.375	6754.375
6595.625	6755.625
6596.875	6756.875
6598.125	6758.125 6759.375
6600.625	6760.625
6601.875	6761.875
6603.125	6763.125
6604.375	6764.375
6605.625 6606.875	6765.625 6766.875
6608.125	6768.125
6609.375	6769.375
6610.625	6770.625
6611.875	6771.875
6613.125 6614.375	6773.125 6774.375
6615.625	6775.625
6616.875	6776.875
6618.125	6778.125
6619.375	6779.375 6780.625
6621.875	6781.875
6623.125	6783.125
6624.375	6784.375
6625.625	6785.625
6626.875	6786.875 6788.125
6629.375	6789.375
6630.625	6790.625
6631.875	6791.875
6633.125	6793.125
6634.375	6794.375

Transmit (receive) (MHz)	Receive (transmit) (MHz)	Transmit (receive) (MHz)	Receive (transmit) (MHz)
6635.625	6795.625	6546.25 1	1 6716.25
6636.875	6796.875	6548.75	6728.75
6638.125	6798.125	6551.25	6731.25
6639.375	6799.375	6553.75 1	1 6723.75
6640.625	6800.625	6556.25 <sup>1</sup>	1 6726.25
6641.875	6801.875	6558.75	6738.75
6643.125	6803.125	6561.25	6741.25
6644.375	6804.375	6563.75	6733.75
6645.625	6805.625	6566.25	6736.25
6646.875	6806.875	6568.75 1	1 6721.25
6648.125	6808.125	6581.25 1	1 6868.75
6649.375	6809.375	6583.75	6743.75
6650.625	6810.625	6586.25	6746.25
6651.875	6811.875 6813.125	6588.75	6748.75 6751.25
6654.375	6814.375	6593.75	6753.75
6655.625	6815.625	6596.25	6756.25
6656.875	6816.875	6598.75	6758.75
6658.125	6818.125	6601.25	6761.25
6659.375	6819.375	6603.75	6763.75
6660.625	6820.625	6606.25	6766.25
6661.875	6821.875	6608.75	6768.75
6663.125	6823.125	6611.25	6771.25
6664.375	6824.375	6613.75	6773.75
6665.625	6825.625	6616.25	6776.25
6666.875	6826.875	6618.75	6778.75
6668.125	6828.125	6621.25	6781.25
6669.375	6829.375	6623.75	6783.75
6670.625	6830.625	6626.25	6786.25
6671.875	6831.875	6628.75	6788.75
6673.125	6833.125	6631.25	6791.25
6674.375	6834.375	6633.75	6793.75
6675.625	6835.625	6636.25	6796.25
6676.875	6836.875	6638.75	6798.75
6678.125	6838.125	6641.25	6801.25
6679.375	6839.375	6643.75	6803.75
6680.625	6840.625	6646.25	6806.25
6681.875	6841.875	6648.75	6808.75
6683.125	6843.125	6651.25	6811.25
6684.375	6844.375	6653.75	6813.75
6685.625	6845.625	6656.25	6816.25
6686.875	6846.875	6658.75	6818.75
6688.125	6848.125	6661.25	6821.25
6689.375	6849.375	6663.75	6823.75
6690.625	6850.625	6666.25	6826.25
6691.875	6851.875	6668.75	6828.75
6693.125	6853.125	6671.25	6831.25 6833.75
6694.375	6854.375 6855.625	6673.75 6676.25	6836.25
6696.875	6856.875	6678.75	6838.75
6698.125	6858.125	6681.25	6841.25
6699.375	6859.375	6683.75	6843.75
6700.625	6860.625	6686.25	6846.25
6701.875	6861.875	6688.75	6848.75
6703.125	6863.125	6691.25	6851.25
6704.375	6864.375	6693.75	6853.75
6705.625	6865.625	6696.25	6856.25
6706.875	6866.875	6698.75	6858.75
6708.125 1	<sup>1</sup> 6710.625	6701.25	6861.25
6709.375 <sup>1</sup>	<sup>1</sup> 6711.875	6703.75	6863.75
		6706.25	6866.25
<sup>1</sup> These frequencies may be assigned for unpa	irea use.	0700 751	4074405

<sup>&</sup>lt;sup>1</sup>These frequencies may be assigned for unpaired use.

## (4) 2.5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6526.25	6871.25
6528.75	6873.75
6541.25 1	16718.75
6543.75 1	16713.75

<sup>&</sup>lt;sup>1</sup>These frequencies may be assigned for unpaired use.

### (5) 3.75 MHz bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
6545.625 <sup>1</sup>		6715.625 <sup>1</sup> 6730.625

### 47 CFR Ch. I (10-1-13 Edition)

# § 101.147

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6555.625 <sup>1</sup>	6725.625 <sup>1</sup>
6560.625	6740.625
6565.625	6735.625
6585.625	6745.625
6590.625	6750.625
6595.625	6755.625
6600.625	6760.625
6605.625	6765.625
6610.625	6770.625
6615.625	6775.625
6620.625	6780.625
6625.625	6785.625
6630.625	6790.625
6635.625	6795.625
6640.625	6800.625
6645.625	6805.625
6650.625	6810.625
6655.625	6815.625
6660.625	6820.625
6665.625	6825.625
6670.625	6830.625
6675.625	6835.625
6680.625	6840.625
6685.625	6845.625
6690.625	6850.625
6695.625	6855.625
6700.625	6860.625
6705.625	6865.625
6710.625 <sup>1</sup>	1 6720.625

<sup>&</sup>lt;sup>1</sup> These frequencies may be assigned for unpaired use.

# (6) 5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6545 1	¹6715
6550	6730
6555 1	16725
6560	6740
6565	6735
6585	6745
6590	6750
6595	6755
6600	6760
6605	6765
6610	6770
6615	6775
6620	6780
6625	6785
6630	6790
6635	6795
6640	6800
6645	6805
6650	6810
6655	6815
6660	6820
6665	6825
6670	6830
6675	6835
6680	6840
6685	6845
6690	6850
6695	6855
6700	6860
6705	6865
6710 <sup>1</sup>	¹ 6720

<sup>&</sup>lt;sup>1</sup> These frequencies may be assigned for unpaired use.

# $\left( 7\right)$ 10 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6545 <sup>1</sup>	16715
6555 <sup>1</sup>	1 6725
6565	6735
6585	6745
6595	6755
6605	6765
6615	6775
6625	6785
6635	6795
6645	6805
6655	6815
6665	6825
6675	6835
6685	6845
6695	6855
6705	6865
6535 <sup>2</sup>	<sup>2</sup> 6575

<sup>&</sup>lt;sup>1</sup> These frequencies may be assigned for unpaired use.

<sup>2</sup> Available only for emergency restoration, maintenance bypass, or other temporary-fixed purposes. Such uses are authorized on a non-interference basis to other frequencies in this band. Interference analysis required by §101.105 does not apply to this frequency pair.

#### (8) 30 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6555	6725
6595	6755
6625	6785
6655	6815
6685	6845

# (1) $6875\ to\ 7125\ MHz.\ 25\ MHz$ authorized bandwidth.

# (1) 5 MHz bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
6877.5		7027.5
6882.5		7032.5
6887.5		7037.5
6892.5		7042.5
6897.5		7047.5
6902.5		7052.5
6907.5		7057.5
6912.5		7062.5
6917.5		7067.5
6922.5		7072.5
6927.5		7077.5
6932.5		7082.5
6937.5		7087.5
6942.5		7092.5
6947.5		7097.5
6952.5		7102.5
6957.5		7107.5
6962.5		7112.5
6967.5		7117.5
6972.5		7122.5

#### (2) 8.33 MHz bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
6879.165		7029.165

### **Federal Communications Commission**

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6887.495	7037.495
6895.825	7045.825
6904.155	7054.155
6912.485	7062.485
6920.815	7070.815
6929.145	7079.145
6937.475	7087.475
6945.805	7095.805
6954.135	7104.135
6962.465	7112.465
6970.795	7120.795

#### (3) 12.5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6881.25	7031.25
6893.75	7043.75
6906.25	7056.25
6918.75	7068.75
6931.25	7081.25
6943.75	7093.75
6956.25	7106.25
6968.75	7118.75

# (4) 25 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
6887.5	7037.5
6912.5	7062.5
6937.5	7087.5
6962.5	7112.5

# (m) $10,550\ to\ 10,680\ MHz.$ 5 MHz authorized bandwidth.

# (1) 400 kHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10605.225	10670.225
10605.625	10670.625
10606.050	10671.050
10606.450	10671.450
10606.875	10671.875
10607.275	10672.275
10607.725	10672.725
10608.125	10673.125
10608.550	10673.550
10608.950	10673.950
10609.375	10674.375
10609.775	10674.775
10610.225	10675.225
10610.625	10675.625
10611.050	10676.050
10611.450	10676.450
10611.875	10676.875
10612.275	10677.275
10612.725	10677.725
10613.125	10678.125
10613.550	10678.550
10613.950	10678.950
10614.375	10679.375
10614.775	10679.775

### (2) 800 kHz bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
10605.425		10670.425
10606.250		10671.250
10607.075		10672.075
10607.925		10672.925
10608.750		10673.750
10609.575		10674.575
10610.425		10675.425
10611.250		10676.250
10612.075		10677.075
10612.925		10677.925
10613.750		10678.750
10614.575		10679.575

#### (3) 1.25 MHz bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
10550.625		10615.625
10551.875		10616.875
10553.125		10618.125
10554.375		10619.375
10555.625		10620.625
10556.875		10621.875
10558.125		10623.125
10559.375		10624.375
10560.625		10625.625
10561.875		10626.875
10563.125		10628.125
10564.375		10629.375
10565.625		10630.625
10565.625		10630.625
10568.125		10633.125
10569.375		10634.375
10570.625		10635.625
10571.875		10636.875
10573.125		10638.125
10574.375		10639.375
10575.625		10640.625
10576.875		10641.875
10578.125		10643.125
10579.375		10644.375
10580.625		10645.625
10581.875		10646.875
10583.125		10648.125
10584.375		10649.375
10585.625		10650.625
10586.875		10651.875
10588.125		10653.125
10589.375		10654.375
10590.625		10655.625
10591.875		10656.875
10593.125		10658.125
10594.375		10659.375
10595.625		10660.625
10596.875		10661.875
10598.125		10663.125
10590.125		10664.375
10600.625		10665.625
10601.875		10666.875
10603.125		10668.125
10604.375		10669.375
10605.625		10670.625
10606.875		10671.875
10608.125		10673.125
10609.375		10674.375
10610.625		10675.625
10611.875		10676.875
10613.125		10678.125

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10614.375	10679.375

#### (4) 2.5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10551.25	10616.25
10553.75	10618.75
10556.25	10621.25
10558.75	10623.75
10561.25	10626.25
10563.75	10628.75
10566.25	10631.25
10568.75	10633.75
10571.25	10636.25
10573.75	10638.75
10576.25	10641.25
10578.75	10643.75
10581.25 1	<sup>1</sup> 10646.25
10583.75 1	<sup>1</sup> 10648.75
10586.25 1	110651.25
10588.75 1	1 10653.75
10591.25 1	1 10656.25
10593.75 1	1 10658.75
10596.25 1	110661.25
10598.75 1	1 10663.75
10601.25 1	1 10666.25
10603.75 1	1 10668.75
10606.25 1	1 10671.25
10608.75 1	1 10673.75
10611.25 1	1 10676.25
10613.75 1	<sup>1</sup> 10678.75

<sup>&</sup>lt;sup>1</sup>These frequencies are also available for DEMS stations licensed, in operation, or applied for prior to July 15, 1993.

## $\left(5\right)$ 3.75 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10553.125	10618.125
10558.125	10623.125
10563.125	10628.125
10568.125	10633.125
10573.125	10638.125
10578.125	10643.125
10583.125	10648.125
10588.125	10653.125
10593.125	10658.125
10598.125	10663.125
10603.125	10668.125

### (6) 5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10552.5	10617.5
10557.5	10622.5
10562.5	10627.5
10567.5 1	1 10632.5
10572.51	1 10637.5
10577.51	1 10642.5
10582.5 1	1 10647.5
10587.5	10652.5
10592.5	10657.5
10597.5	10662.5

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10602.5	10667.5

 $<sup>^{\</sup>rm 1}$  These frequencies are also available for DEMS stations licensed, in operation, or applied for prior to July 15, 1993.

- (n) Point-to-multipoint systems licensed, in operation, or applied for in the 10,550–10,680 MHz band prior to July 15, 1993, are permitted to use the DEMS frequencies noted above if they prior coordinate such usage with the necessary parties including 10 GHz point-to-point applicants and licensees. DEMS Nodal Stations shall use the band 10,565–10,615 MHz while DEMS User Stations shall use the band 10,630–10,680 MHz.
- (o) 10,700 to 11,700 MHz. 80 MHz authorized bandwidth.

# (1) 1.25 MHz bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
11130.625		11620.625
11131.875		11621.875
11133.125		11623.125
11134.375		11624.375
11135.625		11625.625
		11626.875
11138.125		11628.125
11139.375		11629.375
11140.625		11630.625
11141.875		11631.875
11143.125 11144.375		11633.125
11144.375		11634.375 11635.625
11145.625		11636.875
11148.125		11638.125
11149.375		11639.375
11150.625		11640.625
11151.875		11641.875
11153.125		11643.125
11154.375		11644.375
11155.625		11645.625
11156.875		11646.875
11158.125		11648.125
11159.375		11649.375
11160.625		11650.625
11161.875		11651.875
11163.125		11653.125
11164.375		11654.375
11165.625		11655.625
11166.875		11656.875
11168.125		11658.125
11169.375		11659.375
11170.625		11660.625
11171.875		11661.875 11663.125
11173.125 11174.375		11664.375
11174.375		11665.625
11176.875		11666.875
11178.125		11668.125
11179.375		11669.375
11180.625		11680.625
11181.875		11681.875
11183.125		11683.125
11184.375		11684.375

# **Federal Communications Commission**

# § 101.147

Transmit (receive) (MHz)	Receive (transmit) (MHz)
11185.625	11685.625
11186.875	11686.875
11188.125	11688.125
11189.375	11689.375
11190.625	11690.625
11191.875	11691.875
11193.125	11693.125
11194.375	11694.375
11195.625	11695.625
11196.875	11696.875
11198.125	11698.125
11199.375	11699.375

# (2) 2.5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
11131.25	11621.25
11133.75	11623.75
11136.25	11626.25
11138.75	11628.75
11141.25	11631.25
11143.75	11633.75
11146.25	11636.25
11148.75	11638.75
11151.25	11641.25
11153.75	11643.75
11156.25	11646.25
11158.75	11648.75
11161.25	11651.25
11163.75	11653.75
11166.25	11656.25
11168.75	11658.75
11171.25	11661.25
11173.75	11663.75
11176.25	11666.25
11178.75	11668.75
11181.25	11681.25
11183.75	11683.75
11186.25	11686.25
11188.75	11688.75
11191.25	11691.25
11193.75	11693.75
11196.25	11696.25
11198.75	11698.75

# (3) 3.75 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
11133.125	11623.125
11138.125	11628.125
11143.125	11633.125
11148.125	11638.125
11153.125	11643.125
11158.125	11648.125
11163.125	11653.125
11168.125	11658.125
11173.125	11663.125
11178.125	11668.125
11183.125	11683.125
11188.125	11688.125
11193.125	11693.125
11198.125	11698.125

#### (4) 5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
11132.5	11622.5
11137.5	11627.5
11142.5	11632.5
11147.5	11637.5
11152.5	11642.5
11157.5	11647.5
11162.5	11652.5
11167.5	11657.5
11172.5	11662.5
11177.5	11667.5
11182.5	11682.5
11187.5	11687.5
11192.5	11692.5
11197.5	11697.5

# $\left(5\right)$ 10 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10705	11205
10715	11215
107252	<sup>1</sup> 11675
10735	11225
10745	11235
10755	11245
10765	11255
10775	11265
10785	11275
10795	11285
10805	11295
10815	11305
10825	11315
10835	11325
10845	11335
10855	11345
10865	11355
10875	11365
10885	11375
10895	11385
10905	11395
10915	11405
10925	11415
10935	11425
10945	11435
10955	11445
10965	11455
10975	11465
10985	11475
10995	11485
11005	11495
11015	11505
11025	11515
11035	11525
11045	11535
11055	11545
11065	11555
11075	11565
11085	11575
11095	11585
11105	11595
11115	11605
11125	11615
111351	111625
111451	111635
111551	111645
111651	1 11655
111751	111665
111851	¹ 11685

Transmit (receive) (MHz)	Receive (transmit) (MHz)
111951	111695

<sup>&</sup>lt;sup>1</sup> Alternate channels. These channels are set aside for narrow bandwidth systems and should be used only if all other channels are blocked.

#### (6) 30 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10715	11215
10755	11245
10795	11285
10835	11325
10875	11365
10915	11405
10955	11445
10995	11485
11035	11525
11075	11565
11115	11605
11155 1	<sup>1</sup> 11645
11185 1	¹ 11685

<sup>&</sup>lt;sup>1</sup> Alternate channels. These channels are set aside for narrow bandwidth systems and should be used only if all other channels are blocked.

#### (7) 40 MHz bandwidth channels: 2

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10735	11225
10775	11265
10815	11305
10855	11345
10895	11385
10935	11425
10975	11465
11015	11505
11055	11545
11095	11585
11135 1	111625
11175 1	<sup>1</sup> 11665

<sup>&</sup>lt;sup>1</sup> Alternate channels. These channels are set aside for narrow bandwidth systems and should be used only if all other channels are blocked.
<sup>2</sup> In congested areas where 40 MHz channels block most

#### (8) 80 MHz bandwidth channels: 1

Transmit (receive) (MHz)	Receive (transmit) (MHz)
10755	11245
10835	11325
10915	11405
10995	11485
11075	11565
11155	11645

(p) 12,200 to 13,150 MHz. (1) 12,000–12,700 MHz. The Commission has allocated the 12.2–12.7 GHz band for use by the Direct Broadcast Satellite Service

(DBS), the Multichannel Video Distribution and Data Service (MVDDS), and the Non-Geostationary Satellite Orbit Fixed Satellite Service (NGSO FSS). MVDDS shall be licensed on a non-harmful interference co-primary basis to existing DBS operations and on a co-primary basis with NGSO FSS stations in this band. MVDDS use can be on a common carrier and/or noncommon carrier basis and can use channels of any desired bandwidth up to the maximum of 500 MHz provided the EIRP does not exceed 14 dBm per 24 megahertz. Private operational fixed point-to-point microwave stations authorized after September 9, 1983, are licensed on a non-harmful interference basis to DBS and are required to make any and all adjustments necessary to prevent harmful interference to operating domestic DBS receivers. Incumbent public safety licensees shall be afforded protection from MVDDS and NGSO FSS licensees, however all other private operational fixed licensees shall be secondary to DBS, MVDDS and NGSO FSS licensees. As of May 23, 2002, the Commission no longer accepts applications for new licenses for pointto-point private operational fixed stations in this band, however, incumbent licensees and previously filed applicants may file applications for minor modifications and amendments (as defined in §1.929 of this chapter) thereto, renewals, transfer of control, or assignment of license. Notwithstanding any other provisions, no private operational fixed point-to-point microwave stations are permitted to cause harmful interference to broadcasting-satellite stations of other countries operating in accordance with the Region 2 plan for the Broadcasting-Satellite Service established at the 1983 WARC.

(2) 12,700 to 13,150 MHz. 50 MHz authorized bandwidth.

#### (i) 5 MHz channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
12702.5	12927.5
12707.5	12932.5
12712.5	12937.5
12717.5	12942.5
12722.5	12947.5
12727.5	12952.5
12732.5	12957.5
12737.5	12962.5
12742.5	12967.5

<sup>&</sup>lt;sup>2</sup>These frequencies may be assigned for unpaired use.

<sup>&</sup>lt;sup>2</sup> In congested areas where 40 MHz channels block most 30 MHz channels, radios authorized for 30 MHz bandwidths may use the 40 MHz channels. In uncongested areas, 30 MHz channels should be used.

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
12747.5		12972.5
12752.5		12977.5
12757.5		12982.5
12762.5		12987.5
12767.5		12992.5
12772.5		12997.5
12777.5		13002.5
12782.5		13007.5
12787.5		13012.
12792.5		13017.
		13022.
12802.5		13027.
		13032.
		13037.
		13042.
12822.5		13047.
12827.5		13052.
		13057.
		13062.
		13067.
		13072.
		13077.
		13082.
		13087.
		13092.
		13097.
		13102.
		13107.
		13112.
		13117.
		13122.
		13127.
		13132.
		13137.
		13142.
		13147.

#### (ii) 8.33 MHz bandwidth channels:

Transmit (receive) (M	MHz) Receive (transmit) (MHz)
12704.165	12929.165
12712.495	12937.495
12720.825	12945.825
12729.155	12954.155
12737.485	12962.485
12745.815	12970.815
12754.145	12979.145
12762.475	12987.475
12770.805	12995.805
12779.135	13004.135
12787.465	13012.465
12795.795	
12804.125	13029.125
12812.455	13037.455
12820.785	13045.785
12829.115	13054.115
12837.445	13062.445
12845.775	13070.775
12854.105	13079.105
12862.435	
12870.765	
12879.095	13104.095
12887.425	13112.425
12895.755	
12904.085	13129.085
12912.415	13137.415

(iii) 12.5 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
12706.25	12931.25
12718.75	12943.75
12731.25	12956.25
12743.75	12968.75
12756.25	12981.25
12768.75	12993.75
12781.25	13006.25
12793.75	13018.75
12806.25	13031.25
12818.75	13043.75
12831.25	13056.25
12843.75	13068.75
12856.25	13081.25
12868.75	13093.75
12881.25	13106.25
12893.75	13118.75
12906.25	13131.25
12918.75	13143.75

#### (iv) 25 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
12712.5	12937.5 12962.5
12762.5	12987.5 13012.5 13037.5
12837.5	13062.5 13087.5
12887.5	13112.5 13137.5

#### (v) 50 MHz bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
12725	12950 13000 13050 13100

- m (q) Special provisions for incumbent low power, limited coverage systems in the band segments 12.2–12.7 GHz.
- the band segments 12.2–12.7 GHz.

  (1) As of May 23, 2002, the Commission no longer accepts applications for new stations in this service and incumbent stations may remain in service provided they do not cause harmful interference to any other primary services licensed in this band as described in paragraph (p) of this section. However, incumbent licensees and previously filed applicants may file applications for minor modifications and amendments (as defined in §1.929 of this chapter) thereto, renewals, transfer of control, or assignment of license.
- (2) Prior to December 8, 2000, notwithstanding any contrary provisions in this part, the frequency pairs 12.220/

12.460 GHz, 12.260/12.500 GHz, 12.300/12.540 GHz and 12.340/12.580 GHz, were authorized for low power, limited coverage systems subject to the following provisions:

- (i) Maximum equivalent isotropically radiated power (EIRP) shall be 55 dBm;
- (ii) The rated transmitter output power shall not exceed 0.5 watts;
- (iii) Frequency tolerance shall be maintained to within 0.01 percent of the assigned frequency;
- (iv) Maximum beamwidth shall not exceed 4 degrees. However, the sidelobe suppression criteria contained in §101.115 shall not apply, except that a minimum front-to-back ratio of 38 dB shall apply;
- (v) Upon showing of need, a maximum bandwidth of 12 MHz may be authorized per frequency assigned;
- (vi) Radio systems authorized under the provisions of this section shall have no more than three hops in tandem, except upon showing of need, but in any event the maximum tandem length shall not exceed 40 km (25 miles):
- (vii) Interfering signals at the receiver antenna terminals of stations authorized under this section shall not exceed -90 dBm and -70 dBm respectively, for co-channel and adjacent channel interfering signals, and
- (viii) Stations authorized under the provisions of this section shall provide the protection from interference specified in §101.105 to stations operating in accordance with the provisions of this part.
- (r) 17,700 to 19,700 and 24,250 to 25,250 MHz: Operation of stations using frequencies in these bands is permitted to the extent specified in this paragraph. Until November 19, 2012, stations operating in the band 18.3-18.58 GHz that were licensed or had applications pending before the Commission as of November 19, 2002 shall operate on a shared co-primary basis with other services under parts 21, 25, 74, and 78 of this chapter. Until October 31, 2011, operations in the band 19.26-19.3 GHz and low power systems operating pursuant to paragraph (r)(10) of this section shall operate on a co-primary basis. Until June 8, 2010, stations operating in the band 18.58-18.8 GHz that were licensed or had applications pending before the

Commission as of June 8, 2000 may continue those operations on a shared coprimary basis with other services under parts 21, 25, 74, and 78 of this chapter. Until June 8, 2010, stations operating in the band 18.8-19.3 GHz that were licensed or had applications pending before the Commission as of September 18, 1998 may continue those operations on a shared co-primary basis with other services under parts 21, 25, 74, and 78 of this chapter. After November 19, 2012, stations operating in the band 18.3-18.58 GHz are not entitled to protection from fixed-satellite service operations and must not cause unacceptable interference to fixed-satellite service station operations. After June 8, 2010, operations in the 18.58-19.30 GHz band are not entitled to protection from fixed-satellite service operations and must not cause unacceptable interference to fixed-satellite service station operations. After November 19, 2002, no applications for new stations for 47 CFR part 101 licenses will be accepted in the 18.3-18.58 GHz band. After June 8, 2000, no applications for new stations for 47 CFR part 101 licenses will be accepted in the 18.58-19.3 GHz band. Licensees, except 24 GHz band licensees, may use either a two-way link or one frequency of a frequency pair for a one-way link and must coordinate proposed operations pursuant to the procedures required in §101.103 of this subpart. (Note, however, that stations authorized as of September 9, 1983, to use frequencies in the band 17.7-19.7 GHz may, upon proper application, continue to be authorized for such operations, consistent with the above conditions related to the 18.58-19.3 GHz band.) Applicants for one-way spectrum from 17.7-18.58 GHz for multichannel video programming distribution are governed by paragraph (r)(6) of this section. Licensees are also allowed to use one-way (unpaired) channels in the 17.7-17.74 GHz sub-band to pair with other channels in the FS portions of the 18 GHz band where, for example, the return pair is already in use and therefore blocked or in TDD systems. Stations used for MVPD operations in the 17.7-17.8 GHz band must coordinate with the Federal Government before operating in the zones specified in §1.924(e) of this chapter.

# **Federal Communications Commission**

# (1) 1.25 Megahertz maximum authorized bandwidth channels:

izeu ba	nawiath channels:	
	Transmit (receive) (MHz)	Receive (transmit) (MHz)
17700.625		NA
17701.875		NA
17703.125		NA
17704.375		NA
17705.625		NA
17706.875		NA
17708.125		NA
17709.375		NA
17710.625		NA
17711.875		NA
17713.125		NA
17714.375		NA NA
17715.625 17716.875		NA NA
17718.125		NA NA
17710.125		NA NA
17721.625		NA NA
17722.875		NA NA
17723.125		NA
17724.375		NA
17725.625		NA
17726.875		NA
17728.125		NA
17729.375		NA
17730.625		NA
17731.875		NA
17733.125		NA
17734.375		NA
17735.625 17736.875		NA NA
17736.875 17738.125		NA NA
17739.375		NA NA
18060.625		19620.625
18061.875		19621.875
18063.125		19623.125
18064.375		19624.375
18065.625		19625.625
18066.875		19626.875
18068.125		19628.125
18069.375		19629.375
18070.625		19630.625
18071.875		19631.875
18073.125		19633.125
18074.375		19634.375
18075.625		19635.625
18076.875		19636.875
18078.125 18079.375		19638.125 19639.375
18080.625		19640.625
18080.625		19641.875
18083.125		19643.125
18084.375		19644.375
18085.625		19645.625
18086.875		19646.875
18088.125		19648.125
18089.375		19649.375
18090.625		19650.625
18091.875		19651.875
18093.125		19653.125
18094.375		19654.375
18095.625		19655.625
18096.875		19656.875
18098.125		19658.125
18099.375		19659.375
18100.625 18101.875		19660.625 19661.875
18103.125 18104.375		19663.125 19664.375
18105.625		19665.625
. 0 . 00.020		.0000.020

Transmit (receive) (MHz)	Receive (transmit) (MHz)
18106.875	19666.875
18108.125	19668.125
18109.375	19669.375
18110.625	19670.625
18111.875	19671.875
18113.125	19673.125
18114.375	19674.375
18115.625	19675.625
18116.875	19676.875
18118.125	19678.125
18119.375	19679.375
18120.625	19680.625
18121.875	19681.875
18123.125	19683.125
18124.375	19684.375
18125.625	19685.625
18126.875	19686.875
18128.125	19688.125
18129.375	19689.375
18130.625	19690.625
18131.875	19691.875
18133.125	19693.125
18134.375	19694.375
18135.625	19695.625
18136.875	19696.875
18138.125	19698.125
18139.375	19699.375

# (2) 2 Megahertz maximum authorized bandwidth channel:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
18141.0	N/A

# (3) 2.5 Megahertz maximum authorized bandwidth channels:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
17701.25		N/A
17703.75		N/A
17706.25		N/A
17708.75		N/A
17711.25		N/A
17713.75		N/A
17716.25		N/A
17718.75		N/A
17721.25		N/A
17723.75		N/A
17726.25		N/A
17728.75		N/A
17731.25		N/A
17733.75		N/A
17736.25		N/A
17738.75		N/A
18061.25		19621.25
18063.75		19623.75
18066.25		19626.25
18068.75		19628.75
18071.25		19631.25
18073.75		19633.75
18076.25		19636.25
18078.75		19638.75
18081.25		19641.25
18083.75		19643.75
18086.25		19646.25
18088.75		19648.75

Transmit	(receive) (MHz)	Receive (transmit) (MHz)
18091.25		19651.25
18093.75		19653.75
18096.25		19656.25
18098.75		19658.75
18101.25		19661.25
18103.75		19663.75
18106.25		19666.25
18108.75		19668.75
18111.25		19671.25
18113.75		19673.75
18116.25		19676.25
18118.75		19678.75
18121.25		19681.25
18123.75		19683.75
18126.25		19686.25
18128.75		19688.75
18131.25		19691.25
18133.75		19693.75
18136.25		19696.25
18138.75		19698.75

# (4) 5 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
	(IVITIZ)

# 340 Megahertz Separation (\* channels are no longer available on a primary basis)

18762.5*	 19102.5*
18767.5*	 19107.5*
18772.5*	 19112.5*
18777.5*	 19117.5*
18782.5*	 19122.5*
18787.5*	 19127.5*
18792.5*	 19132.5*
18797.5*	 19137.5*
18802.5*	 19142.5*
18807.5*	 19147.5*
18812.5*	 19152.5*
18817.5*	 19157.5*

# (5) 5 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)	
1560 Megahertz Separation		
17702.5	N/A	
17707.5	N/A	
17712.5	N/A	
17717.5	N/A	
17722.5	N/A	
17727.5	N/A	
17732.5	N/A	
17737.5	N/A	
18062.5	19622.5	
18067.5	19627.5	
18072.5	19632.5	
18077.5	19637.5	
18082.5	19642.5	
18087.5	19647.5	
18092.5	19652.5	
18097.5	19657.5	
18102.5	19662.5	
18107.5	19667.5	
18112.5	19672.5	

Transmit (receive) (MHz)	Receive (transmit) (MHz)
18117.5	19677.5
18122.5	19682.5
18127.5	19687.5
18132.5	19692.5
18137.5	19697.5

(6) MVPD use: Multichannel video programming distributors (MVPDs) can use any size channels for one-way operations in the 17.7-18.58 GHz band for any permissible communications specified for this band in §101.603 provided that they have coordinated the appropriate emission designators and power, but must request contiguous spectrum (minus spectrum that is already licensed or prior coordinated in the area and thus blocked). MVPD systems must meet the efficiency requirements of §101.141. Spectrum at 18.3-18.58 GHz is only available for grandfathered stations. See §101.85.

(7) 10 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)

# 1560 Megahertz Separation (\* channels are no longer available on a primary basis)

17705.0	19265.0*
17715.0	19275.0*
17725.0	19285.0*
17735.0	19295.0*
17745.0	19305.0
17755.0	19315.0
17765.0	19325.0
17775.0	19335.0
17785.0	19345.0
17795.0	19355.0
17805.0	19365.0
17815.0	19375.0
17825.0	19385.0
17835.0	19395.0
17845.0	19405.0
17855.0	19415.0
17865.0	19425.0
17875.0	19435.0
17885.0	19445.0
17895.0	19455.0
17905.0	19465.0
17915.0	19475.0
17925.0	19485.0
17935.0	19495.0
17945.0	19505.0 19515.0
17955.0 17965.0	19515.0 19525.0
	19525.0
	19535.0
17985.0 17995.0	19545.0
18005.0	19565.0
18015.0	19575.0
18025.0	19575.0
18035.0	19595.0
18045.0	19595.0
10040.0	19605.0

Receive

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
18055.0 .		19615.0
18065.0 .		19625.0
18075.0 .		19635.0
18085.0 .		19645.0
18095.0 .		19655.0
18105.0 .		19665.0
18115.0 .		19675.0
18125.0 .		19685.0
18135.0 .		19695.0
	340 Megahertz Separation	
18585.0*		18925.0
18595.0*		18935.0
18605.0*		18945.0
18615.0*		18955.0
18625.0*		18965.0
18635.0*		18975.0
18645.0*		18985.0
18655.0*		18995.0
18665.0*		19005.0
18675.0*		19015.0
18685.0*		19025.0
18695.0*		19035.0
18705.0*		19045.0
18715.0*		19055.0
18725.0*		19065.0
18735.0*		19075.0
18745.0*		19085.0
18755.0*		19095.0
18765.0*		19105.0
18775.0*		19115.0
18785.0*		19125.0
18795.0*		19135.0
18805.0*		19145.0
18815.0*		19155.0

# (8) 20 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 Megahertz Separation (* channels ar available on a primary basis)	e no longer
17710.0	19270.0*
17730.0	19290.0*
17750.0	19310.0
17770.0	19330.0
17790.0	19350.0
17810.0	19370.0
17830.0	19390.0
17850.0	19410.0
17870.0	19430.0
17890.0	19450.0
17910.0	19470.0
17930.0	19490.0
17950.0	19510.0
17970.0	19530.0
17990.0	19550.0
18010.0	19570.0
18030.0	19590.0
18050.0	19610.0
18070.0	19630.0
18090.0	19650.0
18110.0	19670.0
18130.0	19690.0
340 Megahertz Separation	
18590.0*	18930.0*

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
18610.0*		18950.0*
18630.0*		18970.0*
18650.0*		18990.0*
18670.0*		19010.0*
18690.0*		19030.0*
18710.0*		19050.0*
18730.0*		19070.0*
18750.0*		19090.0*
18770.0*		19110.0*
18790.0*		19130.0*
18810.0*		19150.0*

# (9) 30 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 Megahertz Separation	
17715.0	N/A
17755.0	19315.0
17785.0	19345.0
17815.0	19375.0
17845.0	19405.0
17875.0	19435.0
17905.0	19465.0
17935.0	19495.0
17965.0	19525.0
17995.0	19555.0
18025.0	19585.0
18055.0	19615.0
18085.0	19645.0
18115.0	19675.0

# (10) 40 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	(transmit) (MHz)
1560 Megahertz Separation (*channels are no longer available on a primary basis)	
17720.0	19280.0*
17760.0	19320.0
17800.0	19360.0
17840.0	19400.0
17880.0	19440.0
17920.0	19480.0
17960.0	19520.0
18000.0	19560.0
18040.0	19600.0
18080.0	19640.0
18120.0	19680.0

# (11) 50 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)	
1560 Megahertz Separation		
17765.0	19325.0 19375.0 19425.0 19475.0	

Transmit (receive) (MHz)	Receive (transmit) (MHz)
17965.0	19525.0
18015.0	19575.0
18065.0	19625.0
18115.0	19675.0

(12) 80 Megahertz maximum authorized bandwidth channels:

Transmit (receive) (MHz)	Receive (transmit) (MHz)
1560 Megahertz Separation (* channels are no longer	

# available on a primary basis)

17740.0	19300.0*
17820.0	19380.0
17900.0	19460.0
17980.0	19540.0
18060.0	19620.0

(13) The following frequencies on channels 35-39 are available for pointto-multipoint systems and are available by geographic area licensing in the 24 GHz Service to be used as the licensee desires. The 24 GHz spectrum can be aggregated or disaggregated and does not have to be used in the transmit/receive manner shown except to comply with international agreements along the U.S. borders. Channels 35 through 39 are licensed in the 24 GHz Service by Economic Areas for any digital fixed service. Channels may be used at either nodal or subscriber station locations for transmit or receive but must be coordinated with adjacent channel and adjacent area users in accordance with the provisions of §101.509 of this subpart. Stations also must comply with international coordination agreements.

Channel No.	Nodal station frequency band (MHz) limits  User statio frequency ba (MHz) limit				
(* channels are no longer available on a primary basis)					
25	18,820–18,830	19,160–19,170*			
26	18,830–18,840	19,170–19,180*			
27	18,840–18,850	19,180–19,190*			
28	18,850–18,860	19,190–19,200*			
29	18,860–18,870	19,200–19,210*			
30	18,870–18,880	19,210–19,220*			
31	18,880–18,890	19,220–19,230*			
32	18,890–18,900	19,230–19,240*			
33	18,900–18,910	19,240–19,250*			
34	18,910–18,920	19,250–19,260*			
35	24,250–24,290	25,050–25,090			
36	24,290–24,330	25,090–25,130			
37	24,330–24,370	25,130–25,170			
38	24,370–24,410	25,170–25,210			
39	24,410–24,450	25,210–25,250			

(14) Special provision for low power systems in the 17,700-19,700 MHz band: Notwithstanding other provisions in 47 CFR part 101 and except for specified areas around Washington, DC, and Denver, Colorado, licensees of point-tomultipoint channel pairs 25-29 identified in paragraph (r)(13) of this section may continue to operate in accordance with the requirements of §101.85 and may operate multiple low power transmitting devices within a defined service area. Operations are prohibited within 55 km when used outdoor and within 20 km when used indoor of the coordinates 38 deg.48' N/76 deg.52' W (Washington, DC area) and 39 deg.43' N/ 104 deg.46' W (Denver, Colorado area). The service area will be a 28 kilometer omni directional radius originating from specified center reference coordinates. The specified center coordinates must be no closer than 56 kilometers from any co-channel nodal station or the specified center coordinates of another co-channel system. Applicants/licensees do not need to specify the location of each individual transmitting device operating within their defined service areas. Such operations are subject to the following requirements on the low power transmitting devices:

- (i) Power must not exceed one watt EIRP and 100 milliwatts transmitter output power:
- (ii) A frequency tolerance of 0.001% must be maintained; and
- (iii) The mean power of emissions shall be attenuated in accordance with the following schedule:
- (A) In any 4 kHz band, the center frequency of which is removed from the center frequency of the assigned channel by more than 50 percent of the channel bandwidth and is within the bands 18,820-18,870 MHz or 19,160-19,210 MHz:

A = 35 + .003 (F - 0.5B) dB

or.

80 dB (whichever is the lesser attenu-

#### Where:

- A = Attenuation (in decibels) below output power level contained within the channel for a given polarization.
- B = Bandwidth of channel in kHz.
- F = Absolute value of the difference between the center frequency of the 4 kHz band

Receive (transmit) (MHz)

22936.25

22938.75

22941.25 22943.75

22946.25

22948.75

22951.25

22953.75 22956.25

22958.75

Transmit (receive) (MHz)

21738.75 .....

21751.25 .....

21758.75 .....

21743.75 ..... 21746.25 .....

21748.75 .....

21736.25 .....

21741.25

21753.75 21756.25 ......

#### **Federal Communications Commission**

measured at the center frequency of the channel in kHz.

(B) In any 4 kHz band the center frequency of which is outside the bands 18.820-18.870 GHz: At least 43 + 10 log P (mean output power in watts) decibels.

(iv) Low power stations authorized in the band 18.8-19.3 GHz after June 8, 2000, are restricted to indoor use only. No new licenses will be authorized for applications received after April 1, 2002.

applications received after Apr	eil 1 2002	21758.75	22958.75
		21761.25	22961.25
(s) 21,200 to 23,600 MHz: 50	MHz au-	21763.75	22963.75
thorized bandwidth.		21766.25	22966.25
		21768.75	22968.75
	Receive	21771.25	22971.25
Transmit (receive) (MHz)	(transmit)	21773.75	22973.75
Transmit (receive) (WH12)	(MHz)	21776.25	22976.25
	(2)	21778.75	22978.75
(1) 2.5 MHz bandwidth channels:			
21601.25	22801.25	21781.25	22981.25
21603.75	22803.75	21783.75	22983.75
21606.25	22806.25	21786.25	22986.25
21608.75	22808.75	21788.75	22988.75
		21791.25	22991.25
21611.25	22811.25	21793.75	22993.75
21613.75	22813.75	21796.25	22996.25
21616.25	22816.25	21798.75	22998.75
21618.75	22818.75	22301.25	23501.25
21621.25	22821.25	22303.75	23503.75
21623.75	22823.75	22306.25	23506.25
21626.25	22826.25	22308.75	23508.75
21628.75	22828.75	22311.25	23511.25
21631.25	22831.25	22313.75	23513.75
21633.75	22833.75	22316.25	23516.25
21636.25	22836.25		
21638.75	22838.75	22318.75	23518.75
21641.25	22841.25	22321.25	23521.25
21643.75	22843.75	22323.75	23523.75
21646.25	22846.25	22326.25	23526.25
21648.75	22848.75	22328.75	23528.75
21651.25	22851.25	22331.25	23531.25
21653.75	22853.75	22333.75	23533.75
21656.25	22856.25	22336.25	23536.25
21658.75	22858.75	22338.75	23538.75
21661.25	22861.25	22341.25	23541.25
		22343.75	23543.75
21663.75	22863.75	22346.25	23546.25
21666.25	22866.25	22348.75	23548.75
21668.75	22868.75	22351.25	23551.25
21671.25	22871.25	22353.75	23553.75
21673.75	22873.75	22356.25	23556.25
21676.25	22876.25	22358.75	23558.75
21678.75	22878.75		23561.25
21681.25	22881.25	22361.25	
21683.75	22883.75	22363.75	23563.75
21686.25	22886.25	22366.25	23566.25
21688.75	22888.75	22368.75	23568.75
21691.25	22891.25	22371.25	23571.25
21693.75	22893.75	22373.75	23573.75
21696.25	22896.25	22376.25	23576.25
21698.75	22898.75	22378.75	23578.75
21701.25	22901.25	22381.25	23581.25
21703.75	22903.75	22383.75	23583.75
21706.25	22906.25	22386.25	23586.25
21708.75	22908.75	22388.75	23588.75
21711.25	22911.25	22391.25	23591.25
21713.75	22913.75	22393.75	23593.75
21716.25	22916.25	22396.25	23596.25
21718.75	22918.75	22398.75	23598.75
21721.25	22918.75	(2) 5 MHz bandwidth channels:	20090.70
			22802 E
21723.75	22923.75	21602.5	22802.5
21726.25	22926.25	21607.5	22807.5
21728.75	22928.75	21612.5	22812.5
21731.25	22931.25	21617.5	22817.5
21733.75	22933.75	21622.5	22822.5

# 47 CFR Ch. I (10-1-13 Edition)

# § 101.147

3 10 11147		47 0111 0111 (10 1 1	o Lamon,
Transmit (receive) (MHz)	Receive (transmit) (MHz)	Transmit (receive) (MHz)	Receive (transmit) (MHz)
21627.5	22827.5	21365	22565
21632.5	22832.5	21375	22575
21637.5	22837.5	21385	22585
21642.5	22842.5	21395	22595
21647.5	22847.5	21405	22605
21652.5	22852.5	21415	22615
21657.5	22857.5	21425	22625
21662.5	22862.5	21435	22635
21667.5 21672.5	22867.5 22872.5	21445 21455	22645 22655
21677.5	22872.5 22877.5	21465	22665
21682.5	22882.5	21475	22675
21687.5	22887.5	21485	22685
21692.5	22892.5	21495	22695
21697.5	22897.5	21505	22705
21702.5	22902.5	21515	22715
21707.5	22907.5	21525	22725
21712.5	22912.5	21535	22735
21717.5	22917.5	21545	22745
21722.5	22922.5	21555	22755
21727.5	22927.5	21565	22765
21732.5	22932.5 22937.5	21575 21585	22775 22785
21737.5 21742.5	22942.5	21595	22795
21747.5	22947.5	21605 1	122805
21752.5	22952.5	21615 1	122815
21757.5	22957.5	21625 1	1 22825
21762.5	22962.5	21635 1	1 22835
21767.5	22967.5	21645 1	1 22845
21772.5	22972.5	21655 1	1 22855
21777.5	22977.5	21665 1	<sup>1</sup> 22865
21782.5	22982.5	21675 1	1 22875
21787.5	22987.5	21685 1	1 22885
21792.5	22992.5	21695 1	1 22895
21797.5	22997.5	21705 1	1 22905
22302.5	23502.5	217151	122915
22307.5 22312.5	23507.5 23512.5	21725 <sup>1</sup>	<sup>1</sup> 22925 <sup>1</sup> 22935
22317.5	23517.5	21745 1	1 22945
22322.5	23522.5	21755 1	1 22955
22327.5	23527.5	21765 1	1 22965
22332.5	23532.5	21775 1	1 22975
22337.5	23537.5	21785 1	1 22985
22342.5	23542.5	21795 1	1 22995
22347.5	23547.5	218052	<sup>2</sup> 23005
22352.5	23552.5	21815 <sup>2</sup>	<sup>2</sup> 23015
22357.5	23557.5	218252	<sup>2</sup> 23025
22362.5	23562.5	218352	<sup>2</sup> 23035
22367.5	23567.5	218452	<sup>2</sup> 23045
22372.5	23572.5	218552	<sup>2</sup> 23055
22377.5	23577.5 23582.5	218652	<sup>2</sup> 23065 <sup>2</sup> 23075
22382.5 22387.5	23582.5	21875 <sup>2</sup> 21885 <sup>2</sup>	<sup>2</sup> 23085
22392.5	23592.5	218952	<sup>2</sup> 23095
22397.5	23597.5	21905 2	<sup>2</sup> 23105
(3) 10 MHz bandwidth channels:	20007.0	219152	<sup>2</sup> 23115
21205	22405	219252	<sup>2</sup> 23125
21215	22415	219352	<sup>2</sup> 23135
21225	22425	219452	<sup>2</sup> 23145
21235	22435	219552	<sup>2</sup> 23155
21245	22445	21965 <sup>2</sup>	<sup>2</sup> 23165
21255	22455	219752	<sup>2</sup> 23175
21265	22465	219852	<sup>2</sup> 23185
21275	22475	21995 <sup>2</sup>	<sup>2</sup> 23195
21285	22485	22005	23205
21295	22495 22505	22015	23215 223225
21305 21315	22505 22515	22025 <sup>2</sup>	23225
21325	22525	22045	23245
21335	22535	22055	23255
21345	22545	22065	23265
21355	22555	22075 <sup>2</sup>	<sup>2</sup> 23275

Transmit (receive) (MHz)	Receive (transmit) (MHz)	Transmit (receive) (MHz)	Receive (transmit) (MHz)
22085	23285	22180	23380
22095	23295	22210	23410
22105	23305	22230	23430
22115	23315	22260	23460
22125	23325	22280	23480
22135	23335	223101	123510
22145	23345	22330 1	1 23530
22155	23355	22360 1	1 23560
22165	23365	22380 1	1 23580
22175	23375	(5) 30 MHz bandwidth channels:	
22185	23385	21235	22435
22195	23395	21285	22485
22205	23405	21335	22535
22215	23415	21385	22585
22225	23425	21435	22635
22235	23435	21485	22685
22245	23445	21535	22735
22255	23455	21585	22785
22265	23465	21635 1	1 22835
22275	23475	21685 1	1 22885
22285	23485	21735 1	1 22935
22295	23495	21785 1	1 22985
22305 1	1 23505	21835 2	<sup>2</sup> 23035
22315 1	123515	218852	<sup>2</sup> 23085
22325 1	123525	21935 <sup>2</sup>	<sup>2</sup> 23135
22335 1	1 23535	21985 <sup>2</sup>	<sup>2</sup> 23185
22345 1	123545	22035	23235
22355 <sup>1</sup>	<sup>1</sup> 23555	22085	23285
22365 1	1 23565	22135	23335
	123575	22185	
22375 1	1 23585		23385
22385 1		22235	23435
22395 1	1 23595	22285	23485
20 MHz bandwidth channels:		22335 1	123535
21210	22410	22385 1	<sup>1</sup> 23585
21230	22430	(6) 40 MHz bandwidth channels:	
21260	22460	21220	22420
21280	22480	21270	22470
21310	22510	21320	22520
21330	22530	21370	22570
21360	22560	21420	22620
21380	22580	21470	22670
21410	22610	21520	22720
21430	22630	21570	22770
21460	22660	21620 1	1 22820
21480	22680	21670 1	1 22870
21510	22710	217201	1 22920
21530	22730	21770 1	1 22970
21560	22760	21820 <sup>2</sup>	<sup>2</sup> 23020
21580	22780	21870 <sup>2</sup>	<sup>2</sup> 23070
216101	122810	219202	<sup>2</sup> 23120
216301	1 22830	219702	<sup>2</sup> 23170
21660 <sup>1</sup>	1 22860	22020	23220
21680 1	122880	22070	23270
217101	122910	22120	23320
21730 1	122930	22170	23370
21760 1	122960	22220	23420
	122980	22270	23470
217801	<sup>2</sup> 23010		
218102		22320 <sup>1</sup> 22370 <sup>1</sup>	<sup>1</sup> 23520
21830 <sup>2</sup> 21860 <sup>2</sup>	<sup>2</sup> 23030		123570
	<sup>2</sup> 23060	(7) 50 MHz bandwidth channels:	00.405
218802	<sup>2</sup> 23080	21225	22425
219102	223110	21275	22475
219302	<sup>2</sup> 23130	21325	22525
21960 <sup>2</sup>	<sup>2</sup> 23160	21375	22575
219802	<sup>2</sup> 23180	21425	22625
22010	23210	21475	22675
22030	23230	21525	22725
00000	23260	21575	22775
22060			
22080	23280	21625 1	1 22825
	23280 23310		1 22825 1 22875
22080		21625 <sup>1</sup> 21675 <sup>1</sup> 21725 <sup>1</sup>	

Transmit (receive) (MHz)	Receive (transmit) (MHz)
218252	<sup>2</sup> 23025
21875 <sup>2</sup>	<sup>2</sup> 23075
21925 <sup>2</sup>	<sup>2</sup> 23125
219752	<sup>2</sup> 23175
22025	23225
22075	23275
22125	23325
22175	23375
22025 2	232252
22075 <sup>2</sup>	23275 <sup>2</sup>
22325 1	<sup>1</sup> 23525
22375 1	123575

<sup>1</sup> Alternate channels. These channels are set aside for narrow bandwidth systems and should be used only if all other channels are blocked.

channels are blocked.

<sup>2</sup>These frequencies may be assigned to low power systems, as defined in paragraph (8) of this section.

- (8) Special provisions for low power, limited coverage systems in the 21.8–22.0 GHz and 23.0–23.2 GHz band segments. Notwithstanding any contrary provisions in this part, the frequency band segment 21.8–22.0 GHz paired with the frequency band segment 23.0–23.2 GHz may be authorized for low power, limited coverage systems subject to the following provisions:
- (i) The maximum EIRP shall be 55 dBm and the rated transmitter output power shall not exceed 0.100 Watts;
- (ii) In the band segments from 21.8–22.0 GHz and 23.0–23.2 GHz, the frequency tolerance for stations authorized on or before April 1, 2005 is 0.05%. Existing licensees and pending applicants on that date may continue to operate after that date with a frequency tolerance of 0.05%, provided that it does not cause harmful interference to the operation of any other licensee. The frequency tolerance of \$101.107(a) shall apply to stations applied for after April 1, 2005;
- (iii) The maximum beamwidth shall not exceed 4 degrees;
- (iv) The sidelobe suppression criteria contained in §101.115 of this part shall not apply, except that a minimum front-to-back ratio of 38 dB shall apply;
- (v) Upon showing of need, a maximum bandwidth of 50 MHz may be authorized per frequency assigned;
- (vi) Radio systems authorized under the provisions of this section shall have no more than five hops in tandem, except upon showing of need, but in any event the maximum tandem length shall not exceed 40 km (25 miles);
- (vii) Interfering signals at the antenna terminals of station authorized

under this section shall not exceed -90 dBm and -70 dBm respectively, for cochannel and adjacent channel interfering signals; and

- (viii) Stations authorized under the provisions of this section shall provide the protection from interference specified in §101.105 to stations operating in accordance with the provisions of this part.
- (t) 27,500–28,350; 29,100–29,250; 31,000–31,300 MHz. These frequencies are available for LMDS systems. Each assignment will be made on a BTA service area basis, and the assigned spectrum may be subdivided as desired by the licensee.
- (u) 31,000-31,300 MHz. Stations licensed in this band prior to March 11, 1997, may continue their authorized operations, subject to license renewal, on the condition that harmful interference will not be caused to LMDS operations licensed in this band after June 30, 1997. Non-LMDS stations licensed after March 11, 1997, based on applications refiled no later than June 26, 1998 are unprotected and subject to harmful interference from each other and from stations licensed prior to March 11, 1997, and are licensed on a secondary basis to LMDS. In the subbands 31,000-31,075 MHz and 31,225-31,300 MHz, stations initially licensed prior to March 11, 1997, except in LTTS, and LMDS operations authorized after June 30, 1997, are equally protected against harmful interference from each other in accordance with the provisions of §101.103(b). For stations, except in LTTS, permitted to relocate to these sub-bands, the following paired frequencies are available:

	Transmit (receive) (MHz)	Receive (transmit) (MHz)
	(1) 25 MHz Authorized Bandwidth Channe	els
31,012.5		31,237.5
31,037.5		31,262.5
		31,287.5
	(2) 75 MHz Authorized Bandwidth Channel	el
31,037.5		31,275.0

NOTE TO (u): These channels are assigned for use within a rectangular service area to be described in the application by the maximum and minimum latitudes and longitudes. Such service area must be as small as practical consistent with the local service requirements of the carrier. These frequency

#### **Federal Communications Commission**

plans may be subdivided as desired by the licensee and used within the service area as desired without further authorization subject to the terms and conditions set forth in §101.149. These frequencies may be assigned only where it is shown that the applicant will have reasonable projected requirements

for a multiplicity of service points or transmission paths within the area.

(v)(1) Assignments in the band 38,600–40,000 MHz must be according to the following frequency plan:

Channel Group A		Channel Group B	
Channel No.	Frequence band limits (MHz)	Channel No.	Frequency band limits (MHz)
1-A 2-A 3-A 4-A 5-A 6-A 7-A 8-A 9-A 10-A 11-A 12-A 13-A	38,600–38,650 38,650–38,700 38,700–38,750 38,750–38,800 38,800–38,850 38,850–38,900 38,900–38,950 39,900–39,050 39,000–39,050 39,100–39,150 39,150–39,200 39,200–39,250	1-B	39,300–39,350 39,350–39,400 39,400–39,450 39,450–39,500 39,550–39,600 39,600–39,650 39,650–39,700 39,700–39,750 39,750–39,800 39,850–39,800 39,850–39,900

(v)(2) Channels Blocks 1 through 14 are assigned for use within Economic Areas (EAs). Applicants are to apprise themselves of any licensed rectangular service areas within the EA for which they seek a license and comply with the requirements set forth in §101.103. All of the channel blocks may be subdivided as desired by the licensee and used within its service area as desired without further authorization subject to the terms and conditions set forth in §101.149.

(w) Fixed systems licensed, in operation, or applied for in the 3,700–4,200, 5925–6425, 6,525–6,875, 10,550–10,680, and 10,700–11,700 MHz bands prior to July 15, 1993, are permitted to use channel plans in effect prior to that date, including adding channels under those plans.

(x) Operations on other than the listed frequencies may be authorized where it is shown that the objectives or requirements of the interference criteria prescribed in §101.105 could not otherwise be met to resolve the interference problems.

(y) Special requirements for operations in the band 29.1–29.25 GHz. (1)(i) LMDS receive stations operating on frequencies in the 29.1–29.25 GHz band within a radius of 75 nautical miles of the geographic coordinates provided by a non-GSO MSS licensee pursuant to

paragraphs (c)(2) or (c)(3)(i) of this section (the "feeder link earth station complex protection zone") shall accept any interference caused to them by such earth station complexes and shall not claim protection from such earth station complexes.

(ii) LMDS licensees operating on frequencies in the 29.1–29.25 GHz band outside a feeder link earth station complex protection zone shall cooperate fully and make reasonable efforts to resolve technical problems with the non-GSO MSS licensee to the extent that transmissions from the non-GSO MSS operator's feeder link earth station complex interfere with an LMDS receive station.

(2) No more than 15 days after the release of a public notice announcing the commencement of LMDS auctions, feeder link earth station complexes to be licensed pursuant to Section 25.257 shall be specified by a set of geographic coordinates in accordance with the following requirements: no feeder link earth station complex may be located in the top eight (8) metropolitan statistical areas ("MSAs"), ranked by population, as defined by the Office of Management and Budget as of June 1993, using estimated populations as of December 1992; two (2) complexes may be located in MSAs 9 through 25, one of

which must be Phoenix, AZ (for a complex at Chandler, AZ); two (2) complexes may be located in MSAs 26 to 50; three (3) complexes may be located in MSAs 51 to 100, one of which must be Honolulu, Hawaii (for a complex at Waimea); and the three (3) remaining complexes must be located at least 75 nautical miles from the borders of the 100 largest MSAs or in any MSA not included in the 100 largest MSAs. Any location allotted for one range of MSAs may be taken from an MSA below that range.

(3)(i) Any non-GSO MSS licensee may at any time specify sets of geographic coordinates for feeder link earth station complexes with each earth station contained therein to be located at least 75 nautical miles from the borders of the 100 largest MSAs.

(ii) For purposes of paragraph (c)(3)(i) of this section, non-GSO MSS feeder link earth station complexes shall be entitled to accommodation only if the non-GSO MSSlicensee preapplies to the Commission for a feeder link earth station complex or certifies to the Commission within sixty days of receiving a copy of an LMDS application that it intends to file an application for a feeder link earth station complex within six months of the date of receipt of the LMDS application.

(iii) If said non-GSO MSS licensee application is filed later than six months after certification to the Commission, the LMDS and non-GSO MSS entities shall still cooperate fully and make reasonable efforts to resolve technical problems, but the LMDS licensee shall not be obligated to re-engineer its proposal or make changes to its system.

(4) LMDS licensees or applicants proposing to operate hub stations on frequencies in the 29.1–29.25 GHz band at locations outside of the 100 largest MSAs or within a distance of 150 nautical miles from a set of geographic coordinates specified under paragraph (c)(2) or (c)(3)(i) of this section shall serve copies of their applications on all non-GSO MSS applicants, permitees or licensees meeting the criteria specified in §25.257(a). Non-GSO MSS licensees or applicants shall serve copies of their feeder link earth station applications, after the LMDS auction, on any LMDS

applicant or licensee within a distance of 150 nautical miles from the geographic coordinates that it specified under paragraph (c)(2) or (c)(3)(i) of this section. Any necessary coordination shall commence upon notification by the party receiving an application to the party who filed the application. The results of any such coordination shall be reported to the Commission within sixty days. The non-GSO MSS earth station licensee shall also provide all such LMDS licensees with a copy of its channel plan.

(z) 71,000–76,000 MHz; 81,000–86,000 MHz; 92,000-94,000 MHz; 94,100-95,000 MHz. (1) Those applicants who are approved in accordance with FCC Form 601 will each be granted a single, nonexclusive nationwide license. Site-bysite registration is on a first-come, first-served basis. Registration will be in the Universal Licensing System until the Wireless Telecommunications Bureau announces by public notice, the implementation of a third-party database. See 47 CFR 101.1523. Links may not operate until NTIA approval is received. Licensees may use these bands for any point-to-point non-broadcast service.

(2) Prior links shall be protected using the interference protection criteria set forth in section 101.105. For transmitters employing digital modulation techniques and operating in the 71,000-76,000 MHz or 81,000-86,000 MHz bands, the licensee must construct a system that meets a minimum bit rate of 0.125 bits per second per Hertz of bandwidth. For transmitters that operate in the 92,000-94,000 MHz or 94,100-95.000 MHz bands, licensees must construct a system that meets a minimum bit rate of 1.0 bit per second per Hertz of bandwidth. If it is determined that a licensee has not met these loading requirements, then the database will be modified to limit coordination rights to the spectrum that is loaded and the licensee will lose protection rights on spectrum that has not been loaded.

#### [61 FR 26677, May 28, 1996]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §101.147, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsus.gov.