

earth stations shall be made in conformance with §§ 25.117 and 25.118. In addition, registrants are required to notify the Commission when a receive-only earth station is no longer operational or when it has not been used to provide any service during any 6-month period.

(j)(1) Except as set forth in paragraph (j)(2) of this section, receive-only earth stations operating with non-U.S. licensed space stations shall file an FCC Form 312 requesting a license or modification to operate such station.

(2) Operators of receive-only earth stations used to receive transmissions from non-U.S.-licensed space stations on the Permitted Space Station List need not file for licenses, provided that the space station operator and earth station operator comply with all applicable rules in this chapter and with the applicable conditions in the Permitted Space Station List.

[56 FR 24016, May 28, 1991, as amended at 61 FR 9952, Mar. 12, 1996; 62 FR 5929, Feb. 10, 1997; 62 FR 64172, Dec. 4, 1997; 65 FR 58466, Sept. 29, 2000; 67 FR 12485, Mar. 19, 2002; 68 FR 62249, Nov. 3, 2003; 68 FR 63999, Nov. 12, 2003; 69 FR 29901, May 26, 2004; 69 FR 47795, Aug. 6, 2004; 70 FR 32253, June 2, 2005; 78 FR 8421, Feb. 6, 2013; 79 FR 8318, Feb. 12, 2014]

§ 25.132 Verification of earth station antenna performance standards.

(a)(1) Except for applications for 20/30 GHz earth stations and applications subject to the requirement in paragraph (b)(3) of this section, applications for transmitting earth stations in the Fixed-Satellite Service, including feeder-link stations, must include certification that the applicant has reviewed the results of a series of radiation pattern tests performed by the antenna manufacturer on representative equipment in representative configurations, and the test results demonstrate that the equipment meets the off-axis gain standards in § 25.209, measured in accordance with paragraph (b)(1) of this section. The licensee must be prepared to submit the radiation pattern measurements to the Commission on request.

(2) Applications for transmitting GSO FSS earth stations operating in the 20/30 GHz band must include the antenna measurements specified in § 25.138(d) and (e). Applications for

transmitting NGSO FSS earth stations operating in the 20/30 GHz band must include the antenna measurements specified in § 25.138(d).

(b)(1) For purposes of paragraph (a)(1) of this section, the following measurements on a production antenna performed on calibrated antenna range, as a minimum, must be made at the bottom, middle and top of each allocated frequency band:

(i) Co-polarized patterns in the E- and H-planes for linear-polarized antennas or in two orthogonal cuts for circularly-polarized antennas:

(A) In the azimuth plane, plus and minus 7 degrees and plus and minus 180 degrees from beam peak.

(B) In the elevation plane, 0 to 45 degrees from beam peak.

(ii) Cross-polarization patterns in the E- and H-planes for linear-polarized antennas or in two orthogonal cuts for circularly-polarized antennas, plus and minus 9 degrees from beam peak.

(iii) Main beam gain.

(2) The FCC envelope specified in § 25.209 shall be superimposed on each pattern. The minimum tests specified above are recognized as representative of the performance of the antenna in most planes although some increase in sidelobe levels should be expected in the spar planes and orthogonal spar planes.

(3) Except as provided in paragraph (d) of this section, applicants seeking authority to operate a Fixed-Satellite Service earth station pursuant to the requirements in § 25.218, § 25.220, § 25.221, § 25.222, § 25.223, § 25.226, or § 25.227 must submit a copy of the manufacturer's range test plots of the antenna gain patterns specified in paragraph (b)(1) of this section.

(c) The tests specified in paragraph (b) of this section are normally performed at the manufacturer's facility; but for those antennas that are very large and only assembled on-site, on-site measurements may be used for product qualification data. If on-site data is to be used for qualification, the test frequencies and number of patterns should follow, where possible, the recommendations in paragraph (b) of this section, and the test data is to be submitted in the same manner as described in paragraph (a) of this section.

(d) For each new or modified transmitting antenna over 3 meters in diameter, except antennas subject to measurement under § 25.138(d), the following on-site verification measurements must be completed at one frequency on an available transponder in each frequency band of interest and submitted to the Commission.

(1) Co-polarized patterns in the elevation plane, plus and minus 7 degrees, in the transmit band.

(2) Co-polarized patterns in the azimuth and elevation planes, plus and minus 7 degrees, in the receive band.

(3) *System cross-polarization discrimination on-axis*. The FCC envelope specified in § 25.209 shall be superimposed on each pattern. The transmit patterns are to be measured with the aid of a co-operating earth station in coordination with the satellite system control center under the provisions of § 25.272.

(e) Certification that the tests required by paragraph (c) of this section have been satisfactorily performed shall be provided to the Commission in notification that construction of the facilities has been completed as required by § 25.133.

(f) Antennas less than 3 meters in diameter and antennas on simple (manual) drive mounts that are operated at a fixed site are exempt from the requirements of paragraphs (c) and (d) of this section provided that a detailed technical showing is made that confirms proper installation, pointing procedures, and polarization alignment and manufacturing quality control. These showing must also include a plan for periodic testing and field installation procedures and precautions.

(g) Records of the results of the tests required by this section must be maintained at the antenna site or the earth station operator's control center and be available for inspection.

[58 FR 13419, Mar. 11, 1993, as amended at 69 FR 5710, Feb. 6, 2004; 70 FR 32253, June 2, 2005; 72 FR 50028, Aug. 29, 2007; 74 FR 47102, Sept. 15, 2009; 74 FR 57098, Nov. 4, 2009; 78 FR 14926, Mar. 8, 2013; 79 FR 8318, Feb. 12, 2014]

§ 25.133 Period of construction; certification of commencement of operation.

(a)(1) Each initial license for an earth station governed by this part, except

for blanket licenses, will specify as a condition therein the period in which construction of facilities must be completed and station operation commenced. Construction of the earth station must be completed and the station must be brought into operation within 12 months from the date of the license grant except as may be determined by the Commission for any particular application.

(2) Each initial blanket license for multiple earth stations at unspecified locations will specify as a condition therein the period in which station operation must be commenced. The networks in which the mobile earth stations will be operated must be brought into operation within 12 months from the date of the license grant except as may be determined by the Commission for any particular application.

(b)(1) Each initial license for a transmitting earth station or modified license authorizing operation of an additional transmitting antenna, except for blanket licenses, will also specify as a condition therein that upon completion of construction, the licensee must file with the Commission a certification containing the following information:

- (i) The name of the licensee;
- (ii) File number of the application;
- (iii) Call sign of the antenna;
- (iv) Date of the license;

(v) A certification that the facility as authorized has been completed and that each antenna has been tested and found to perform within 2 dB of the applicable pattern specified in § 25.209 or other authorized pattern;

(vi) The date on which the earth station became operational; and

(vii) A statement that the station will remain operational during the license period unless the license is submitted for cancellation.

(2) For earth stations authorized under any blanket licensing provision in this chapter, a certification containing the information in paragraph (b)(1) of this section must be filed when the network is put into operation.

(c) If the facility does not meet the technical parameters set forth in § 25.209, a request for a waiver must be submitted and approved by the Commission before operations may commence.