

Federal Communications Commission

§ 74.32

procedures have been successfully completed and the filed application is consistent with that coordination.

(2) The station site does not lie within an area requiring international coordination.

(3) If operated on frequencies in the 17.8–19.7 GHz band for any services or on frequencies in the 17.7–17.8 GHz band for MVPD operations, the station site does not lie within any of the areas identified in § 1.924 of this chapter.

(d) Operation under this section shall be suspended immediately upon notification from the Commission or by the District Director of a Commission field facility, and shall not be resumed until specific authority is given by the Commission or District Director. When authorized by the District Director, short test operations may be made.

(e) Conditional authority ceases immediately if the application(s) is returned by the Commission because it is not acceptable for filing.

(f) Conditional authorization does not prejudice any action the Commission may take on the subject application(s). Conditional authority is accepted with the express understanding that such authority may be modified or cancelled by the Commission at any time without hearing if, in the Commission's discretion, the need for such action arises. An applicant operating pursuant to this conditional authority assumes all risks associated with such operation, the termination or modification of the conditional authority, or the subsequent dismissal or denial of its application(s).

[68 FR 12762, Mar. 17, 2003, as amended at 69 FR 17958, Apr. 6, 2004; 71 FR 69048, Nov. 29, 2006]

§ 74.28 Additional orders.

In case the rules contained in this part do not cover all phases of operation with respect to external effects, the FCC may make supplemental or additional orders in each case as may be deemed necessary.

[78 FR 25175, Apr. 29, 2013]

§ 74.30 Antenna structure, marking and lighting.

The provisions of part 17 of the FCC rules (Construction, Marking, and

Lighting of Antenna Structures) require certain antenna structures to be painted and/or lighted in accordance with the provisions of §§ 17.47 through 17.56 of the FCC rules.

[47 FR 53022, Nov. 24, 1982]

§ 74.32 Operation in the 17.7–17.8 GHz and 17.8–19.7 GHz bands.

(a) To minimize or avoid harmful interference to Federal Government Satellite Earth Stations located in the Denver, Colorado and Washington, DC areas, any application for a new station license to provide MVPD operations in the 17.7–17.8 GHz band or to operate in the 17.8–19.7 GHz band for any service, or for modification of an existing station license in these bands which would change the frequency, power, emission, modulation, polarization, antenna height or directivity, or location of such a station, must be coordinated with the Federal Government by the Commission before an authorization will be issued, if the station or proposed station is located in whole or in part within any of the areas defined by the following rectangles or circles:

DENVER, CO AREA

Rectangle 1:

41°30'00" N. Lat. on the north
103°10'00" W. Long. on the east
38°30'00" N. Lat. on the south
106°30'00" W. Long. on the west

Rectangle 2:

38°30'00" N. Lat. on the north
105°00'00" W. Long. on the east
37°30'00" N. Lat. on the south
105°50'00" W. Long. on the west

Rectangle 3:

40°08'00" N. Lat. on the north
107°00'00" W. Long. on the east
39°56'00" N. Lat. on the south
107°15'00" W. Long. on the west

WASHINGTON, DC AREA

Rectangle:

38°40'00" N. Lat. on the north
78°50'00" W. Long. on the east
38°10'00" N. Lat. on the south
79°20'00" W. Long. on the west

or

(b) Within a radius of 178 km of 38°48'00" N. Lat./76°52'00" W. Long.

(c) In addition, no application seeking authority for MVPD operations in the 17.7–17.8 GHz band or to operate in the 17.8–19.7 GHz band for any service

§ 74.34

47 CFR Ch. I (10–1–14 Edition)

will be accepted for filing if the proposed station is located within 20 km of the following coordinates:

Denver, CO area: 39°43'00" N. Lat./104°46'00" W. Long.

Washington, DC area: 38°48'00" N. Lat./76°52'00" W. Long.

NOTE TO §74.32: The coordinates cited in this section are specified in terms of the "North American Datum of 1983 (NAD 83)" with an accuracy of ±30 meters with respect to the "National Spatial Reference System"

[71 FR 69048, Nov. 29, 2006; 71 FR 75614, Dec. 15, 2006]

§ 74.34 Period of construction; certification of completion of construction.

(a) Each aural and television broadcast auxiliary station authorized under subparts E and F of this part must be in operation within 18 months from the initial date of grant.

(b) Each remote pickup broadcast auxiliary station authorized under subpart D of this part must be in operation within 12 months from the initial date of grant.

(c) Failure to timely begin operation means the authorization terminates automatically.

(d) Requests for extension of time may be granted upon a showing of good cause pursuant to §1.946(e) of this chapter.

(e) Construction of any authorized facility or frequency must be completed by the date specified in the license and the Commission must be notified pursuant to §1.946 of this chapter.

[68 FR 12763, Mar. 17, 2003]

Subparts A–C [Reserved]

Subpart D—Remote Pickup Broadcast Stations

§ 74.401 Definitions.

Associated broadcasting station(s). The broadcasting station or stations with which a remote pickup broadcast station or system is licensed as an auxiliary and with which it is principally used.

Authorized bandwidth. The occupied or necessary bandwidth, whichever is greater, authorized to be used by a station.

Automatic relay station. A remote pickup broadcast base station which is actuated by automatic means and is used to relay transmissions between remote pickup broadcast base and mobile stations, between remote pickup broadcast mobile stations and from remote pickup broadcast mobile stations to broadcasting stations. (Automatic operation is not operation by remote control.)

Carrier power. The average power at the output terminals of a transmitter (other than a transmitter having a suppressed, reduced or controlled carrier) during one radio frequency cycle under conditions of no modulation.

Mean power. The power at the output terminals of a transmitter during normal operation, averaged over a time sufficiently long compared with the period of the lowest frequency encountered in the modulation. A time of $\frac{1}{10}$ second during which the mean power is greatest will be selected normally.

Necessary bandwidth. For a given class of emission, the minimum value of the occupied bandwidth sufficient to ensure the transmission of information at the rate and with the quality required for the system employed, under specified conditions. Emissions useful for the good functioning of the receiving equipment, as for example, the emission corresponding to the carrier of reduced carrier systems, shall be included in the necessary bandwidth.

Occupied bandwidth. The frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power radiated by a given emission.

Operational communications. Communications concerning the technical and programming operation of a broadcast station and its auxiliaries.

Remote control operation. Operation of a base station by a properly designated person on duty at a control position from which the transmitter is not visible but that position is equipped with suitable controls so that essential functions can be performed therefrom.

Remote pickup broadcast base station. A remote pickup broadcast station authorized for operation at a specified location.