for children's programming); §76.1704 (proof-of-performance test data); and §76.1706 (signal leakage logs and repair records).

- (1)-(2) [Reserved]
- (b) Location of records. The public inspection file shall be maintained at the office which the system operator maintains for the ordinary collection of subscriber charges, resolution of subscriber complaints, and other business or at any accessible place in the community served by the system unit(such as a public registry for documents or an attorney's office). The public inspection file shall be available for public inspection at any time during regular business hours.
- (c) All or part of the public inspection file may be maintained in a computer database, as long as a computer terminal is made available, at the location of the file, to members of the public who wish to review the file.
- (d) The records specified in paragraph (a) of this section shall be retained for the period specified in §§ 76.1701, 76.1702, 76.1704(a), and 76.1706, respectively.
- (e) Reproduction of records. Copies of any material in the public inspection file shall be available for machine reproduction upon request made in person, provided the requesting party shall pay the reasonable cost of reproduction. Requests for machine copies shall be fulfilled at a location specified by the system operator, within a reasonable period of time, which in no event shall be longer than seven days. The system operator is not required to honor requests made by mail but may do so if it chooses.

[65 FR 53621, Sept. 5, 2000, as amended at 66 FR 67117, Dec. 28, 2001; 67 FR 1650, Jan. 14, 2002]

## § 76.1701 Political file.

(a) Every cable television system shall keep and permit public inspection of a complete and orderly record (political file) of all requests for cablecast time made by or on behalf of a candidate for public office, together with an appropriate notation showing the disposition made by the system of such requests, and the charges made, if any, if the request is granted. The "disposition" includes the schedule of time purchased, when spots actually aired,

the rates charged, and the classes of time purchased.

- (b) When free time is provided for use by or on behalf of candidates, a record of the free time provided shall be placed in the political file.
- (c) All records required by this paragraph shall be placed in the political file as soon as possible and shall be retained for a period of two years. As soon as possible means immediately absent unusual circumstances.
- (d) Where origination cablecasting material is a political matter or matter involving the discussion of a controversial issue of public importance and a corporation, committee, association or other unincorporated group, or other entity is paying for or furnishing the matter, the system operator shall, in addition to making the announcement required by §76.1616(a), require that a list of the chief executive officers or members of the executive committee or of the board of directors of the corporation, committee, association or other unincorporated group, or other entity shall be made available for public inspection at the local office of the system. Such lists shall be kept and made available for a period of two

## § 76.1702 Equal employment opportunity.

(a) Every employment unit with six or more full-time employees shall maintain for public inspection a file containing copies of all EEO program annual reports filed with the Commission pursuant to §76.77 and the equal employment opportunity program information described in paragraph (b) of this section. These materials shall be placed in the unit's public inspection file annually by the date that the unit's EEO program annual report is due to be filed and shall be retained for a period of five years. The file shall be maintained at the central office and at every location with six or more fulltime employees. A headquarters employment unit file and a file containing a consolidated set of all documents pertaining to the other employment units of a multichannel video programming distributor that operates multiple units shall be maintained at the