

(5) Operators of SDARS terrestrial repeaters are prohibited from using those repeaters to retransmit different transmissions from a satellite to different regions within that satellite's coverage area.

(6) Operators of SDARS terrestrial repeaters are required to comply with all applicable provisions of part 1, subpart I, and part 17 of this chapter.

(7)(i) Each SDARS terrestrial repeater transmitter utilized for operation under this paragraph must be of a type that has been authorized by the Commission under its certification procedure.

(ii) In addition to the procedures set forth in subpart J of part 2 of this chapter, power measurements for SDARS repeater transmitters may be made in accordance with a Commission-approved average power technique. Peak-to-average power ratio (PAPR) measurements for SDARS repeater transmitters should be made using either an instrument with complementary cumulative distribution function (CCDF) capabilities to determine that the PAPR will not exceed 13 dB for more than 0.1 percent of the time or another Commission approved procedure. The measurement must be performed using a signal corresponding to the highest PAPR expected during periods of continuous transmission.

(iii) Any manufacturer of radio transmitting equipment to be used in these services may request equipment authorization following the procedures set forth in subpart J of part 2 of this chapter. Equipment authorization for an individual transmitter may be requested by an applicant for a station authorization by following the procedures set forth in part 2 of this chapter.

(8) Applications for blanket authority to operate terrestrial repeaters must be filed using Form 312, except that Schedule B to Form 312 need not be filed. Such applications must also include the following information as an attachment:

(i) The space station(s) with which the terrestrial repeaters will communicate, the frequencies and emission designators of such communications, and the frequencies and emission designators used by the repeaters to retransmit the received signals.

(ii) The maximum number of terrestrial repeaters that will be deployed under the authorization at 1) power levels equal to or less than 2-watt average EIRP, and 2) power levels greater than 2-watt average EIRP (up to 12-kW average EIRP).

(iii) A certification of compliance with the requirements of § 25.144(e)(1) through (7).

(9) SDARS terrestrial repeaters that are ineligible for blanket licensing must be authorized on a site-by-site basis. Applications for site-by-site authorization must be filed using Form 312, except that Schedule B need not be provided. Such applications must also include the following information, as an attachment:

(i) The technical information for each repeater required to be shared with potentially affected WCS licensees as part of the notification requirement set forth in § 25.263(c)(2).

(ii) The space station(s) with which the terrestrial repeaters will communicate, the frequencies and emission designators of such communications, and the frequencies and emission designators used by the repeaters to retransmit the received signals.

[62 FR 11105, Mar. 11, 1997, as amended at 68 FR 51504, Aug. 27, 2003; 70 FR 32254, June 2, 2005; 75 FR 45067, Aug. 2, 2010; 79 FR 8320, Feb. 12, 2014]

§ 25.145 Licensing provisions for the Fixed-Satellite Service in the 20/30 GHz bands.

(a) [Reserved]

(b) *System License.* Applicants authorized to construct and launch a system of technically identical non-geostationary satellite orbit satellites will be awarded a single “blanket” license covering a specified number of space stations to operate in a specified number of orbital planes.

(c) In addition to providing the information specified in § 25.114, each non-geostationary satellite orbit applicant shall demonstrate the following:

(1) That the proposed system is capable of providing Fixed-Satellite Service to all locations as far north as 70° North Latitude and as far south as 55° South Latitude for at least 75% of every 24-hour period; and

(2) That the proposed system is capable of providing Fixed-Satellite Service on a continuous basis throughout the fifty states, Puerto Rico and the U.S. Virgin Islands.

(3) [Reserved]

(d) [Reserved]

(e) Prohibition of certain agreements. No license shall be granted to any applicant for a space station in the Fixed-Satellite Service operating in the 20/30 GHz band if that applicant, or any persons or companies controlling or controlled by the applicant, shall acquire or enjoy any right, for the purpose of handling traffic to or from the United States, its territories or possession, to construct or operate space segment or earth stations, or to interchange traffic, which is denied to any other United States company by reason of any concession, contract, understanding, or working arrangement to which the Licensee or any persons or companies controlling or controlled by the Licensee are parties.

(f)(1) [Reserved]

(2) Licensees shall submit to the Commission a yearly report indicating the number of earth stations actually brought into service under its blanket licensing authority. The annual report is due to the Commission no later than the first day of April of each year and shall indicate the deployment figures for the preceding calendar year.

(g) *Protection from interference from terrestrial operation in the 18.3 to 19.3 GHz band.* Fixed-Satellite Service operators are entitled to protection from harmful interference from terrestrial stations operating in this frequency band. See §§21.901(e), 74.502(c), 74.602(g), 78.18(a)(4), and 101.147(r) of this chapter.

(h) *Replacement of Space Stations within the System License Term.* Licensees of NGSO FSS systems in the 18.8–19.3 GHz and 28.6–29.1 GHz frequency bands authorized through a blanket license pursuant to paragraph (b) of this section need not file separate applications to launch and operate technically identical replacement satellites within the term of the system authorization. However, the licensee shall certify to the Commission, at least thirty days prior to launch of such replacement(s) that:

(1) The licensee intends to launch a space station into the previously-au-

thorized orbit that is technically identical to those authorized in its system authorization and

(2) Launch of this space station will not cause the license to exceed the total number of operating space stations authorized by the Commission.

[62 FR 61456, Nov. 18, 1997, as amended at 65 FR 54171, Sept. 7, 2000; 66 FR 63515, Dec. 7, 2001; 67 FR 39310, June 7, 2002; 68 FR 16966, Apr. 8, 2003; 68 FR 51505, Aug. 27, 2003; 68 FR 59129, Oct. 14, 2003; 70 FR 59277, Oct. 12, 2005; 78 FR 8423, Feb. 6, 2013; 79 FR 8320, Feb. 12, 2014]

§ 25.146 Licensing and operating rules for the non-geostationary orbit Fixed-Satellite Service in the 10.7 GHz–14.5 GHz bands.

(a) A comprehensive technical showing shall be submitted for the proposed non-geostationary satellite orbit Fixed-Satellite Service (NGSO FSS) system in the 10.7–14.5 GHz bands. The technical information shall demonstrate that the proposed NGSO FSS system would not exceed the validation equivalent power flux-density (EPFD) limits as specified in §25.208 (g), (k), and (l) for EPFD_{down}, and EPFD_{up}. If the technical demonstration exceeds the validation EPFD limits at any test points within the U.S. for domestic service and at any points outside of the U.S. for international service or at any points in the geostationary satellite orbit, as appropriate, the application would be unacceptable for filing and will be returned to the applicant with a brief statement identifying the non-compliance technical demonstration. The technical showing consists of the following:

(1) *Single-entry validation equivalent power flux-density, in the space-to-Earth direction, (EPFD_{down}) limits.* (i) Provide a set of power flux-density (PFD) masks, on the surface of the Earth, for each space station in the NGSO FSS system. The PFD masks shall be generated in accordance with the specification stipulated in the most recent version of ITU-R Recommendation S.1503, “Functional Description to be used in Developing Software Tools for Determining Conformity of Non-GSO FSS Networks with Limits Contained in Article 22 of the Radio Regulations.” In