

Dated: January 8, 2018.

Leslie Kux,

Associate Commissioner for Policy.

[FR Doc. 2018–00357 Filed 1–10–18; 8:45 am]

BILLING CODE 4164–01–P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA–2016–E–3777]

Determination of Regulatory Review Period for Purposes of Patent Extension; MICRA TRANSCATHETER PACING SYSTEM

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice.

SUMMARY: The Food and Drug Administration (FDA or the Agency) has determined the regulatory review period for MICRA TRANSCATHETER PACING SYSTEM and is publishing this notice of that determination as required by law. FDA has made the determination because of the submission of applications to the Director of the U.S. Patent and Trademark Office (USPTO), Department of Commerce, for the extension of a patent which claims that medical device.

DATES: Anyone with knowledge that any of the dates as published (see the **SUPPLEMENTARY INFORMATION** section) are incorrect may submit either electronic or written comments and ask for a redetermination by March 12, 2018. Furthermore, any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period by July 10, 2018. See “Petitions” in the **SUPPLEMENTARY INFORMATION** section for more information.

ADDRESSES: You may submit comments as follows. Please note that late, untimely filed comments will not be considered. Electronic comments must be submitted on or before March 12, 2018. The <https://www.regulations.gov> electronic filing system will accept comments until midnight Eastern Time at the end of March 12, 2018. Comments received by mail/hand delivery/courier (for written/paper submissions) will be considered timely if they are postmarked or the delivery service acceptance receipt is on or before that date.

Electronic Submissions

Submit electronic comments in the following way:

- **Federal eRulemaking Portal:** <https://www.regulations.gov>. Follow the instructions for submitting comments. Comments submitted electronically, including attachments, to <https://www.regulations.gov> will be posted to the docket unchanged. Because your comment will be made public, you are solely responsible for ensuring that your comment does not include any confidential information that you or a third party may not wish to be posted, such as medical information, your or anyone else’s Social Security number, or confidential business information, such as a manufacturing process. Please note that if you include your name, contact information, or other information that identifies you in the body of your comments, that information will be posted on <https://www.regulations.gov>.

- If you want to submit a comment with confidential information that you do not wish to be made available to the public, submit the comment as a written/paper submission and in the manner detailed (see “Written/Paper Submissions” and “Instructions”).

Written/Paper Submissions

Submit written/paper submissions as follows:

- **Mail/Hand Delivery/Courier (for written/paper submissions):** Dockets Management Staff (HFA–305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

- For written/paper comments submitted to the Dockets Management Staff, FDA will post your comment, as well as any attachments, except for information submitted, marked and identified, as confidential, if submitted as detailed in “Instructions.”

Instructions: All submissions received must include the Docket No. FDA–2016–E–3777 for “Determination of Regulatory Review Period for Purposes of Patent Extension; MICRA TRANSCATHETER PACING SYSTEM.” Received comments, those filed in a timely manner (see **ADDRESSES**), will be placed in the docket and, except for those submitted as “Confidential Submissions,” publicly viewable at <https://www.regulations.gov> or at the Dockets Management Staff between 9 a.m. and 4 p.m., Monday through Friday.

- **Confidential Submissions—**To submit a comment with confidential information that you do not wish to be made publicly available, submit your comments only as a written/paper submission. You should submit two copies total. One copy will include the information you claim to be confidential with a heading or cover note that states “THIS DOCUMENT CONTAINS

CONFIDENTIAL INFORMATION.” The Agency will review this copy, including the claimed confidential information, in its consideration of comments. The second copy, which will have the claimed confidential information redacted/blacked out, will be available for public viewing and posted on <https://www.regulations.gov>. Submit both copies to the Dockets Management Staff. If you do not wish your name and contact information to be made publicly available, you can provide this information on the cover sheet and not in the body of your comments and you must identify this information as “confidential.” Any information marked as “confidential” will not be disclosed except in accordance with § 10.20 (21 CFR 10.20) and other applicable disclosure law. For more information about FDA’s posting of comments to public dockets, see 80 FR 56469, September 18, 2015, or access the information at: <https://www.gpo.gov/fdsys/pkg/FR-2015-09-18/pdf/2015-23389.pdf>.

Docket: For access to the docket to read background documents or the electronic and written/paper comments received, go to <https://www.regulations.gov> and insert the docket number, found in brackets in the heading of this document, into the “Search” box and follow the prompts and/or go to the Dockets Management Staff, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

FOR FURTHER INFORMATION CONTACT: Beverly Friedman, Office of Regulatory Policy, Food and Drug Administration, 10903 New Hampshire Ave., Bldg. 51, Rm. 6250, Silver Spring, MD 20993, 301–796–3600.

SUPPLEMENTARY INFORMATION:

I. Background

The Drug Price Competition and Patent Term Restoration Act of 1984 (Pub. L. 98–417) and the Generic Animal Drug and Patent Term Restoration Act (Pub. L. 100–670) generally provide that a patent may be extended for a period of up to 5 years so long as the patented item (human drug product, animal drug product, medical device, food additive, or color additive) was subject to regulatory review by FDA before the item was marketed. Under these acts, a product’s regulatory review period forms the basis for determining the amount of extension an applicant may receive.

A regulatory review period consists of two periods of time: A testing phase and an approval phase. For medical devices, the testing phase begins with a clinical investigation of the device and runs

until the approval phase begins. The approval phase starts with the initial submission of an application to market the device and continues until permission to market the device is granted. Although only a portion of a regulatory review period may count toward the actual amount of extension that the Director of USPTO may award (half the testing phase must be subtracted as well as any time that may have occurred before the patent was issued), FDA's determination of the length of a regulatory review period for a medical device will include all of the testing phase and approval phase as specified in 35 U.S.C. 156(g)(3)(B).

FDA has approved for marketing the medical device MICRA TRANSCATHETER PACING SYSTEM. MICRA TRANSCATHETER PACING SYSTEM is indicated for use in patients who have experienced one or more of the following conditions: (1) Symptomatic paroxysmal or permanent high-grade atrioventricular (AV) block in the presence of atrial fibrillation (AF); (2) symptomatic paroxysmal or permanent high-grade AV block in the absence of AF, as an alternative to dual chamber pacing, when atrial lead placement is considered difficult, high risk, or not deemed necessary for effective therapy; (3) symptomatic bradycardia-tachycardia syndrome or sinus node dysfunction (sinus bradycardia or sinus pauses), as an alternative to atrial or dual chamber pacing when atrial lead placement is considered difficult, high risk, or not deemed necessary for effective therapy. Subsequent to this approval, the USPTO received patent term restoration applications for MICRA TRANSCATHETER PACING SYSTEM (U.S. Patent Nos. 7,824,805 and 8,129,622) from Medtronic, Inc., and the USPTO requested FDA's assistance in determining the patents' eligibility for patent term restoration. In a letter dated March 13, 2017, FDA advised the USPTO that this medical device had undergone a regulatory review period and that the approval of MICRA TRANSCATHETER PACING SYSTEM represented the first permitted commercial marketing or use of the product. Thereafter, the USPTO requested that FDA determine the product's regulatory review period.

II. Determination of Regulatory Review Period

FDA has determined that the applicable regulatory review period for MICRA TRANSCATHETER PACING SYSTEM is 788 days. Of this time, 585 days occurred during the testing phase of the regulatory review period, while

203 days occurred during the approval phase. These periods of time were derived from the following dates:

1. *The date an exemption under section 520(g) of the Federal Food, Drug, and Cosmetic Act (FD&C Act) (21 U.S.C. 360j(g)) involving this device became effective:* February 10, 2014. The applicant claims that the investigational device exemption (IDE) required under section 520(g) of the FD&C Act for human tests to begin became effective on April 3, 2014. However, FDA records indicate that the IDE was determined substantially complete for clinical studies to have begun on February 10, 2014, which represents the IDE effective date.

2. *The date an application was initially submitted with respect to the device under section 515 of the FD&C Act (21 U.S.C. 360e):* September 17, 2015. FDA has verified the applicant's claim that the premarket approval application (PMA) for MICRA TRANSCATHETER PACING SYSTEM (PMA P150033) was initially submitted September 17, 2015.

3. *The date the application was approved:* April 6, 2016. FDA has verified the applicant's claim that PMA P150033 was approved on April 6, 2016.

This determination of the regulatory review period establishes the maximum potential length of a patent extension. However, the USPTO applies several statutory limitations in its calculations of the actual period for patent extension. In its applications for patent extension, this applicant seeks 457 days and 494 days of patent term extension.

III. Petitions

Anyone with knowledge that any of the dates as published are incorrect may submit either electronic or written comments and, under 21 CFR 60.24, ask for a redetermination (see **DATES**). Furthermore, as specified in § 60.30 (21 CFR 60.30), any interested person may petition FDA for a determination regarding whether the applicant for extension acted with due diligence during the regulatory review period. To meet its burden, the petition must comply with all the requirements of § 60.30, including but not limited to: Must be timely (see **DATES**), must be filed in accordance with § 10.20, must contain sufficient facts to merit an FDA investigation, and must certify that a true and complete copy of the petition has been served upon the patent applicant. (See H. Rept. 857, part 1, 98th Cong., 2d sess., pp. 41–42, 1984.) Petitions should be in the format specified in 21 CFR 10.30.

Submit petitions electronically to <https://www.regulations.gov> at Docket

No. FDA–2013–S–0610. Submit written petitions (two copies are required) to the Dockets Management Staff (HFA–305), Food and Drug Administration, 5630 Fishers Lane, Rm. 1061, Rockville, MD 20852.

Dated: January 8, 2018.

Leslie Kux,

Associate Commissioner for Policy.

[FR Doc. 2018–00355 Filed 1–10–18; 8:45 am]

BILLING CODE 4164–01–P

DEPARTMENT OF HEALTH AND HUMAN SERVICES

Food and Drug Administration

[Docket No. FDA–2017–N–6826]

Anesthetic and Analgesic Drug Products Advisory Committee; Notice of Meeting; Establishment of a Public Docket; Request for Comments

AGENCY: Food and Drug Administration, HHS.

ACTION: Notice, establishment of a public docket; request for comments.

SUMMARY: The Food and Drug Administration (FDA) announces a forthcoming public advisory committee meeting of the Anesthetic and Analgesic Drug Products Advisory Committee. The general function of the committee is to provide advice and recommendations to FDA on regulatory issues. The meeting will be open to the public. FDA is establishing a docket for public comment on this document.

DATES: The meeting will be held on February 14, 2018, from 1:30 p.m. to 5 p.m., and February 15, 2018, from 8 a.m. to 5 p.m.

ADDRESSES: FDA White Oak Campus, 10903 New Hampshire Avenue, Bldg. 31 Conference Center, the Great Room (Rm. 1503), Silver Spring, MD 20993–0002. Answers to commonly asked questions including information regarding special accommodations due to a disability, visitor parking, and transportation may be accessed at: <https://www.fda.gov/AdvisoryCommittees/AboutAdvisoryCommittees/ucm408555.htm>.

FDA is establishing a docket for public comment on this meeting. The docket number is FDA–2017–N–6826. The docket will close on February 13, 2018. Submit either electronic or written comments on this public meeting by February 13, 2018. Please note that late, untimely filed comments will not be considered. Electronic comments must be submitted on or before February 13, 2018. The <https://www.regulations.gov> electronic filing