(Catalog of Federal Domestic Assistance No. 83.100, ''Flood Insurance.'')

Dated: July 6, 2006.

David I. Maurstad,

Director, Mitigation Division, Federal Emergency Management Agency, Department of Homeland Security. [FR Doc. E6–11394 Filed 7–18–06; 8:45 am]

BILLING CODE 9110–12–P

## DEPARTMENT OF HOMELAND SECURITY

## Federal Emergency Management Agency

### 44 CFR Part 67

#### [Docket No. FEMA-P-7919]

### Proposed Flood Elevation Determinations

**AGENCY:** Federal Emergency Management Agency (FEMA), Department of Homeland Security, Mitigation Division.

# ACTION: Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations (BFEs) and proposed BFEs modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a

newspaper of local circulation in each community.

**ADDRESSES:** The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: William R. Blanton, Jr., CFM, Acting Section Chief, Engineering Management Section, Mitigation Division, 500 C Street, SW., Washington, DC 20472, (202) 646–3151.

SUPPLEMENTARY INFORMATION: FEMA proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a). These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act. The Mitigation Division Director certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified BFEs are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 13132, Federalism.* This rule involves no policies that have federalism implications under Executive Order 13132.

*Executive Order 12988, Civil Justice Reform.* This rule meets the applicable standards of Executive Order 12988.

### List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

### PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376, § 67.4.

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

Flooding source(s)	Location of referenced elevation	+ Elevation in feet (NGVD) * Elevation in feet(NAVD) # Depth in feet above ground		Communities affected						
		Effective	Modified							
Bossier Parish, Louisiana (Unincorporated Areas)										
Alligator Bayou	At the confluence with Flat River	*163	*160	City of Bossier City.						
	Approximately 1,550 feet downstream of U.S. Highway 79/80 Eastbound.	*163	*162							
Benoit Bayou	At the confluence with Macks Bayou	*166	*168	City of Bossier City, Bossier Parish, (Unin- corporated Areas).						
	Segment G and Macks Bayou Segment H.									
	Approximately 12,520 feet upstream of Brownless Road.	None	*173							
Bossier Ditch	Approximately 60 feet upstream of the confluence with Cooper Bayou and Macks Bayou Segment F.	*160	*159	City of Bossier City.						
	Approximately 180 feet upstream of Ben- ton Road.	None	*170							
Fifi Bayou	Just upstream of U.S. Interstate 20	None	*174	Bossier Parish (Unincorporated Areas).						

Flooding source(s)	Location of referenced elevation	+ Elevation in feet (NGVD) * Elevation in feet(NAVD) # Depth in feet above ground		Communities affected	
		Effective	Modified		
	Approximately 9,000 feet upstream of Windfield Road.	None	*190		
Flat River	Just upstream of State Route 527	None	*154	City of Bossier City, Bossier Parish (Unin corporated Areas).	
	Approximately 500 feet upstream of U.S. Interstate 220 Westbound.	*165	*164		
Flat River Drainage Canal.	Just upstream of Coy Road	*166	*165	City of Bossier City, Bossier Parish (Unin corporated Areas).	
	Approximately 400 feet upstream of Airline Drive.	*173	*174		
Flat River (Upper Reach).	Approximately 540 feet upstream of the confluence with Flat River Drainage Canal.	*176	*175	Bossier Parish (Unincorporated Areas).	
	Approximately 4,830 feet upstream of the confluence of Willow Chute Lateral.	*179	*177		
Herndon Ditch	At the confluence with Flat River	*156	*158	City of Bossier City, Bossier Parish (Unin corporated Areas).	
	Approximately 1,300 feet downstream of the confluence of Macks Bayou Seg- ment B.	*157	*158		
Lake Bistineau Macks Bayou Segment A.	Entire shoreline within Bossier Parish At the confluence with Flat River	None *156	*148 *157	Bossier Parish (Unincorporated Areas). City of Bossier City, Bossier Parish (Unin corporated Areas).	
<u>.</u>	Approximately 25 feet upstream of Golden Meadows Drive.	*156	*157		
Macks Bayou Segment E.	Approximately 1,025 feet upstream of the confluence with Bossier Ditch.	*162	*163	City of Bossier City.	
	Approximately 2,010 feet upstream of the confluence with Bossier Ditch.	*162	*163		
Macks Bayou Segment G.	Approximately 800 feet upstream of Kan- sas City Southern Railray.	*166	*167	City of Bossier City.	
	At the confluence with Benoit Bayou and junction with Macks Bayou Segment H.	*166	*168		
Macks Bayou Segment H.	Approximately 190 feet upstream of the confluence with Flat River.	*165	*168	City of Bossier City, Bossier Parish (Unin corporated Areas).	
	At the confluence of Benoit Bayou and di- vergence of Macks Bayou Segment G.	*166	*168		
Racetrack Bayou	At the confluence with Willow Chute At U.S. Interstate 220 Westbound and di- vergence from Macks Bayou Segment H.	None *166	*166 *168	City of Bossier City.	
Red Chute Bayou	Approximately 12,400 feet upstream of Smith Road.	None	*154	City of Bossier City, Bossier Parish (Unin corporated Areas).	
	Approximately 4,050 feet upstream of Dog- wood Trail.	*165	*169	. ,	
Willow Chute Lateral	At the confluence with Flat River Approximately 4,930 feet upstream of the confluence with Flat River (Upper Reach).	*178 *178	*177 *177	Bossier Parish (Unincorporated Areas).	

# City of Bossier City, Bossier Parish, Louisiana

Maps are available for inspection at City Hall, 620 Benton Road, Bossier City, Louisiana.

Send comments to The Honorable Lorenz "Lo" Walker, Mayor, City of Bossier City, City Hall, 620 Benton Road, Bossier City, Louisiana 71111. Bossier Parish, Louisiana (Unincorporated Areas)

Maps are available for inspection at the Police Jury Office, 204 Burt Boulevard, Room 108, Benton, Louisiana.

Send comments to The Honorable William R. Altimus, Bossier Parish Administrator, Post Office Box 70, 204 Burt Boulevard, Room 108, Benton, Louisiana 71006.

\* North American Veritical Datum of 1988.

(Catalog of Federal Domestic Assistance No. 83.100, ''Flood Insurance.'')

Dated: July 6, 2006.

# David I. Maurstad,

Director, Mitigation Division, Federal Emergency Management Agency, Department of Homeland Security. [FR Doc. E6–11391 Filed 7–18–06; 8:45 am]

BILLING CODE 9110-12-P

### DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

### 44 CFR Part 67

[Docket No. P-7915]

### Proposed Flood Elevation Determinations

**AGENCY:** Federal Emergency Management Agency (FEMA), Department of Homeland Security. **ACTION:** Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

**ADDRESSES:** The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

### FOR FURTHER INFORMATION CONTACT:

William R. Blanton, Jr., Enginering Management Section, Mitigation Division, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646–3151.

**SUPPLEMENTARY INFORMATION:** FEMA proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared. Regulatory Flexibility Act. The Mitigation Division Director of the Federal Emergency Management Agency certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified BFEs are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 13132, Federalism.* This rule involves no policies that have federalism implications under Executive Order 13132.

*Executive Order 12988, Civil Justice Reform.* This rule meets the applicable standards of Executive Order 12988.

### List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

# PART 67-[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

#### §67.4 [Amended]

2. The tables published under the authority of 67.4 are proposed to be amended as follows:

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. *Elevation in feet ♦(NAVD)	
				Existing	Modified
NE	Omaha (City) (Douglas Coun- ty).	Candlewood Lake	Entire Shoreline	None	♦1,096

ADDRESS

Maps are available for inspection at City Hall, 1819 Farnum Street, Omaha, Nebraska. Send comments to The Honorable Mike Fahey, Mayor, City of Omaha, 1819 Farnam Street, Third Floor, Omaha, Nebraska 68183.

North American Vertical Datum of 1988.