

plan's ability to remain solvent may be based on stress testing over a long-term period (and may reflect reasonable future adverse experience), using a reasonable method in accordance with generally accepted actuarial standards.

(f) If applicable, a copy of the plan actuary's certification under section 305(e)(9)(C)(i) of ERISA.

(g) The rules in § 4231.6(c) apply to the solvency projections described in paragraphs (c) and (e) of this section, unless section 305(e)(9)(D)(iv) of ERISA and the regulations thereunder apply and specify otherwise.

§ 4231.16 Participant census data for financial assistance merger.

A request for a financial assistance merger must include a copy of the census data used for the projections described in § 4231.15(c) through (e), including:

(a) Participant type (retiree, beneficiary, disabled, terminated vested, active, alternate payee).

(b) Gender.

(c) Date of birth.

(d) Credited service for guarantee calculation (*i.e.*, number of years of participation).

(e) Vested accrued monthly benefit.

(f) Monthly benefit guaranteed by PBGC.

(g) Benefit commencement date (for participants in pay status and others for which the reported benefit will not be payable at normal retirement age).

(h) For each participant in pay status—

(1) Form of payment, and

(2) Data relevant to the form of payment, including:

(i) For a joint-and-survivor benefit, the beneficiary's benefit amount and the beneficiary's date of birth;

(ii) For a Social Security level income benefit, the date of any change in the benefit amount, and the benefit amount after such change;

(iii) For a 5-year certain or 10-year certain benefit (or similar benefit), the relevant defined period; or

(iv) For a form of payment not otherwise described in this section, the data necessary for the valuation of the form of payment.

(i) If an actuarial increase for postponed retirement applies, or if the form of annuity is a Social Security level income benefit, the monthly vested benefit payable at normal retirement age in normal form of annuity.

§ 4231.17 PBGC action on a request for facilitated merger.

(a) *General.* PBGC may approve or deny a request for a facilitated merger,

including a request for a financial assistance merger, at its discretion if the requirements of section 4231 of ERISA are satisfied. PBGC will notify the plan sponsor(s) in writing of its decision on a request. If PBGC denies the request, PBGC's written decision will state the reason(s) for the denial. If PBGC approves a request for a financial assistance merger, PBGC will provide a financial assistance agreement detailing the total amount and terms of the financial assistance as soon as practicable after notifying the plan sponsor(s) in writing of its approval.

(b) *Final agency action.* PBGC's decision to approve or deny a request for a facilitated merger, including a request for a financial assistance merger, is a final agency action for purposes of judicial review under the Administrative Procedure Act (5 U.S.C. 701 *et seq.*).

§ 4231.18 Jurisdiction over financial assistance merger.

(a) *General.* PBGC will retain jurisdiction over the merged plan resulting from a financial assistance merger to carry out the purposes, terms, and conditions of the financial assistance merger, the financial assistance agreement, sections 4231 and 4261 of ERISA, and the regulations thereunder.

(b) *Financial assistance agreement.* PBGC may, upon providing notice to the plan sponsor, make changes to the financial assistance agreement in response to changed circumstances consistent with sections 4231 and 4261 of ERISA and the regulations thereunder.

William Reeder,

Director, Pension Benefit Guaranty Corporation.

[FR Doc. 2018-19988 Filed 9-13-18; 8:45 am]

BILLING CODE 7709-02-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2018-0871]

Drawbridge Operation Regulation; Sacramento River, Sacramento, CA

AGENCY: Coast Guard, DHS.

ACTION: Notice of deviation from drawbridge regulation.

SUMMARY: The Coast Guard has issued a temporary deviation from the operating schedule that governs the Tower

Drawbridge across the Sacramento River, mile 59.0, at Sacramento, CA. The deviation is necessary to allow the community to participate in the Farm-to-Fork Dinner event. This deviation allows the bridge to remain in the closed-to-navigation position during the deviation period.

DATES: This deviation is effective from 12 noon through 10 p.m. on September 30, 2018.

ADDRESSES: The docket for this deviation, USCG-2018-0871, is available at <http://www.regulations.gov>. Type the docket number in the "SEARCH" box and click "SEARCH." Click on Open Docket Folder on the line associated with this deviation.

FOR FURTHER INFORMATION CONTACT: If you have questions on this temporary deviation, call or email Carl T. Hausner, Chief, Bridge Section, Eleventh Coast Guard District; telephone 510-437-3516; email Carl.T.Hausner@uscg.mil.

SUPPLEMENTARY INFORMATION: The California Department of Transportation has requested a temporary change to the operation of the Tower Drawbridge over the Sacramento River, mile 59.0, at Sacramento, CA. The drawbridge navigation span provides a vertical clearance of 30 feet above Mean High Water in the closed-to-navigation position. The draw operates as required by 33 CFR 117.189(a). Navigation on the waterway is commercial and recreational.

The drawspan will be secured in the closed-to-navigation position from 12 noon through 10 p.m. on September 30, 2018, to allow the community to participate in the Farm-to-Fork Dinner event. This temporary deviation has been coordinated with the waterway users. No objections to the proposed temporary deviation were raised.

Vessels able to pass through the bridge in the closed position may do so at anytime. The bridge will be able to open for emergencies with a 2-hour notification to the bridge owner and there are no immediate alternate routes for vessels to pass. The Coast Guard will also inform the users of the waterway through our Local and Broadcast Notices to Mariners of the change in operating schedule for the bridge so that vessel operators can arrange their transits to minimize any impact caused by the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: September 11, 2018.

Carl T. Hausner,

District Bridge Chief, Eleventh Coast Guard District.

[FR Doc. 2018–20043 Filed 9–13–18; 8:45 am]

BILLING CODE 9110–04–P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 300

[EPA–HQ–SFUND–1989–0011; FRL–9983–74–Region 3]

National Oil and Hazardous Substances Pollution Contingency Plan; National Priorities List: Deletion of the Recticon/Allied Steel Superfund Site

AGENCY: Environmental Protection Agency.

ACTION: Final rule.

SUMMARY: The Environmental Protection Agency (EPA) Region 3 announces the deletion of the Recticon/Allied Steel Corp Superfund Site (Site) located in East Coventry Twp, PA, from the National Priorities List (NPL). The NPL, promulgated pursuant to section 105 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980, as amended, is an appendix of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP). The EPA and the Commonwealth of Pennsylvania, through the Pennsylvania Department of Environmental Protection, have determined that all appropriate response actions under CERCLA, have been completed. However, this deletion does not preclude future actions under Superfund.

DATES: This action is effective September 14, 2018.

ADDRESSES:

Docket: EPA has established a docket for this action under Docket

Identification No. EPA–HQ–SFUND–1989–0011. All documents in the docket are listed on the <http://www.regulations.gov> website. Although listed in the index, some information is not publicly available, *i.e.*, Confidential Business Information or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, is not placed on the internet and will be publicly available only in hard copy form. Publicly available docket materials are available either electronically through <http://www.regulations.gov> or in hard copy at the site information repositories.

Locations, contacts, phone numbers and viewing hours are:

USEPA Region III Administrative Records Room, 1650 Arch Street—6th Floor, Philadelphia, PA 19103–2029, 215–814–3157. Business Hours: Monday through Friday, 8:00 a.m.–4:30 p.m.; by appointment only.

Local Repository, East Coventry Township Municipal Building, 855 Ellis Woods Road, Pottstown, PA 19464, 610–495–5443. Call for Business Hours.

FOR FURTHER INFORMATION CONTACT:

Andrew Hass, Remedial Project Manager, U.S. Environmental Protection Agency, Region 3, 3HS21 1650 Arch Street, Philadelphia, PA 19103, (215) 814–2049, email: hass.andrew@epa.gov.

SUPPLEMENTARY INFORMATION: The site to be deleted from the NPL is: Recticon/Allied Steel Corp Superfund Site, East Coventry Twp, PA. A Notice of Intent to Delete for this Site was published in the **Federal Register** (83 FR 33186–33191) on July 17, 2018.

The closing date for comments on the Notice of Intent to Delete was August 16, 2018. No adverse or site-specific public comments were received. As a result, a responsiveness summary was not prepared.

EPA maintains the NPL as the list of sites that appear to present a significant risk to public health, welfare, or the environment. Deletion from the NPL does not preclude further remedial action. Whenever there is a significant release from a site deleted from the NPL, the deleted site may be restored to the NPL without application of the hazard ranking system. Deletion of a site from the NPL does not affect responsible party liability in the unlikely event that future conditions warrant further actions.

List of Subjects in 40 CFR Part 300

Environmental protection, Air pollution control, Chemicals, Hazardous substances, Hazardous waste, Intergovernmental relations, Penalties, Reporting and recordkeeping requirements, Superfund, Water pollution control, Water supply.

Dated: August 31, 2018.

Cosmo Servidio,

Regional Administrator, Region III.

For reasons set out in the preamble, 40 CFR part 300 is amended as follows:

PART 300—NATIONAL OIL AND HAZARDOUS SUBSTANCES POLLUTION CONTINGENCY PLAN

■ 1. The authority citation for part 300 continues to read as follows:

Authority: 33 U.S.C. 1321(d); 42 U.S.C. 9601–9657; E.O. 13626, 77 FR 56749, 3 CFR, 2013 Comp., p. 306; E.O. 12777, 56 FR 54757, 3 CFR, 1991 Comp., p. 351; E.O. 12580, 52 FR 2923, 3 CFR, 1987 Comp., p. 193.

Appendix B to Part 300—[Amended]

■ 2. Table 1 of appendix B to part 300 is amended by removing the listing under Pennsylvania for “Recticon/Allied Steel Corp”.

[FR Doc. 2018–20039 Filed 9–13–18; 8:45 am]

BILLING CODE 6560–50–P