

Massachusetts Avenue, Boxborough, MA 01719.

General Background on the Renewal Application

National Technical Systems, Inc., (NTS) initially received OSHA recognition as a Nationally Recognized Testing Laboratory on December 10, 1998 (63 FR 68306) for a five-year period ending on December 10, 2003. Appendix A to 29 CFR 1910.7 stipulates that the period of recognition of an NRTL is five years and that an NRTL may renew its recognition by applying not less than nine months, nor more than one year, before the expiration date of its current recognition. NRTLs submitting requests within this allotted time period retain their recognition during OSHA's renewal process. NTS has submitted a request, dated February 13, 2003 (see Exhibit 7), to renew its recognition, within the allotted time period, and retains its recognition pending OSHA's final decision in this renewal process. In connection with the renewal, OSHA staff performed an on-site visit of the NRTL's site in January 2005. Based on this visit, the staff recommended renewal of the NTS recognition in the on-site review report dated July 22, 2005 (see Exhibit 7-1). The NTS existing scope of recognition consists of the facility listed above, and the test standards and supplemental programs listed below. OSHA deferred processing of the renewal request due to certain changes the NRTL considered making to its operations, but processing of the request also has been delayed through no fault of the NRTL.

NTS seeks renewal of its recognition for the one site that OSHA currently includes within the NRTL's scope. NTS also seeks renewal of its recognition for continued testing and certification of products for demonstration of conformance to the following test standards.

- UL 484 Room Air Conditioners
- UL 489 Molded-Case Circuit Breakers, Molded-Case Switches, and Circuit-Breaker Enclosures
- UL 499 Electric Heating Appliances
- UL 544 Medical and Dental Equipment
- UL 1012 Power Units Other Than Class 2
- UL 1778 Uninterruptible Power Systems
- UL 1863 Communications-Circuit Accessories
- UL 1995 Heating and Cooling Equipment
- UL 60601-1 Medical Electrical Equipment, Part 1: General Requirements for Safety

UL 60950 Information Technology Equipment—Safety—Part 1: General Requirements

UL 61010A-1 Electrical Equipment For Laboratory Use; Part 1: General Requirements

UL 61010B-1 Electrical Measuring and Test Equipment; Part 1: General Requirements

The designations and titles of the above test standards were current at the time of the preparation of this notice.

OSHA's recognition of NTS, or any NRTL, for a particular test standard is limited to equipment or materials (*i.e.*, products) for which OSHA standards require third-party testing and certification before use in the workplace. Consequently, if a test standard also covers any product(s) for which OSHA does not require such testing and certification, an NRTL's scope of recognition does not include that product(s).

Many UL test standards also are approved as American National Standards by the American National Standards Institute (ANSI). However, for convenience, we use the designation of the standards developing organization for the standard as opposed to the ANSI designation. Under our procedures, any NRTL recognized for an ANSI-approved test standard may use either the latest proprietary version of the test standard or the latest ANSI version of that standard. You may contact ANSI to find out whether or not a test standard is currently ANSI-approved.

Programs and Procedures

The renewal would include continued use by NTS of supplemental programs 4, 8, and 9.

Program 4: Acceptance of witnessed testing data.

Program 8: Acceptance of product evaluations from organizations that function as part of the International Electrical Commission Certification Body (IEC-CB) Scheme.

Program 9: Acceptance of services other than testing or evaluation performed by subcontractors or agents.

In developing these programs, OSHA responded to industry requests and allowed certain of their ongoing practices to continue but in a manner controlled by OSHA criteria. In this sense, they are special conditions that the Agency places on an NRTL's recognition. OSHA does not consider these programs in determining whether an NRTL meets the requirements for recognition under 29 CFR 1910.7. However, these programs help to define the scope of that recognition.

Preliminary Finding on the Renewal

NTS has submitted an acceptable request for renewal of its recognition as an NRTL. Our review of the application file, the on-site review report, and other pertinent documents, indicates that NTS can meet the requirements, as prescribed by 29 CFR 1910.7, for the renewal of the one site and the test standards and programs listed above. This preliminary finding does not constitute an interim or temporary approval of the application.

OSHA welcomes public comments, in sufficient detail, as to whether NTS has met the requirements of 29 CFR 1910.7 for the renewal of its recognition as a Nationally Recognized Testing Laboratory. Your comments should consist of pertinent written documents and exhibits. Should you need more time to comment, you must request it in writing, including reasons for the request. OSHA must receive your written request for extension at the address provided above no later than the last date for comments. OSHA will limit any extension to 30 days, unless the requester justifies a longer period. We may deny a request for extension if it is not adequately justified. You may obtain or review copies of the NTS request, the on-site review report, and all submitted comments, as received, by contacting the Docket Office, Room N2625, Occupational Safety and Health Administration, U.S. Department of Labor, at the above address. Docket No. NRTL1-98 contains all materials in the record concerning the NTS application.

The NRTL Program staff will review all timely comments and, after resolution of issues raised by these comments, will recommend whether to grant the NTS renewal request. The Assistant Secretary will make the final decision on granting the renewal and, in making this decision, may undertake other proceedings that are prescribed in Appendix A to 29 CFR 1910.7. OSHA will publish a public notice of this final decision in the **Federal Register**.

Signed at Washington, DC this 9th day of August, 2006.

Edwin G. Foulke, Jr.,

Assistant Secretary.

[FR Doc. E6-13542 Filed 8-16-06; 8:45 am]

BILLING CODE 4510-26-P

DEPARTMENT OF LABOR**Occupational Safety and Health Administration****[Docket No. NRTL1-93]****Wyle Laboratories, Inc.; Application for Renewal of Recognition****AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.**ACTION:** Notice.

SUMMARY: This notice announces the application of Wyle Laboratories, Inc. (WL) for renewal of its recognition and presents the Agency's preliminary finding to grant this request for renewal. This preliminary finding does not constitute an interim or temporary approval of the renewal application.

DATES: You must submit information or comments, or any request for extension of the time to comment, by the following dates:

- *Hard copy:* postmarked or sent by September 1, 2006.
- *Electronic transmission or facsimile:* sent by September 1, 2006.

ADDRESSES: You may submit information or comments to this notice—identified by docket number NRTL1-93—by any of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov>. Follow the instructions for submitting comments.
- *OSHA Web site:* <http://ecomments.osha.gov>. Follow the instructions for submitting comments on OSHA's Web page.
- *Fax:* If your written comments are 10 pages or fewer, you may fax them to the OSHA Docket Office at (202) 693-1648.
- *Regular mail, express delivery, hand delivery and courier service:* Submit three copies to the OSHA Docket Office, Docket No. NRTL1-93, U.S. Department of Labor, 200 Constitution Avenue, NW., Room N-2625, Washington, DC 20210; telephone (202) 693-2350. (OSHA's TTY number is (877) 889-5627). OSHA Docket Office hours of operation are 8:15 a.m. to 4:45 p.m., EST.

Instructions: All comments received will be posted without change to <http://dockets.osha.gov>, including any personal information provided. OSHA cautions you about submitting personal information such as social security numbers and birth dates.

Docket: For access to the docket to read background documents or comments received, go to <http://dockets.osha.gov>. Contact the OSHA Docket Office for information about

materials not available through the OSHA Web page and for assistance in using the Web page to locate docket submissions.

Extension of Comment Period: Submit requests for extensions concerning this notice to the Office of Technical Programs and Coordination Activities, NRTL Program, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW., Room N-3655, Washington, DC 20210. Or fax to (202) 693-1644.

FOR FURTHER INFORMATION CONTACT: Director, Office of Technical Programs and Coordination Activities, NRTL Program, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW., Room N-3655, Washington, DC 20210, or phone (202) 693-2110.

SUPPLEMENTARY INFORMATION:**Notice of Renewal Application**

The Occupational Safety and Health Administration (OSHA) hereby gives notice that Wyle Laboratories, Inc. (WL) has applied for renewal of its recognition as a Nationally Recognized Testing Laboratory (NRTL). The WL renewal request covers its existing scope of recognition, except as noted below. OSHA's current scope of recognition for WL may be found in the following informational Web page: <http://www.osha.gov/dts/otpcanrtl/wl.html>.

OSHA recognition of an NRTL signifies that the organization has met the legal requirements in Section 1910.7 of Title 29, Code of Federal Regulations (29 CFR 1910.7). Recognition is an acknowledgment that the organization can perform independent safety testing and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. As a result of recognition, employers may use products "properly certified"¹ by the NRTL to meet OSHA standards that require testing and certification.

The Agency processes applications by an NRTL for initial recognition or for expansion or renewal of this recognition following requirements in Appendix A to 29 CFR 1910.7. This appendix requires that the Agency publish two notices in the **Federal Register** in processing an application. In the first notice, OSHA announces the application and provides its preliminary finding and, in the second notice, the

¹ Properly certified means, in part, that the product is labeled or marked with the NRTL's "registered" certification mark (*i.e.*, the mark the NRTL uses for its NRTL work) and that the product certification falls within the scope of recognition of the NRTL.

Agency provides its final decision on the application. These notices set forth the NRTL's scope of recognition or modifications of that scope. We maintain an informational Web page for each NRTL, which details its scope of recognition. These pages can be accessed from our Web site at <http://www.osha.gov/dts/otpcanrtl/index.html>.

The most recent notice published by OSHA specifically related to WL recognition granted renewal of its NRTL status, which became effective as noted below. However, OSHA issued a notice to modify the scope of a number of NRTLs to replace or delete withdrawn test standards (70 FR 11273, March 8, 2005). WL was one of those NRTLs.

The current address of the WL facility already recognized by OSHA is: Wyle Laboratories, Inc., 7800 Highway 20 West, P.O. Box 077777, Huntsville, AL 35807.

General Background on the Renewal Application

Wyle Laboratories, Inc. (WL) initially received OSHA recognition as a Nationally Recognized Testing Laboratory on July 22, 1994 (59 FR 37509) for a five-year period ending on July 22, 1999. Appendix A to 29 CFR 1910.7 stipulates that the period of recognition of an NRTL is five years and that an NRTL may renew its recognition by applying not less than nine months, nor more than one year, before the expiration date of its current recognition. NRTLs submitting requests within this allotted time period retain their recognition during OSHA's renewal process. WL submitted the required request and received its first renewal of recognition on June 28, 2000 (65 FR 39949), for the five-year period ending June 28, 2005. Wyle has submitted a request dated September 17, 2004 (see Exhibit 19-1) to renew its recognition again. This request falls within the allotted time period, and Wyle retains its recognition pending OSHA's final decision in this renewal process. WL later amended its request to delete certain test standards from its scope (see Exhibit 19-2), which have not been included in the listing of test standards shown below. In connection with the renewal, OSHA staff performed an on-site visit of the NRTL's site in February 2005. Based upon the on-site visit, the assessor recommended renewal of the WL recognition in a memo dated February 1, 2006 (see Exhibit 19-3). Processing of the renewal request has been delayed through no fault of the NRTL.

WL seeks renewal of its recognition for the one site that OSHA currently

- UL 44 Thermoset-Insulated Wires and Cables
- UL 45 Portable Electric Tools
- UL 48 Electric Signs
- UL 62 Flexible Cord and Fixture Wire
- UL 65 Wired Cabinets
- UL 67 Panelboards
- UL 73 Motor-Operated Appliances
- UL 83 Thermoplastic-Insulated Wires and Cables
- UL 92 Fire Extinguisher and Booster Hose
- UL 98 Enclosed and Dead-Front Switches
- UL 153 Portable Electric Luminaires
- UL 154 Carbon-Dioxide Fire Extinguishers
- UL 187 X-Ray Equipment
- UL 244A Solid-State Controls for Appliances
- UL 299 Dry Chemical Fire Extinguishers
- UL 363 Knife Switches
- UL 393 Indicating Pressure Gauges for Fire-Protection Service
- UL 429 Electrically Operated Valves
- UL 444 Communications Cables
- UL 466 Electric Scales
- UL 467 Grounding and Bonding Equipment
- UL 484 Room Air Conditioners
- UL 486B Wire Connectors
- UL 486C Splicing Wire Connectors
- UL 486D Sealed Wire Connector Systems
- UL 489 Molded-Case Circuit Breakers, Molded-Case Switches, and Circuit-Breaker Enclosures
- UL 497A Secondary Protectors for Communications Circuits
- UL 498 Attachment Plugs and Receptacles
- UL 499 Electric Heating Appliances
- UL 506 Specialty Transformers
- UL 507 Electric Fans
- UL 508 Industrial Control Equipment
- UL 510 Polyvinyl Chloride, Polyethylene and Rubber Insulating Tape
- UL 512 Fuseholders
- UL 539 Single and Multiple Station Heat Alarms
- UL 541 Refrigerated Vending Machines
- UL 544 Medical and Dental Equipment
- UL 626 Water Fire Extinguishers
- UL 711 Rating and Fire Testing of Fire Extinguishers
- UL 745-1 Portable Electric Tools
- UL 745-2-1 Particular Requirements of Drills
- UL 745-2-2 Particular Requirements for Screwdrivers and Impact Wrenches
- UL 745-2-3 Particular Requirements for Grinders, Polishers, and Disk-Type Sanders
- UL 745-2-4 Particular Requirements for Sanders
- UL 745-2-5 Particular Requirements for Circular Saws and Circular Knives
- UL 745-2-6 Particular Requirements for Hammers
- UL 745-2-8 Particular Requirements for Shears and Nibblers
- UL 745-2-9 Particular Requirements for Tappers
- UL 745-2-11 Particular Requirements for Reciprocating Saws
- UL 745-2-12 Particular Requirements for Concrete Vibrators
- UL 745-2-14 Particular Requirements for Planers
- UL 745-2-17 Particular Requirements for Routers and Trimmers
- UL 745-2-30 Particular Requirements for Staplers
- UL 745-2-31 Particular Requirements for Diamond Core Drills
- UL 745-2-32 Particular Requirements for Magnetic Drill Presses
- UL 745-2-33 Particular Requirements for Portable Bandsaws
- UL 745-2-34 Particular Requirements for Strapping Tools
- UL 745-2-35 Particular Requirements for Drain Cleaners
- UL 745-2-36 Particular Requirements for Hand Motor Tools
- UL 745-2-37 Particular Requirements for Plate Jointers
- UL 796 Printed-Wiring Boards
- UL 813 Commercial Audio Equipment
- UL 817 Cord Sets and Power-Supply Cords
- UL 845 Motor Control Centers
- UL 854 Service-Entrance Cables
- UL 863 Time-Indicating and -Recording Appliances
- UL 916 Energy Management Equipment
- UL 917 Clock-Operated Switches
- UL 924 Emergency Lighting and Power Equipment
- UL 943 Ground-Fault Circuit-Interrupters
- UL 961 Electric Hobby and Sports Equipment
- UL 977 Fused Power-Circuit Devices
- UL 998 Humidifiers
- UL 1004 Electric Motors
- UL 1008 Transfer Switch Equipment
- UL 1012 Power Units Other Than Class 2
- UL 1018 Electric Aquarium Equipment
- UL 1022 Line Isolation Monitors
- UL 1028 Hair Clipping and Shaving Appliances
- UL 1047 Isolated Power Systems Equipment
- UL 1053 Ground-Fault Sensing and Relaying Equipment
- UL 1054 Special-Use Switches
- UL 1058 Halogenated Agent Extinguishing System Units
- UL 1059 Terminal Blocks
- UL 1066 Low-Voltage AC and DC Power Circuit Breakers Used in Enclosures
- UL 1069 Hospital Signaling and Nurse-Call Equipment
- UL 1077 Supplementary Protectors for Use in Electrical Equipment
- UL 1091 Butterfly Valves for Fire-Protection Service
- UL 1093 Halogenated Agent Fire Extinguishers
- UL 1097 Double Insulation Systems for Use in Electrical Equipment
- UL 1236 Battery Chargers for Charging Engine-Starter Batteries
- UL 1244 Electrical and Electronic Measuring and Testing Equipment
- UL 1254 Pre-Engineered Dry Chemical Extinguishing System Units
- UL 1283 Electromagnetic Interference Filters
- UL 1310 Class 2 Power Units
- UL 1411 Transformers and Motor Transformers for Use in Audio-, Radio-, and Television-Type Appliances
- UL 1412 Fusing Resistors and Temperature-Limited Resistors for Radio- and Television-Type Appliances
- UL 1416 Overcurrent and Overtemperature Protectors for Radio- and Television-Type Appliances
- UL 1424 Cables for Power-Limited Fire-Alarm Circuits
- UL 1429 Pullout Switches
- UL 1437 Electrical Analog Instruments—Panel Board Types
- UL 1449 Transient Voltage Surge Suppressors
- UL 1474 Adjustable Drop Nipples for Sprinkler Systems
- UL 1481 Power Supplies for Fire-Protective Signaling Systems
- UL 1486 Quick Opening Devices for Dry Pipe Valves for Fire-Protection Service
- UL 1557 Electrically Isolated Semiconductor Devices
- UL 1564 Industrial Battery Chargers
- UL 1577 Optical Isolators
- UL 1585 Class 2 and Class 3 Transformers
- UL 1598 Luminaires
- UL 1664 Immersion-Detection Circuit-Interrupters
- UL 1673 Electric Space Heating Cables
- UL 1682 Plugs, Receptacles, and Cable Connectors of the Pin and Sleeve Type
- UL 1778 Uninterruptible Power Systems
- UL 1863 Communications-Circuit Accessories
- UL 1876 Isolating Signal and Feedback Transformers for Use in Electronic Equipment
- UL 1995 Heating and Cooling Equipment
- UL 2006 Halon 1211 Recovery/Recharge Equipment
- UL 2111 Overheating Protection for Motors
- UL 60950 Information Technology Equipment

UL 61010A-1 Electrical Equipment For Laboratory Use; Part 1: General Requirements*

UL 61010B-1 Electrical Measuring and Test Equipment; Part 1: General Requirements

The designations and titles of the above test standards were current at the time of the preparation of this notice.

OSHA's recognition of WL, or any NRTL, for a particular test standard is limited to equipment or materials (*i.e.*, products) for which OSHA standards require third-party testing and certification before use in the workplace. Consequently, if a test standard also covers any product(s) for which OSHA does not require such testing and certification, an NRTL's scope of recognition does not include that product(s).

Many UL test standards also are approved as American National Standards by the American National Standards Institute (ANSI). However, for convenience, we use the designation of the standards developing organization for the standard as opposed to the ANSI designation. Under our procedures, any NRTL recognized for an ANSI-approved test standard may use either the latest proprietary version of the test standard or the latest ANSI version of that standard. You may contact ANSI to find out whether or not a test standard is currently ANSI-approved.

Programs and Procedures

The renewal would include continued use by WL of the following supplemental programs, all of which are currently in its scope.

Program 2: Acceptance of testing data from independent organizations, other than NRTLs.

Program 3: Acceptance of product evaluations from independent organizations, other than NRTLs.

Program 4: Acceptance of witnessed testing data.

* This standard is not presently in WL's scope of recognition but is comparable to UL 1262 Laboratory Equipment, which is in WL's scope but has been withdrawn by the standards developing organization. OSHA must delete a withdrawn standard from the scope of recognition of any NRTL because, once it has been withdrawn, a standard no longer meets the requirements for an "appropriate test standard" under 29 CFR 1910.7(c). In such cases, OSHA NRTL Program policy permits NRTLs to request, or OSHA to provide, recognition for comparable test standards, *i.e.*, other appropriate test standards covering comparable product testing. In this notice, OSHA has deleted UL 1262 from the list above and added UL 61010A-1, in accordance with this policy. In the final notice for WL's expansion, OSHA would not only formally delete UL 1262 from the scope of recognition of WL but also from the scope of any other NRTL still recognized for this standard. OSHA would also add UL 61010A-1 to the scope of those NRTLs and to WL's scope.

Program 5: Acceptance of testing data from non-independent organizations.

Program 6: Acceptance of evaluation data from non-independent organizations (requiring NRTL review prior to marketing).

Program 7: Acceptance of continued certification following minor modifications by the client.

Program 8: Acceptance of product evaluations from organizations that function as part of the International Electrotechnical Commission Certification Body (IEC-CB) Scheme.

Program 9: Acceptance of services other than testing or evaluation performed by subcontractors or agents.

In developing these programs, OSHA responded to industry requests and allowed certain of their ongoing practices to continue but in a manner controlled by OSHA criteria. In this sense, they are special conditions that the Agency places on an NRTL's recognition. OSHA does not consider these programs in determining whether an NRTL meets the requirements for recognition under 29 CFR 1910.7. However, these programs help to define the scope of that recognition.

Preliminary Finding on the Renewal

WL has submitted an acceptable request for renewal of its recognition as an NRTL. Our review of the application file, the assessor's memo, and other pertinent documents, indicates that WL can meet the requirements, as prescribed by 29 CFR 1910.7, for the renewal of the one site and the test standards and programs listed above. This preliminary finding does not constitute an interim or temporary approval of the application.

OSHA welcomes public comments, in sufficient detail, as to whether WL has met the requirements of 29 CFR 1910.7 for the renewal of its recognition as a Nationally Recognized Testing Laboratory. Your comments should consist of pertinent written documents and exhibits. Should you need more time to comment, you must request it in writing, including reasons for the request. OSHA must receive your written request for extension at the address provided above no later than the last date for comments. OSHA will limit any extension to 30 days, unless the requester justifies a longer period. We may deny a request for extension if it is not adequately justified. You may obtain or review copies of the Wyle request, the on-site review report, other pertinent documents, and all submitted comments, as received, by contacting the Docket Office, Room N-2625, Occupational Safety and Health Administration, U.S. Department of

Labor, at the above address. Docket No. NRTL1-93 contains all materials in the record concerning the WL application.

The NRTL Program staff will review all timely comments and, after resolution of issues raised by these comments, will recommend whether to grant the WL renewal request. The Assistant Secretary will make the final decision on granting the renewal and, in making this decision, may undertake other proceedings that are prescribed in Appendix A to 29 CFR 1910.7. OSHA will publish a public notice of this final decision in the **Federal Register**.

Signed at Washington, DC this 9th day of August, 2006.

Edwin G. Foulke, Jr.,

Assistant Secretary.

[FR Doc. E6-13543 Filed 8-16-06; 8:45 am]

BILLING CODE 4510-26-P

MILLENNIUM CHALLENGE CORPORATION

[MCC FR 06-12]

Report on Countries That Are Candidates for Millennium Challenge Account Eligibility in Fiscal Year 2007 and Countries That Would Be Candidates but for Legal Prohibitions

AGENCY: Millennium Challenge Corporation.

ACTION: Notice.

SUMMARY: Section 608(d) of the Millennium Challenge Act of 2003 requires the Millennium Challenge Corporation to publish a report that identifies countries that are "candidate countries" for Millennium Challenge Account assistance during FY 2007. The report is set forth in full below.

Report on Countries That Are Candidates for Millennium Challenge Account Eligibility for Fiscal Year 2007 and Countries That Would Be Candidates but for Legal Prohibitions

This report to Congress is provided in accordance with Section 608(a) of the Millennium Challenge Act of 2003, 22 U.S.C. 7701, 7707 (a) ("Act").

The Act authorizes the provision of Millennium Challenge Account ("MCA") assistance to countries that enter into Compacts with the United States to support policies and programs that advance the progress of such countries achieving lasting economic growth and poverty reduction. The Act requires Millennium Challenge Corporation ("MCC") to take a number of steps in determining the countries that, based on their demonstrated commitment to just and democratic