

accounting of disclosures of such records could compromise the objectivity and fairness of the testing or examination process. Amendment of such records could also impose a highly impracticable administrative burden by requiring investigations to be continuously reinvestigated.

(6) *Exemption (k)(7)*. Personnel investigations and vetting records may contain evaluation material used to determine potential for promotion in the armed services. In some cases, such records may contain information pertaining to the identity of a source who furnished information to the Government under an express promise that the source's identity would be held in confidence (or prior to the effective date of the Privacy Act, under an implied promise). Application of exemption (k)(7) for such records may be necessary because access to, amendment of, or release of the accounting of disclosures of such records could identify these confidential sources who might not have otherwise come forward to assist the Government, hinder the Government's ability to obtain information from future confidential sources, and result in an unwarranted invasion of the privacy of others. Amendment of such records could also impose a highly impracticable administrative burden by requiring investigations to be continuously reinvestigated.

(B) *Subsections (d)(3) and (4)*. These subsections are inapplicable to the extent an exemption is claimed from (d)(1) and (2). Moreover, applying the amendment appeal procedures toward background investigation and vetting records could impose a highly impracticable administrative burden by requiring investigations to be continuously reinvestigated.

(C) *Subsection (e)(1)*. In the collection of information for authorized vetting purposes, it is not always possible to conclusively determine the relevance and necessity of particular information in the early stages of the investigation or adjudication. In some instances, it will be only after the collected information is evaluated in light of other information that its relevance and necessity for effective investigation and adjudication can be assessed. Collection of such information permits more informed decision-making by the Department when making required suitability, eligibility, fitness, and credentialing determinations. Accordingly, application of exemptions (k)(1), (k)(2), (k)(3), (k)(5), (k)(6), and (k)(7) may be necessary.

(iv) *Exempt records from other systems*. In addition, in the course of

carrying out personnel vetting, including records checks for continuous vetting, exempt records from other systems of records may in turn become part of the records maintained in this system. To the extent that copies of exempt records from those other systems of records are maintained into this system, the DoD claims the same exemptions for the records from those other systems that are entered into this system, as claimed for the original primary system of which they are a part.

Dated: October 11, 2018.

**Shelly E. Finke,**

*Alternate OSD Federal Register Liaison Officer, Department of Defense.*

[FR Doc. 2018–22507 Filed 10–16–18; 8:45 am]

**BILLING CODE 5001–06–P**

## DEPARTMENT OF HOMELAND SECURITY

### Coast Guard

#### 33 CFR Part 117

[Docket No. USCG–2016–0257]

#### Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ

**AGENCY:** Coast Guard, DHS.

**ACTION:** Notice of temporary deviation from regulation.

**SUMMARY:** The Coast Guard has issued a temporary deviation from the operating schedule that governs the DELAIR Memorial Railroad Bridge across the Delaware River, mile 104.6, at Pennsauken Township, NJ. This deviation will allow the bridge to be remotely operated from the Conrail South Jersey dispatch center in Mount Laurel, NJ, instead of being operated by an on-site bridge tender.

**DATES:** This deviation is effective without actual notice from October 17, 2018 through 7:59 a.m. on December 15, 2018. For the purposes of enforcement, actual notice will be used from 8 a.m. on October 16, 2018, until October 17, 2018.

**ADDRESSES:** The docket for this deviation, USCG–2016–0257 is available at <http://www.regulations.gov>. Type the docket number in the “SEARCH” box and click “SEARCH”. Click on Open Docket Folder on the line associated with this deviation.

**FOR FURTHER INFORMATION CONTACT:** If you have questions on this temporary deviation, call or email Mr. Hal R. Pitts, Fifth Coast Guard District (dpb); telephone (757) 398–6222, email [Hal.R.Pitts@uscg.mil](mailto:Hal.R.Pitts@uscg.mil).

## SUPPLEMENTARY INFORMATION:

### I. Background, Purpose and Legal Basis

On April 12, 2017, we published a notice in the **Federal Register** entitled, “Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ” announcing a temporary deviation from the regulations, with request for comments (see 82 FR 17562). This temporary deviation commenced at 8 a.m. on April 24, 2017, and concluded at 7:59 a.m. on October 21, 2017. The purpose of the deviation was to test the newly installed remote operation system of the DELAIR Memorial Railroad Bridge across the Delaware River, mile 104.6, at Pennsauken Township, NJ, owned and operated by Conrail Shared Assets. The installation of the remote operation system did not change the operational schedule of the bridge.

On June 30, 2017, we published a notice of proposed rulemaking (NPRM) entitled, “Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ” (see 82 FR 29800). This proposed regulation will allow the bridge to be remotely operated from the Conrail South Jersey dispatch center in Mount Laurel, NJ, instead of being operated by an on-site bridge tender. This proposed regulation will not change the operating schedule of the bridge. The original comment period closed on August 18, 2017.

During the initial test deviation performed from 8 a.m. on April 24, 2017, through 7:59 a.m. on October 21, 2017, the bridge owner identified deficiencies in the remote operation center procedures, bridge to vessel communications, and equipment redundancy. Comments concerning these deficiencies were submitted to the docket and provided to the Coast Guard and bridge owner by representatives from the Mariners' Advisory Committee for the Bay and River Delaware.

On October 18, 2017, we published a notice in the **Federal Register** entitled, “Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ” announcing a second temporary deviation from the regulations, with request for comments (see 82 FR 48419). This temporary deviation commenced at 8 a.m. on October 21, 2017, and concluded at 7:59 a.m. on April 19, 2018. This notice included a request for comments and related material to reach the Coast Guard on or before January 15, 2018.

On December 6, 2017, we published a notice of proposed rulemaking; reopening of comment period; entitled “Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ” in the **Federal Register** (see 82 FR

57561). This notice included a request for comments and related material to reach the Coast Guard on or before January 15, 2018.

On January 22, 2018, we published a notice of temporary deviation from regulations; reopening comment period; entitled “Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ” in the **Federal Register** (see 83 FR 2909). This notice included a request for comments and related material to reach the Coast Guard on or before March 2, 2018.

On February 15, 2018, we published a notice of proposed rulemaking; reopening comment period; entitled “Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ” in the **Federal Register** (see 83 FR 6821). This notice included a request for comments and related material to reach the Coast Guard on or before March 2, 2018.

The Coast Guard reviewed 26 comments posted to the docket and six reports with supporting documentation submitted by the bridge owner during the initial and second temporary deviations concerning the remote operation system of the DELAIR Memorial Railroad Bridge. Through this review, the Coast Guard found that further testing and evaluation of the remote operation system of the drawbridge was necessary before making a decision on the proposed regulation.

On April 26, 2018, we published a notice in the **Federal Register** entitled, “Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ” announcing a third temporary deviation from the regulations, with request for comments (see 83 FR 18226). This temporary deviation commenced at 8 a.m. on April 19, 2018, and is scheduled to conclude at 7:59 a.m. on October 16, 2018. This notice included a request for comments and related material to reach the Coast Guard on or before August 17, 2018.

On May 4, 2018, we published a notice of proposed rulemaking; reopening comment period; entitled “Drawbridge Operation Regulation; Delaware River, Pennsauken Township, NJ” in the **Federal Register** (see 83 FR 19659). This notice included a request for comments and related material to reach the Coast Guard on or before August 17, 2018.

During the third temporary deviation, the following changes were implemented: (1) The on-site bridge tender was removed from the bridge, (2) qualified personnel would return and operate the bridge within 60 minutes if the remote operation system is

considered in a failed condition, and (3) comments concerning the utility and value of the automated identification system (AIS) were requested.

The Coast Guard received no comments posted to the docket during the third temporary deviation; however, the Coast Guard did receive two reports with supporting documentation submitted by the bridge owner. The Coast Guard is conducting an evaluation of the proposed rulemaking and has decided to publish a temporary deviation to allow the DELAIR Memorial Railroad Bridge across the Delaware River, mile 104.6, at Pennsauken Township, NJ, to continue to be remotely operated from the Conrail South Jersey dispatch center in Mount Laurel, NJ, instead of being operated by an on-site bridge tender, to allow sufficient time for the evaluation to be completed. The operating schedule published in 33 CFR 117.716 will not change with the remote operation of the bridge.

## **II. Temporary Deviation From Regulations**

The operating schedule is published in 33 CFR 117.716. Under this temporary deviation, the bridge will be remotely operated from the Conrail South Jersey dispatch center in Mount Laurel, NJ, instead of being operated by an on-site bridge tender.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating methods immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: October 12, 2018.

**Hal R. Pitts,**

*Bridge Program Manager, Fifth Coast Guard District.*

[FR Doc. 2018–22692 Filed 10–16–18; 8:45 am]

**BILLING CODE 9110–04–P**

## **DEPARTMENT OF HOMELAND SECURITY**

### **Coast Guard**

#### **33 CFR Part 165**

**[Docket Number USCG–2018–0232]**

**RIN 1625–AA00**

### **Safety Zone; Blue Angels Air Show; St. Johns River, Jacksonville, FL**

**AGENCY:** Coast Guard, DHS.

**ACTION:** Temporary final rule.

**SUMMARY:** The Coast Guard is establishing a temporary safety zone on

the waters of the St. Johns River in the vicinity of Naval Air Station (NAS) Jacksonville, Florida during the Blue Angels Air Show. This rulemaking prohibits persons and vessels from entering, transiting through, remaining within, or anchoring in the safety zone unless authorized by the Captain of the Port (COTP) Jacksonville or a designated representative.

**DATES:** This rule is effective from 8 a.m. on October 26, 2018 until 5 p.m. on October 28, 2018.

**ADDRESSES:** To view documents mentioned in this preamble as being available in the docket, go to <http://www.regulations.gov>, type USCG–2018–0232 in the “SEARCH” box and click “SEARCH.” Click on Open Docket Folder on the line associated with this rule.

**FOR FURTHER INFORMATION CONTACT:** If you have questions on this rule, call or email Lieutenant Junior Grade Emily Sysko, Chief, Waterways Management Division, U.S. Coast Guard; telephone 904–714–7616, email [Emily.T.Sysko@uscg.mil](mailto:Emily.T.Sysko@uscg.mil).

## **SUPPLEMENTARY INFORMATION:**

### **I. Table of Abbreviations**

CFR Code of Federal Regulations  
DHS Department of Homeland Security  
FR Federal Register  
NPRM Notice of proposed rulemaking  
§ Section  
U.S.C. United States Code

### **II. Background Information and Regulatory History**

On May 18, 2018, NAS Jacksonville submitted a marine event application to the Coast Guard for the Blue Angels Air Show that will take place daily from October 26, 2018 through October 28, 2018. The air show will consist of various flight demonstrations over the St. Johns River in vicinity of NAS Jacksonville. Over the years, there have been unfortunate instances of aircraft mishaps and crashes during performances at various air shows around the world. Occasionally, these incidents result in a wide area of scattered debris in the water that can damage property or cause significant injury or death to the public observing the air shows. The Captain of the Port (COTP) Jacksonville has determined that a safety zone is necessary to protect the general public from hazards associated with aerial flight demonstrations.

On July 26, 2018, the Coast Guard published a notice of proposed rulemaking (NPRM) titled “Safety Zone; Blue Angels Air Show; St. Johns River, Jacksonville, FL” (83 FR 35442). There we stated why we issued the NPRM,