

Signed at Washington, DC, on October 15, 2018.

Loren Sweatt,

Deputy Assistant Secretary of Labor for Occupational Safety and Health.

[FR Doc. 2018–22917 Filed 10–19–18; 8:45 am]

BILLING CODE 4510–26–P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[18–081]

Notice of Information Collection

AGENCY: National Aeronautics and Space Administration (NASA).

ACTION: Notice of information collection.

SUMMARY: The National Aeronautics and Space Administration, as part of its continuing effort to reduce paperwork and respondent burden, invites the general public and other Federal agencies to take this opportunity to comment on proposed and/or continuing information collections.

DATES: All comments should be submitted within 30 calendar days from the date of this publication.

ADDRESSES: All comments should be addressed to Gatrie Johnson, National Aeronautics and Space Administration, 300 E Street SW, Washington, DC 20546–0001 or email Gatrie.Johnson@NASA.gov.

FOR FURTHER INFORMATION CONTACT:

Requests for additional information or copies of the information collection instrument(s) and instructions should be directed to Gatrie Johnson, NASA Clearance Officer, NASA Headquarters, 300 E Street SW, JF0000, Washington, DC 20546 or email Gatrie.Johnson@NASA.gov.

SUPPLEMENTARY INFORMATION:

I. Abstract

A federal grant is an award of financial assistance from a federal agency to a recipient to carry out a public purpose of support or stimulation authorized by a law of the United States. The NASA Procurement Office supports NASA research, science, and education communities through the award of research/education/and training grants in the science, technology, engineering, and math (STEM) fields. NASA has a continuing commitment to identify and address inequities associated with its grant review and awards processes. To support that commitment, NASA implemented a process to collect demographic data from grant applicants for the purpose of analyzing

demographic differences associated with its award processes. Information collected includes the name, gender, race, ethnicity, disability status, citizenship status, education, and career data of the respondents.

Submission of the information is voluntary and is not a precondition of award. However, if the information is not submitted, it will undermine the usefulness of information received from other respondents.

II. Methods of Collection

Electronic.

III. Data

Title: Research and Related Personal Data.

OMB Number: 2700–0161.

Type of review: Existing information collection.

Affected Public: Not-For-Profit Institutions.

Estimated Number of Respondents: 5000.

Estimated Time per Response: 5 minutes.

Estimated Total Annual Public Burden Hours: 416.7.

Estimated Total Annual Government Cost: \$37,500.

IV. Request for Comments

Comments are invited on: (1) Whether the proposed collection of information is necessary for the proper performance of the functions of NASA, including whether the information collected has practical utility; (2) the accuracy of NASA's estimate of the burden (including hours and cost) of the proposed collection of information; (3) ways to enhance the quality, utility, and clarity of the information to be collected; and (4) ways to minimize the burden of the collection of information on respondents, including automated collection techniques or the use of other forms of information technology.

Comments submitted in response to this notice will be summarized and included in the request for OMB approval of this information collection. They will also become a matter of public record.

Gatrie Johnson,

NASA PRA Clearance Officer.

[FR Doc. 2018–22895 Filed 10–19–18; 8:45 am]

BILLING CODE P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 52–025 and 52–026; NRC–2008–0252]

Southern Nuclear Operating Company, Inc.; Vogtle Electric Generating Plant, Units 3 and 4; Containment Sump Level Instrumentation

AGENCY: Nuclear Regulatory Commission.

ACTION: Exemption and combined license amendment; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is granting an exemption to allow a departure from the certification information of Tier 1 of the generic design control document (DCD) and is issuing License Amendment Nos. 140 and 139 to Combined Licenses (COLs), NPF–91 and NPF–92, respectively. The COLs were issued to Southern Nuclear Operating Company, Inc., and Georgia Power Company, Oglethorpe Power Corporation, MEAG Power SPVM, LLC, MEAG Power SPVJ, LLC, MEAG Power SPVP, LLC, and the City of Dalton, Georgia (collectively SNC); for construction and operation of the Vogtle Electric Generating Plant (VEGP) Units 3 and 4, located in Burke County, Georgia.

The granting of the exemption allows the changes to Tier 1 information asked for in the amendment. Because the acceptability of the exemption was determined in part by the acceptability of the amendment, the exemption and amendment are being issued concurrently.

DATES: The exemption and amendment were issued on August 24, 2018.

ADDRESSES: Please refer to Docket ID NRC–2008–0252 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking website:* Go to <http://www.regulations.gov> and search for Docket ID NRC–2008–0252. Address questions about Docket IDs in [Regulations.gov](http://www.regulations.gov) to Jennifer Borges; telephone: 301–287–9127; email: Jennifer.Borges@nrc.gov. For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select

“*Begin Web-based ADAMS Search.*” For problems with ADAMS, please contact the NRC’s Public Document Room (PDR) reference staff at 1–800–397–4209, 301–415–4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document. The request for the amendment and exemption was submitted by letter dated April 26, 2018, and available in ADAMS under Accession No. ML18116A138.

- **NRC’s PDR:** You may examine and purchase copies of public documents at the NRC’s PDR, Room O1–F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

FOR FURTHER INFORMATION CONTACT:

Chandu Patel, Office of New Reactors, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001; telephone: 301–415–3025; email: Chandu.Patel@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Introduction

The NRC is granting an exemption from paragraph B of section III, “Scope and Contents,” of appendix D, “Design Certification Rule for the AP1000,” to part 52 of title 10 of the *Code of Federal Regulations* (10 CFR), and issuing License Amendment Nos. 140 and 139 to COLs, NPF–91 and NPF–92, respectively, to SNC. The exemption is required by paragraph A.4 of section VIII, “Processes for Changes and Departures,” appendix D, to 10 CFR part 52 to allow SNC to depart from Tier 1 information. With the requested amendment, SNC sought proposed changes that would revise the Updated Final Safety Analysis Report in the form of departures from the plant-specific Design Control Document (DCD) Tier 2 information. The proposed amendment also involves changes to plant-specific Tier 1 information with corresponding changes to the associated COL Appendix C information. Specifically, the amendment proposes changes to plant-specific Tier 1 (and COL Appendix C) to reflect a new design of containment sump level sensors, which affects the acceptance criterion for the detected containment sump level change test and the associated minimum detectable unidentified leakage rate in plant-specific DCD Tier 2 information.

Part of the justification for granting the exemption was provided by the review of the amendment. Because the exemption is necessary in order to issue the requested license amendment, the NRC granted the exemption and issued the amendment concurrently, rather

than in sequence. This included issuing a combined safety evaluation containing the NRC staff’s review of both the exemption request and the license amendment. The exemption met all applicable regulatory criteria set forth in 10 CFR 50.12, 52.7, and section VIII.A.4 of appendix D to 10 CFR part 52. The license amendment was found to be acceptable as well. The combined safety evaluation is available in ADAMS under Accession No. ML18220B104.

Identical exemption documents (except for referenced unit numbers and license numbers) were issued to SNC for VEGP Units 3 and 4 (COL Nos. NPF–91 and NPF–92). The exemption documents for VEGP Units 3 and 4 can be found in ADAMS under Accession Nos. ML18220B097 and ML18220B098, respectively. The exemption is reproduced (with the exception of abbreviated titles and additional citations) in Section II of this document. The amendment documents for COL Nos. NPF–91 and NPF–92 are available in ADAMS under Accession Nos. ML18220B099 and ML18220B100, respectively. A summary of the amendment documents is provided in Section III of this document.

II. Exemption

Reproduced below is the exemption document issued to VEGP Units 3 and 4. It makes reference to the combined safety evaluation that provides the reasoning for the findings made by the NRC (and listed under Item 1) in order to grant the exemption:

1. In a letter dated April 26, 2018, SNC requested from the Commission an exemption to allow departures from Tier 1 information in the certified DCD incorporated by reference in 10 CFR part 52, appendix D, as part of license amendment request 18–014, “Containment Sump Level Instrumentation.”

For the reasons set forth in Section 3.1 [sic] of the NRC staff’s Safety Evaluation, which can be found in ADAMS under Accession No. ML18220B104, the Commission finds that:

- A. The exemption is authorized by law;
- B. the exemption presents no undue risk to public health and safety;
- C. the exemption is consistent with the common defense and security;
- D. special circumstances are present in that the application of the rule in this circumstance is not necessary to serve the underlying purpose of the rule;
- E. the special circumstances outweigh any decrease in safety that may result from the reduction in standardization caused by the exemption; and

F. the exemption will not result in a significant decrease in the level of safety otherwise provided by the design.

2. Accordingly, the licensee is granted an exemption from the certified DCD Tier 1 information, with corresponding changes to Appendix C of the Facility Combined Licenses as described in the licensee’s request dated April 26, 2018. This exemption is related to, and necessary for the granting of License Amendment No. 140 [for Unit 3 and No. 139 for Unit 4], which is being issued concurrently with this exemption.

3. As explained in Section 5.0 of the NRC staff’s Safety Evaluation (ADAMS Accession No. ML18220B104), this exemption meets the eligibility criteria for categorical exclusion set forth in 10 CFR 51.22(c)(9). Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment needs to be prepared in connection with the issuance of the exemption.

4. This exemption is effective as of the date of its issuance.

III. License Amendment Request

By letter dated April 26, 2018 (ADAMS Accession No. ML18116A138), SNC requested that the NRC amend the COLs for VEGP, Units 3 and 4, COLs NPF–91 and NPF–92. The proposed amendment is described in Section I of this **Federal Register** notice.

The Commission has determined for these amendments that the application complies with the standards and requirements of the Atomic Energy Act of 1954, as amended (the Act), and the Commission’s rules and regulations. The Commission has made appropriate findings as required by the Act and the Commission’s rules and regulations in 10 CFR chapter I, which are set forth in the license amendment.

A notice of consideration of issuance of amendment to facility operating license or COL, as applicable, proposed no significant hazards consideration determination, and opportunity for a hearing in connection with these actions, was published in the **Federal Register** on June 19, 2018 (83 FR 28463). No comments were received during the 30-day comment period.

The Commission has determined that these amendments satisfy the criteria for categorical exclusion in accordance with 10 CFR 51.22. Therefore, pursuant to 10 CFR 51.22(b), no environmental impact statement or environmental assessment need be prepared for these amendments.

IV. Conclusion

Using the reasons set forth in the combined safety evaluation, the staff

granted the exemptions and issued the amendments that SNC requested on April 26, 2018. The exemption and amendment were issued on August 24, 2018, as part of a combined package to SNC (ADAMS Accession No. ML18220B095).

Dated at Rockville, Maryland, this 17th day of October 2018.

For the Nuclear Regulatory Commission.

Jennifer L. Dixon-Herrity,

Chief, Licensing Branch 4, Division of Licensing, Siting, and Environmental Analysis, Office of New Reactors.

[FR Doc. 2018-22983 Filed 10-19-18; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-219; NRC-2018-0167]

Exelon Generation Company, LLC; Oyster Creek Nuclear Generating Station Request for Exemptions Regarding Emergency Planning Requirements

AGENCY: Nuclear Regulatory Commission.

ACTION: Exemption; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) has issued exemptions in response to a request from Exelon Generation Company, LLC (Exelon or the licensee) regarding

certain emergency planning (EP) requirements. The exemptions eliminate the requirements to maintain an offsite radiological emergency preparedness plan and reduce the scope of onsite EP activities at the Oyster Creek Nuclear Generating Station (Oyster Creek), based on the reduced risks of accidents that could result in an offsite radiological release at a decommissioning nuclear power reactor.

DATES: The exemption was issued on October 16, 2018.

ADDRESSES: Please refer to Docket ID NRC-2018-0167 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- **Federal Rulemaking Website:** Go to <http://www.regulations.gov> and search for Docket ID NRC-2018-0167. Address questions about NRC dockets to Jennifer Borges; telephone: 301-287-9127; email: Jennifer.Borges@nrc.gov. For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **NRC's Agencywide Documents Access and Management System (ADAMS):** You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/>

[adams.html](#). To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document. In addition, for the convenience of the reader, the ADAMS accession numbers are provided in a table in the "Availability of Documents" section of this document.

- **NRC's PDR:** You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

FOR FURTHER INFORMATION CONTACT: John G. Lamb, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001; telephone: 301-415-3100; email: John.Lamb@nrc.gov.

SUPPLEMENTARY INFORMATION: The text of the exemption is attached.

I. Availability of Documents

The documents identified in the following table are available for public inspection through ADAMS, a public web page, or by using one of the methods discussed in the **ADDRESSES** section of this document.

Title	Date	ADAMS accession no. or public web page
Exelon Generation Company, LLC, letter to U.S. Nuclear Regulatory Commission, "Certification of Permanent Cessation of Power Operations for Oyster Creek Nuclear Generating Station".	February 14, 2018	ML18045A084.
Exelon Generation Company, LLC, letter to U.S. Nuclear Regulatory Commission, "Request for Exemptions from Portions of 10 CFR 50.47 and 10 CFR Part 50, Appendix E".	August 22, 2017	ML17234A082.
Exelon Generation Company, LLC, letter to U.S. Nuclear Regulatory Commission, "Response to Request for Additional Information (RAI) Regarding Request for Exemption from Portions of 10 CFR 50.47 and 10 CFR Part 50, Appendix E".	December 6, 2017	ML17340A708.
Exelon Generation Company, LLC, letter to U.S. Nuclear Regulatory Commission, "Supplement to Request for Exemption from Portions of 10 CFR 50.47 and 10 CFR Part 50, Appendix E".	January 23, 2018	ML18023A138.
Exelon Generation Company, LLC, letter to U.S. Nuclear Regulatory Commission, "Supplement to Request for Exemption from Portions of 10 CFR 50.47 and 10 CFR Part 50, Appendix E".	March 8, 2018	ML18067A087.
Exelon Generation Company, LLC, letter to U.S. Nuclear Regulatory Commission, "Response to Request for Additional Information (RAI) Related to Exemption Request from Portions of 10 CFR 50.47 and 10 CFR Part 50, Appendix E".	March 19, 2018	ML18078A146.
U.S. Nuclear Regulatory Commission, NUREG/CR-6451, "A Safety and Regulatory Assessment of Generic BWR and PWR Permanently Shutdown Nuclear Power Plants".	August 1997	ML082260098.
U.S. Nuclear Regulatory Commission, NUREG-1738, "Technical Study of Spent Fuel Pool Accident Risk at Decommissioning Nuclear Power Plants".	February 2001	ML010430066.
Federal Emergency Management Agency Comprehensive Preparedness Guide 101, "Developing and Maintaining Emergency Operations Plans," Version 2.0.	November 2010	http://www.fema.gov/pdf/about/divisions/npd/CPG_101_V2.pdf .
U.S. Nuclear Regulatory Commission, NUREG-2161, "Consequence Study of a Beyond-Design-Basis Earthquake Affecting the Spent Fuel Pool for a U.S. Mark I Boiling Water Reactor".	September 2014	ML14255A365.
U.S. Nuclear Regulatory Commission, COMSECY-13-0030, "Staff Evaluation and Recommendation for Japan Lessons-Learned Tier 3 Issue on Expedited Transfer of Spent Fuel".	November 12, 2013	ML13329A918.