

hold a meeting on November 14, 2018, at Three White Flint North, 11601 Landsdown Street, Conference Rooms 1C3–1C5, North Bethesda, MD 20852.

This meeting will be open to public attendance. The agenda for the subject meeting shall be as follows:

**Wednesday, November 14, 2018–8:30 a.m. Until 5:00 p.m.**

The Subcommittee will review the following sections of the safety evaluation associated with Tennessee Valley Authority's (TVA) Clinch River Early Site Permit (ESP) application: Meteorology (2.3); Hydrologic Engineering (2.4); Radioactive Waste Management (11); and Quality Assurance (17) and will hear presentations by and hold discussions with the NRC staff, and other interested persons regarding this matter. The Subcommittee will gather information, analyze relevant issues and facts, and formulate proposed positions and actions, as appropriate, for deliberation by the Full Committee.

Members of the public desiring to provide oral statements and/or written comments should notify the Designated Federal Official (DFO), Quynh Nguyen (Telephone 301–415–5844 or Email [Quynh.Nguyen@nrc.gov](mailto:Quynh.Nguyen@nrc.gov)) five days prior to the meeting, if possible, so that appropriate arrangements can be made. Thirty-five hard copies of each presentation or handout should be provided to the DFO thirty minutes before the meeting. In addition, one electronic copy of each presentation should be emailed to the DFO one day before the meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the DFO with a CD containing each presentation at least thirty minutes before the meeting. Electronic recordings will be permitted only during those portions of the meeting that are open to the public. The public bridgeline number for the meeting is 866–822–3032, passcode 8272423. Detailed procedures for the conduct of and participation in ACRS meetings were published in the **Federal Register** on October 4, 2017 (82 FR 46312).

Detailed meeting agendas and meeting transcripts are available on the NRC website at <http://www.nrc.gov/reading-rm/doc-collections/acrs>. Information regarding topics to be discussed, changes to the agenda, whether the meeting has been canceled or rescheduled, and the time allotted to present oral statements can be obtained from the website cited above or by contacting the identified DFO. Moreover, in view of the possibility that the schedule for ACRS meetings may be

adjusted by the Chairman as necessary to facilitate the conduct of the meeting, persons planning to attend should check with these references if such rescheduling would result in a major inconvenience.

If attending this meeting, please enter through the Three White Flint North Building, 11601 Landsdown Street, North Bethesda, MD 20852. After registering with Security, please proceed to conference Room 1C3–1C5, located directly behind the security desk on the first floor. You may contact Mr. Theron Brown (Telephone 301–415–6702) for assistance or to be escorted to the meeting room.

Dated: November 6, 2018.

**Michael Snodderly,**

*Acting Chief, Technical Support Branch,  
Advisory Committee on Reactor Safeguards.*

[FR Doc. 2018–24749 Filed 11–13–18; 8:45 am]

**BILLING CODE 7590–01–P**

## **NUCLEAR REGULATORY COMMISSION**

**[Docket No. 50–458; NRC–2017–0141]**

### **Entergy Operations, Inc., River Bend Station, Unit 1**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Final supplemental environmental impact statement; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is issuing a final plant-specific Supplement 58 to the Generic Environmental Impact Statement (GEIS) for License Renewal of Nuclear Plants, NUREG–1437, regarding the renewal of operating license NPF–47 for an additional 20 years of operation for River Bend Station, Unit 1 (RBS). The RBS is located in West Feliciana Parish, Louisiana.

**DATES:** The final supplemental environmental impact statement referenced in this document is available on November 14, 2018.

**ADDRESSES:** Please refer to Docket ID NRC–2017–0141 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- Federal Rulemaking website: Go to <http://www.regulations.gov> and search for Docket ID NRC–2017–0141. Address questions about Docket IDs in *Regulations.gov* to Jennifer Borges; telephone: 301–287–9127; email: [Jennifer.Borges@nrc.gov](mailto:Jennifer.Borges@nrc.gov). For technical

questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **NRC's Agencywide Documents Access and Management System (ADAMS):** You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1–800–397–4209, 301–415–4737, or by email to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The final supplemental environmental impact statement is available in ADAMS under Accession No. ML18310A072.

- **NRC's PDR:** You may examine and purchase copies of public documents at the NRC's PDR, Room O1–F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

- **Library:** The final supplemental environmental impact statement is available for public inspection at the West Feliciana Parish Library, 5114 Burnett Road, St. Francisville, Louisiana 70775.

### **FOR FURTHER INFORMATION CONTACT:**

David Drucker, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001; telephone: 301–415–6223; email: [David.Drucker@nrc.gov](mailto:David.Drucker@nrc.gov).

### **SUPPLEMENTARY INFORMATION:**

#### **I. Background**

In accordance with § 51.118 of title 10 of the *Code of Federal Regulations*, the NRC is issuing the final Supplement 58 to the GEIS regarding the renewal of Entergy Operations, Inc. operating license NPF–47 for an additional 20 years of operation for RBS. The draft Supplement 58 to the GEIS was noticed by the NRC in the **Federal Register** on June 6, 2018 (83 FR 26310), and noticed by the Environmental Protection Agency on June 8, 2018 (83 FR 26665). The public comment period on the draft Supplement 58 to the GEIS ended on July 23, 2018, and the comments received are addressed in the final Supplement 58 to the GEIS.

#### **II. Discussion**

As discussed in Chapter 5 of the final Supplement 58 to the GEIS, the NRC determined that the adverse environmental impacts of license renewal for RBS are not so great that preserving the option of license renewal for energy-planning decisionmakers would be unreasonable.

This recommendation is based on: (1) The analysis and findings in the GEIS;

(2) information provided in the environmental report and other documents submitted by Entergy Operations, Inc.; (3) consultation with Federal, State, local, and Tribal agencies; (4) the NRC staff's independent environmental review; and (5) the NRC staff's consideration of public comments received during the scoping process and on the draft Supplement 58 to the GEIS.

Dated at Rockville, Maryland, on November 8, 2018.

For the Nuclear Regulatory Commission.

**Eric R. Oesterle,**

*Chief, License Renewal Projects Branch,  
Division of Materials and License Renewal,  
Office of Nuclear Reactor Regulation.*

[FR Doc. 2018-24813 Filed 11-13-18; 8:45 am]

**BILLING CODE 7590-01-P**

## NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-295, 50-304, and 72-1037;  
NRC-2018-0243]

### ZionSolutions, LLC; Zion Nuclear Power Station, Units 1 and 2; Independent Spent Fuel Storage Installation

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** Exemption; issuance.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) is issuing an exemption in response to a November 2, 2017, request submitted by ZionSolutions, for its general license to operate an independent spent fuel storage installation (ISFSI) at the Zion Nuclear Power Station (ZNPS). The exemption would allow ZionSolutions to deviate from the requirements in Certificate of Compliance (CoC) No. 1031, Amendment No. 6, Appendix A, Technical Specifications and Design Features for the Modular Advanced Generation Nuclear All-purpose STORage (MAGNASTOR®) System, Section 5.7, "Training Program."

**DATES:** This exemption is being issued on November 14, 2018.

**ADDRESSES:** Please refer to Docket ID NRC-2018-0243 when contacting the NRC about the availability of information regarding this document. You may obtain publicly-available information related to this document using any of the following methods:

- *Federal Rulemaking Website:* Go to <http://www.regulations.gov> and search for Docket ID NRC-2018-0243. Address questions about Docket IDs in *Regulations.gov* to Jennifer Borges; telephone: 301-287-9127; email:

*Jennifer.Borges@nrc.gov*. For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by email to *pdr.resource@nrc.gov*. The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document.

- *NRC's PDR:* You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

**FOR FURTHER INFORMATION CONTACT:** Yen-Ju Chen, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555; telephone: 301-415-1018; email: *Yen-Ju.Chen@nrc.gov*.

## SUPPLEMENTARY INFORMATION:

### I. Background

On February 13, 1998, Commonwealth Edison Company, the ZNPS licensee at that time, submitted a letter (ADAMS Accession No. ML15232A492) to the NRC certifying the permanent cessation of operations at ZNPS, Units 1 and 2. On March 9, 1998, Commonwealth Edison Company submitted a letter (ADAMS Accession No. ML15232A487) to the NRC certifying the permanent removal of fuel from the reactor vessels at ZNPS. On May 4, 2009, the NRC issued the Order (ADAMS Accession No. ML090930037) to transfer the ownership of the permanently shut down ZNPS facility and responsibility for its decommissioning to ZionSolutions. This transfer was effectuated on September 1, 2010 (ADAMS Accession No. ML102290437).

ZionSolutions was established solely for the purpose of acquiring and decommissioning the ZNPS facility for release for unrestricted use, while transferring the spent nuclear fuel and greater-than-Class C radioactive waste to the ZNPS ISFSI. ZionSolutions holds Facility Operating License Nos. DPR-39 and DPR-48, which authorize possession of spent fuel from the operation of ZNPS, Units 1 and 2, in Zion, Illinois, pursuant to part 50 of title

10 of the *Code of Federal Regulations* (10 CFR), "Domestic Licensing of Production and Utilization Facilities." The licenses provide, among other things, that the facility must comply with all applicable NRC requirements.

Consistent with subpart K of 10 CFR part 72, "General License for Storage of Spent Fuel at Power Reactor Sites," a general license is issued for the storage of spent fuel in an ISFSI at power reactor sites to persons authorized to possess or operate nuclear power reactors under 10 CFR part 50. ZionSolutions is currently authorized to store spent fuel at the ZNPS ISFSI under the 10 CFR part 72 general license provisions.

The conditions of the 10 CFR part 72 general license, specifically 10 CFR 72.212(a)(2), 72.212(b)(3), 72.212(b)(5)(i), and 72.212(b)(11), require a general licensee to store spent fuel in an approved spent fuel storage cask listed in 10 CFR 72.214, and to comply with the conditions specified in the cask's CoC. ZionSolutions previously registered to load and store spent fuel in MAGNASTOR® storage casks, as approved by the NRC under CoC No. 1031, Amendment No. 3 (ADAMS Accession No. ML14028A257) at the ZNPS ISFSI. In 2015, the NRC granted ZionSolutions' exemption request for CoC No. 1031, Amendment No. 3. This exemption relieved ZionSolutions, under CoC No. 1031, Amendment No. 3, from the requirement to develop training modules under the general licensee's systematic approach to training (SAT) that include comprehensive instructions for the operation and maintenance of the ISFSI Structures, Systems and Components (SSCs), that as defined in 10 CFR 72.3, are not important to safety (80 FR 53347). On April 17, 2017, ZionSolutions re-registered to load and store spent fuel in MAGNASTOR® storage casks, approved by the NRC under CoC No. 1031, Amendment No. 6 (ADAMS Accession No. ML17116A314). As a result, the 2015 exemption no longer applies and so, ZionSolutions has submitted this exemption request for using MAGNASTOR® storage casks under Amendment No. 6.

### II. Request/Action

By letter dated November 2, 2017 (ADAMS Accession No. ML17311A148), ZionSolutions submitted a request for exemptions from certain requirements of 10 CFR 72.212(a)(2), 72.212(b)(5), 72.212(b)(11), and 72.214. Specifically, ZionSolutions has requested an exemption from the requirements of CoC No. 1031, Amendment No. 6, Appendix A, Technical Specifications