

DEPARTMENT OF THE INTERIOR**Fish and Wildlife Service****50 CFR Part 10**

[Docket No. FWS-HQ-MB-2018-0047; FXMB 12320900000//189//FF09M29000]

RIN 1018-BC67

General Provisions; Revised List of Migratory Birds

AGENCY: Fish and Wildlife Service, Interior.

ACTION: Proposed rule.

SUMMARY: We, the U.S. Fish and Wildlife Service (Service), propose to revise the List of Migratory Birds protected by the Migratory Bird Treaty Act (MBTA) by both adding and removing species. Reasons for the changes to the list include adding species based on new taxonomy and new evidence of natural occurrence in the United States or U.S. territories, removing species no longer known to occur within the United States or U.S. territories, and changing names to conform to accepted use. The net increase of 59 species (66 added and 7 removed) would bring the total number of species protected by the MBTA to 1,085. We regulate the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for public notification and regulatory purposes.

DATES: We will accept comments received or postmarked on or before January 28, 2019. Comments submitted electronically using the Federal eRulemaking Portal (see **ADDRESSES**, below) must be received by 11:59 p.m. Eastern Time on the closing date.

ADDRESSES: You may submit comments by one of the following methods:

(1) *Electronically:* Go to the Federal eRulemaking Portal: <http://www.regulations.gov>. In the Search box, enter FWS-HQ-MB-2018-0047, which is the docket number for this rulemaking. Then, click on the Search button. On the resulting page, in the Search panel on the left side of the screen, under the Document Type heading, click on the Proposed Rule box to locate this document. You may submit a comment by clicking on "Comment Now!"

(2) *By hard copy:* Submit by U.S. mail or hand-delivery to: Public Comments Processing, Attn: FWS-HQ-MB-2018-0047, U.S. Fish and Wildlife Service,

MS: BPHC, 5275 Leesburg Pike, Falls Church, VA 22041-3803.

We request that you send comments only by the methods described above. We will post all comments on <http://www.regulations.gov>. This generally means that we will post any personal information you provide us (see Public Comments, below, for more information).

FOR FURTHER INFORMATION CONTACT: Eric L. Kershner, Chief of the Branch of Conservation, Permits, and Regulations; Division of Migratory Bird Management; U.S. Fish and Wildlife Service; MS: MB; 5275 Leesburg Pike, Falls Church, VA 22041-3803; (703) 358-2376.

SUPPLEMENTARY INFORMATION:**What statutory authority does the service have for this rulemaking?**

We have statutory authority and responsibility for enforcing the MBTA (16 U.S.C. 703–712), the Fish and Wildlife Improvement Act of 1978 (16 U.S.C. 742l), and the Fish and Wildlife Act of 1956 (16 U.S.C. 742a–j). The MBTA implements Conventions between the United States and four neighboring countries for the protection of migratory birds, as follows:

(1) *Canada:* Convention between the United States and Great Britain [on behalf of Canada] for the Protection of Migratory Birds, August 16, 1916, 39 Stat. 1702 (T.S. No. 628), as amended by Protocol between the Government of the United States and the Government of Canada Amending the 1916 Convention between the United Kingdom and the United States of America for the Protection of Migratory Birds, Sen. Treaty Doc. 104-28 (December 14, 1995);

(2) *Mexico:* Convention between the United States and Mexico for the Protection of Migratory Birds and Game Mammals, February 7, 1936, 50 Stat. 1311 (T.S. No. 912), as amended by Protocol with Mexico amending Convention for Protection of Migratory Birds and Game Mammals, Sen. Treaty Doc. 105-26 (May 5, 1997);

(3) *Japan:* Convention between the Government of the United States of America and the Government of Japan for the Protection of Migratory Birds and Birds in Danger of Extinction, and Their Environment, March 4, 1972, 25 U.S.T. 3329 (T.I.A.S. No. 7990); and

(4) *Russia:* Convention between the United States of America and the Union of Soviet Socialist Republics Concerning the Conservation of Migratory Birds and Their Environment (Russia), November 19, 1976, 29 U.S.T. 4647 (T.I.A.S. No. 9073).

What is the purpose of this rulemaking?

Our purpose is to inform the public of the species protected by the MBTA and its implementing regulations. These regulations are found in Title 50, Code of Federal Regulations (CFR), parts 10, 20, and 21. We regulate the taking, possession, transportation, sale, purchase, barter, exportation, and importation of migratory birds. An accurate and up-to-date list of species protected by the MBTA is essential for notifying the public of regulatory protections.

Why is the amendment of the list of migratory birds necessary?

The amendments we are proposing are needed to:

- (1) Add 17 species that qualify for protection under the MBTA;
- (2) Correct the spelling of 3 species names on the alphabetized list;
- (3) Correct the spelling of 3 species names on the taxonomic list;
- (4) Add 22 species based on new distributional records documenting their natural occurrence in the United States or U.S. territories since 2010;
- (5) Add one species moved from a family that was not protected to a family now protected under the MBTA as a result of taxonomic changes;
- (6) Add 26 species newly recognized as a result of recent taxonomic changes;
- (7) Remove 7 species not known to occur within the boundaries of the United States or U.S. territories as a result of recent taxonomic changes;
- (8) Change the common (English) names of 40 species to conform to accepted use; and
- (9) Change the scientific names of 114 species to conform to accepted use.

The List of Migratory Birds (50 CFR 10.13) was last revised on November 1, 2013 (78 FR 65844). The amendments proposed in this rule were necessitated by eight published supplements to the 7th (1998) edition of the American Ornithologists' Union (AOU, now recognized as American Ornithological Society (AOS)) Check-list of North American Birds (AOU 2011, AOU 2012, AOU 2013, AOU 2014, AOU 2015, AOU 2016, AOS 2017, and AOS 2018) and the 2017 publication of the Clements Checklist of Birds of the World (Clements et al. 2017).

What scientific authorities are used to amend the list of migratory birds?

Although bird names (common and scientific) are relatively stable, staying current with standardized use is necessary to avoid confusion in communications. In making our determinations, we primarily relied on

the AOS's Checklist of North American birds (AOU 1998), as amended annually (AOU 1999 through 2016, AOS 2017, AOS 2018), on matters of taxonomy, nomenclature, and the sequence of species and other higher taxonomic categories (Orders, Families, Subfamilies) for species that occur in North America. The AOS Checklist contains all bird species that have occurred in North America from the Arctic through Panama, including the West Indies and the Hawaiian Islands, and includes distributional information for each species, which specifies whether the species is known to occur in the United States. For the species that occur outside the geographic area covered by the AOS Checklist, we relied on Clements et al. (2017) and peer-reviewed literature. Although we primarily rely on the above sources, when informed taxonomic opinion is inconsistent or controversial, we evaluate available published and unpublished information and come to our own conclusion regarding the validity of taxa.

What criteria are used to identify individual species protected by the MBTA?

A species qualifies for protection under the MBTA by meeting one or more of the following criteria:

(1) It occurs in the United States or U.S. territories as the result of natural biological or ecological processes and is currently, or was previously listed as, a species or part of a family protected by one of the four international treaties or their amendments. Any species that occurs in the United States or U.S. territories solely as a result of intentional or unintentional human-assisted introduction does not qualify for the MBTA list, regardless of whether the family the species belongs to is listed in any of the treaties, unless:

- It was native to the United States or its territories and extant in 1918;
- It was extirpated after 1918 throughout its range in the United States and its territories; and
- After such extirpation, it was reintroduced in the United States or its territories as part of a program carried out by a Federal agency.

(2) Revised taxonomy results in it being newly split from a species that was previously on the list, and the new species occurs in the United States or U.S. territories as the result of natural biological or ecological processes. If a newly recognized native species is considered extinct (following the classification of the American Ornithological Society (AOS) or, for species not covered by the AOS, the

Clements checklist or peer-reviewed literature), that species will still be included if either of the following criteria apply:

- The species resembles extant species included in the list that may be affected by trade if the species is not included; or
- Not including the species may create difficulties implementing the MBTA and its underlying Conventions.

(3) New evidence exists for its natural occurrence in the United States or U.S. territories resulting from new or natural distributional changes and the species occurs in a protected family. Records must be documented, accepted, and published by the AOS committee. For the U.S. Pacific territories that fall outside the geographic scope of the AOS and for which there is no identified ornithological authority, new evidence of a species' natural occurrence will be based on the Clements checklist and then published peer-reviewed literature, in that order.

In accordance with the Migratory Bird Treaty Reform Act of 2004 (MBTRA) (Pub. L. 108–447, 118 Stat. 2809, 3071–72), we only include migratory bird species that are native to the United States or U.S. territories. A native migratory bird species is one that is present as a result of natural biological or ecological processes. The list at 50 CFR 10.13 does not include nonnative species that occur in the United States or U.S. territories solely as a result of intentional or unintentional human-assisted introduction(s). Elsewhere in today's **Federal Register**, we publish a notice of availability of the draft revised list of nonnative bird species that are not protected under the MBTA.

How would the proposed changes affect the list of migratory birds?

Several taxonomic changes were made at the Order and Family level by the AOS since our 2013 publication of the list (78 FR 65844; November 1, 2013). These changes affect the inclusion and taxonomic order of species on this list. Specifically, the Order Cathartiformes (New World vultures) was split from the Accipitriformes (diurnal birds of prey). Cathartiformes now includes the Family Cathartidae (vultures and California condor). At the Family level, the Oceanitidae (southern storm-petrels) was split from the Hydrobatidae (northern storm-petrels), the Tityridae (becards and tityras) was split from the Tyrannidae (tyrant flycatchers), the Passerellidae (towhees, sparrows, and juncos) was split from the Emberizidae (buntings), the Megaluridae (*Locustella* warblers) was renamed to Locustellidae.

The Ptilogonatidae (silky-flycatchers) was renamed to the Ptiliogonatidae. The Nesospingidae (Puerto Rican tanager) and the Spindalidae (*Spindalis* genus) were split from the Thraupidae (tanagers). The yellow-breasted chat was split from the Parulidae (wood-warblers) and placed into Icteriidae (chats). Within the Scolopacidae (sandpipers, phalaropes, and allies), new Subfamilies were created: The curlews were moved to Numeniinae; the godwits to Limosinae; and small sandpipers to Arenariinae and larger sandpipers to Tringinae, including phalaropes whose previous Subfamily Phalaropodinae was removed. Within the Accipitridae (hawks, eagles, and kites), new Subfamilies were created: The white-tailed kite was moved to Elaninae, hook-billed and swallow-tailed kite were moved to Gypaetinae, and all other members of the family were moved to Accipitrinae. Within the Icteridae (blackbirds), new Subfamilies were created: Yellow-headed blackbird was moved to Xanthocephalinae; bobolink was moved to Dolichonychinae; meadowlarks were moved to Sturnellinae; orioles were moved to Icterinae; and blackbirds, cowbirds, and grackles were moved to Agelaiinae. In the Falconidae (caracaras and falcons), collared forest-falcon was moved into the new Subfamily Herpetotherinae, and the Subfamily Caracarinae was removed, with crested caracara moved to the Subfamily Falconinae. In the Fringillidae (finches and allies), the Hawaiian fringillids were moved from the Subfamily Drepanidinae to Carduelinae. The Old World flycatchers in the Turdidae (thrushes) were moved to the Muscicapidae (Old World flycatchers). Bananaquit was moved from the Coerebidae (a family not protected by MBTA) to the Thraupidae (tanagers and allies), which is a family protected by the MBTA. All other tanagers were also moved from the Emberizidae (sparrows) to the Thraupidae. Within Thraupidae, the seedeaters were moved into the Subfamily Sporophilinae, and bananaquit, grassquits, and bullfinches were moved into the Subfamily Coerbinae.

All species previously receiving protection under the MBTA that have been moved to newly created Families continue to be protected under the MBTA.

The proposed amendments (66 additions, 7 removals, and 154 name changes) would affect a total of 204 species and would result in a net addition of 59 species to the List of Migratory Birds, increasing the number of species on the list from 1,026 to

1,085. Of the 66 species that we would add to the list, 26 were previously covered under the MBTA as members of the same species (conspecific) of listed species. These proposed amendments can be logically arranged in the following nine categories:

(1) Add 17 species that qualify for protection by the MBTA but have not been added previously. The addition of these species is the result of either accepting AOS taxonomic updates that were previously excluded or determinations of documented natural occurrence in the United States or U.S. territories. The species and relevant publication(s) are:

Pink-footed Goose, *Anser brachyrhynchus* (AOU 1983);
 Cackling Goose, *Branta hutchinsii* (AOU 2003);
 European Turtle-Dove, *Streptopelia turtur* (AOU 2007);
 Long-tailed Koel, *Urodynamis taitensis* (Wiles 2005);
 White-tailed Nightjar, *Hydropsalis cayennensis* (AOU 1983);
 Vervain Hummingbird, *Mellisuga minima* (AOU 1983);
 Kentish Plover, *Charadrius alexandrinus* (Enbring and Owen 1981);
 Common Redshank, *Tringa totanus* (Wiles 2005);
 Nazca Booby, *Sula granti* (AOU 2000);
 Abbott's Booby, *Papasula abbotti* (Pratt et al. 2009);
 Rufous Night-Heron, *Nycticorax caledonicus* (Glass et al. 1990);
 Gray-faced Buzzard, *Butastur indicus* (Stinson et al. 1997);
 Eastern Marsh-Harrier, *Circus spilonotus* (Wiles et al. 2000);
 Amur Falcon, *Falco amurensis* (Stinson et al. 1991);
 Eurasian Jackdaw, *Corvus monedula* (AOU 1998);
 Redwing, *Turdus iliacus* (AOU 1983);
 Common Kingfisher, *Alcedo atthis* (Wiles et al. 1993).

(2) Correct the spelling of three common or scientific names on the alphabetized list:

Eared Quetzl, *Euptilotis neoxenus*, becomes Eared Quetzal
 Red-footed falcon, *Flaco vespertinus*, becomes *Falco vespertinus*
 Piratic Flycatcher, *Legatus leucophalus* becomes *Legatus leucophaius*

(3) Correct the spelling of three common or scientific names on the taxonomic list:

Eared Quetzl, *Euptilotis neoxenus*, becomes Eared Quetzal
 White-crested Eleania, *Elaenia albiceps* becomes White-crested Elaenia
 Piratic Flycatcher, *Legatus leucophalus* becomes *Legatus leucophaius*
 (4) Add 22 species based on review and acceptance by the AOS (since 2010) or by other appropriate ornithological authorities of new distributional records

documenting their occurrence in the United States or U.S. territories. These species belong to families covered by at least one of the four international conventions, and all are considered to be of accidental or casual occurrence. For each species, we list the State in which it has been recorded plus the relevant publication:

Common Scoter, *Melanitta nigra*—California and Oregon (AOS 2017);
 Amethyst-throated Hummingbird, *Lampornis amethystinus*—Texas (AOS 2018);
 Rufous-necked Wood-Rail, *Aramides axillaris*—New Mexico (AOU 2016);
 Solitary Snipe, *Gallinago solitaria*—Alaska (AOU 2011);
 Chatham Albatross, *Thalassarche eremita*—California (AOS 2017);
 Providence Petrel, *Pterodroma solandri*—Alaska (AOU 2013);
 Fea's Petrel, *Pterodroma feae*—North Carolina, Georgia, Virginia (AOU 2013);
 Zino's Petrel, *Pterodroma madeira*—North Carolina, (AOU 2015);
 White-chinned Petrel, *Procellaria aequinoctialis*—Texas, California, Maine (AOU 2011);
 Bryan's Shearwater, *Puffinus bryani*—Hawaii (AOU 2012);
 Bare-throated Tiger-Heron, *Tigrisoma mexicanum*—Texas (AOU 2011);
 Double-toothed Kite, *Harpagus bidentatus*—Texas (AOU 2013);
 Amazon Kingfisher, *Chloroceryle amazona*—Texas (AOU 2011);
 Gray-collared Becard, *Pachyramphus major*—Arizona (AOU 2011);
 Pine Flycatcher, *Empidonax affinis*—Arizona (AOS 2018);
 Cuban Vireo, *Vireo gundlachii*—Florida (AOS 2018);
 Common Chiffchaff, *Phylloscopus collybita*—Alaska (AOU 2014);
 Blyth's Reed Warbler, *Acrocephalus dumetorum*—Alaska (AOU 2017);
 Common Redstart, *Phoenicurus phoenicurus*—Alaska (AOU 2015);
 Brown-backed Solitaire, *Myadestes occidentalis*—Arizona (AOU 2011);
 Asian Rosy-Finch, *Leucosticte arctoa*—Alaska (AOU 2013);
 Red-legged Honeycreeper, *Cyanerpes cyaneus*—Texas (AOS 2017).

(5) Add one species because of recent taxonomic changes transferring a species in a Family formerly not protected by the MBTA (Coerebidae) into a Family protected under the MBTA (Thraupidae). We reference the AOU publication supporting the change: Bananaquit, *Coereba flaveola*, (AOU 2015).

(6) Add 26 species because of recent taxonomic changes in which taxa formerly treated as conspecific have been determined to be distinct species. Given that each of these species was formerly treated as conspecific with a listed species, these additions would not change the protective status of any of these taxa, only the names by which

they are known. In each case, we reference the AOS or relevant publication supporting the change:

Ridgway's Rail, *Rallus obsoletus*—formerly considered conspecific with Clapper Rail, *Rallus longirostris* (AOU 2014);
 Common Gallinule, *Gallinula galeata*—formerly considered conspecific with Common Moorhen, *Gallinula chloropus* (AOU 2011);
 Scripp's Murrelet, *Synthliboramphus scrippsi*—formerly considered conspecific with Xantus's Murrelet, *Synthliboramphus hypoleucus* (AOU 2012);
 Salvin's Albatross, *Thalassarche salvini*—formerly considered conspecific with Shy Albatross, *Thalassarche cauta* (AOU 2014);
 Trindade Petrel, *Pterodroma arminjoniana*—formerly considered conspecific with Herald Petrel, *Pterodroma heraldica* (AOU 2015);
 Newell's Shearwater, *Puffinus newelli*—formerly considered conspecific with Townsend's Shearwater, *Puffinus auricularis* (AOU 2015);
 Barolo Shearwater, *Puffinus baroli*—formerly considered conspecific with Little Shearwater, *Puffinus assimilis* (AOU 2013);
 Townsend's Storm-Petrel, *Oceanodroma socorroensis*—formerly considered conspecific with Leach's Storm-Petrel, *Oceanodroma leucorhoa* (AOU 2016);
 Northern Boobook, *Ninox japonica*—formerly considered conspecific with Brown Hawk-Owl, *Ninox scutulata* (AOU 2014);
 Pacific Kingfisher, *Todiramphus sacer*—formerly considered conspecific with Collared Kingfisher, *Todiramphus chloris* (Clements et al. 2015);
 Mariana Kingfisher, *Todiramphus albicilla*—formerly considered conspecific with Collared Kingfisher, *Todiramphus chloris* (Clements et al. 2015);
 Woodhouse's Scrub-Jay, *Aphelocoma woodhouseii*—formerly considered conspecific with Western Scrub-Jay, *Aphelocoma californica* (AOU 2016);
 Kamchatka Leaf Warbler, *Phylloscopus examinandus*—formerly considered conspecific with Arctic Warbler, *Phylloscopus borealis* (AOU 2014);
 Saipan Reed Warbler, *Acrocephalus hiwae*—formerly considered conspecific with Nightingale Reed Warbler, *Acrocephalus luscinius* (Clements et al. 2013);
 Aguijan Reed Warbler, *Acrocephalus nijoi*—formerly considered conspecific with Nightingale Reed Warbler, *Acrocephalus luscinius* (Clements et al. 2013);
 Pagan Reed Warbler, *Acrocephalus yamashiniae*—formerly considered conspecific with Nightingale Reed Warbler, *Acrocephalus luscinius* (Clements et al. 2013);
 Laysan Honeycreeper, *Himatione fraithii*—formerly considered conspecific with Apapane, *Himatione sanguinea* (AOU 2015);
 Kauai Nukupu'u, *Hemignathus hanapepe*—formerly considered conspecific with Nukupuu, *Hemignathus lucidus* (AOU 2015);
 Maui Nukupu'u, *Hemignathus affinis*—formerly considered conspecific with

Nukupuu, *Hemignathus lucidus* (AOU 2015);
 Kauai 'Akialoa, *Akialoa stejnegeri*—formerly considered conspecific with Greater Akialoa, *Hemignathus ellisianus* (AOU 2015);
 Maui Nui 'Akialoa, *Akialoa lanaiensis*—formerly considered conspecific with Greater Akialoa, *Hemignathus ellisianus* (AOU 2015);
 O'ahu 'Akepa, *Loxops wolstenholmei*—formerly considered conspecific with 'Akepa, *Loxops coccineus* (AOU 2015);
 Maui 'Akepa, *Loxops ochraceus*—formerly considered conspecific with 'Akepa, *Loxops coccineus* (AOU 2015);
 Cassia Crossbill, *Loxia sinesciurus*—formerly considered conspecific with Red Crossbill, *Loxia curvirostra* (AOS 2017);
 Sagebrush Sparrow, *Artemiospiza nevadensis*—formerly considered conspecific with Sage Sparrow, *Amphispiza belli* (AOU 2013);
 Morelet's Seedeater, *Sporophila moreletti*—formerly considered conspecific with White-collared Seedeater, *Sporophila torqueola* (AOS 2018).

(7) Remove seven species based on revised taxonomic treatments, either because a species is taxonomically merged with another species, either on or off the list; a species previously on the list is taxonomically split into multiple species and the new species is not known to occur within the United States or U.S. territories; or the species is considered extinct (following the

classification of the AOS or, for species not covered by the AOS, the Clements checklist or peer-reviewed literature) unless any of the following criteria apply: It is protected under the Endangered Species Act of 1973, as amended (ESA; 16 U.S.C. 1531 *et seq.*), or the Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES; 27 U.S.T. 1087); it resembles extant species included in the list that may be affected by its removal; or its removal would create difficulties implementing the MBTA and its underlying Conventions. In each case, we reference the publication supporting these changes:

Thayer's Gull, *Larus thayeri*, now a subspecies of Iceland Gull, *Larus glaucopterus* (AOS 2017);
 Townsend's Shearwater, *Puffinus auricularis* (AOU 2015);
 Little Shearwater, *Puffinus assimilis* (AOU 2015);
 Brown Hawk-Owl, *Ninox scutulata* (AOU 2014);
 Caribbean Coot, *Fulica caribaea* (AOU 2016);
 Collared Kingfisher, *Todiramphus chloris* (Clements et al. 2015);
 White-collared Seedeater, *Sporophila torqueola* (AOS 2018).

(8) Revise the common (English) names of 40 species to conform to the most recent nomenclatural treatment as described in AOU publications 2011,

2012, 2013, 2014, 2015, 2016, AOS 2017, AOS 2018, and Clements et al. (2017). Hawaiian species names are modified to official Hawaiian spelling, following the Pukui-Elbert Hawaiian Dictionary, adding the diacritical marks to the common names where applicable. The Government Publishing Office Style Manual requires the words Hawaii and Kauai to be spelled without the diacritical mark. These revisions do not change the protective status of any of these taxa, only the names by which they are known. In each case, the update is described in the table, below.

(9) Revise the scientific names of 114 species to conform to the most recent nomenclatural treatment as described in AOU publications 2011, 2012, 2013, 2014, 2015, 2016, AOS 2017, AOS 2018, and Clements et al. (2017). These revisions do not change the protective status of any of these taxa, only the names by which they are known. In each case, the update is described in the table, below.

Table of Proposed Name Changes, as described in categories 8 and 9, above. Table is organized following AOS (2017) taxonomic order. The relevant AOS publication is provided. Hawaiian common name changes are indicated with a (—).

Publication source and year	Previous common name	Current common name
AOU 2004	Canada Goose (including <i>Branta hutchinsi</i>), <i>Branta canadensis</i> .	Canada Goose, <i>Branta canadensis</i> .
AOU 2016	Green Violetear, <i>Colibri thalassinus</i>	Mexican Violetear, <i>Colibri thalassinus</i> .
AOS 2017	Magnificent hummingbird, <i>Eugenes fulgens</i>	Rivoli's Hummingbird, <i>Eugenes fulgens</i> .
AOU 2012	Xantus's Murrelet, <i>Synthliboramphus hypoleucus</i>	Guadalupe Murrelet, <i>Synthliboramphus hypoleucus</i> .
AOU 2014	Shy Albatross, <i>Thalassarche cauta</i>	White-capped Albatross, <i>Thalassarche cauta</i> .
AOU 2015	Herald Petrel, <i>Pterodroma arminjoniana</i>	Trindade Petrel, <i>Pterodroma arminjoniana</i> .
Clements et al. 2000	Pacific Reef-Egret, <i>Egretta sacra</i>	Pacific Reef-Heron, <i>Egretta sacra</i> .
AOU 2012	Gray Frog-Hawk, <i>Accipiter soloensis</i>	Chinese Sparrowhawk, <i>Accipiter soloensis</i> .
AOU 2014	Common Black-Hawk, <i>Buteogallus anthracinus</i>	Common Black Hawk, <i>Buteogallus anthracinus</i> .
AOS 2018	Gray Jay, <i>Perisoreus canadensis</i>	Canada Jay, <i>Perisoreus canadensis</i> .
AOU 2016	Western Scrub-Jay, <i>Aphelocoma californica</i>	California Scrub-Jay, <i>Aphelocoma californica</i> .
AOU 2016	Eurasian Sky Lark, <i>Alauda arvensis</i>	Eurasian Skylark, <i>Alauda arvensis</i> .
AOU 2014	Pallas's Leaf-Warbler, <i>Phylloscopus proregulus</i>	Pallas's Leaf Warbler, <i>Phylloscopus proregulus</i> .
—	Kamao, <i>Myadestes myadestinus</i>	Kāma'o, <i>Myadestes myadestinus</i> .
—	Olomao, <i>Myadestes lanaiensis</i>	Oloma'o, <i>Myadestes lanaiensis</i> .
—	Omao, <i>Myadestes obscurus</i>	‘Oma'o, <i>Myadestes obscurus</i> .
AOS 2017	Le Conte's Thrasher, <i>Toxostoma lecontei</i>	LeConte's Thrasher, <i>Toxostoma lecontei</i> .
AOU 2015	Nukupuu, <i>Hemignathus lucidus</i>	O'ahu Nukupu'u, <i>Hemignathus lucidus</i> .
—	Poo-uli, <i>Melamprosops phaeosoma</i>	Po'ouli, <i>Melamprosops phaeosoma</i> .
—	Akikiki, <i>Oreomystis bairdi</i>	‘Akikiki, <i>Oreomystis bairdi</i> .
—	Oahu Alauahio, <i>Paroreomyza maculata</i>	O'ahu 'Alauahio, <i>Paroreomyza maculata</i> .
—	Kakawahie, <i>Paroreomyza flammea</i>	Kākawahie, <i>Paroreomyza flammea</i> .
—	Maui Alauahio, <i>Paroreomyza montana</i>	Maui 'Alauahio, <i>Paroreomyza montana</i> .
—	Akohekohe, <i>Palmeria dolei</i>	‘Akohekohe, <i>Palmeria dolei</i> .
—	Apapane, <i>Himatione sanguinea</i>	‘Apapane, <i>Himatione sanguinea</i> .
—	I'iwi, <i>Drepanis coccinea</i>	I'iwi, <i>Drepanis coccinea</i> .
—	Ou, <i>Psittirostra psittacea</i>	‘O’ú, <i>Psittirostra psittacea</i> .
—	Anianiau, <i>Magumma parva</i>	Anianiau, <i>Magumma parva</i> .
—	Akekee, <i>Loxops caeruleirostris</i>	‘Akeke'e, <i>Loxops caeruleirostris</i> .
AOU 2015	Akepa, <i>Loxops coccineus</i>	Hawaii 'Akepa, <i>Loxops coccineus</i> .
AOS 2017	Le Conte's Sparrow, <i>Ammodramus leconteii</i>	LeConte's Sparrow, <i>Ammodramus leconteii</i> .
AOS 2017	Emperor Goose, <i>Chen canagica</i>	Emperor Goose, <i>Anser canagicus</i> .
AOS 2017	Snow Goose, <i>Chen caerulescens</i>	Snow Goose, <i>Anser caerulescens</i> .

Publication source and year	Previous common name	Current common name
AOS 2017	Ross's Goose, <i>Chen rossii</i>	Ross's Goose, <i>Anser rossii</i> .
AOS 2017	Baikal Teal, <i>Anas formosa</i>	Baikal Teal, <i>Sibirionetta formosa</i> .
AOS 2017	Garganey, <i>Anas querquedula</i>	Garganey, <i>Spatula querquedula</i> .
AOS 2017	Blue-winged Teal, <i>Anas discors</i>	Blue-winged Teal, <i>Spatula discors</i> .
AOS 2017	Cinnamon Teal, <i>Anas cyanoptera</i>	Cinnamon Teal, <i>Spatula cyanoptera</i> .
AOS 2017	Northern Shoveler, <i>Anas clypeata</i>	Northern Shoveler, <i>Spatula clypeata</i> .
AOS 2017	Gadwall, <i>Anas strepera</i>	Gadwall, <i>Mareca strepera</i> .
AOS 2017	Falcated Duck, <i>Anas falcata</i>	Falcated Duck, <i>Mareca falcata</i> .
AOS 2017	Eurasian Wigeon, <i>Anas penelope</i>	Eurasian Wigeon, <i>Mareca penelope</i> .
AOS 2017	American Wigeon, <i>Anas americana</i>	American Wigeon, <i>Mareca americana</i> .
Clements et al. 2017	White-throated Ground-Dove, <i>Gallicolumba xanthonura</i>	White-throated Ground-Dove, <i>Alopecoenas xanthonura</i> .
Clements et al. 2010	Hodgson's Hawk-Cuckoo, <i>Cuculus fugax</i>	Hodgson's Hawk-Cuckoo, <i>Hierococcyx nisicolor</i> .
AOU 2012	Chuck-will's-widow, <i>Caprimulgus carolinensis</i>	Chuck-will's-widow, <i>Antrostomus carolinensis</i> .
AOU 2012	Buff-collared Nightjar, <i>Caprimulgus ridgwayi</i>	Buff-collared Nightjar, <i>Antrostomus ridgwayi</i> .
AOU 2012	Eastern Whip-poor-will, <i>Caprimulgus vociferus</i>	Eastern Whip-poor-will, <i>Antrostomus vociferus</i> .
AOU 2012	Mexican Whip-poor-will, <i>Caprimulgus arizonae</i>	Mexican Whip-poor-will, <i>Antrostomus arizonae</i> .
AOU 2012	Puerto Rican Nightjar, <i>Caprimulgus noctitherus</i>	Puerto Rican Nightjar, <i>Antrostomus noctitherus</i> .
AOS 2018	Gray Nightjar, <i>Caprimulgus indicus</i>	Gray Nightjar, <i>Caprimulgus jotaka</i> .
AOU 2012	Calliope Hummingbird, <i>Stellula calliope</i>	Calliope Hummingbird, <i>Selasphorus calliope</i> .
AOU 2014	Clapper Rail, <i>Rallus longirostris</i>	Clapper Rail, <i>Rallus crepitans</i> .
AOU 2016	Yellow-breasted Crake, <i>Porzana flaviventer</i>	Yellow-breasted Crake, <i>Hapalocrex flaviventer</i> .
AOU 2012	Purple Gallinule, <i>Porphyrio martinica</i>	Purple Gallinule, <i>Porphyrio martinicus</i> .
AOU 2016	Sandhill Crane, <i>Grus canadensis</i>	Sandhill Crane, <i>Antigone canadensis</i> .
AOU 2011	Snowy Plover, <i>Charadrius alexandrinus</i>	Snowy Plover, <i>Charadrius nivosus</i> .
AOU 2013	Surfbird, <i>Aphriza virgata</i>	Surfbird, <i>Calidris virgata</i> .
AOU 2013	Ruff, <i>Philomachus pugnax</i>	Ruff, <i>Calidris pugnax</i> .
AOU 2013	Broad-billed Sandpiper, <i>Limicola falcinellus</i>	Broad-billed Sandpiper, <i>Calidris falcinellus</i> .
AOU 2013	Spoon-billed Sandpiper, <i>Eurynorhynchus pygmeus</i>	Spoon-billed Sandpiper, <i>Calidris pygmea</i> .
AOU 2013	Buff-breasted Sandpiper, <i>Tryngites subruficollis</i>	Buff-breasted Sandpiper, <i>Calidris subruficollis</i> .
AOS 2017	Blue-gray Noddy, <i>Procelsterna cerulea</i>	Blue-gray Noddy, <i>Anous ceruleus</i> .
AOU 2003	Whiskered Tern, <i>Chlidonias hybridus</i>	Whiskered Tern, <i>Chlidonias hybrida</i> .
AOS 2018	Tahiti Petrel, <i>Pterodroma rostrata</i>	Tahiti Petrel, <i>Pseudobulweria rostrata</i> .
AOU 2016	Wedge-tailed Shearwater, <i>Puffinus pacificus</i>	Wedge-tailed Shearwater, <i>Ardenna pacifica</i> .
AOU 2016	Buller's Shearwater, <i>Puffinus bulleri</i>	Buller's Shearwater, <i>Ardenna bulleri</i> .
AOU 2016	Short-tailed Shearwater, <i>Puffinus tenuirostris</i>	Short-tailed Shearwater, <i>Ardenna tenuirostris</i> .
AOU 2016	Sooty Shearwater, <i>Puffinus griseus</i>	Sooty Shearwater, <i>Ardenna grisea</i> .
AOU 2016	Great Shearwater, <i>Puffinus gravis</i>	Great Shearwater, <i>Ardenna gravis</i> .
AOU 2016	Pink-footed Shearwater, <i>Puffinus creatopus</i>	Pink-footed Shearwater, <i>Ardenna creatopus</i> .
AOU 2016	Flesh-footed Shearwater, <i>Puffinus carneipes</i>	Flesh-footed Shearwater, <i>Ardenna carneipes</i> .
AOS 2017	Intermediate Egret, <i>Mesophoyx intermedia</i>	Intermediate Egret, <i>Ardea intermedia</i> .
AOS 2017	Northern Harrier, <i>Circus cyaneus</i>	Northern Harrier, <i>Circus hudsonius</i> .
AOU 2015	Roadside Hawk, <i>Buteo magnirostris</i>	Roadside Hawk, <i>Rupornis magnirostris</i> .
AOU 2015	White-tailed Hawk, <i>Buteo albicaudatus</i>	White-tailed Hawk, <i>Geranoaetus albicaudatus</i> .
AOS 2018	Downy Woodpecker, <i>Picoides pubescens</i>	Downy Woodpecker, <i>Dryobates pubescens</i> .
AOS 2018	Nuttall's Woodpecker, <i>Picoides nuttallii</i>	Nuttall's Woodpecker, <i>Dryobates nuttallii</i> .
AOS 2018	Ladder-backed Woodpecker, <i>Picoides scalaris</i>	Ladder-backed Woodpecker, <i>Dryobates scalaris</i> .
AOS 2018	Red-cockaded Woodpecker, <i>Picoides borealis</i>	Red-cockaded Woodpecker, <i>Dryobates borealis</i> .
AOS 2018	Hairy Woodpecker, <i>Picoides villosus</i>	Hairy Woodpecker, <i>Dryobates villosus</i> .
AOS 2018	White-headed Woodpecker, <i>Picoides albolarvatus</i>	White-headed Woodpecker, <i>Dryobates albolarvatus</i> .
AOS 2018	Arizona Woodpecker, <i>Picoides arizonae</i>	Arizona Woodpecker, <i>Dryobates arizonae</i> .
AOU 2013	Flammulated Owl, <i>Otus flammeolus</i>	Flammulated Owl, <i>Psiloscops flammeolus</i> .
AOS 2017	Northern Shrike, <i>Lanius excubitor</i>	Northern Shrike, <i>Lanius borealis</i> .
AOU 2011	Mexican Jay, <i>Aphelocoma ultramarina</i>	Mexican Jay, <i>Aphelocoma wollweberi</i> .
AOU 2012	Sinaloa Wren, <i>Thryothorus sinaloa</i>	Sinaloa Wren, <i>Thryophilus sinaloa</i> .
AOS 2018	Siberian Blue Robin, <i>Luscinia cyane</i>	Siberian Blue Robin, <i>Larvivora cyane</i> .
AOS 2018	Rufous-tailed Robin, <i>Luscinia sibilans</i>	Rufous-tailed Robin, <i>Larvivora sibilans</i> .
AOS 2018	Bluethroat, <i>Luscinia svecica</i>	Bluethroat, <i>Cyanecula svecica</i> .
AOS 2018	Siberian Rubythroat, <i>Luscinia calliope</i>	Siberian Rubythroat, <i>Calliope calliope</i> .
Clements et al. 2015	Chestnut-cheeked Starling, <i>Sturnus phillipensis</i>	Chestnut-cheeked Starling, <i>Agropsar philippensis</i> .
Clements et al. 2015	White-cheeked Starling, <i>Sturnus cineraceus</i>	White-cheeked Starling, <i>Spodiopsar cineraceus</i> .
AOU 2013	Gray Silky-flycatcher, <i>Ptiliogonyx cinereus</i>	Gray Silky-flycatcher, <i>Ptiliogonyx cinereus</i> .
AOU 2012	House Finch, <i>Carpodacus mexicanus</i>	House Finch, <i>Haemorhous mexicanus</i> .
AOU 2012	Purple Finch, <i>Carpodacus purpureus</i>	Purple Finch, <i>Haemorhous purpureus</i> .
AOU 2012	Cassin's Finch, <i>Carpodacus cassini</i>	Cassin's Finch, <i>Haemorhous cassini</i> .
AOU 2015	American Tree Sparrow, <i>Spizella arborea</i>	American Tree Sparrow, <i>Spizelloides arborea</i> .
AOS 2018	Baird's Sparrow, <i>Ammodramus bairdii</i>	Baird's Sparrow, <i>Centronyx bairdii</i> .
AOS 2018	Henslow's Sparrow, <i>Ammodramus henslowii</i>	Henslow's Sparrow, <i>Centronyx henslowii</i> .
AOS 2018	LeConte's Sparrow, <i>Ammodramus leconteii</i>	LeConte's Sparrow, <i>Ammospiza leconteii</i> .
AOS 2018	Seaside Sparrow, <i>Ammodramus maritima</i>	Seaside Sparrow, <i>Ammospiza maritima</i> .
AOS 2018	Nelson's Sparrow, <i>Ammodramus nelsoni</i>	Nelson's Sparrow, <i>Ammospiza nelsoni</i> .
AOS 2018	Saltmarsh Sparrow, <i>Ammodramus caudacuta</i>	Saltmarsh Sparrow, <i>Ammospiza caudacuta</i> .
AOU 2011	MacGillivray's Warbler, <i>Oporornis tolmiei</i>	MacGillivray's Warbler, <i>Geothlypis tolmiei</i> .
AOU 2011	Mourning Warbler, <i>Oporornis philadelphica</i>	Mourning Warbler, <i>Geothlypis philadelphica</i> .

Publication source and year	Previous common name	Current common name
AOU 2011	Kentucky Warbler, <i>Oporornis formosus</i>	Kentucky Warbler, <i>Geothlypis formosa</i> .
AOU 2011	Elfin-woods Warbler, <i>Dendroica angelae</i>	Elfin-woods Warbler, <i>Setophaga angelae</i> .
AOU 2011	Hooded Warbler, <i>Wilsonia citrina</i>	Hooded Warbler, <i>Setophaga citrina</i> .
AOU 2011	Kirtland's Warbler, <i>Dendroica kirtlandii</i>	Kirtland's Warbler, <i>Setophaga kirtlandii</i> .
AOU 2011	Cape May Warbler, <i>Dendroica tigrina</i>	Cape May Warbler, <i>Setophaga tigrina</i> .
AOU 2011	Cerulean Warbler, <i>Dendroica cerulea</i>	Cerulean Warbler, <i>Setophaga cerulea</i> .
AOU 2011	Northern Parula, <i>Parula americana</i>	Northern Parula, <i>Setophaga americana</i> .
AOU 2011	Tropical Parula, <i>Parula pitayumi</i>	Tropical Parula, <i>Setophaga pitayumi</i> .
AOU 2011	Magnolia Warbler, <i>Dendroica magnolia</i>	Magnolia Warbler, <i>Setophaga magnolia</i> .
AOU 2011	Bay-breasted Warbler, <i>Dendroica castanea</i>	Bay-breasted Warbler, <i>Setophaga castanea</i> .
AOU 2011	Blackburnian Warbler, <i>Dendroica fusca</i>	Blackburnian Warbler, <i>Setophaga fusca</i> .
AOU 2011	Yellow Warbler, <i>Dendroica petechia</i>	Yellow Warbler, <i>Setophaga petechia</i> .
AOU 2011	Chestnut-sided Warbler, <i>Dendroica pensylvanica</i>	Chestnut-sided Warbler, <i>Setophaga pensylvanica</i> .
AOU 2011	Blackpoll Warbler, <i>Dendroica striata</i>	Blackpoll Warbler, <i>Setophaga striata</i> .
AOU 2011	Black-throated Blue Warbler, <i>Dendroica caerulea</i>	Black-throated Blue Warbler, <i>Setophaga caerulea</i> .
AOU 2011	Palm Warbler, <i>Dendroica palmarum</i>	Palm Warbler, <i>Setophaga palmarum</i> .
AOU 2011	Pine Warbler, <i>Dendroica pinus</i>	Pine Warbler, <i>Setophaga pinus</i> .
AOU 2011	Yellow-rumped Warbler, <i>Dendroica coronata</i>	Yellow-rumped Warbler, <i>Setophaga coronata</i> .
AOU 2011	Yellow-throated Warbler, <i>Dendroica dominica</i>	Yellow-throated Warbler, <i>Setophaga dominica</i> .
AOU 2011	Prairie Warbler, <i>Dendroica discolor</i>	Prairie Warbler, <i>Setophaga discolor</i> .
AOU 2011	Adelaide's Warbler, <i>Dendroica adelaida</i>	Adelaide's Warbler, <i>Setophaga adelaida</i> .
AOU 2011	Grace's Warbler, <i>Dendroica graciae</i>	Grace's Warbler, <i>Setophaga graciae</i> .
AOU 2011	Black-throated Gray Warbler, <i>Dendroica nigrescens</i>	Black-throated Gray Warbler, <i>Setophaga nigrescens</i> .
AOU 2011	Townsend's Warbler, <i>Dendroica townsendi</i>	Townsend's Warbler, <i>Setophaga townsendi</i> .
AOU 2011	Hermit Warbler, <i>Dendroica occidentalis</i>	Hermit Warbler, <i>Setophaga occidentalis</i> .
AOU 2011	Golden-cheeked Warbler, <i>Dendroica chrysoparia</i>	Golden-cheeked Warbler, <i>Setophaga chrysoparia</i> .
AOU 2011	Black-throated Green Warbler, <i>Dendroica virens</i>	Black-throated Green Warbler, <i>Setophaga virens</i> .
AOU 2011	Fan-tailed Warbler, <i>Euthlypis lachrymosa</i>	Fan-tailed Warbler, <i>Basileuterus lachrymosus</i> .
AOU 2011	Canada Warbler, <i>Wilsonia canadensis</i>	Canada Warbler, <i>Cardellina canadensis</i> .
AOU 2011	Wilson's Warbler, <i>Wilsonia pusilla</i>	Wilson's Warbler, <i>Cardellina pusilla</i> .
Clements et al. 2017	Friendly Ground-Dove, <i>Gallicolumba stauri</i>	Shy Ground-Dove, <i>Alopecoenas stauri</i> .
Clements et al. 2006	Micronesian Kingfisher, <i>Todiramphus cinnamominus</i>	Guam Kingfisher, <i>Todiramphus cinnamominus</i> .
Clements et al. 2006, 2017.	Nightingale Reed-Warbler, <i>Acrocephalus luscinius</i>	Nightingale Reed Warbler, <i>Acrocephalus luscinius</i> .
AOU 2015	Akiapolaau, <i>Hemignathus munroi</i>	'Akiapola'au, <i>Hemignathus wilsoni</i> .
AOU 2015	Greater Akialoa, <i>Hemignathus ellisianus</i>	O'ahu 'Akialoa, <i>Akialoa ellisiana</i> .
AOU 2015	Hawaii Amakihi, <i>Hemignathus virens</i>	Hawaii 'Amakihi, <i>Chlorodrepanis virens</i> .
AOU 2015	Oahu Amakihi, <i>Hemignathus flavus</i>	O'ahu 'Amakihi, <i>Chlorodrepanis flava</i> .
AOU 2015	Kauai Amakihi, <i>Hemignathus kauaiensis</i>	Kauai 'Amakihi, <i>Chlorodrepanis stejnegeri</i> .
AOU 2012, 2013	Sage Sparrow, <i>Amphispiza belli</i>	Bell's Sparrow, <i>Artemisiospiza belli</i> .

How is the list of migratory birds organized?

The species are listed in two formats to suit the needs of different segments of the public: alphabetically in 50 CFR 10.13(c)(1) and taxonomically in 50 CFR 10.13(c)(2). In the alphabetical listing, species are listed by common (English) group names, with the scientific name of each species following the English group name. This format, similar to that used in modern telephone directories, is most useful to members of the lay public. In the taxonomic listing, species are listed in phylogenetic sequence by scientific name, with the English name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily. This format follows the sequence adopted by the AOS (1998, 2017) and is most useful to ornithologists and other scientists.

What species are not protected by the Migratory Bird Treaty Act?

The MBTA does not apply to:

(1) Nonnative species introduced into the United States or U.S. territories by means of intentional or unintentional human assistance that belong to families or groups covered by the Canadian, Mexican, or Russian Conventions. Elsewhere in today's **Federal Register**, we publish a notice of availability of the draft revised list of nonnative bird species that are not protected under the MBTA. Note, though, that native species that are introduced into parts of the United States where they are not native are still protected under the MBTA regardless of where they occur in the United States or U.S. territories.

(2) Species native or nonnative to the United States or U.S. territories that either belong to families or groups not referred to in the Canada, Mexico, and Russia Conventions or are not included by species name in the Japan Convention. This includes the Tinamidae (tinamous), Megapodiidae (megapodes), Cracidae (chachalacas), Odontophoridae (New World quail), Phasianidae (grouse, ptarmigan, and

turkeys), Pteroclidae (sandgrouse), Heliornithidae (finfoots), Burhinidae (thick-knees), Glareolidae (pratincoles), Todidae (todies), Psittacidae (parrots), Psittaculidae (Old World parrots), Meliphagidae (honeyeaters), Dicruridae (drongos), Monarchidae (monarchs), Pycnonotidae (bulbuls), Scotocercidae (bush warblers and allies), Zosteropidae (white-eyes), Sturnidae (starlings, except as listed in Japanese treaty), Ploceidae (weavers), Estrildidae (estrildid finches), and Passeridae (Old World sparrows, including house or English sparrow), as well as numerous other families not represented in the United States or U.S. territories.

Public Comments

Any final action resulting from this proposed rule must be based on the best scientific and commercial data available and be as accurate and as effective as possible. We request comments or information from other concerned governmental agencies, the scientific community, industry, or any other

interested parties concerning this proposed rule.

Please include sufficient information with your submission (such as electronic copies of scientific journal articles or other publications, preferably in English) to allow us to verify any scientific or commercial information you include.

You may submit your comments and materials concerning this proposed rule by one of the methods listed in **ADDRESSES**. We request that you send comments only by the methods described in **ADDRESSES**.

If you submit information via <http://www.regulations.gov>, your entire submission—including any personal identifying information—will be posted on the website. If your submission is made via a hardcopy that includes personal identifying information, you may request at the top of your document that we withhold this information from public review. However, we cannot guarantee that we will be able to do so. We will post all hardcopy submissions on <http://www.regulations.gov>.

Comments and materials we receive, as well as supporting documentation we used in preparing this proposed rule, will be available for public inspection on <http://www.regulations.gov>, or by appointment, during normal business hours, at the U.S. Fish and Wildlife Service, Division of Migratory Bird Management (see **FOR FURTHER INFORMATION CONTACT**).

Required Determinations

Regulatory Planning and Review

Executive Order (E.O.) 12866 provides that the Office of Information and Regulatory Affairs (OIRA) in the Office of Management and Budget will review all significant rules. OIRA has determined that this proposed rule is not significant.

E.O. 13563 reaffirms the principles of E.O. 12866, while calling for improvements in the nation's regulatory system to promote predictability, to reduce uncertainty, and to use the best, most innovative, and least burdensome tools for achieving regulatory ends. E.O. 13563 directs agencies to consider regulatory approaches that reduce burdens and maintain flexibility and freedom of choice for the public where these approaches are relevant, feasible, and consistent with regulatory objectives. E.O. 13563 emphasizes further that regulations must be based on the best available science and that the rulemaking process must allow for public participation and an open exchange of ideas. We have developed

this proposed rule in a manner consistent with these requirements.

Executive Order 13771—Reducing Regulation and Controlling Regulatory Costs

This proposed rule is not an Executive Order (E.O.) 13771 (82 FR 9339, February 3, 2017) regulatory action because this proposed rule is not significant under E.O. 12866.

Regulatory Flexibility Act (5 U.S.C. 601 et seq.)

Under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*, as amended by the Small Business Regulatory Enforcement Fairness Act (SBREFA) of 1996 (5 U.S.C. 804(2)), whenever an agency is required to publish a notice of rulemaking for any proposed or final rule, it must prepare and make available for public comment a regulatory flexibility analysis that describes the effect of the rule on small entities (*i.e.*, small businesses, small organizations, and small government jurisdictions). However, no regulatory flexibility analysis is required if the head of an agency certifies the rule does not have a significant economic impact on a substantial number of small entities.

SBREFA amended the Regulatory Flexibility Act to require Federal agencies to provide the statement of the factual basis for certifying that a rule will not have a significant economic impact on a substantial number of small entities. We have examined this proposed rule's potential effects on small entities as required by the Regulatory Flexibility Act, and have determined that, if adopted as proposed, this action would not have a significant economic impact on a substantial number of small entities. This rule is an administrative action to update the list of migratory bird species protected under the Conventions. Consequently, we certify that, if adopted as proposed, this rule would not have a significant economic impact on a substantial number of small entities; therefore, a regulatory flexibility analysis is not required.

This proposed rule is not a major rule under SBREFA (5 U.S.C. 804(2)). It would not have a significant impact on a substantial number of small entities.

a. This proposed rule would not have an annual effect on the economy of \$100 million or more.

b. This proposed rule would not cause a major increase in costs or prices for consumers, individual industries, Federal, State, or local government agencies, or geographic regions.

c. This proposed rule would not have significant adverse effects on

competition, employment, investment, productivity, innovation, or the ability of U.S.-based enterprises to compete with foreign-based enterprises.

Unfunded Mandates Reform Act

In accordance with the Unfunded Mandates Reform Act (2 U.S.C. 1501 *et seq.*), we have determined the following:

a. This proposed rule would not “significantly or uniquely” affect small governments. A small government agency plan is not required. This proposed rule is an administrative action to update the list of migratory bird species protected under the Conventions; it would not affect small government activities in any significant way.

b. This proposed rule would not produce a Federal mandate of \$100 million or greater in any year; *i.e.*, it is not a “significant regulatory action” under the Unfunded Mandates Reform Act.

Takings

In accordance with Executive Order 12630, this proposed rule does not have significant takings implications. This proposed rule does not contain a provision for taking of private property. Therefore, a takings implication assessment is not required.

Federalism

This proposed rule does not have sufficient Federalism effects to warrant preparation of a federalism summary impact statement under Executive Order 13132. It does not interfere with the States' ability to manage themselves or their funds. No significant economic impacts are expected to result from the updating of the list of migratory bird species.

Civil Justice Reform

In accordance with Executive Order 12988, the Office of the Solicitor has determined that this proposed rule does not unduly burden the judicial system and meets the requirements of sections 3(a) and 3(b)(2) of the Order.

Paperwork Reduction Act

This proposed rule does not contain information collection requirements, and a submission to the Office of Management and Budget (OMB) under the Paperwork Reduction Act of 1995 (44 U.S.C. 3501 *et seq.*) is not required. We may not conduct or sponsor and you are not required to respond to a collection of information unless it displays a currently valid OMB control number.

National Environmental Policy Act (NEPA)

Given that the proposed revision of 50 CFR 10.13 is strictly administrative in nature and will have no or minor environmental effects, it is categorically excluded from further NEPA requirements (43 CFR 46.210(i)).

Endangered Species Act (ESA)

Of the species on the List of Migratory Birds, 84 species, subspecies, or distinct population segments are also listed as endangered or threatened under section 4 of the ESA of 1973, as amended (16 U.S.C. 1531 *et seq.*). No legal complications arise from the dual listing as the two lists are developed under separate authorities and for different purposes. Because this proposed rule is strictly administrative in nature, it has no effect on endangered or threatened species. Thus, it does not require consultation under section 7 of the ESA.

Government-to-Government Relationship With Tribes

In accordance with the President's memorandum of April 29, 1994, "Government-to-Government Relations with Native American tribal Governments" (59 FR 22951), Executive Order 13175, and 512 DM 2, we have evaluated potential effects on federally recognized Indian tribes and have determined that there are no potential effects. The proposed revisions to existing regulations in this rule are purely administrative in nature and do not interfere with the tribes' ability to manage themselves or their funds or to regulate migratory bird activities on tribal lands.

Energy Supply, Distribution, or Use (Executive Order 13211)

On May 18, 2001, the President issued Executive Order 13211 addressing regulations that significantly affect energy supply, distribution, and use. Executive Order 13211 requires agencies to prepare Statements of Energy Effects when undertaking certain actions. Because this proposed rule would only affect the listing of protected species in the United States, it is not a significant regulatory action under Executive Order 12866, and does not significantly affect energy supplies, distribution, or use. Therefore, this action is not a significant energy action and no Statement of Energy Effects is required.

Clarity of the Proposed Rule

We are required by Executive Orders 12866 and 12988 and by the Presidential Memorandum of June 1, 1998, to write all rules in plain

language. This means that each rule we publish must:

- (1) Be logically organized;
- (2) Use the active voice to address readers directly;
- (3) Use clear language rather than jargon;
- (4) Be divided into short sections and sentences; and
- (5) Use lists and tables wherever possible.

If you feel that we have not met these requirements, send us comments by one of the methods listed in **ADDRESSES**. To better help us revise the rule, your comments should be as specific as possible. For example, you should tell us the numbers of the sections or paragraphs that are unclearly written, which sections or sentences are too long, the sections where you feel lists or tables would be useful, etc.

References Cited

A complete list of all references cited is available on <http://www.regulations.gov> under Docket No. FWS-HQ-MB-2018-0047, and upon request (see **FOR FURTHER INFORMATION CONTACT**, above).

List of Subjects in Part 10

Exports, Fish, Imports, Law enforcement, Plants, Transportation, Wildlife.

Proposed Regulation Promulgation

For the reasons discussed in the preamble, we propose to amend title 50, chapter I, subchapter B, part 10 of the Code of Federal Regulations, as follows:

PART 10—GENERAL PROVISIONS

- 1. The authority citation for part 10 continues to read as follows:

Authority: 16 U.S.C. 668a-d, 703-712, 742a-j-l, 1361-1384, 1401-1407, 1531-1543, 3371-3378; 18 U.S.C. 42; 19 U.S.C. 1202.

- 2. Amend § 10.13 by revising paragraph (c) to read as follows:

§ 10.13 List of Migratory Birds.

* * * * *

(c) *What species are protected as migratory birds?* Species protected as migratory birds are listed in two formats to suit the varying needs of the user: Alphabetically in paragraph (c)(1) of this section and taxonomically in paragraph (c)(2) of this section. Taxonomy and nomenclature generally follow the 7th edition of the American Ornithologists' Union's (AOU, now recognized as American Ornithological Society (AOS)) *Check-list of North American birds* (1998, as amended through 2018). For species not treated by the AOS *Check-list*, we generally

follow *Clements Checklist of Birds of the World* (Clements et al. 2017).

(1) *Alphabetical listing.* Species are listed alphabetically by common (English) group names, with the scientific name of each species following the common name.

ACCENTOR, Siberian, *Prunella montanella*

'AKEKE'E, *Loxops caeruleirostris*

'AKEPA, Hawaii, *Loxops coccineus*

Maui, *Loxops ochraceus*

O'ahu, *Loxops wolstenholmei*

'AKIALOA, Kauai, *Akialoa stejnegeri*

Maui Nui, *Akialoa lanaiensis*

O'ahu, *Akialoa ellisiana*

'AKIAPOLA'AU, *Hemignathus wilsoni*

'AKIKIKI, *Oreomystis bairdi*

'AKOHEKOHE, *Palmeria dolei*

'ALUAHIO, Maui, *Paroreomyza montana*

O'ahu, *Paroreomyza maculata*

ALBATROSS, Black-browed, *Thalassarche melanophris*

Black-footed, *Phoebastria nigripes*

Chatham, *Thalassarche eremita*

Laysan, *Phoebastria immutabilis*

Light-mantled, *Phoebetria palpebrata*

Salvin's, *Thalassarche salvini*

Short-tailed, *Phoebastria albatrus*

Wandering, *Diomedea exulans*

White-capped, *Thalassarche cauta*

Yellow-nosed, *Thalassarche chlororhynchos*

'AMAKIHI, Hawaii, *Chlorodrepanis virens*

Kauai, *Chlorodrepanis stejnegeri*

O'ahu, *Chlorodrepanis flava*

ANHINGA, *Anhinga anhinga*

ANI, Groove-billed, *Crotophaga sulcirostris*

Smooth-billed, *Crotophaga ani*

'ANIANIAU, *Magumma parva*

'APAPANE, *Himatione sanguinea*

AUKLET, Cassin's, *Ptychoramphus aleuticus*

Crested, *Aethia cristatella*

Least, *Aethia pusilla*

Parakeet, *Aethia psittacula*

Rhinoceros, *Cerorhinca monocerata*

Whiskered, *Aethia pygmaea*

AVOCET, American, *Recurvirostra americana*

BANANAQUIT, *Coereba flaveola*

BEAN—GOOSE, Taiga, *Anser fabalis*

Tundra, *Anser serrirostris*

BEARLESS—TYRANNULET, Northern, *Campstostoma imberbe*

BECARD, Gray-collared, *Pachyramphus major*

Rose-throated, *Pachyramphus aglaiae*

BITTERN, American, *Botaurus lentiginosus*

Black, *Ixobrychus flavicollis*

Least, *Ixobrychus exilis*

Schrenck's, *Ixobrychus erythrophthalmus*

Yellow, *Ixobrychus sinensis*

BLACKBIRD, Brewer's, *Euphagus cyanocephalus*

Red-winged, *Agelaius phoeniceus*

Rusty, *Euphagus carolinus*

Tawny-shouldered, *Agelaius humeralis*

Tricolored, *Agelaius tricolor*

Yellow-headed, *Xanthocephalus xanthocephalus*

Yellow-shouldered, *Agelaius xanthomus*

BLUEBIRD, Eastern, *Sialia sialis*

Mountain, *Sialia currucoides*

Western, *Sialia mexicana*

BLUETAIL, Red-flanked, *Tarsiger cyanurus*

BLUETHROAT, *Cyanecula svecica*

BOBOLINK, <i>Dolichonyx oryzivorus</i>	Whooping, <i>Grus americana</i>	Peregrine, <i>Falco peregrinus</i>
BOOBOOK, Northern, <i>Ninox japonica</i>	CREEPER, Brown, <i>Certhia americana</i>	Prairie, <i>Falco mexicanus</i>
BOOBY, Abbott's, <i>Papasula abbotti</i>	Hawaii, <i>Loxops mana</i>	Red-footed, <i>Falco vespertinus</i>
Blue-footed, <i>Sula dactylatra</i>	CROSSBILL, Cassia, <i>Loxia sinesciurus</i>	FIELDFARE, <i>Turdus pilaris</i>
Brown, <i>Sula leucogaster</i>	Red, <i>Loxia curvirostra</i>	FINCH, Cassin's, <i>Haemorhous cassinii</i>
Masked, <i>Sula dactylatra</i>	White-winged, <i>Loxia leucoptera</i>	House, <i>Haemorhous mexicanus</i>
Nazca, <i>Sula granti</i>	CROW, American, <i>Corvus brachyrhynchos</i>	Laysan, <i>Telespiza cantans</i>
Red-footed, <i>Sula sula</i>	Fish, <i>Corvus ossifragus</i>	Nihoa, <i>Telespiza ultima</i>
BRAMBLING, <i>Fringilla montifringilla</i>	Hawaiian, <i>Corvus hawaiiensis</i>	Purple, <i>Haemorhous purpureus</i>
BRANT, <i>Branta bernicla</i>	Mariana, <i>Corvus kubaryi</i>	FLAMINGO, American, <i>Phoenicopterus</i>
BUFFLEHEAD, <i>Bucephala albeola</i>	Northwestern, <i>Corvus caurinus</i>	<i>ruber</i>
BULLFINCH, Eurasian, <i>Pyrrhula pyrrhula</i>	Tamaulipas, <i>Corvus imparatus</i>	FLICKER, Gilded, <i>Colaptes chrysoides</i>
Puerto Rican, <i>Pyrrhula portoricensis</i>	White-necked, <i>Corvus leucognaphalus</i>	Northern, <i>Colaptes auratus</i>
BUNTING, Blue, <i>Cyanocompsa parellina</i>	CUCKOO, Black-billed, <i>Coccyzus</i>	FLYCATCHER, Acadian, <i>Empidonax</i>
Gray, <i>Emberiza variabilis</i>	<i>erythropthalmus</i>	<i>virescens</i>
Indigo, <i>Passerina cyanea</i>	Common, <i>Cuculus canorus</i>	Alder, <i>Empidonax alnorum</i>
Lark, <i>Calamospiza melanocorys</i>	Mangrove, <i>Coccyzus minor</i>	Ash-throated, <i>Myiarchus cinerascens</i>
Lazuli, <i>Passerina amoena</i>	Oriental, <i>Cuculus optatus</i>	Asian Brown, <i>Muscicapa dauurica</i>
Little, <i>Emberiza pusilla</i>	Yellow-billed, <i>Coccyzus americanus</i>	Brown-crested, <i>Myiarchus tyrannulus</i>
McKay's, <i>Plectrophenax hyperboreus</i>	CURLEW, Bristle-thighed, <i>Numenius</i>	Buff-breasted, <i>Empidonax fulvifrons</i>
Painted, <i>Passerina ciris</i>	<i>tahitiensis</i>	Cordilleran, <i>Empidonax occidentalis</i>
Pallas's, <i>Emberiza pallasi</i>	Eskimo, <i>Numenius borealis</i>	Crowned Slaty, <i>Empidonax</i>
Pine, <i>Emberiza leucocephala</i>	Eurasian, <i>Numenius arquata</i>	<i>aurantioatrocristatus</i>
Reed, <i>Emberiza schoeniclus</i>	Far Eastern, <i>Numenius madagascariensis</i>	Dark-sided, <i>Muscicapa sibirica</i>
Rustic, <i>Emberiza rustica</i>	Little, <i>Numenius minutus</i>	Dusky, <i>Empidonax oberholseri</i>
Snow, <i>Plectrophenax nivalis</i>	Long-billed, <i>Numenius americanus</i>	Dusky-capped, <i>Myiarchus tuberculifer</i>
Varied, <i>Passerina versicolor</i>	DICKCISSEL, <i>Spiza americana</i>	Fork-tailed, <i>Tyrannus savana</i>
Yellow-breasted, <i>Emberiza aureola</i>	DIPPER, American, <i>Cinclus mexicanus</i>	Gray, <i>Empidonax wrightii</i>
Yellow-browed, <i>Emberiza chrysophrys</i>	DOTTEREL, Eurasian, <i>Charadrius morinellus</i>	Gray-streaked, <i>Muscicapa griseisticta</i>
Yellow-throated, <i>Emberiza elegans</i>	DOVE, Inca, <i>Columbina inca</i>	Great Crested, <i>Myiarchus crinitus</i>
BUSHTIT, <i>Psaltriparus minimus</i>	Mourning, <i>Zenaida macroura</i>	Hammond's, <i>Empidonax hammondi</i>
BUZZARD, Gray-faced, <i>Buteo swainsoni</i>	White-tipped, <i>Leptotila verreauxi</i>	La Sagra's, <i>Myiarchus sagrae</i>
CATBIRD, Black, <i>Melanoptila glabrirostris</i>	White-winged, <i>Zenaida asiatica</i>	Least, <i>Empidonax minimus</i>
Gray, <i>Dumetella carolinensis</i>	Zenaida, <i>Zenaida aurita</i>	Mugimaki, <i>Ficedula mugimaki</i>
CHAFFINCH, Common, <i>Fringilla coelebs</i>	DOVEKIE, <i>Alle alle</i>	Narcissus, <i>Ficedula narcissina</i>
CHAT, Yellow-breasted, <i>Icteria virens</i>	DOWITCHER, Long-billed, <i>Limnodromus</i>	Nutting's, <i>Myiarchus nuttingi</i>
CHICKADEE, Black-capped, <i>Poecile</i>	<i>scolopaceus</i>	Olive-sided, <i>Contopus cooperi</i>
<i>atricapillus</i>	Short-billed, <i>Limnodromus griseus</i>	Pacific-slope, <i>Empidonax difficilis</i>
Boreal, <i>Poecile hudsonicus</i>	DUCK, American Black, <i>Anas rubripes</i>	Pine, <i>Empidonax affinis</i>
Carolina, <i>Poecile carolinensis</i>	Eastern Spot-billed, <i>Anas zonorhyncha</i>	Piratic, <i>Legatus leucophaius</i>
Chestnut-backed, <i>Poecile rufescens</i>	Falcated, <i>Mareca falcata</i>	Puerto Rican, <i>Myiarchus antillarum</i>
Gray-headed, <i>Poecile cinctus</i>	Harlequin, <i>Histrionicus histrionicus</i>	Scissor-tailed, <i>Tyrannus forficatus</i>
Mexican, <i>Poecile sclateri</i>	Hawaiian, <i>Anas wyvilliana</i>	Social, <i>Myiozetetes similis</i>
Mountain, <i>Poecile gambeli</i>	Laysan, <i>Anas laysanensis</i>	Spotted, <i>Muscicapa striata</i>
CHIFFCHAFF, Common, <i>Phylloscopus</i>	Long-tailed, <i>Clangula hyemalis</i>	Sulphur-bellied, <i>Myiodynastes luteiventris</i>
<i>collybita</i>	Masked, <i>Nomonyx dominicus</i>	Taiga, <i>Ficedula albicilla</i>
CHUCK-WILL'S-WIDOW, <i>Antrostomus</i>	Mottled, <i>Anas fulvigula</i>	Tufted, <i>Mitrephanes phaeocercus</i>
<i>carolinensis</i>	Muscovy, <i>Cairina moschata</i>	Variegated, <i>Empidonax varius</i>
CONDOR, California, <i>Gymnogyps</i>	Pacific Black, <i>Anas superciliosa</i>	Vermilion, <i>Pyrocephalus rubinus</i>
<i>californianus</i>	Ring-necked, <i>Aythya collaris</i>	Willow, <i>Empidonax traillii</i>
COOT, American, <i>Fulica americana</i>	Ruddy, <i>Oxyura jamaicensis</i>	Yellow-bellied, <i>Empidonax flaviventris</i>
Eurasian, <i>Fulica atra</i>	Tufted, <i>Aythya fuligula</i>	FOREST-FALCON, Collared, <i>Micrastur</i>
Hawaiian, <i>Fulica alai</i>	Wood, <i>Aix sponsa</i>	<i>semitorquatus</i>
CORMORANT, Brandt's, <i>Phalacrocorax</i>	DUNLIN, <i>Calidris alpina</i>	FRIGATEBIRD, Great, <i>Fregata minor</i>
<i>penicillatus</i>	EAGLE, Bald, <i>Haliaeetus leucocephalus</i>	Lesser, <i>Fregata ariel</i>
Double-crested, <i>Phalacrocorax auritus</i>	Golden, <i>Aquila chrysaetos</i>	Magnificent, <i>Fregata magnificens</i>
Great, <i>Phalacrocorax carbo</i>	White-tailed, <i>Haliaeetus albicilla</i>	FRUIT-DOVE, Crimson-crowned, <i>Ptilinopus</i>
Little Pied, <i>Phalacrocorax melanoleucos</i>	EGRET, Cattle, <i>Bubulcus ibis</i>	<i>porphyraceus</i>
Neotropic, <i>Phalacrocorax brasiliensis</i>	Chinese, <i>Egretta eulophotes</i>	Many-colored, <i>Ptilinopus perousii</i>
Pelagic, <i>Phalacrocorax pelagicus</i>	Great, <i>Ardea alba</i>	Mariana, <i>Ptilinopus roseicapilla</i>
Red-faced, <i>Phalacrocorax urile</i>	Intermediate, <i>Ardea intermedia</i>	FULMAR, Northern, <i>Fulmarus glacialis</i>
COWBIRD, Bronzed, <i>Molothrus aeneus</i>	Little, <i>Egretta garzetta</i>	GADWALL, <i>Mareca strepera</i>
Brown-headed, <i>Molothrus ater</i>	Reddish, <i>Egretta rufescens</i>	GALLINULE, Azure, <i>Porphyrio flavirostris</i>
Shiny, <i>Molothrus bonariensis</i>	Snowy, <i>Egretta thula</i>	Common, <i>Gallinula galeata</i>
CRAKE, Corn, <i>Crex crex</i>	EIDER, Common, <i>Somateria mollissima</i>	Purple, <i>Porphyrio martinicus</i>
Paint-billed, <i>Neocrex erythrops</i>	King, <i>Somateria spectabilis</i>	GANNET, Northern, <i>Morus bassanus</i>
Spotless, <i>Porzana tabuensis</i>	Spectacled, <i>Somateria fischeri</i>	GARGANEY, <i>Spatula querquedula</i>
Yellow-breasted, <i>Haplocrex flaviventer</i>	Steller's, <i>Polysticta stelleri</i>	GNATCATCHER, Black-capped, <i>Polioptila</i>
CRANE, Common, <i>Grus grus</i>	ELAENIA, Caribbean, <i>Elaenia martinica</i>	<i>nigriceps</i>
Sandhill, <i>Antigone canadensis</i>	Greenish, <i>Myiopagis viridicata</i>	Black-tailed, <i>Polioptila melanura</i>
	White-crested, <i>Elaenia albiceps</i>	Blue-Gray, <i>Polioptila caerulea</i>
	EMERALD, Puerto Rican, <i>Chlorostilbon</i>	California, <i>Polioptila californica</i>
	<i>maugaeus</i>	GODWIT, Bar-tailed, <i>Limosa lapponica</i>
	EUPHONIA, Antillean, <i>Euphonia musica</i>	Black-tailed, <i>Limosa limosa</i>
	FALCON, Amur, <i>Falco amurensis</i>	Hudsonian, <i>Limosa haemastica</i>
	Aplomado, <i>Falco femoralis</i>	Marbled, <i>Limosa fedoa</i>

GOLDENEYE, Barrow's, <i>Bucephala islandica</i>	Slaty-backed, <i>Larus schistisagus</i>	Canada, <i>Perisoreus canadensis</i>
Common, <i>Bucephala clangula</i>	Swallow-tailed, <i>Creagrus furcatus</i>	Green, <i>Cyanocorax yncas</i>
GOLDEN-PLOVER, American, <i>Pluvialis dominica</i>	Western, <i>Larus occidentalis</i>	Mexican, <i>Aphelocoma wollweberi</i>
European, <i>Pluvialis apricaria</i>	Yellow-footed, <i>Larus livens</i>	Pinyon, <i>Gymnorhinus cyanocephalus</i>
Pacific, <i>Pluvialis fulva</i>	Yellow-legged, <i>Larus michahellis</i>	Steller's, <i>Cyanocitta stelleri</i>
GOLDFINCH, American, <i>Spinus tristis</i>	GYRFALCON, <i>Falco rusticolus</i>	JUNCO, Dark-eyed, <i>Junco hyemalis</i>
Lawrence's, <i>Spinus lawrencei</i>	HARRIER, Northern, <i>Circus hudsonius</i>	Yellow-eyed, <i>Junco phaeonotus</i>
Lesser, <i>Spinus psaltria</i>	HAWFINCH, <i>Coccothraustes coccothraustes</i>	KĀKĀWAHIE, <i>Paroreomyza flammea</i>
GOOSE, Barnacle, <i>Branta leucopsis</i>	HAWK, Broad-winged, <i>Buteo platypterus</i>	KĀMĀ'O, <i>Myadestes myadestinus</i>
Cackling, <i>Branta hutchinsii</i>	Common Black, <i>Buteogallus anthracinus</i>	KESTREL, American, <i>Falco sparverius</i>
Canada, <i>Branta canadensis</i>	Cooper's, <i>Accipiter cooperii</i>	Eurasian, <i>Falco tinnunculus</i>
Emperor, <i>Anser canagicus</i>	Crane, <i>Geranospiza caerulescens</i>	KILLDEER, <i>Charadrius vociferus</i>
Greater White-fronted, <i>Anser albifrons</i>	Ferruginous, <i>Buteo regalis</i>	KINGBIRD, Cassin's, <i>Tyrannus vociferans</i>
Hawaiian, <i>Branta sandvicensis</i>	Gray, <i>Buteo plagiatus</i>	Couch's, <i>Tyrannus couchii</i>
Lesser White-fronted, <i>Anser erythropus</i>	Harris's, <i>Parabuteo unicinctus</i>	Easter, <i>Tyrannus tyrannus</i>
Pink-footed, <i>Anser brachyrhynchus</i>	Hawaiian, <i>Buteo solitarius</i>	Gray, <i>Tyrannus dominicensis</i>
Ross's, <i>Anser rossii</i>	Red-shouldered, <i>Buteo lineatus</i>	Loggerhead, <i>Tyrannus caudifasciatus</i>
Snow, <i>Anser caerulescens</i>	Red-tailed, <i>Buteo jamaicensis</i>	Thick-billed, <i>Tyrannus crassirostris</i>
GOSHAWK, Northern, <i>Accipiter gentilis</i>	Roadside, <i>Rupornis magnirostris</i>	Tropical, <i>Tyrannus melancholicus</i>
GRACKLE, Boat-tailed, <i>Quiscalus major</i>	Rough-legged, <i>Buteo lagopus</i>	Western, <i>Tyrannus verticalis</i>
Common, <i>Quiscalus quiscula</i>	Sharp-shinned, <i>Accipiter striatus</i>	KINGFISHER, Amazon, <i>Chloroceryle amazona</i>
Greater Antillean, <i>Quiscalus niger</i>	Short-tailed, <i>Buteo brachyurus</i>	Belted, <i>Megaceryle alcyon</i>
Great-tailed, <i>Quiscalus mexicanus</i>	Swainson's, <i>Buteo swainsoni</i>	Common, <i>Alcedo atthis</i>
GRASSHOPPER-WARBLER, Middendorff's, <i>Locustella ochotensis</i>	White-tailed, <i>Geranoaetus albicaudatus</i>	Green, <i>Chloroceryle americana</i>
GRASSQUIT, Black-faced, <i>Tiaris bicolor</i>	Zone-tailed, <i>Buteo albonotatus</i>	Guam, <i>Todiramphus cinnamominus</i>
Yellow-faced, <i>Tiaris olivaceus</i>	HAWK-CUCKOO, Hodgson's, <i>Hierococcyx nisicolor</i>	Mariana, <i>Todiramphus albicilla</i>
GREBE, Clark's, <i>Aechmophorus clarkii</i>	HERON, Gray, <i>Ardea cinerea</i>	Pacific, <i>Todiramphus sacer</i>
Eared, <i>Podiceps nigricollis</i>	Great Blue, <i>Ardea herodias</i>	Ringed, <i>Megaceryle torquata</i>
Horned, <i>Podiceps auritus</i>	Green, <i>Butorides virescens</i>	KINGLET, Golden-crowned, <i>Regulus satrapa</i>
Least, <i>Tachybaptus dominicus</i>	Little Blue, <i>Egretta caerulea</i>	Ruby-crowned, <i>Regulus calendula</i>
Pied-billed, <i>Podilymbus podiceps</i>	Tricolored, <i>Egretta tricolor</i>	KISKADEE, Great, <i>Pitangus sulphuratus</i>
Red-necked, <i>Podiceps grisegena</i>	HOBBY, Eurasian, <i>Falco subbuteo</i>	KITE, Black, <i>Milvus migrans</i>
Western, <i>Aechmophorus occidentalis</i>	HONEYCREEPER, Laysan, <i>Himatione fraithii</i>	Double-toothed, <i>Harpagus bidentatus</i>
GREENFINCH, Oriental, <i>Chloris sinica</i>	Red-legged, <i>Cyanerpes cyaneus</i>	Hook-billed, <i>Chondrohierax uncinatus</i>
GREENSHANK, Common, <i>Tringa nebularia</i>	HOOPOE, Eurasian, <i>Upupa epops</i>	Mississippi, <i>Ictinia mississippiensis</i>
Nordmann's, <i>Tringa guttifer</i>	HOUSE-MARTIN, Common, <i>Delichon urbicum</i>	Snail, <i>Rostromus sociabilis</i>
GROSBEAK, Black-headed, <i>Pheucticus melanocephalus</i>	HUMMINGBIRD, Allen's, <i>Selasphorus sasin</i>	Swallow-tailed, <i>Elanoides forficatus</i>
Blue, <i>Passerina caerulea</i>	Amethyst-throated, <i>Lampornis amethystinus</i>	White-tailed, <i>Elanus leucurus</i>
Crimson-collared, <i>Rhodothraupis celaeno</i>	Anna's, <i>Calypte anna</i>	KITTIWAKE, Black-legged, <i>Rissa tridactyla</i>
Evening, <i>Coccothraustes vespertinus</i>	Antillean Crested, <i>Orthorhyncus cristatus</i>	Red-legged, <i>Rissa brevirostris</i>
Pine, <i>Pinicola enucleator</i>	Berylline, <i>Amazilia beryllina</i>	KNOT, Great, <i>Calidris tenuirostris</i>
Rose-breasted, <i>Pheucticus ludovicianus</i>	Black-chinned, <i>Archilochus alexandri</i>	Red, <i>Calidris canutus</i>
Yellow, <i>Pheucticus chrysopcephalus</i>	Blue-throated, <i>Lampornis clemenciae</i>	KOEL, Long-tailed, <i>Urodynamis taitensis</i>
GROUND-DOVE, Common, <i>Columbina passerina</i>	Broad-billed, <i>Cynanthus latirostris</i>	LAPWING, Northern, <i>Vanellus vanellus</i>
Ruddy, <i>Columbina talpacoti</i>	Broad-tailed, <i>Selasphorus platycercus</i>	LARK, Horned, <i>Eremophila alpestris</i>
Shy, <i>Alopecoenas stauri</i>	Buff-bellied, <i>Amazilia yucatanensis</i>	LIMPKIN, <i>Aramus guarauna</i>
White-throated, <i>Alopecoenas xanthonura</i>	Bumblebee, <i>Atthis heloisa</i>	LIZARD-CUCKOO, Puerto Rican, <i>Coccyzus vieilloti</i>
GUILLEMOT, Black, <i>Cephus grylle</i>	Calliope, <i>Selasphorus calliope</i>	LONGSPUR, Chestnut-collared, <i>Calcarius ornatus</i>
Pigeon, <i>Cephus columba</i>	Cinnamon, <i>Amazilia rutila</i>	Lapland, <i>Calcarius lapponicus</i>
GULL, Belcher's, <i>Larus belcheri</i>	Costa's, <i>Calypte costae</i>	McCown's, <i>Rhynchophanes mccownii</i>
Black-headed, <i>Chroicocephalus ridibundus</i>	Lucifer, <i>Calothorax lucifer</i>	Smith's, <i>Calcarius pictus</i>
Black-tailed, <i>Larus crassirostris</i>	Rivoli's, <i>Eugenes fulgens</i>	LOON, Arctic, <i>Gavia arctica</i>
Bonaparte's, <i>Chroicocephalus philadelphia</i>	Ruby-throated, <i>Archilochus colubris</i>	Common, <i>Gavia immer</i>
California, <i>Larus californicus</i>	Rufous, <i>Selasphorus rufus</i>	Pacific, <i>Gavia pacifica</i>
Franklin's, <i>Leucophaeus pipixcan</i>	Vervain, <i>Mellisuga minima</i>	Red-throated, <i>Gavia stellata</i>
Glaucous, <i>Larus hyperboreus</i>	Violet-crowned, <i>Amazilia violiceps</i>	Yellow-billed, <i>Gavia adamsii</i>
Glaucous-winged, <i>Larus glaucescens</i>	White-eared, <i>Hylocharis leucotis</i>	MAGPIE, Black-billed, <i>Pica hudsonia</i>
Gray-hooded, <i>Chroicocephalus cirrocephalus</i>	Xantus's, <i>Hylocharis xantusii</i>	Yellow-billed, <i>Pica nuttalli</i>
Great Black-backed, <i>Larus marinus</i>	IBIS, Glossy, <i>Plegadis falcinellus</i>	MALLARD, <i>Anas platyrhynchos</i>
Heermann's, <i>Larus heermanni</i>	Scarlet, <i>Eudocimus ruber</i>	MANGO, Antillean, <i>Anthracothorax dominicus</i>
Herring, <i>Larus argentatus</i>	White, <i>Eudocimus albus</i>	Green, <i>Anthracothorax viridis</i>
Iceland, <i>Larus glaucopterus</i>	White-faced, <i>Plegadis chihi</i>	Green-breasted, <i>Anthracothorax prevostii</i>
Ivory, <i>Pagophila eburnea</i>	'IWI, <i>Drepanis coccinea</i>	MARSH-HARRIER, Eastern, <i>Circus spilonotus</i>
Kelp, <i>Larus dominicanus</i>	IMPERIAL-PIGEON, Pacific, <i>Ducula pacifica</i>	MARTIN, Brown-chested, <i>Progne tapera</i>
Laughing, <i>Leucophaeus atricilla</i>	JABIRU, <i>Jabiru mycteria</i>	Caribbean, <i>Progne dominicensis</i>
Lesser Black-backed, <i>Larus fuscus</i>	JACANA, Northern, <i>Jacana spinosa</i>	Cuban, <i>Progne cryptoleuca</i>
Little, <i>Hydrocoloeus minutus</i>	JACKDAW, Eurasian, <i>Corvus monedula</i>	Gray-breasted, <i>Progne chalybea</i>
Mew, <i>Larus canus</i>	JAEGER, Long-tailed, <i>Stercorarius longicaudus</i>	Purple, <i>Progne subis</i>
Ring-billed, <i>Larus delawarensis</i>	Parasitic, <i>Stercorarius parasiticus</i>	Southern, <i>Progne elegans</i>
Ross's, <i>Rhodostethia rosea</i>	Pomarine, <i>Stercorarius pomarinus</i>	MEADOWLARK, Eastern, <i>Sturnella magna</i>
Sabine's, <i>Xema sabini</i>	JAY, Blue, <i>Cyanocitta cristata</i>	Western, <i>Sturnella neglecta</i>
	Brown, <i>Psilorhinus morio</i>	

MERGANSER, Common, <i>Mergus merganser</i>	Northern Hawk, <i>Surnia ulula</i>	Mountain, <i>Charadrius montanus</i>
Hooded, <i>Lophodytes cucullatus</i>	Northern Saw-whet, <i>Aegolius acadicus</i>	Piping, <i>Charadrius melanotos</i>
Red-breasted, <i>Mergus serrator</i>	Short-eared, <i>Asio flammeus</i>	Semipalmed, <i>Charadrius semipalmatus</i>
MERLIN, <i>Falco columbarius</i>	Snowy, <i>Bubo scandiacus</i>	Snowy, <i>Charadrius nivosus</i>
MILLERBIRD, <i>Acrocephalus familiaris</i>	Spotted, <i>Strix occidentalis</i>	Wilson's, <i>Charadrius wilsonia</i>
MOCKINGBIRD, Bahama, <i>Mimus gundlachii</i>	Stygian, <i>Asio stygius</i>	POCHARD, Baer's, <i>Aythya baeri</i>
Blue, <i>Melanotis caerulescens</i>	OYSTERCATCHER, American, <i>Haematopus palliatus</i>	Common, <i>Aythya ferina</i>
Northern, <i>Mimus polyglottos</i>	Black, <i>Haematopus bachmani</i>	POND-HERON, Chinese, <i>Ardeola bacchus</i>
MOORHEN, Common, <i>Gallinula chloropus</i>	Eurasian, <i>Haematopus ostralegus</i>	POORWILL, Common, <i>Phalaenoptilus nuttallii</i>
MURRE, Common, <i>Uria aalge</i>	PALILA, <i>Loxioides bailleui</i>	PO'OU LI, <i>Melamprosops phaeosoma</i>
Thick-billed, <i>Uria lomvia</i>	PALM-SWIFT, Antillean, <i>Tachornis phoenicobia</i>	PUAIOHI, <i>Myadestes palmeri</i>
MURRELET, Ancient, <i>Synthliboramphus antiquus</i>	PARROTBILL, Maui, <i>Pseudonestor xanthophrys</i>	PUFFIN, Atlantic, <i>Fratercula arctica</i>
Craveri's, <i>Synthliboramphus craveri</i>	PARULA, Northern, <i>Setophaga americana</i>	Horned, <i>Fratercula corniculata</i>
Guadalupe, <i>Synthliboramphus hypoleucus</i>	Tropical, <i>Setophaga pitiayumi</i>	Tufted, <i>Fratercula cirrhata</i>
Kittlitz's, <i>Brachyramphus brevirostris</i>	PAURAQUE, Common, <i>Nyctidromus albicollis</i>	PYGMY-OWL, Ferruginous, <i>Glaucidium brasilianum</i>
Long-billed, <i>Brachyramphus perdix</i>	PELICAN, American White, <i>Pelecanus erythrorhynchos</i>	Northern, <i>Glaucidium gnoma</i>
Marbled, <i>Brachyramphus marmoratus</i>	Brown, <i>Pelecanus occidentalis</i>	PYRRHULOXIA, <i>Cardinalis sinuatus</i>
Scripps's, <i>Synthliboramphus scrippsi</i>	PETREL, Bermuda, <i>Pterodroma cahow</i>	QUAIL-DOVE, Bridled, <i>Geotrygon mystacea</i>
NEEDLETAIL, White-throated, <i>Hirundapus caudacutus</i>	Black-capped, <i>Pterodroma hasitata</i>	Key West, <i>Geotrygon chrysia</i>
NIGHTHAWK, Antillean, <i>Chordeiles gundlachii</i>	Black-winged, <i>Pterodroma nigripennis</i>	Ruddy, <i>Geotrygon montana</i>
Common, <i>Chordeiles minor</i>	Bonin, <i>Pterodroma hypoleuca</i>	QUETZAL, Eared, <i>Euptilotis neoxenus</i>
Lesser, <i>Chordeiles acutipennis</i>	Bulwer's, <i>Bulweria bulwerii</i>	RAIL, Black, <i>Laterallus jamaicensis</i>
NIGHT-HERON, Black-crowned, <i>Nycticorax nycticorax</i>	Cook's, <i>Pterodroma cookii</i>	Buff-banded, <i>Gallirallus philippensis</i>
Japanese, <i>Gorsachius goisagi</i>	Fea's, <i>Pterodroma feae</i>	Clapper, <i>Rallus crepitans</i>
Malayan, <i>Gorsachius melanophous</i>	Gould's, <i>Pterodroma leucoptera</i>	Guam, <i>Gallirallus owstoni</i>
Rufous, <i>Nycticorax caledonicus</i>	Great-winged, <i>Pterodroma macroptera</i>	King, <i>Rallus elegans</i>
Yellow-crowned, <i>Nyctanassa violacea</i>	Hawaiian, <i>Pterodroma sandwichensis</i>	Ridgway's, <i>Rallus obsoletus</i>
NIGHTINGALE-THRUSH, Black-headed, <i>Catharus mexicanus</i>	Herald, <i>Pterodroma heraldica</i>	Spotted, <i>Pardirallus maculatus</i>
Orange-billed, <i>Catharus aurantiirostris</i>	Jouanin's, <i>Bulweria fallax</i>	Virginia, <i>Rallus limicola</i>
NIGHTJAR, Buff-collared, <i>Antrostomus ridgwayi</i>	Juan Fernandez, <i>Pterodroma externa</i>	Yellow, <i>Coturnicops noveboracensis</i>
Gray, <i>Caprimulgus jotaka</i>	Kermadec, <i>Pterodroma neglecta</i>	RAVEN, Chihuahuan, <i>Corvus cryptoleucus</i>
Puerto Rican, <i>Antrostomus noctitherus</i>	Mottled, <i>Pterodroma inexpectata</i>	Common, <i>Corvus corax</i>
White-tailed, <i>Hydropsalis cayennensis</i>	Murphy's, <i>Pterodroma ultima</i>	RAZORBILL, <i>Alca torda</i>
NODDY, Black, <i>Anous minutus</i>	Parkinson's, <i>Procellaria parkinsoni</i>	REDHEAD, <i>Aythya americana</i>
Blue-gray, <i>Anous ceruleus</i>	Phoenix, <i>Pterodroma alba</i>	REDPOLL, Common, <i>Acanthis flammea</i>
Brown, <i>Anous stolidus</i>	Providence, <i>Pterodroma solandri</i>	Hoary, <i>Acanthis hornemannii</i>
NUKUPU'U, Kauai, <i>Hemignathus hanapepe</i>	Stejneger's, <i>Pterodroma longirostris</i>	REDSHANK, Common, <i>Tringa totanus</i>
Maui, <i>Hemignathus affinis</i>	Tahiti, <i>Pseudobulweria rostrata</i>	Spotted, <i>Tringa erythropus</i>
O'ahu, <i>Hemignathus lucidus</i>	Trindade, <i>Pterodroma arminjoniana</i>	REDFSTART, American, <i>Setophaga ruticilla</i>
NUTCRACKER, Clark's, <i>Nucifraga columbiana</i>	White-chinned, <i>Procellaria aequinoctialis</i>	Common, <i>Phoenicurus phoenicurus</i>
NUTHATCH, Brown-headed, <i>Sitta pusilla</i>	White-necked, <i>Pterodroma cervicalis</i>	Painted, <i>Myioborus pictus</i>
Pygmy, <i>Sitta pygmaea</i>	Zino's, <i>Pterodroma madeira</i>	Slate-throated, <i>Myioborus miniatus</i>
Red-breasted, <i>Sitta canadensis</i>	PEWEE, Cuban, <i>Contopus caribaeus</i>	REDWING, <i>Turdus iliacus</i>
White-breasted, <i>Sitta carolinensis</i>	Greater, <i>Contopus pertinax</i>	REEF-HERON, Pacific, <i>Egretta sacra</i>
OLOMA'O, <i>Myadestes lanaiensis</i>	Hispaniolan, <i>Contopus hispaniolensis</i>	Western, <i>Egretta gularis</i>
'ÔMA'O, <i>Myadestes obscurus</i>	Lesser Antillean, <i>Contopus latirostris</i>	ROADRUNNER, Greater, <i>Geococcyx californianus</i>
ORIOLE, Altamira, <i>Icterus gularis</i>	PHAINOPEPLA, <i>Phainopepla nitens</i>	ROBIN, American, <i>Turdus migratorius</i>
Audubon's, <i>Icterus graduacauda</i>	PHALAROPE, Red, <i>Phalaropus fulicarius</i>	Rufous-backed, <i>Turdus rufofasciatus</i>
Baltimore, <i>Icterus galbula</i>	Red-necked, <i>Phalaropus lobatus</i>	Rufous-tailed, <i>Larvivora sibilans</i>
Black-vented, <i>Icterus wagleri</i>	Wilson's, <i>Phalaropus tricolor</i>	Siberian Blue, <i>Larvivora cyane</i>
Bullock's, <i>Icterus bullockii</i>	PHOEBE, Black, <i>Sayornis nigricans</i>	ROCK-THRUSH, Blue, <i>Monticola solitarius</i>
Hooded, <i>Icterus cucullatus</i>	Eastern, <i>Sayornis phoebe</i>	ROSEFINCH, Common, <i>Carpodacus erythrinus</i>
Orchard, <i>Icterus spurius</i>	Say's, <i>Sayornis saya</i>	ROSY-FINCH, Asian, <i>Leucosticte arctoa</i>
Puerto Rican, <i>Icterus portoricensis</i>	PIGEON, Band-tailed, <i>Patagioenas fasciata</i>	Black, <i>Leucosticte atrata</i>
Scott's, <i>Icterus parisorum</i>	Plain, <i>Patagioenas inornata</i>	Brown-capped, <i>Leucosticte australis</i>
Streak-backed, <i>Icterus pustulatus</i>	Red-billed, <i>Patagioenas flavirostris</i>	Gray-crowned, <i>Leucosticte tephrocotis</i>
OSPREY, <i>Pandion haliaetus</i>	Scaly-naped, <i>Patagioenas squamosa</i>	RUBYTHROAT, Siberian, <i>Calliope calliope</i>
'Ô'U, <i>Psittirostra psittacea</i>	White-crowned, <i>Patagioenas leucocephala</i>	RUFF, <i>Calidris pugnax</i>
OVENBIRD, <i>Seiurus aurocapilla</i>	PINTAIL, Northern, <i>Anas acuta</i>	SANDERLING, <i>Calidris alba</i>
OWL, Barn, <i>Tyto alba</i>	White-cheeked, <i>Anas bahamensis</i>	SANDPIPER, Baird's, <i>Calidris bairdii</i>
Barred, <i>Strix varia</i>	PIPIT, American, <i>Anthus rubescens</i>	Broad-billed, <i>Calidris falcinellus</i>
Boreal, <i>Aegolius funereus</i>	Olive-backed, <i>Anthus hodgsoni</i>	Buff-breasted, <i>Calidris subruficollis</i>
Burrowing, <i>Athene cunicularia</i>	Pechora, <i>Anthus gustavi</i>	Common, <i>Actitis hypoleucos</i>
Elf, <i>Micrathene whitneyi</i>	Red-throated, <i>Anthus cervinus</i>	Curlew, <i>Calidris ferruginea</i>
Flammulated, <i>Psiloscoptes flammeolus</i>	Sprague's, <i>Anthus spragueii</i>	Green, <i>Tringa ochropus</i>
Great Gray, <i>Strix nebulosa</i>	Tree, <i>Anthus trivialis</i>	Least, <i>Calidris minutilla</i>
Great Horned, <i>Bubo virginianus</i>	PLOVER, Black-bellied, <i>Pluvialis squatarola</i>	Marsh, <i>Tringa stagnatilis</i>
Long-eared, <i>Asio otus</i>	Collared, <i>Charadrius collaris</i>	Pectoral, <i>Calidris melanotos</i>
Mottled, <i>Ciccaba virgata</i>	Common Ringed, <i>Charadrius hiaticula</i>	Purple, <i>Calidris maritima</i>
	Kentish, <i>Charadrius alexandrinus</i>	Rock, <i>Calidris ptilocnemis</i>
	Little Ringed, <i>Charadrius dubius</i>	Semipalmed, <i>Calidris pusilla</i>
		Sharp-tailed, <i>Calidris acuminata</i>

Solitary, <i>Tringa solitaria</i>	SPARROW, American Tree, <i>Spizelloides arborea</i>	SWALLOW, Bahama, <i>Tachycineta cyaneoviridis</i>
Spoon-billed, <i>Calidris pygmaea</i>	Bachman's, <i>Peucaea aestivalis</i>	Bank, <i>Riparia riparia</i>
Spotted, <i>Actitis macularius</i>	Baird's, <i>Centronyx bairdii</i>	Barn, <i>Hirundo rustica</i>
Stilt, <i>Calidris himantopus</i>	Bell's, <i>Artemisiospiza belli</i>	Cave, <i>Petrochelidon fulva</i>
Terek, <i>Xenus cinereus</i>	Black-chinned, <i>Spizella atrogularis</i>	Cliff, <i>Petrochelidon pyrrhonota</i>
Upland, <i>Bartramia longicauda</i>	Black-throated, <i>Amphispiza bilineata</i>	Mangrove, <i>Tachycineta albilinea</i>
Western, <i>Calidris mauri</i>	Botteri's, <i>Peucaea botterii</i>	Northern Rough-winged, <i>Stelgidopteryx serripennis</i>
White-rumped, <i>Calidris fuscicollis</i>	Brewer's, <i>Spizella breweri</i>	Tree, <i>Tachycineta bicolor</i>
Wood, <i>Tringa glareola</i>	Cassin's, <i>Peucaea cassini</i>	Violet-green, <i>Tachycineta thalassina</i>
SAND-PLOVER, Greater, <i>Charadrius leschenaultii</i>	Chipping, <i>Spizella passerina</i>	SWAMPHEN, Purple, <i>Porphyrio porphyrio</i>
Lesser, <i>Charadrius mongolus</i>	Clay-colored, <i>Spizella pallida</i>	SWAN, Trumpeter, <i>Cygnus buccinator</i>
SAPSUCKER, Red-breasted, <i>Sphyrapicus ruber</i>	Field, <i>Spizella pusilla</i>	Tundra, <i>Cygnus columbianus</i>
Red-naped, <i>Sphyrapicus nuchalis</i>	Five-striped, <i>Amphispiza quinquestriata</i>	Whooper, <i>Cygnus cygnus</i>
Williamson's, <i>Sphyrapicus thyroideus</i>	Fox, <i>Passerella iliaca</i>	SWIFT, Alpine, <i>Apus melba</i>
Yellow-bellied, <i>Sphyrapicus varius</i>	Golden-crowned, <i>Zonotrichia atricapilla</i>	Black, <i>Cypseloides niger</i>
SCAUP, Greater, <i>Aythya marila</i>	Grasshopper, <i>Ammodramus savannarum</i>	Chimney, <i>Chaetura pelagica</i>
Lesser, <i>Aythya affinis</i>	Harris's, <i>Zonotrichia querula</i>	Common, <i>Apus apus</i>
SCOPS-OWL, Oriental, <i>Otus sunia</i>	Henslow's, <i>Centronyx henslowii</i>	Fork-tailed, <i>Apus pacificus</i>
SCOTER, Black, <i>Melanitta americana</i>	Lark, <i>Chondestes grammacus</i>	Short-tailed, <i>Chaetura brachyura</i>
Common, <i>Melanitta nigra</i>	LeConte's, <i>Ammospiza leconteii</i>	Vaux's, <i>Chaetura vauxi</i>
Surf, <i>Melanitta perspicillata</i>	Lincoln's, <i>Melospiza lincolni</i>	White-collared, <i>Streptoprocne zonaris</i>
White-winged, <i>Melanitta fusca</i>	Nelson's, <i>Ammospiza nelsoni</i>	White-throated, <i>Aeronautes saxatalis</i>
SCREECH-OWL, Eastern, <i>Megascops asio</i>	Olive, <i>Arremonops rufivirgatus</i>	SWIFTLET, Mariana, <i>Aerodramus bartschi</i>
Puerto Rican, <i>Megascops nudipes</i>	Rufous-crowned, <i>Aimophila ruficeps</i>	White-rumped, <i>Aerodramus spodiopygius</i>
Western, <i>Megascops kennicottii</i>	Rufous-winged, <i>Peucaea carpalis</i>	
Whiskered, <i>Megascops trichopsis</i>	Sagebrush, <i>Artemisiospiza nevadensis</i>	
SCRUB-JAY, California, <i>Aphelocoma californica</i>	Saltmarsh, <i>Ammospiza caudacuta</i>	
Florida, <i>Aphelocoma coerulescens</i>	Savannah, <i>Passerculus sandwichensis</i>	
Island, <i>Aphelocoma insularis</i>	Seaside, <i>Ammospiza maritima</i>	
Woodhouse's, <i>Aphelocoma woodhousei</i>	Song, <i>Melospiza melodia</i>	
SEA-EAGLE, Steller's, <i>Haliaeetus pelagicus</i>	Swamp, <i>Melospiza georgiana</i>	
SEEDEATER, Morelet's, <i>Sporophila morelleti</i>	Vesper, <i>Pooecetes gramineus</i>	
SHEARWATER, Audubon's, <i>Puffinus lherminieri</i>	White-crowned, <i>Zonotrichia leucophrys</i>	
Barolo, <i>Puffinus baroli</i>	White-throated, <i>Zonotrichia albicollis</i>	
Black-vented, <i>Puffinus opisthomelas</i>	Worthen's, <i>Spizella wortheni</i>	
Bryan's, <i>Puffinus bryani</i>	SPARROWHAWK, Chinese, <i>Accipiter soloensis</i>	
Buller's, <i>Ardenna bulleri</i>	Japanese, <i>Accipiter gularis</i>	
Cape Verde, <i>Calonectris edwardsii</i>	SPINDALIS, Puerto Rican, <i>Spindalis portoricensis</i>	
Christmas, <i>Puffinus nativitatis</i>	Western, <i>Spindalis zena</i>	
Cory's, <i>Calonectris diomedea</i>	SPOONBILL, Roseate, <i>Platalea ajaja</i>	
Flesh-footed, <i>Ardenna carneipes</i>	STARLING, Chestnut-cheeked, <i>Agropsar philippensis</i>	
Great, <i>Ardenna gravis</i>	White-cheeked, <i>Spodiopsar cineraceus</i>	
Manx, <i>Puffinus puffinus</i>	STARTHROAT, Plain-capped, <i>Heliomaster constantii</i>	
Newell's, <i>Puffinus newelli</i>	STILT, Black-necked, <i>Himantopus mexicanus</i>	
Pink-footed, <i>Ardenna creatopus</i>	Black-winged, <i>Himantopus himantopus</i>	
Short-tailed, <i>Ardenna tenuirostris</i>	STINT, Little, <i>Calidris minuta</i>	
Sooty, <i>Ardenna grisea</i>	Long-toed, <i>Calidris subminuta</i>	
Streaked, <i>Calonectris leucomelas</i>	Red-necked, <i>Calidris ruficollis</i>	
Wedge-tailed, <i>Ardenna pacifica</i>	Temminck's, <i>Calidris temminckii</i>	
SHOVELER, Northern, <i>Spatula clypeata</i>	STONECHAT, <i>Saxicola torquatus</i>	
SHRIKE, Brown, <i>Lanius cristatus</i>	STORK, Wood, <i>Mycteria americana</i>	
Loggerhead, <i>Lanius ludovicianus</i>	STORM-PETREL, Ashy, <i>Oceanodroma homochroa</i>	
Northern, <i>Lanius borealis</i>	Band-rumped, <i>Oceanodroma castro</i>	
SILKY-FLYCATCHER, Gray, <i>Ptiliogonyx cinereus</i>	Black, <i>Oceanodroma Melania</i>	
SISKIN, Eurasian, <i>Spinus spinus</i>	Black-bellied, <i>Fregetta tropica</i>	
Pine, <i>Spinus pinus</i>	Fork-tailed, <i>Oceanodroma furcata</i>	
SKIMMER, Black, <i>Rynchops niger</i>	Leach's, <i>Oceanodroma leucorhoa</i>	
SKUA, Great, <i>Stercorarius skua</i>	Least, <i>Oceanodroma microsoma</i>	
South Polar, <i>Stercorarius maccormicki</i>	Matsudaira's, <i>Oceanodroma matsudairae</i>	
SKYLARK, Eurasian, <i>Alauda arvensis</i>	Polynesian, <i>Nesofregetta fuliginosa</i>	
SMEW, <i>Mergus albellus</i>	Ringed, <i>Oceanodroma hornbyi</i>	
SNIPE, Common, <i>Gallinago gallinago</i>	Swinhoe's, <i>Oceanodroma monorhisa</i>	
Jack, <i>Lymnocryptes minimus</i>	Townsend's, <i>Oceanodroma socorroensis</i>	
Pin-tailed, <i>Gallinago stenura</i>	Tristram's, <i>Oceanodroma tristrami</i>	
Solitary, <i>Gallinago solitaria</i>	Wedge-rumped, <i>Oceanodroma tethys</i>	
Swinhoe's, <i>Gallinago megalia</i>	White-bellied, <i>Fregetta grallaria</i>	
Wilson's, <i>Gallinago delicata</i>	White-faced, <i>Pelagodroma marina</i>	
SOLITAIRE, Brown-backed, <i>Myadestes occidentalis</i>	Wilson's, <i>Oceanites oceanicus</i>	
Townsend's, <i>Myadestes townsendi</i>	SURFBIRD, <i>Calidris virgata</i>	
SORA, <i>Porzana carolina</i>		

Red-legged, <i>Turdus plumbeus</i>	Colima, <i>Oreothlypis crissalis</i>	Hairy, <i>Dryobates villosus</i>
Swainson's, <i>Catharus ustulatus</i>	Connecticut, <i>Oporornis agilis</i>	Ivory-billed, <i>Campephilus principalis</i>
Varied, <i>Ixoreus naevius</i>	Crescent-cheested, <i>Oreothlypis superciliosus</i>	Ladder-backed, <i>Dryobates scalaris</i>
White-throated, <i>Turdus assimilis</i>	Dusky, <i>Phylloscopus fuscatus</i>	Lewis's, <i>Melanerpes lewis</i>
Wood, <i>Hylocichla mustelina</i>	Elfin-woods, <i>Setophaga angelae</i>	Nuttall's, <i>Dryobates nuttallii</i>
TIGER-HERON, Bare-throated, <i>Tigrisoma mexicanum</i>	Fan-tailed, <i>Basileuterus lachrymosus</i>	Pileated, <i>Dryocopus pileatus</i>
TITMOUSE, Black-crested, <i>Baeolophus atricristatus</i>	Golden-cheeked, <i>Setophaga chrysoparia</i>	Puerto Rican, <i>Melanerpes portoricensis</i>
Bridled, <i>Baeolophus wollweberi</i>	Golden-crowned, <i>Basileuterus culicivorus</i>	Red-bellied, <i>Melanerpes carolinus</i>
Juniper, <i>Baeolophus ridgwayi</i>	Golden-winged, <i>Vermivora chrysoptera</i>	Red-cockaded, <i>Dryobates borealis</i>
Oak, <i>Baeolophus inornatus</i>	Grace's, <i>Setophaga graciae</i>	Red-headed, <i>Melanerpes erythrocephalus</i>
Tufted, <i>Baeolophus bicolor</i>	Hermit, <i>Setophaga occidentalis</i>	White-headed, <i>Dryobates albolarvatus</i>
TITYRA, Masked, <i>Tityra semifasciata</i>	Hooded, <i>Setophaga citrina</i>	WOOD-PEWEE, Eastern, <i>Contopus virens</i>
TOWHEE, Abert's, <i>Melozone aberti</i>	Kamchatka Leaf, <i>Phylloscopus examinandus</i>	Western, <i>Contopus sordidulus</i>
California, <i>Melozone crissalis</i>	Kentucky, <i>Geothlypis formosa</i>	WOOD-RAIL, Rufous-necked, <i>Aramides axillaris</i>
Canyon, <i>Melozone fusca</i>	Kirtland's, <i>Setophaga kirtlandii</i>	WOODSTAR, Bahama, <i>Calliphlox evelynae</i>
Eastern, <i>Pipilo erythrorththalmus</i>	Lanceolated, <i>Locustella lanceolata</i>	WREN, Bewick's, <i>Thryomanes bewickii</i>
Green-tailed, <i>Pipilo chlorurus</i>	Lucy's, <i>Oreothlypis luciae</i>	Cactus, <i>Campylorhynchus brunneicapillus</i>
Spotted, <i>Pipilo maculatus</i>	MacGillivray's, <i>Geothlypis tolmiei</i>	Canyon, <i>Catherpes mexicanus</i>
TROGON, Elegant, <i>Trogon elegans</i>	Magnolia, <i>Setophaga magnolia</i>	Carolina, <i>Thryothorus ludovicianus</i>
TROPICBIRD, Red-billed, <i>Phaethon aethereus</i>	Mourning, <i>Geothlypis philadelphia</i>	House, <i>Troglodytes aedon</i>
Red-tailed, <i>Phaethon rubricauda</i>	Nashville, <i>Oreothlypis ruficapilla</i>	Marsh, <i>Cistothorus palustris</i>
White-tailed, <i>Phaethon lepturus</i>	Nightingale Reed, <i>Acrocephalus luscinus</i>	Pacific, <i>Troglodytes pacificus</i>
TURNSTONE, Black, <i>Arenaria melanocephala</i>	Olive, <i>Peucedramus taeniatus</i>	Rock, <i>Salpinctes obsoletus</i>
Ruddy, <i>Arenaria interpres</i>	Orange-crowned, <i>Oreothlypis celata</i>	Sedge, <i>Cistothorus platensis</i>
TURTLE-DOVE, European, <i>Streptopelia tutur</i>	Pagan Reed, <i>Acrocephalus yamashiniae</i>	Sinaloa, <i>Thryophilus sinaloa</i>
Oriental, <i>Streptopelia orientalis</i>	Pallas's Leaf, <i>Phylloscopus proregulus</i>	Winter, <i>Troglodytes hiemalis</i>
VEERY, <i>Catharus fuscescens</i>	Palm, <i>Setophaga palmarum</i>	WRENTIT, <i>Chamaea fasciata</i>
VERDIN, <i>Auriparus flaviceps</i>	Pine, <i>Setophaga pinus</i>	WRYNECK, Eurasian, <i>Jynx torquilla</i>
VIOLETEAR, Mexican, <i>Colibri thalassinus</i>	Prairie, <i>Setophaga discolor</i>	YELLOWLEGS, Greater, <i>Tringa melanoleuca</i>
VIREO, Bell's, <i>Vireo bellii</i>	Prothonotary, <i>Protonotaria citrea</i>	Lesser, <i>Tringa flavipes</i>
Black-capped, <i>Vireo atricapilla</i>	Red-faced, <i>Cardellina rubrifrons</i>	YELLOWTHROAT, Common, <i>Geothlypis trichas</i>
Black-whiskered, <i>Vireo altiloquus</i>	Rufous-capped, <i>Basileuterus rufifrons</i>	Gray-crowned, <i>Geothlypis poliocephala</i>
Blue-headed, <i>Vireo solitarius</i>	Saipan Reed, <i>Acrocephalus hiwae</i>	(2) <i>Taxonomic listing.</i> Species are listed in phylogenetic sequence by scientific name, with the common (English) name following the scientific name. To help clarify species relationships, we also list the higher-level taxonomic categories of Order, Family, and Subfamily.
Cassin's, <i>Vireo cassinii</i>	Sedge, <i>Acrocephalus schoenobaenus</i>	Order ANSERIFORMES
Cuban, <i>Vireo gundlachii</i>	Swainson's, <i>Limnothlypis swainsonii</i>	Family ANATIDAE
Gray, <i>Vireo vicinior</i>	Tennessee, <i>Oreothlypis peregrina</i>	Subfamily DENDROCYGNINAE
Hutton's, <i>Vireo huttoni</i>	Townsend's, <i>Setophaga townsendi</i>	<i>Dendrocygna autumnalis</i> , Black-bellied Whistling-Duck
Philadelphia, <i>Vireo philadelphicus</i>	Virginia's, <i>Oreothlypis virginiae</i>	<i>Dendrocygna arborea</i> , West Indian Whistling-Duck
Plumbeous, <i>Vireo plumbeus</i>	Willow, <i>Phylloscopus trochilus</i>	<i>Dendrocygna bicolor</i> , Fulvous Whistling-Duck
Puerto Rican, <i>Vireo latimeri</i>	Wilson's, <i>Cardellina pusilla</i>	Subfamily ANSERINAE
Red-eyed, <i>Vireo olivaceus</i>	Wood, <i>Phylloscopus sibilatrix</i>	<i>Anser canagicus</i> , Emperor Goose
Thick-billed, <i>Vireo crassirostris</i>	Worm-eating, <i>Helminthes vermivorum</i>	<i>Anser caerulescens</i> , Snow Goose
Warbling, <i>Vireo gilvus</i>	Yellow, <i>Setophaga petechia</i>	<i>Anser rossii</i> , Ross's Goose
White-eyed, <i>Vireo griseus</i>	Yellow-browed, <i>Phylloscopus inornatus</i>	<i>Anser albifrons</i> , Greater White-fronted Goose
Yellow-green, <i>Vireo flavoviridis</i>	Yellow-rumped, <i>Setophaga coronata</i>	<i>Anser erythropus</i> , Lesser White-fronted Goose
Yellow-throated, <i>Vireo flavifrons</i>	Yellow-throated, <i>Setophaga dominica</i>	<i>Anser fabalis</i> , Taiga Bean-Goose
Yucatan, <i>Vireo magister</i>	WATERTHRUSH, Louisiana, <i>Parkesia motacilla</i>	<i>Anser serrirostris</i> , Tundra Bean-Goose
VULTURE, Black, <i>Coragyps atratus</i>	Northern, <i>Parkesia noveboracensis</i>	<i>Anser brachyrhynchus</i> , Pink-footed Goose
Turkey, <i>Cathartes aura</i>	WAXWING, Bohemian, <i>Bombycilla garrulus</i>	<i>Branta bernicla</i> , Brant
WAGTAIL, Citrine, <i>Motacilla citreola</i>	Cedar, <i>Bombycilla cedrorum</i>	<i>Branta leucopsis</i> , Barnacle Goose
Eastern Yellow, <i>Motacilla tschutschensis</i>	WHEATEAR, Northern, <i>Oenanthe oenanthe</i>	<i>Branta hutchinsii</i> , Cackling Goose
Gray, <i>Motacilla cinerea</i>	WHIMBREL, <i>Numenius phaeopus</i>	<i>Branta canadensis</i> , Canada Goose
White, <i>Motacilla alba</i>	WHIP-POOR-WILL, Eastern, <i>Antrostomus vociferus</i>	<i>Branta sandvicensis</i> , Hawaiian Goose
WARBLER, Adelaide's, <i>Setophaga adelaidae</i>	Mexican, <i>Antrostomus arizonae</i>	<i>Cygnus buccinator</i> , Trumpeter Swan
Aguiguan Reed, <i>Acrocephalus nijoi</i>	WHISTLING-DUCK, Black-bellied, <i>Dendrocygna autumnalis</i>	<i>Cygnus columbianus</i> , Tundra Swan
Arctic, <i>Phylloscopus borealis</i>	Fulvous, <i>Dendrocygna bicolor</i>	<i>Cygnus cygnus</i> , Whooper Swan
Bachman's, <i>Vermivora bachmanii</i>	West Indian, <i>Dendrocygna arborea</i>	Subfamily ANATINAE
Bay-breasted, <i>Setophaga castanea</i>	WHITE-THROAT, Lesser, <i>Sylvia curruca</i>	<i>Cairina moschata</i> , Muscovy Duck
Black-and-white, <i>Mniotilla varia</i>	WIGEON, American, <i>Mareca americana</i>	<i>Aix sponsa</i> , Wood Duck
Blackburnian, <i>Setophaga fusca</i>	Eurasian, <i>Mareca penelope</i>	<i>Sibirionetta formosa</i> , Baikal Teal
Blackpoll, <i>Setophaga striata</i>	WILLET, <i>Tringa semipalmata</i>	<i>Spatula querquedula</i> , Garganey
Black-throated Blue, <i>Setophaga caerulea</i>	WOODCOCK, American, <i>Scolopax minor</i>	<i>Spatula discors</i> , Blue-winged Teal
Black-throated Gray, <i>Setophaga nigrescens</i>	Eurasian, <i>Scolopax rusticola</i>	<i>Spatula cyanoptera</i> , Cinnamon Teal
Black-throated Green, <i>Setophaga virens</i>	WOODPECKER, Acorn, <i>Melanerpes formicivorus</i>	
Blue-winged, <i>Vermivora cyanoptera</i>	American Three-toed, <i>Picoides dorsalis</i>	
Blyth's Reed, <i>Acrocephalus dumetorum</i>	Arizona, <i>Dryobates arizonae</i>	
Canada, <i>Cardellina canadensis</i>	Black-backed, <i>Picoides arcticus</i>	
Cape May, <i>Setophaga tigrina</i>	Downy, <i>Dryobates pubescens</i>	
Cerulean, <i>Setophaga cerulea</i>	Gila, <i>Melanerpes uropygialis</i>	
Chestnut-sided, <i>Setophaga pensylvanica</i>	Golden-fronted, <i>Melanerpes aurifrons</i>	
	Great Spotted, <i>Dendrocopos major</i>	

<i>Spatula clypeata</i> , Northern Shoveler	<i>Geotrygon chrysia</i> , Key West Quail-Dove	<i>Tachornis phoenicobia</i> , Antillean Palm-Swift
<i>Mareca strepera</i> , Gadwall	<i>Geotrygon mystacea</i> , Bridled Quail-Dove	Family TROCHILIDAE
<i>Mareca falcata</i> , Falcated Duck	<i>Leptotila verreauxi</i> , White-tipped Dove	Subfamily TROCHILINAE
<i>Mareca penelope</i> , Eurasian Wigeon	<i>Zenaida asiatica</i> , White-winged Dove	<i>Colibri thalassinus</i> , Mexican Violetear
<i>Mareca americana</i> , American Wigeon	<i>Zenaida aurita</i> , Zenaida Dove	<i>Anthracothorax prevostii</i> , Green-breasted Mango
<i>Anas laysanensis</i> , Laysan Duck	<i>Zenaida macroura</i> , Mourning Dove	<i>Anthracothorax dominicus</i> , Antillean Mango
<i>Anas wyvilliana</i> , Hawaiian Duck	<i>Ptilinopus perousii</i> , Many-colored Fruit-Dove	<i>Anthracothorax viridis</i> , Green Mango
<i>Anas zonorhyncha</i> , Eastern Spot-billed Duck	<i>Ptilinopus porphyraceus</i> , Crimson-crowned Fruit-Dove	<i>Eulampis jugularis</i> , Purple-throated Carib
<i>Anas platyrhynchos</i> , Mallard	<i>Ptilinopus roseicapilla</i> , Mariana Fruit-Dove	<i>Eulampis holosericeus</i> , Green-throated Carib
<i>Anas rubripes</i> , American Black Duck	<i>Ducula pacifica</i> , Pacific Imperial-Pigeon	
<i>Anas fulvigula</i> , Mottled Duck	Order CUCULIFORMES	
<i>Anas superciliosa</i> , Pacific Black Duck	Family CUCULIDAE	
<i>Anas bahamensis</i> , White-cheeked Pintail	Subfamily CUCULINAE	
<i>Anas acuta</i> , Northern Pintail	<i>Urodynamis taitensis</i> , Long-tailed Koel	
<i>Anas crecca</i> , Green-winged Teal	<i>Hierococcyx nisicolor</i> , Hodgson's Hawk-Cuckoo	
<i>Aythya valisineria</i> , Canvasback	<i>Cuculus canorus</i> , Common Cuckoo	
<i>Aythya americana</i> , Redhead	<i>Cuculus optatus</i> , Oriental Cuckoo	
<i>Aythya ferina</i> , Common Pochard	<i>Coccyzus americanus</i> , Yellow-billed Cuckoo	
<i>Aythya baeri</i> , Baer's Pochard	<i>Coccyzus minor</i> , Mangrove Cuckoo	
<i>Aythya collaris</i> , Ring-necked Duck	<i>Coccyzus erythrophthalmus</i> , Black-billed Cuckoo	
<i>Aythya fuligula</i> , Tufted Duck	<i>Coccyzus vieilloti</i> , Puerto Rican Lizard-Cuckoo	
<i>Aythya marila</i> , Greater Scaup	Subfamily NEOMORPHINAE	
<i>Aythya affinis</i> , Lesser Scaup	<i>Geococcyx californianus</i> , Greater Roadrunner	
<i>Polysticta stelleri</i> , Steller's Eider	Subfamily CROTOPHAGINAE	
<i>Somateria fischeri</i> , Spectacled Eider	<i>Crotophaga ani</i> , Smooth-billed Ani	
<i>Somateria spectabilis</i> , King Eider	<i>Crotophaga sulcirostris</i> , Groove-billed Ani	
<i>Somateria mollissima</i> , Common Eider	Order CAPRIMULGIFORMES	
<i>Histrionicus histrionicus</i> , Harlequin Duck	Family CAPRIMULGIDAE	
<i>Melanitta perspicillata</i> , Surf Scoter	Subfamily CHORDEILINAE	
<i>Melanitta fusca</i> , White-winged Scoter	<i>Chordeiles acutipennis</i> , Lesser Nighthawk	
<i>Melanitta nigra</i> , Common Scoter	<i>Chordeiles minor</i> , Common Nighthawk	
<i>Melanitta americana</i> , Black Scoter	<i>Chordeiles gundlachii</i> , Antillean Nighthawk	
<i>Clangula hyemalis</i> , Long-tailed Duck	Subfamily CAPRIMULGINAE	
<i>Bucephala albeola</i> , Bufflehead	<i>Nyctidromus albicollis</i> , Common Pauraque	
<i>Bucephala clangula</i> , Common Goldeneye	<i>Phalaenoptilus nuttallii</i> , Common Poorwill	
<i>Bucephala islandica</i> , Barrow's Goldeneye	<i>Antrostomus carolinensis</i> , Chuck-will's-widow	
<i>Mergellus albellus</i> , Smew	<i>Antrostomus ridgwayi</i> , Buff-collared Nightjar	
<i>Lophodytes cucullatus</i> , Hooded Merganser	<i>Antrostomus vociferus</i> , Eastern Whip-poor-will	
<i>Mergus merganser</i> , Common Merganser	<i>Antrostomus arizonae</i> , Mexican Whip-poor-will	
<i>Mergus serrator</i> , Red-breasted Merganser	<i>Antrostomus noctitherus</i> , Puerto Rican Nightjar	
<i>Nomonyx dominicus</i> , Masked Duck	<i>Hydropsalis cayennensis</i> , White-tailed Nightjar	
<i>Oxyura jamaicensis</i> , Ruddy Duck	<i>Caprimulgus jotaka</i> , Gray Nightjar	
Order PHOENICOPTERIFORMES	Order APODIFORMES	
Family PHOENICOPTERIDAE	Family APODIDAE	
<i>Phoenicopterus ruber</i> , American Flamingo	Subfamily CYPSELOIDINAE	
Order PODICIPEDIFORMES	<i>Cypseloides niger</i> , Black Swift	
Family PODICIPEDIDAE	<i>Streptoprocne zonaris</i> , White-collared Swift	
<i>Tachybaptus dominicus</i> , Least Grebe	Subfamily CHAETURINAE	
<i>Podilymbus podiceps</i> , Pied-billed Grebe	<i>Chaetura pelasgica</i> , Chimney Swift	
<i>Podiceps auritus</i> , Horned Grebe	<i>Chaetura vauxi</i> , Vaux's Swift	
<i>Podiceps grisegena</i> , Red-necked Grebe	<i>Chaetura brachyura</i> , Short-tailed Swift	
<i>Podiceps nigricollis</i> , Eared Grebe	<i>Hirundapus caudacutus</i> , White-throated Needletail	
<i>Aechmophorus occidentalis</i> , Western Grebe	<i>Aerodramus spodiopygius</i> , White-rumped Swiftlet	
<i>Aechmophorus clarkii</i> , Clark's Grebe	<i>Aerodramus bartschi</i> , Mariana Swiftlet	
Order COLUMBIFORMES	Subfamily APODINAE	
Family COLUMBIDAE	<i>Apus apus</i> , Common Swift	
<i>Patagioenas squamosa</i> , Scaly-naped Pigeon	<i>Apus pacificus</i> , Fork-tailed Swift	
<i>Patagioenas leucocephala</i> , White-crowned Pigeon	<i>Apus melba</i> , Alpine Swift	
<i>Patagioenas flavirostris</i> , Red-billed Pigeon	<i>Aeronautes saxatalis</i> , White-throated Swift	
<i>Patagioenas inornata</i> , Plain Pigeon		
<i>Patagioenas fasciata</i> , Band-tailed Pigeon		
<i>Streptopelia orientalis</i> , Oriental Turtle-Dove		
<i>Alopecoenas xanthonura</i> , White-throated Ground-Dove		
<i>Alopecoenas stairi</i> , Shy Ground-Dove		
<i>Streptopelia turtur</i> , European Turtle-Dove		
<i>Columbina inca</i> , Inca Dove		
<i>Columbina passerina</i> , Common Ground-Dove		
<i>Columbina talpacoti</i> , Ruddy Ground-Dove		
<i>Geotrygon montana</i> , Ruddy Quail-Dove		

<i>Gallinula chloropus</i> , Common Moorhen	<i>Calidris falcinellus</i> , Broad-billed Sandpiper	<i>Brachyramphus brevirostris</i> , Kittlitz's Murrelet
<i>Fulica atra</i> , Eurasian Coot	<i>Calidris acuminata</i> , Sharp-tailed Sandpiper	<i>Synthliboramphus scrippsi</i> , Scripp's Murrelet
<i>Fulica alai</i> , Hawaiian Coot	<i>Calidris himantopus</i> , Stilt Sandpiper	<i>Synthliboramphus hypoleucus</i> , Guadalupe Murrelet
<i>Fulica americana</i> , American Coot	<i>Calidris ferruginea</i> , Curlew Sandpiper	<i>Synthliboramphus craveri</i> , Craveri's Murrelet
Family ARAMIDAE	<i>Calidris temminckii</i> , Temminck's Stint	<i>Synthliboramphus antiquus</i> , Ancient Murrelet
<i>Aramus guarauna</i> , Limpkin	<i>Calidris subminuta</i> , Long-toed Stint	<i>Ptychoramphus aleuticus</i> , Cassin's Auklet
Family GRUIDAE	<i>Calidris pygmea</i> , Spoon-billed Sandpiper	<i>Aethia psittacula</i> , Parakeet Auklet
Subfamily GRUINAE	<i>Calidris ruficollis</i> , Red-necked Stint	<i>Aethia pusilla</i> , Least Auklet
<i>Antigone canadensis</i> , Sandhill Crane	<i>Calidris alba</i> , Sanderling	<i>Aethia pygmaea</i> , Whiskered Auklet
<i>Grus grus</i> , Common Crane	<i>Calidris alpina</i> , Dunlin	<i>Aethia cristatella</i> , Crested Auklet
<i>Grus americana</i> , Whooping Crane	<i>Calidris ptilocnemis</i> , Rock Sandpiper	<i>Cerorhinca monocerata</i> , Rhinoceros Auklet
Order CHARADRIIFORMES	<i>Calidris maritima</i> , Purple Sandpiper	<i>Fratercula arctica</i> , Atlantic Puffin
Family RECURVIROSTRIDAE	<i>Calidris bairdii</i> , Baird's Sandpiper	<i>Fratercula corniculata</i> , Horned Puffin
<i>Himantopus himantopus</i> , Black-winged Stilt	<i>Calidris minutilla</i> , Least Sandpiper	<i>Fratercula cirrhata</i> , Tufted Puffin
<i>Himantopus mexicanus</i> , Black-necked Stilt	<i>Calidris fuscicollis</i> , White-rumped Sandpiper	Family LARIDAE
<i>Recurvirostra americana</i> , American Avocet	<i>Calidris subruficollis</i> , Buff-breasted Sandpiper	Subfamily LARINAE
Family HAEMATOPODIDAE	<i>Calidris melanotos</i> , Pectoral Sandpiper	<i>Creagrus furcatus</i> , Swallow-tailed Gull
<i>Haematopus ostralegus</i> , Eurasian Oystercatcher	<i>Calidris pusilla</i> , Semipalmated Sandpiper	<i>Rissa tridactyla</i> , Black-legged Kittiwake
<i>Haematopus palliatus</i> , American Oystercatcher	<i>Calidris mauri</i> , Western Sandpiper	<i>Rissa brevirostris</i> , Red-legged Kittiwake
<i>Haematopus bachmani</i> , Black Oystercatcher	Subfamily SCOLOPACINAE	<i>Pagophila eburnea</i> , Ivory Gull
Family CHARADRIIIDAE	<i>Limnodromus griseus</i> , Short-billed Dowitcher	<i>Xema sabini</i> , Sabine's Gull
Subfamily VANELLINAE	<i>Limnodromus scolopaceus</i> , Long-billed Dowitcher	<i>Chroicocephalus philadelphia</i> , Bonaparte's Gull
<i>Vanellus vanellus</i> , Northern Lapwing	<i>Lymnocryptes minimus</i> , Jack Snipe	<i>Chroicocephalus cirrocephalus</i> , Gray-hooded Gull
Subfamily CHARADRIINAE	<i>Scolopax rusticola</i> , Eurasian Woodcock	<i>Chroicocephalus ridibundus</i> , Black-headed Gull
<i>Pluvialis squatarola</i> , Black-bellied Plover	<i>Scolopax minor</i> , American Woodcock	<i>Hydrocoloeus minutus</i> , Little Gull
<i>Pluvialis apricaria</i> , European Golden-Plover	<i>Gallinago solitaria</i> , Solitary Snipe	<i>Rhodostethia rosea</i> , Ross's Gull
<i>Pluvialis dominica</i> , American Golden-Plover	<i>Gallinago stenura</i> , Pin-tailed Snipe	<i>Leucophaeus atricilla</i> , Laughing Gull
<i>Pluvialis fulva</i> , Pacific Golden-Plover	<i>Gallinago megala</i> , Swinhoe's Snipe	<i>Leucophaeus pipixcan</i> , Franklin's Gull
<i>Charadrius mongolus</i> , Lesser Sand-Plover	<i>Gallinago gallinago</i> , Common Snipe	<i>Larus belcheri</i> , Belcher's Gull
<i>Charadrius leschenaultii</i> , Greater Sand-Plover	<i>Gallinago delicata</i> , Wilson's Snipe	<i>Larus crassirostris</i> , Black-tailed Gull
<i>Charadrius collaris</i> , Collared Plover	Subfamily TRINGINAE	<i>Larus heermanni</i> , Heermann's Gull
<i>Charadrius alexandrinus</i> , Kentish Plover	<i>Xenus cinereus</i> , Terek Sandpiper	<i>Larus canus</i> , Mew Gull
<i>Charadrius nivosus</i> , Snowy Plover	<i>Actitis hypoleucos</i> , Common Sandpiper	<i>Larus delawarensis</i> , Ring-billed Gull
<i>Charadrius wilsonia</i> , Wilson's Plover	<i>Actitis macularius</i> , Spotted Sandpiper	<i>Larus occidentalis</i> , Western Gull
<i>Charadrius hiaticula</i> , Common Ringed Plover	<i>Tringa ochropus</i> , Green Sandpiper	<i>Larus livens</i> , Yellow-footed Gull
<i>Charadrius semipalmatus</i> , Semipalmated Plover	<i>Tringa solitaria</i> , Solitary Sandpiper	<i>Larus californicus</i> , California Gull
<i>Charadrius melanotos</i> , Piping Plover	<i>Tringa brevipes</i> , Gray-tailed Tattler	<i>Larus argentatus</i> , Herring Gull
<i>Charadrius dubius</i> , Little Ringed Plover	<i>Tringa incana</i> , Wandering Tattler	<i>Larus michahellis</i> , Yellow-legged Gull
<i>Charadrius vociferus</i> , Killdeer	<i>Tringa flavipes</i> , Lesser Yellowlegs	<i>Larus glaucopterus</i> , Iceland Gull
<i>Charadrius montanus</i> , Mountain Plover	<i>Tringa semipalmata</i> , Willet	<i>Larus fuscus</i> , Lesser Black-backed Gull
<i>Charadrius morinellus</i> , Eurasian Dotterel	<i>Tringa erythropus</i> , Spotted Redshank	<i>Larus schistisagus</i> , Slaty-backed Gull
Family JACANIDAE	<i>Tringa nebularia</i> , Common Greenshank	<i>Larus glaucescens</i> , Glaucous-winged Gull
<i>Jacana spinosa</i> , Northern Jacana	<i>Tringa guttifer</i> , Nordmann's Greenshank	<i>Larus hyperboreus</i> , Glaucous Gull
Family SCOLOPACIDAE	<i>Tringa melanoleuca</i> , Greater Yellowlegs	<i>Larus marinus</i> , Great Black-backed Gull
Subfamily NUMENIINAE	<i>Tringa totanus</i> , Common Redshank	<i>Larus dominicanus</i> , Kelp Gull
<i>Bartramia longicauda</i> , Upland Sandpiper	<i>Tringa glareola</i> , Wood Sandpiper	Subfamily STERNINAE
<i>Numenius tahitiensis</i> , Bristle-thighed Curlew	<i>Tringa stagnatilis</i> , Marsh Sandpiper	<i>Anous stolidus</i> , Brown Noddy
<i>Numenius phaeopus</i> , Whimbrel	<i>Phalaropus tricolor</i> , Wilson's Phalarope	<i>Anous minutus</i> , Black Noddy
<i>Numenius minutus</i> , Little Curlew	<i>Phalaropus lobatus</i> , Red-necked Phalarope	<i>Anous ceruleus</i> , Blue-gray Noddy
<i>Numenius borealis</i> , Eskimo Curlew	<i>Phalaropus fulicarius</i> , Red Phalarope	<i>Gygis alba</i> , White Tern
<i>Numenius americanus</i> , Long-billed Curlew	Family STERCORARIIDAE	<i>Onychoprion fuscatus</i> , Sooty Tern
<i>Numenius madagascariensis</i> , Far Eastern Curlew	<i>Stercorarius skua</i> , Great Skua	<i>Onychoprion lunatus</i> , Gray-backed Tern
<i>Numenius arquata</i> , Eurasian Curlew	<i>Stercorarius maccormicki</i> , South Polar Skua	<i>Onychoprion anaethetus</i> , Bridled Tern
Subfamily LIMOSINAE	<i>Stercorarius pomarinus</i> , Pomarine Jaeger	<i>Onychoprion aleuticus</i> , Aleutian Tern
<i>Limosa lapponica</i> , Bar-tailed Godwit	<i>Stercorarius parasiticus</i> , Parasitic Jaeger	<i>Sternula albifrons</i> , Little Tern
<i>Limosa limosa</i> , Black-tailed Godwit	<i>Stercorarius longicaudus</i> , Long-tailed Jaeger	<i>Sternula antillarum</i> , Least Tern
<i>Limosa haemastica</i> , Hudsonian Godwit	Family ALCIDAE	<i>Phaetusa simplex</i> , Large-billed Tern
<i>Limosa fedoa</i> , Marbled Godwit	<i>Alle alle</i> , Dovekie	<i>Gelochelidon nilotica</i> , Gull-billed Tern
Subfamily ARENARIINAE	<i>Uria aalge</i> , Common Murre	<i>Hydroprogne caspia</i> , Caspian Tern
<i>Arenaria interpres</i> , Ruddy Turnstone	<i>Uria lomvia</i> , Thick-billed Murre	<i>Chlidonias niger</i> , Black Tern
<i>Arenaria melanocephala</i> , Black Turnstone	<i>Alca torda</i> , Razorbill	<i>Chlidonias leucopterus</i> , White-winged Tern
<i>Calidris tenuirostris</i> , Great Knot	<i>Cephus grylle</i> , Black Guillemot	<i>Chlidonias hybrida</i> , Whiskered Tern
<i>Calidris canutus</i> , Red Knot	<i>Cephus columba</i> , Pigeon Guillemot	<i>Sterna dougallii</i> , Roseate Tern
<i>Calidris virgata</i> , Surfbird	<i>Brachyramphus perdix</i> , Long-billed Murrelet	<i>Sterna sumatrana</i> , Black-naped Tern
<i>Calidris pugnax</i> , Ruff	<i>Brachyramphus marmoratus</i> , Marbled Murrelet	<i>Sterna hirundo</i> , Common Tern
		<i>Sterna paradisea</i> , Arctic Tern
		<i>Sterna forsteri</i> , Forster's Tern

<i>Thalasseus maximus</i> , Royal Tern	<i>Pterodroma neglecta</i> , Kermadec Petrel	<i>Phalacrocorax auritus</i> , Double-crested Cormorant
<i>Thalasseus bergii</i> , Great Crested Tern	<i>Pterodroma arminjoniana</i> , Trindade Petrel	<i>Phalacrocorax carbo</i> , Great Cormorant
<i>Thalasseus sandvicensis</i> , Sandwich Tern	<i>Pterodroma heraldica</i> , Herald Petrel	<i>Phalacrocorax urile</i> , Red-faced Cormorant
<i>Thalasseus elegans</i> , Elegant Tern	<i>Pterodroma ultima</i> , Murphy's Petrel	<i>Phalacrocorax pelagicus</i> , Pelagic Cormorant
Subfamily RYNCHOPINAE	<i>Pterodroma inexpectata</i> , Mottled Petrel	Family ANHINGIDAE
<i>Rynchops niger</i> , Black Skimmer	<i>Pterodroma cahow</i> , Bermuda Petrel	<i>Anhinga anhinga</i> , Anhinga
Order PHAETHONTIFORMES	<i>Pterodroma hasitata</i> , Black-capped Petrel	Order PELECANIFORMES
Family PHAETHONTIDAE	<i>Pterodroma externa</i> , Juan Fernandez Petrel	Family PELECANIDAE
<i>Phaethon lepturus</i> , White-tailed Tropicbird	<i>Pterodroma sandwichensis</i> , Hawaiian Petrel	<i>Pelecanus erythrorhynchos</i> , American White Pelican
<i>Phaethon aethereus</i> , Red-billed Tropicbird	<i>Pterodroma cervicalis</i> , White-necked Petrel	<i>Pelecanus occidentalis</i> , Brown Pelican
<i>Phaethon rubricauda</i> , Red-tailed Tropicbird	<i>Pterodroma hypoleuca</i> , Bonin Petrel	Family ARDEIDAE
Order GAVIIFORMES	<i>Pterodroma nigripennis</i> , Black-winged Petrel	<i>Botaurus lentiginosus</i> , American Bittern
Family GAVIIDAE	<i>Pterodroma feae</i> , Fea's Petrel	<i>Ixobrychus sinensis</i> , Yellow Bittern
<i>Gavia stellata</i> , Red-throated Loon	<i>Pterodroma madeira</i> , Zino's Petrel	<i>Ixobrychus exilis</i> , Least Bittern
<i>Gavia arctica</i> , Arctic Loon	<i>Pterodroma cookii</i> , Cook's Petrel	<i>Ixobrychus eurhythmus</i> , Schrenck's Bittern
<i>Gavia pacifica</i> , Pacific Loon	<i>Pterodroma longirostris</i> , Stejneger's Petrel	<i>Ixobrychus flavicollis</i> , Black Bittern
<i>Gavia immer</i> , Common Loon	<i>Pterodroma alba</i> , Phoenix Petrel	<i>Tigrisoma mexicanum</i> , Bare-throated Tiger-Heron
<i>Gavia adamsii</i> , Yellow-billed Loon	<i>Pterodroma leucoptera</i> , Gould's Petrel	<i>Ardea herodias</i> , Great Blue Heron
Order PROCELLARIIFORMES	<i>Pseudobulweria rostrata</i> , Tahiti Petrel	<i>Ardea cinerea</i> , Gray Heron
Family DIOMEDEIDAE	<i>Bulweria bulwerii</i> , Bulwer's Petrel	<i>Ardea alba</i> , Great Egret
<i>Thalassarche chlororhynchos</i> , Yellow-nosed Albatross	<i>Bulweria fallax</i> , Jouanin's Petrel	<i>Ardea intermedia</i> , Intermediate Egret
<i>Thalassarche cauta</i> , White-capped Albatross	<i>Procellaria aequinoctialis</i> , White-chinned Petrel	<i>Egretta eulophotes</i> , Chinese Egret
<i>Thalassarche eremita</i> , Chatham Albatross	<i>Procellaria parkinsoni</i> , Parkinson's Petrel	<i>Egretta garzetta</i> , Little Egret
<i>Thalassarche salvini</i> , Salvin's Albatross	<i>Calonectris leucomelas</i> , Streaked Shearwater	<i>Egretta sacra</i> , Pacific Reef-Heron
<i>Thalassarche melanophris</i> , Black-browed Albatross	<i>Calonectris diomedea</i> , Cory's Shearwater	<i>Egretta gularis</i> , Western Reef-Heron
<i>Phoebetria palpebrata</i> , Light-mantled Albatross	<i>Calonectris edwardsii</i> , Cape Verde Shearwater	<i>Egretta thula</i> , Snowy Egret
<i>Diomedea exulans</i> , Wandering Albatross	<i>Ardenna pacifica</i> , Wedge-tailed Shearwater	<i>Egretta caerulea</i> , Little Blue Heron
<i>Phoebeastria immutabilis</i> , Laysan Albatross	<i>Ardenna grisea</i> , Sooty Shearwater	<i>Egretta tricolor</i> , Tricolored Heron
<i>Phoebeastria nigripes</i> , Black-footed Albatross	<i>Ardenna gravis</i> , Great Shearwater	<i>Egretta rufescens</i> , Reddish Egret
<i>Phoebeastria albatrus</i> , Short-tailed Albatross	<i>Ardenna creatopus</i> , Pink-footed Shearwater	<i>Bubulcus ibis</i> , Cattle Egret
Family OCEANITIDAE	<i>Ardenna carneipes</i> , Flesh-footed Shearwater	<i>Ardeola bacchus</i> , Chinese Pond-Heron
<i>Oceanites oceanicus</i> , Wilson's Storm-Petrel	<i>Puffinus nativitatis</i> , Christmas Shearwater	<i>Butorides virescens</i> , Green Heron
<i>Pelagodroma marina</i> , White-faced Storm-Petrel	<i>Puffinus puffinus</i> , Manx Shearwater	<i>Nycticorax nycticorax</i> , Black-crowned Night-Heron
<i>Fregetta tropica</i> , Black-bellied Storm-Petrel	<i>Puffinus newelli</i> , Newell's Shearwater	<i>Nycticorax caledonicus</i> , Rufous Night-Heron
Family HYDROBATIDAE	<i>Puffinus bryani</i> , Bryan's Shearwater	<i>Nyctanassa violacea</i> , Yellow-crowned Night-Heron
<i>Fregetta grallaria</i> , White-bellied Storm-Petrel	<i>Puffinus opisthomelas</i> , Black-vented Shearwater	<i>Gorsachius goisagi</i> , Japanese Night-Heron
<i>Nesofreggetta fuliginosa</i> , Polynesian Storm-Petrel	<i>Puffinus lherminieri</i> , Audubon's Shearwater	<i>Gorsachius melanolophus</i> , Malayan Night-Heron
<i>Oceanodroma furcata</i> , Fork-tailed Storm-Petrel	<i>Puffinus baroli</i> , Barolo Shearwater	Family THRESKIORNITHIDAE
<i>Oceanodroma hornbyi</i> , Ringed Storm-Petrel	Order CICONIIFORMES	Subfamily THRESKIORNITHINAE
<i>Oceanodroma monorhis</i> , Swinhoe's Storm-Petrel	Family CICONIIDAE	<i>Eudocimus albus</i> , White Ibis
<i>Oceanodroma leucorhoa</i> , Leach's Storm-Petrel	<i>Jabiru mycteria</i> , Jabiru	<i>Eudocimus ruber</i> , Scarlet Ibis
<i>Oceanodroma socorroensis</i> , Townsend's Storm-Petrel	Order SULIFORMES	<i>Plegadis falcinellus</i> , Glossy Ibis
<i>Oceanodroma homochroa</i> , Ashy Storm-Petrel	Family FREGATIDAE	<i>Plegadis chihi</i> , White-faced Ibis
<i>Oceanodroma castro</i> , Band-rumped Storm-Petrel	<i>Fregata magnificens</i> , Magnificent Frigatebird	Subfamily PLATALEINAE
<i>Oceanodroma tethys</i> , Wedge-rumped Storm-Petrel	<i>Fregata minor</i> , Great Frigatebird	<i>Platalea ajaja</i> , Roseate Spoonbill
<i>Oceanodroma matsudaireae</i> , Matsudaira's Storm-Petrel	<i>Fregata ariel</i> , Lesser Frigatebird	Order CARTHARTIFORMES
<i>Oceanodroma Melania</i> , Black Storm-Petrel	Family SULIDAE	Family CATHARTIDAE
<i>Oceanodroma tristrami</i> , Tristram's Storm-Petrel	<i>Sula dactylatra</i> , Masked Booby	<i>Coragyps atratus</i> , Black Vulture
<i>Oceanodroma microsoma</i> , Least Storm-Petrel	<i>Sula granti</i> , Nazca Booby	<i>Cathartes aura</i> , Turkey Vulture
Family PROCELLARIIDAE	<i>Sula nebouxii</i> , Blue-footed Booby	<i>Gymnogyps californianus</i> , California Condor
<i>Fulmarus glacialis</i> , Northern Fulmar	<i>Sula leucogaster</i> , Brown Booby	Order ACCIPITRIFORMES
<i>Pterodroma macroptera</i> , Great-winged Petrel	<i>Sula sula</i> , Red-footed Booby	Family PANDIONIDAE
<i>Pterodroma solandri</i> , Providence Petrel	<i>Papasula abbotti</i> , Abbott's Booby	<i>Pandion haliaetus</i> , Osprey
	<i>Morus bassanus</i> , Northern Gannet	Subfamily ELANINAE
	Family PHALACROCORACIDAE	<i>Elanus leucurus</i> , White-tailed Kite
	<i>Phalacrocorax melanoleucus</i> , Little Pied Cormorant	Subfamily GYPAETINAE
	<i>Phalacrocorax penicillatus</i> , Brandt's Cormorant	<i>Chondrohierax uncinatus</i> , Hook-billed Kite
	<i>Phalacrocorax brasiliensis</i> , Neotropic Cormorant	<i>Elanoides forficatus</i> , Swallow-tailed Kite
		Subfamily ACCIPITRINAE
		<i>Aquila chrysaetos</i> , Golden Eagle
		<i>Harpagus bidentatus</i> , Double-toothed Kite
		<i>Circus spilonotus</i> , Eastern Marsh-Harrier
		<i>Circus hudsonius</i> , Northern Harrier
		<i>Accipiter soloensis</i> , Chinese Sparrowhawk
		<i>Accipiter gularis</i> , Japanese Sparrowhawk
		<i>Accipiter striatus</i> , Sharp-shinned Hawk

<i>Accipiter cooperii</i> , Cooper's Hawk	<i>Megacyrle torquata</i> , Ringed Kingfisher	<i>Myiopagis viridicata</i> , Greenish Elaenia
<i>Accipiter gentilis</i> , Northern Goshawk	<i>Megacyrle alcyon</i> , Belted Kingfisher	<i>Elaenia martinica</i> , Caribbean Elaenia
<i>Milvus migrans</i> , Black Kite	<i>Chloroceryle amazona</i> , Amazon Kingfisher	<i>Elaenia albiceps</i> , White-crested Elaenia
<i>Haliaeetus leucocephalus</i> , Bald Eagle	<i>Chloroceryle americana</i> , Green Kingfisher	Subfamily FLUVICOLINAE
<i>Haliaeetus albicilla</i> , White-tailed Eagle	Order PICIFORMES	<i>Mitrephanes phaeocercus</i> , Tufted Flycatcher
<i>Haliaeetus pelagicus</i> , Steller's Sea-Eagle	Family PICIDAE	<i>Contopus cooperi</i> , Olive-sided Flycatcher
<i>Ictinia mississippiensis</i> , Mississippi Kite	Subfamily JYNGINAE	<i>Contopus pertinax</i> , Greater Pewee
<i>Butastur indicus</i> , Gray-faced Buzzard	<i>Jynx torquilla</i> , Eurasian Wryneck	<i>Contopus sordidulus</i> , Western Wood-Pewee
<i>Geranospiza caerulescens</i> , Crane Hawk	Subfamily PICINAE	<i>Contopus virens</i> , Eastern Wood-Pewee
<i>Rostrhamus sociabilis</i> , Snail Kite	<i>Melanerpes lewis</i> , Lewis's Woodpecker	<i>Contopus caribaeus</i> , Cuban Pewee
<i>Buteogallus anthracinus</i> , Common Black Hawk	<i>Melanerpes portoricensis</i> , Puerto Rican Woodpecker	<i>Contopus hispaniolensis</i> , Hispaniolan Pewee
<i>Rupornis magnirostris</i> , Roadside Hawk	<i>Melanerpes erythrocephalus</i> , Red-headed Woodpecker	<i>Contopus latirostris</i> , Lesser Antillean Pewee
<i>Parabuteo unicinctus</i> , Harris's Hawk	<i>Melanerpes formicivorus</i> , Acorn Woodpecker	<i>Empidonax flaviventris</i> , Yellow-bellied Flycatcher
<i>Geranoaetus albicaudatus</i> , White-tailed Hawk	<i>Melanerpes uropygialis</i> , Gila Woodpecker	<i>Empidonax virescens</i> , Acadian Flycatcher
<i>Buteo plagiatus</i> , Gray Hawk	<i>Melanerpes aurifrons</i> , Golden-fronted Woodpecker	<i>Empidonax alnorum</i> , Alder Flycatcher
<i>Buteo lineatus</i> , Red-shouldered Hawk	<i>Melanerpes carolinus</i> , Red-bellied Woodpecker	<i>Empidonax traillii</i> , Willow Flycatcher
<i>Buteo platypterus</i> , Broad-winged Hawk	<i>Sphyrapicus thyroideus</i> , Williamson's Sapsucker	<i>Empidonax minimus</i> , Least Flycatcher
<i>Buteo solitarius</i> , Hawaiian Hawk	<i>Sphyrapicus varius</i> , Yellow-bellied Sapsucker	<i>Empidonax hammondi</i> , Hammond's Flycatcher
<i>Buteo brachyurus</i> , Short-tailed Hawk	<i>Sphyrapicus nuchalis</i> , Red-naped Sapsucker	<i>Empidonax wrightii</i> , Gray Flycatcher
<i>Buteo swainsoni</i> , Swainson's Hawk	<i>Sphyrapicus ruber</i> , Red-breasted Sapsucker	<i>Empidonax oberholseri</i> , Dusky Flycatcher
<i>Buteo albonotatus</i> , Zone-tailed Hawk	<i>Picooides dorsalis</i> , American Three-toed Woodpecker	<i>Empidonax affinis</i> , Pine Flycatcher
<i>Buteo jamaicensis</i> , Red-tailed Hawk	<i>Picooides arcticus</i> , Black-backed Woodpecker	<i>Empidonax difficilis</i> , Pacific-slope Flycatcher
<i>Buteo lagopus</i> , Rough-legged Hawk	<i>Dendrocopos major</i> , Great Spotted Woodpecker	<i>Empidonax occidentalis</i> , Cordilleran Flycatcher
<i>Buteo regalis</i> , Ferruginous Hawk	<i>Dryobates pubescens</i> , Downy Woodpecker	<i>Empidonax fulvifrons</i> , Buff-breasted Flycatcher
Order STRIGIFORMES	<i>Dryobates nuttallii</i> , Nuttall's Woodpecker	<i>Sayornis nigricans</i> , Black Phoebe
Family TYTONIDAE	<i>Dryobates scalaris</i> , Ladder-backed Woodpecker	<i>Sayornis phoebe</i> , Eastern Phoebe
<i>Tyto alba</i> , Barn Owl	<i>Dryobates borealis</i> , Red-cockaded Woodpecker	<i>Sayornis saya</i> , Say's Phoebe
Family STRIGIDAE	<i>Dryobates villosus</i> , Hairy Woodpecker	<i>Pyrocephalus rubinus</i> , Vermilion Flycatcher
<i>Otus sunia</i> , Oriental Scops-Owl	<i>Dryobates albolarvatus</i> , White-headed Woodpecker	Subfamily TYRANNINAE
<i>Psiloscopus flammeolus</i> , Flammulated Owl	<i>Dryobates arizonae</i> , Arizona Woodpecker	<i>Myiarchus tuberculifer</i> , Dusky-capped Flycatcher
<i>Megascops kennicottii</i> , Western Screech-Owl	<i>Colaptes auratus</i> , Northern Flicker	<i>Myiarchus cinerascens</i> , Ash-throated Flycatcher
<i>Megascops asio</i> , Eastern Screech-Owl	<i>Colaptes chrysoides</i> , Gilded Flicker	<i>Myiarchus nuttingi</i> , Nutting's Flycatcher
<i>Megascops trichopsis</i> , Whiskered Screech-Owl	<i>Dryocopus pileatus</i> , Pileated Woodpecker	<i>Myiarchus crinitus</i> , Great Crested Flycatcher
<i>Megascops nudipes</i> , Puerto Rican Screech-Owl	<i>Campephilus principalis</i> , Ivory-billed Woodpecker	<i>Myiarchus tyrannulus</i> , Brown-crested Flycatcher
<i>Bubo virginianus</i> , Great Horned Owl	Order FALCONIFORMES	<i>Myiarchus sagrae</i> , La Sagra's Flycatcher
<i>Bubo scandiacus</i> , Snowy Owl	Family FALCONIDAE	<i>Myiarchus antillarum</i> , Puerto Rican Flycatcher
<i>Surnia ulula</i> , Northern Hawk Owl	Subfamily HERPETOTHERINAE	<i>Pitangus sulphuratus</i> , Great Kiskadee
<i>Glaucidium gnoma</i> , Northern Pygmy-Owl	<i>Micrastur semitorquatus</i> , Collared Forest-Falcon	<i>Myiozetetes similis</i> , Social Flycatcher
<i>Glaucidium brasilianum</i> , Ferruginous Pygmy-Owl	Subfamily FALCONINAE	<i>Myiodynastes luteiventris</i> , Sulphur-bellied Flycatcher
<i>Micrathene whitneyi</i> , Elf Owl	<i>Caracara cheriway</i> , Crested Caracara	<i>Legatus leucophaius</i> , Piratic Flycatcher
<i>Athene cunicularia</i> , Burrowing Owl	<i>Falco tinnunculus</i> , Eurasian Kestrel	<i>Empidonax varius</i> , Variegated Flycatcher
<i>Ciccaba virgata</i> , Mottled Owl	<i>Falco sparverius</i> , American Kestrel	<i>Empidonax aurantioatrocristatus</i> , Crowned Slaty Flycatcher
<i>Strix occidentalis</i> , Spotted Owl	<i>Falco vespertinus</i> , Red-footed Falcon	<i>Tyrannus melancholicus</i> , Tropical Kingbird
<i>Strix varia</i> , Barred Owl	<i>Falco amurensis</i> , Amur Falcon	<i>Tyrannus couchii</i> , Couch's Kingbird
<i>Strix nebulosa</i> , Great Gray Owl	<i>Falco columbarius</i> , Merlin	<i>Tyrannus vociferans</i> , Cassin's Kingbird
<i>Asio otus</i> , Long-eared Owl	<i>Falco subbuteo</i> , Eurasian Hobby	<i>Tyrannus crassirostris</i> , Thick-billed Kingbird
<i>Asio stygius</i> , Stygian Owl	<i>Falco femoralis</i> , Aplomado Falcon	<i>Tyrannus verticalis</i> , Western Kingbird
<i>Asio flammeus</i> , Short-eared Owl	<i>Falco rusticolus</i> , Gyrfalcon	<i>Tyrannus tyrannus</i> , Eastern Kingbird
<i>Aegolius funereus</i> , Boreal Owl	<i>Falco peregrinus</i> , Peregrine Falcon	<i>Tyrannus dominicensis</i> , Gray Kingbird
<i>Aegolius acadicus</i> , Northern Saw-whet Owl	<i>Falco mexicanus</i> , Prairie Falcon	<i>Tyrannus caudifasciatus</i> , Loggerhead Kingbird
<i>Ninox japonica</i> , Northern Boobook	Order PASSERIFORMES	<i>Tyrannus forficatus</i> , Scissor-tailed Flycatcher
Order TROGONIFORMES	Family TITYRIDAE	<i>Tyrannus savanna</i> , Fork-tailed Flycatcher
Family TROGONIDAE	<i>Tityra semifasciata</i> , Masked Tityra	Family LANIIDAE
Subfamily TROGONINAE	<i>Pachyramphus major</i> , Gray-collared Becard	<i>Lanius cristatus</i> , Brown Shrike
<i>Trogon elegans</i> , Elegant Trogon	<i>Pachyramphus aglaiae</i> , Rose-throated Becard	
<i>Euptilotis neoxenus</i> , Eared Quetzal	Family TYRANNIDAE	
Order UPUPIFORMES	Subfamily ELAENIINAE	
Family UPUPIDAE	<i>Campstostoma imberbe</i> , Northern Beardless-Tyrannulet	
<i>Upupa epops</i> , Eurasian Hoopoe		
Order CORACIIFORMES		
Family ALCEDINIDAE		
Subfamily ALCEDININAE		
<i>Alcedo atthis</i> , Common Kingfisher		
Subfamily HALCYONINAE		
<i>Todiramphus sacer</i> , Pacific Kingfisher		
<i>Todiramphus cinnamominus</i> , Guam Kingfisher		
Subfamily CERYLINAE		
<i>Todiramphus albicilla</i> , Mariana Kingfisher		

<i>Lanius ludovicianus</i> , Loggerhead Shrike	<i>Poecile atricapillus</i> , Black-capped Chickadee	<i>Acrocephalus familiaris</i> , Millerbird
<i>Lanius borealis</i> , Northern Shrike	<i>Poecile gambeli</i> , Mountain Chickadee	<i>Acrocephalus schoenobaenus</i> , Sedge Warbler
Family VIREONIDAE	<i>Poecile sclateri</i> , Mexican Chickadee	<i>Acrocephalus dumetorum</i> , Blyth's Reed Warbler
<i>Vireo atricapilla</i> , Black-capped Vireo	<i>Poecile rufescens</i> , Chestnut-backed Chickadee	Family LOCUSTELLIDAE
<i>Vireo griseus</i> , White-eyed Vireo	<i>Poecile hudsonicus</i> , Boreal Chickadee	<i>Locustella ochotensis</i> , Middendorff's Grasshopper-Warbler
<i>Vireo crassirostris</i> , Thick-billed Vireo	<i>Poecile cinctus</i> , Gray-headed Chickadee	<i>Locustella lanceolata</i> , Lanceolated Warbler
<i>Vireo latimeri</i> , Puerto Rican Vireo	<i>Baeolophus wollweberi</i> , Bridled Titmouse	Family MUSCICAPIDAE
<i>Vireo gundlachii</i> , Cuban Vireo	<i>Baeolophus inornatus</i> , Oak Titmouse	<i>Muscicapa griseisticta</i> , Gray-streaked Flycatcher
<i>Vireo bellii</i> , Bell's Vireo	<i>Baeolophus ridgwayi</i> , Juniper Titmouse	<i>Muscicapa dauurica</i> , Asian Brown Flycatcher
<i>Vireo vicinior</i> , Gray Vireo	<i>Baeolophus bicolor</i> , Tufted Titmouse	<i>Muscicapa striata</i> , Spotted Flycatcher
<i>Vireo huttoni</i> , Hutton's Vireo	<i>Baeolophus atricristatus</i> , Black-crested Titmouse	<i>Muscicapa sibirica</i> , Dark-sided Flycatcher
<i>Vireo flavifrons</i> , Yellow-throated Vireo	Family REMIZIDAE	<i>Larvivora cyane</i> , Siberian Blue Robin
<i>Vireo cassini</i> , Cassin's Vireo	<i>Auriparus flaviceps</i> , Verdin	<i>Larvivora sibilans</i> , Rufous-tailed Robin
<i>Vireo solitarius</i> , Blue-headed Vireo	Family AEGITHALIDAE	<i>Cyanecula svecica</i> , Bluethroat
<i>Vireo plumbeus</i> , Plumbeous Vireo	<i>Psaltriparus minimus</i> , Bushtit	<i>Calliope calliope</i> , Siberian Rubythroat
<i>Vireo philadelphicus</i> , Philadelphia Vireo	Family SITTIDAE	<i>Tarsiger cyanurus</i> , Red-flanked Bluetail
<i>Vireo gilvus</i> , Warbling Vireo	Subfamily SITTINAE	<i>Ficedula narcissina</i> , Narcissus Flycatcher
<i>Vireo olivaceus</i> , Red-eyed Vireo	<i>Sitta canadensis</i> , Red-breasted Nuthatch	<i>Ficedula mugimaki</i> , Mugimaki Flycatcher
<i>Vireo flavoviridis</i> , Yellow-green Vireo	<i>Sitta carolinensis</i> , White-breasted Nuthatch	<i>Ficedula albicilla</i> , Taiga Flycatcher
<i>Vireo altiloquus</i> , Black-whiskered Vireo	Family CERTHIIDAE	<i>Phoenicurus phoenicurus</i> , Common Redstart
<i>Vireo magister</i> , Yucatan Vireo	Subfamily CERTHIINAE	<i>Saxicola torquatus</i> , Stonechat
Family CORVIDAE	<i>Certhia americana</i> , Brown Creeper	<i>Oenanthe oenanthe</i> , Northern Wheatear
<i>Perisoreus canadensis</i> , Canada Jay	Family TROGLODYTIDAE	Family TURRIDAE
<i>Psilorhinus morio</i> , Brown Jay	<i>Salpinctes obsoletus</i> , Rock Wren	<i>Monticola solitarius</i> , Blue Rock-Thrush
<i>Cyanocorax yncas</i> , Green Jay	<i>Catherpes mexicanus</i> , Canyon Wren	<i>Sialia sialis</i> , Eastern Bluebird
<i>Gymnorhinus cyanocephalus</i> , Pinyon Jay	<i>Troglodytes aedon</i> , House Wren	<i>Sialia mexicana</i> , Western Bluebird
<i>Cyanocitta stelleri</i> , Steller's Jay	<i>Troglodytes pacificus</i> , Pacific Wren	<i>Sialia currucoides</i> , Mountain Bluebird
<i>Cyanocitta cristata</i> , Blue Jay	<i>Troglodytes hiemalis</i> , Winter Wren	<i>Myadestes townsendi</i> , Townsend's Solitaire
<i>Aphelocoma coerulescens</i> , Florida Scrub-Jay	<i>Cistothorus platensis</i> , Sedge Wren	<i>Myadestes occidentalis</i> , Brown-backed Solitaire
<i>Aphelocoma insularis</i> , Island Scrub-Jay	<i>Cistothorus palustris</i> , Marsh Wren	<i>Myadestes myadestinus</i> , Kçma'o
<i>Aphelocoma californica</i> , California Scrub-Jay	<i>Thryothorus ludovicianus</i> , Carolina Wren	<i>Myadestes lanaensis</i> , Oloma'o
<i>Aphelocoma woodhouseii</i> , Woodhouse's Scrub-Jay	<i>Thryomanes bewickii</i> , Bewick's Wren	<i>Myadestes obscurus</i> , 'Oçma'o
<i>Aphelocoma wollweberi</i> , Mexican Jay	<i>Campylorhynchus brunneicapillus</i> , Cactus Wren	<i>Myadestes palmeri</i> , Puaihoi
<i>Nucifraga columbiana</i> , Clark's Nutcracker	Family POLIOPTILIDAE	<i>Catharus aurantiostris</i> , Orange-billed Nightingale-Thrush
<i>Pica hudsonia</i> , Black-billed Magpie	<i>Polioptila caerulea</i> , Blue-Gray Gnatcatcher	<i>Catharus mexicanus</i> , Black-headed Nightingale-Thrush
<i>Pica nuttalli</i> , Yellow-billed Magpie	<i>Polioptila californica</i> , California Gnatcatcher	<i>Catharus fuscascens</i> , Veery
<i>Corvus monedula</i> , Eurasian Jackdaw	<i>Polioptila melanura</i> , Black-tailed Gnatcatcher	<i>Catharus minimus</i> , Gray-cheeked Thrush
<i>Corvus kubaryi</i> , Mariana Crow	<i>Polioptila nigriceps</i> , Black-capped Gnatcatcher	<i>Catharus bicknelli</i> , Bicknell's Thrush
<i>Corvus brachyrhynchos</i> , American Crow	Family CINCLIDAE	<i>Catharus ustulatus</i> , Swainson's Thrush
<i>Corvus caurinus</i> , Northwestern Crow	<i>Cinclus mexicanus</i> , American Dipper	<i>Catharus guttatus</i> , Hermit Thrush
<i>Corvus leucognaphalus</i> , White-necked Crow	Family REGULIDAE	<i>Hylocichla mustelina</i> , Wood Thrush
<i>Corvus imparatus</i> , Tamaulipas Crow	<i>Regulus satrapa</i> , Golden-crowned Kinglet	<i>Turdus obscurus</i> , Eyebrowed Thrush
<i>Corvus ossifragus</i> , Fish Crow	<i>Regulus calendula</i> , Ruby-crowned Kinglet	<i>Turdus naumannni</i> , Dusky Thrush
<i>Corvus hawaiiensis</i> , Hawaiian Crow	Family PHYLLOSCOPIDAE	<i>Turdus pilaris</i> , Fieldfare
<i>Corvus cryptoleucus</i> , Chihuahuan Raven	<i>Phylloscopus trochilus</i> , Willow Warbler	<i>Turdus iliacus</i> , Redwing
<i>Corvus corax</i> , Common Raven	<i>Phylloscopus collybita</i> , Common Chiffchaff	<i>Turdus grayi</i> , Clay-colored Thrush
Family ALAUDIDAE	<i>Phylloscopus sibilatrix</i> , Wood Warbler	<i>Turdus assimilis</i> , White-throated Thrush
<i>Alauda arvensis</i> , Eurasian Skylark	<i>Phylloscopus fuscatus</i> , Dusky Warbler	<i>Turdus rufopallidus</i> , Rufous-backed Robin
<i>Eremophila alpestris</i> , Horned Lark	<i>Phylloscopus proregulus</i> , Pallas's Leaf Warbler	<i>Turdus migratorius</i> , American Robin
Family HIRUNDINIDAE	<i>Phylloscopus inornatus</i> , Yellow-browed Warbler	<i>Turdus plumbeus</i> , Red-legged Thrush
Subfamily HIRUNDININAE	<i>Phylloscopus borealis</i> , Arctic Warbler	<i>Ixoreus naevius</i> , Varied Thrush
<i>Progne subis</i> , Purple Martin	<i>Phylloscopus examinandus</i> , Kamchatka Leaf Warbler	<i>Ridgwayia pinicola</i> , Aztec Thrush
<i>Progne cryptoleuca</i> , Cuban Martin	Family SYLVIIDAE	Family MIMIDAE
<i>Progne dominicensis</i> , Caribbean Martin	<i>Sylvia curruca</i> , Lesser Whitethroat	<i>Melanotis caerulescens</i> , Blue Mockingbird
<i>Progne chalybea</i> , Gray-breasted Martin	<i>Chamaea fasciata</i> , Wrentit	<i>Melanoptila glabrirostris</i> , Black Catbird
<i>Progne elegans</i> , Southern Martin	Family ACROCEPHALIDAE	<i>Dumetella carolinensis</i> , Gray Catbird
<i>Progne tapera</i> , Brown-chested Martin	<i>Acrocephalus luscinius</i> , Nightingale Reed Warbler	<i>Margarops fuscatus</i> , Pearly-eyed Thrasher
<i>Tachycineta bicolor</i> , Tree Swallow	<i>Acrocephalus hiwae</i> , Saipan Reed warbler	<i>Toxostoma curvirostre</i> , Curve-billed Thrasher
<i>Tachycineta albilinea</i> , Mangrove Swallow	<i>Acrocephalus nijoi</i> , Aguiguan Reed Warbler	<i>Toxostoma rufum</i> , Brown Thrasher
<i>Tachycineta thalassina</i> , Violet-green Swallow	<i>Acrocephalus yamashinae</i> , Pagan Reed Warbler	<i>Toxostoma longirostre</i> , Long-billed Thrasher
<i>Tachycineta cyaneoviridis</i> , Bahama Swallow		<i>Toxostoma bendirei</i> , Bendire's Thrasher
<i>Stelgidopteryx serripennis</i> , Northern Rough-winged Swallow		<i>Toxostoma redivivum</i> , California Thrasher
<i>Riparia riparia</i> , Bank Swallow		<i>Toxostoma lecontei</i> , LeConte's Thrasher
<i>Petrochelidon pyrrhonota</i> , Cliff Swallow		<i>Toxostoma crissale</i> , Crissal Thrasher
<i>Petrochelidon fulva</i> , Cave Swallow		
<i>Hirundo rustica</i> , Barn Swallow		
<i>Delichon urbicum</i> , Common House-Martin		
Family PARIDAE		
<i>Poecile carolinensis</i> , Carolina Chickadee		

Oreoscoptes montanus, Sage Thrasher	Leucosticte atrata, Black Rosy-Finch	Centronyx bairdii, Baird's Sparrow
Mimus gundlachii, Bahama Mockingbird	Leucosticte australis, Brown-capped Rosy-Finch	Centronyx henslowi, Henslow's Sparrow
Mimus polyglottos, Northern Mockingbird	Haemorhous mexicanus, House Finch	Ammospiza leconteii, LeConte's Sparrow
Family STURNIDAE	Haemorhous purpureus, Purple Finch	Ammospiza maritima, Seaside Sparrow
Agropsar philippensis, Chestnut-cheeked Starling	Haemorhous cassinii, Cassin's Finch	Ammospiza nelsoni, Nelson's Sparrow
Spodiopsar cineraceus, White-cheeked Starling	Chloris sinica, Oriental Greenfinch	Ammospiza caudacuta, Saltmarsh Sparrow
Family BOMBYCILLIDAE	Acanthis flammea, Common Redpoll	Passerella iliaca, Fox Sparrow
Bombycilla garrulus, Bohemian Waxwing	Acanthis hornemannii, Hoary Redpoll	Melospiza melodia, Song Sparrow
Bombycilla cedrorum, Cedar Waxwing	Loxia curvirostra, Red Crossbill	Melospiza lincolni, Lincoln's Sparrow
Family PTILIOGONATIDAE	Loxia sinesciurus, Cassia Crossbill	Melospiza georgiana, Swamp Sparrow
Ptiliogonyx cinereus, Gray Silky-flycatcher	Loxia leucoptera, White-winged Crossbill	Zonotrichia albicollis, White-throated Sparrow
Phainopepla nitens, Phainopepla	Spinus spinus, Eurasian Siskin	Zonotrichia querula, Harris's Sparrow
Family PEUCEDRAMIDAE	Spinus pinus, Pine Siskin	Zonotrichia leucophrys, White-crowned Sparrow
Peucedramus taeniatus, Olive Warbler	Spinus psaltria, Lesser Goldfinch	Zonotrichia atricapilla, Golden-crowned Sparrow
Family PRUNELLIDAE	Spinus lawrencei, Lawrence's Goldfinch	Junco hyemalis, Dark-eyed Junco
Prunella montanella, Siberian Accentor	Spinus tristis, American Goldfinch	Junco phaeonotus, Yellow-eyed Junco
Family MOTACILLIDAE	Family CALCARIIDAE	Family NESOSPINGIDAE
Motacilla tschutschensis, Eastern Yellow Wagtail	Calcarius lapponicus, Lapland Longspur	Nesospingus speculiferus, Puerto Rican Tanager
Motacilla citreola, Citrine Wagtail	Calcarius ornatus, Chestnut-collared Longspur	Family SPINDALIDAE
Motacilla cinerea, Gray Wagtail	Calcarius pictus, Smith's Longspur	Spindalis zena, Western Spindalis
Motacilla alba, White Wagtail	Rhynchophaenes mccownii, McCown's Longspur	Spindalis portoricensis, Puerto Rican Spindalis
Anthus trivialis, Tree Pipit	Plectrophenax nivalis, Snow Bunting	Family ICTERIIDAE
Anthus hodgsoni, Olive-backed Pipit	Plectrophenax hyperboreus, McKay's Bunting	Icteria virens, Yellow-breasted Chat
Anthus gustavi, Pechora Pipit	Family EMBERIZIDAE	Family ICTERIDAE
Anthus cervinus, Red-throated Pipit	Emberiza leucocephala, Pine Bunting	Xanthocephalus xanthocephalus, Yellow-headed Blackbird
Anthus rubescens, American Pipit	Emberiza chrysophrys, Yellow-browed Bunting	Subfamily DOLICHONYCHINAE
Anthus spragueii, Sprague's Pipit	Emberiza pusilla, Little Bunting	Dolichonyx oryzivorus, Bobolink
Family FRINGILLIDAE	Emberiza rustica, Rustic Bunting	Subfamily STURNELLINAE
Subfamily FRINGILLINAE	Emberiza elegans, Yellow-throated Bunting	Sturnella magna, Eastern Meadowlark
Fringilla coelebs, Common Chaffinch	Emberiza aureola, Yellow-breasted Bunting	Sturnella neglecta, Western Meadowlark
Fringilla montifringilla, Brambling	Emberiza variabilis, Gray Bunting	Subfamily ICTERINAE
Subfamily EUPHONIINAE	Emberiza pallasi, Pallas's Bunting	Icterus portoricensis, Puerto Rican Oriole
Euphonia musica, Antillean Euphonia	Emberiza schoeniclus, Reed Bunting	Icterus wagleri, Black-vented Oriole
Subfamily CARDUELINAE	Family PASSERELLIDAE	Icterus spurius, Orchard Oriole
Coccothraustes vespertinus, Evening Grosbeak	Arremomops rufivirgatus, Olive Sparrow	Icterus cucullatus, Hooded Oriole
Coccothraustes coccothraustes, Hawfinch	Pipilo chlorurus, Green-tailed Towhee	Icterus pustulatus, Streak-backed Oriole
Carpodacus erythrinus, Common Rosefinch	Pipilo maculatus, Spotted Towhee	Icterus bullockii, Bullock's Oriole
Melamprosops phaeosoma, Po'ouli	Pipilo erythrrophthalmus, Eastern Towhee	Icterus gularis, Altamira Oriole
Oreomystis bairdi, 'Akikiki	Aimophila ruficeps, Rufous-crowned Sparrow	Icterus graduacauda, Audubon's Oriole
Paroreomyza maculata, O'ahu 'Alauahio	Melozone fusca, Canyon Towhee	Icterus galbula, Baltimore Oriole
Paroreomyza flammea, Kākāwahie	Melozone crissalis, California Towhee	Icterus parisorum, Scott's Oriole
Paroreomyza montana, Maui 'Alauahio	Melozone aberti, Abert's Towhee	Subfamily AGELAIINAE
Loxioides bailleui, Palila	Peucaea carpalis, Rufous-winged Sparrow	Agelaius phoeniceus, Red-winged Blackbird
Telespiza cantans, Laysan Finch	Peucaea botterii, Botteri's Sparrow	Agelaius tricolor, Tricolored Blackbird
Telespiza ultima, Nihoa Finch	Peucaea cassini, Cassin's Sparrow	Agelaius humeralis, Tawny-shouldered Blackbird
Palmeria dolei, 'Akohokohe	Peucaea aestivalis, Bachman's Sparrow	Agelaius xanthomus, Yellow-shouldered Blackbird
Himatione fraithii, Laysan Honeycreeper	Spizelloides arborea, American Tree Sparrow	Molothrus bonariensis, Shiny Cowbird
Himatione sanguinea, 'Apapane	Spizella passerina, Chipping Sparrow	Molothrus aeneus, Bronzed Cowbird
Drepanis coccinea, 'I'iwi	Spizella pallida, Clay-colored Sparrow	Molothrus ater, Brown-headed Cowbird
Psittirostra psittacea, 'O'u	Spizella breweri, Brewer's Sparrow	Euphagus carolinus, Rusty Blackbird
Pseudonestor xanthophrys, Maui Parrotbill	Spizella pusilla, Field Sparrow	Euphagus cyanocephalus, Brewer's Blackbird
Hemignathus hanapepe, Kauai Nukupu'u	Spizella wortheni, Worthen's Sparrow	Quiscalus quiscula, Common Grackle
Hemignathus lucidus, O'ahu Nukupu'u	Spizella atrogularis, Black-chinned Sparrow	Quiscalus major, Boat-tailed Grackle
Hemignathus affinis, Maui Nukupu'u	Pooecetes gramineus, Vesper Sparrow	Quiscalus mexicanus, Great-tailed Grackle
Hemignathus wilsoni, 'Akiapola'au	Chondestes grammacus, Lark Sparrow	Quiscalus niger, Greater Antillean Grackle
Akialoa stejnegeri, Kauai 'Akialoa	Amphispiza quinquestriata, Five-striped Sparrow	Family PARULIDAE
Akialoa ellisiana, O'ahu 'Akialoa	Amphispiza bilineata, Black-throated Sparrow	Seiurus aurocapilla, Ovenbird
Akialoa lanaiensis, Maui Nui 'Akialoa	Artemisiospiza nevadensis, Sagebrush Sparrow	Helminthothrix vermicivorum, Worm-eating Warbler
Magumma parva, 'Anianiau	Artemisiospiza belli, Bell's Sparrow	Parkesia motacilla, Louisiana Waterthrush
Chlorodrepanis virens, Hawaii 'Amakihi	Calamospiza melanocorys, Lark Bunting	Parkesia noveboracensis, Northern Waterthrush
Chlorodrepanis flava, O'ahu 'Amakihi	Passerculus sandwichensis, Savannah Sparrow	Vermivora bachmanii, Bachman's Warbler
Chlorodrepanis stejnegeri, Kauai 'Amakihi	Ammodramus savannarum, Grasshopper Sparrow	Vermivora chrysoptera, Golden-winged Warbler
Loxops mana, Hawaii Creeper		
Loxops caeruleirostris, 'Akeke'e		
Loxops wolstenholmei, O'ahu 'Akepa		
Loxops ochraceus, Maui 'Akepa		
Loxops coccineus, Hawaii 'Akepa		
Pinicola enucleator, Pine Grosbeak		
Pyrrhula pyrrhula, Eurasian Bullfinch		
Leucosticte arctoa, Asian Rosy-Finch		
Leucosticte tephrocotis, Gray-crowned Rosy-Finch		

<i>Vermivora cyanoptera</i> , Blue-winged Warbler	<i>Setophaga caerulescens</i> , Black-throated Blue Warbler	<i>Cardinalis cardinalis</i> , Northern Cardinal
<i>Mniotilla varia</i> , Black-and-white Warbler	<i>Setophaga palmarum</i> , Palm Warbler	<i>Cardinalis sinuatus</i> , Pyrrhuloxia
<i>Protonotaria citrea</i> , Prothonotary Warbler	<i>Setophaga pinus</i> , Pine Warbler	<i>Pheucticus chrysopaeplus</i> , Yellow Grosbeak
<i>Limnothlypis swainsonii</i> , Swainson's Warbler	<i>Setophaga coronata</i> , Yellow-rumped Warbler	<i>Pheucticus ludovicianus</i> , Rose-breasted Grosbeak
<i>Oreothlypis superciliosa</i> , Crescent-chested Warbler	<i>Setophaga dominica</i> , Yellow-throated Warbler	<i>Pheucticus melanocephalus</i> , Black-headed Grosbeak
<i>Oreothlypis peregrina</i> , Tennessee Warbler	<i>Setophaga discolor</i> , Prairie Warbler	<i>Cyanocompsa parellina</i> , Blue Bunting
<i>Oreothlypis celata</i> , Orange-crowned Warbler	<i>Setophaga adelaidae</i> , Adelaide's Warbler	<i>Passerina caerulea</i> , Blue Grosbeak
<i>Oreothlypis crissalis</i> , Colima Warbler	<i>Setophaga graciae</i> , Grace's Warbler	<i>Passerina amoena</i> , Lazuli Bunting
<i>Oreothlypis luciae</i> , Lucy's Warbler	<i>Setophaga nigrescens</i> , Black-throated Gray Warbler	<i>Passerina cyanea</i> , Indigo Bunting
<i>Oreothlypis ruficapilla</i> , Nashville Warbler	<i>Setophaga townsendi</i> , Townsend's Warbler	<i>Passerina versicolor</i> , Varied Bunting
<i>Oreothlypis virginiae</i> , Virginia's Warbler	<i>Setophaga occidentalis</i> , Hermit Warbler	<i>Spiza americana</i> , Dickcissel
<i>Oporornis agilis</i> , Connecticut Warbler	<i>Setophaga chrysoparia</i> , Golden-cheeked Warbler	Family THRAUPIDAE
<i>Geothlypis poliocephala</i> , Gray-crowned Yellowthroat	<i>Setophaga virens</i> , Black-throated Green Warbler	Subfamily DACNINAE
<i>Geothlypis tolmiei</i> , MacGillivray's Warbler	<i>Basileuterus lachrymosus</i> , Fan-tailed Warbler	<i>Cyanerpes cyaneus</i> , Red-legged Honeycreeper
<i>Geothlypis philadelphica</i> , Mourning Warbler	<i>Basileuterus rufifrons</i> , Rufous-capped Warbler	Subfamily COEREBINAE
<i>Geothlypis formosa</i> , Kentucky Warbler	<i>Basileuterus culicivorus</i> , Golden-crowned Warbler	<i>Coereba flaveola</i> , Bananaquit
<i>Geothlypis trichas</i> , Common Yellowthroat	<i>Cardellina canadensis</i> , Canada Warbler	<i>Tiaris olivaceus</i> , Yellow-faced Grassquit
<i>Setophaga angelae</i> , Elfin-woods Warbler	<i>Cardellina pusilla</i> , Wilson's Warbler	<i>Tiaris bicolor</i> , Black-faced Grassquit
<i>Setophaga citrina</i> , Hooded Warbler	<i>Cardellina rubrifrons</i> , Red-faced Warbler	<i>Loxigilla portoricensis</i> , Puerto Rican Bullfinch
<i>Setophaga ruticilla</i> , American Redstart	<i>Myioborus pictus</i> , Painted Redstart	Subfamily SPOROPHILINAE
<i>Setophaga kirtlandii</i> , Kirtland's Warbler	<i>Myioborus miniatus</i> , Slate-throated Redstart	<i>Sporophila morelleti</i> , Morelet's Seedeater
<i>Setophaga tigrina</i> , Cape May Warbler	Family CARDINALIDAE	*
<i>Setophaga cerulea</i> , Cerulean Warbler	<i>Piranga flava</i> , Hepatic Tanager	*
<i>Setophaga americana</i> , Northern Parula	<i>Piranga rubra</i> , Summer Tanager	*
<i>Setophaga pitiayumi</i> , Tropical Parula	<i>Piranga olivacea</i> , Scarlet Tanager	*
<i>Setophaga magnolia</i> , Magnolia Warbler	<i>Piranga ludoviciana</i> , Western Tanager	*
<i>Setophaga castanea</i> , Bay-breasted Warbler	<i>Piranga bidentata</i> , Flame-colored Tanager	*
<i>Setophaga fusca</i> , Blackburnian Warbler	<i>Rhodothraupis celaeno</i> , Crimson-collared Grosbeak	*
<i>Setophaga petechia</i> , Yellow Warbler		
<i>Setophaga pensylvanica</i> , Chestnut-sided Warbler		
<i>Setophaga striata</i> , Blackpoll Warbler		

Dated: October 29, 2018.

Andrea Travnicek,

Principal Deputy Assistant Secretary—Water and Science, Exercising the Authority of the Assistant Secretary for Fish and Wildlife and Parks.

[FR Doc. 2018-25634 Filed 11-27-18; 8:45 am]

BILLING CODE 4333-15-P