

rules and practices of the ACRS, and information the release of which would constitute a clearly unwarranted invasion of personal privacy]

10:15 a.m.–10:45 a.m.: Assessment of the Quality of Selected NRC Research Projects (Open)—The Committee will have a discussion of the assessment of the quality of research projects.

10:45 a.m.–12:00 p.m.: Preparation of ACRS Reports (Open/Closed)—The Committee will continue its discussion of proposed ACRS reports. [Note: A portion of this session may be closed in order to discuss and protect information designated as proprietary, pursuant to 5 U.S.C. 552b(c)(4)]

1:00 p.m.–6:00 p.m.: Preparation of ACRS Reports (Open/Closed)—The Committee will continue its discussion of proposed ACRS reports. [Note: A portion of this session may be closed in order to discuss and protect information designated as proprietary, pursuant to 5 U.S.C. 552b(c)(4)]

Friday, February 8, 2019, Conference Room 1C3 & 1C5, Three White Flint North, 11601 Landsdown Street, North Bethesda, MD 20852

8:30 a.m.–12:00 p.m.: Preparation of ACRS Reports (Open/Closed)—The Committee will continue its discussion of proposed ACRS reports. [Note: A portion of this session may be closed in order to discuss and protect information designated as proprietary, pursuant to 5 U.S.C. 552b(c)(4)]

1:00 p.m.–6:00 p.m.: Preparation of ACRS Reports/Retreat (Open/Closed)—The Committee will continue its discussion of proposed ACRS reports and retreat items. [Note: A portion of this session may be closed in order to discuss and protect information designated as proprietary, pursuant to 5 U.S.C. 552b(c)(4)] [Note: A portion of this meeting may be closed pursuant to 5 U.S.C. 552b(c)(2) and (6) to discuss organizational and personnel matters that relate solely to internal personnel rules and practices of the ACRS, and information the release of which would constitute a clearly unwarranted invasion of personal privacy]

Saturday, February 9, 2019, Conference Room 1C3 & 1C5, Three White Flint North, 11601 Landsdown Street, North Bethesda, MD 20852

8:30 a.m.–12:00 p.m.: Preparation of ACRS Reports/Retreat (Open/Closed)—The Committee will continue its discussion of proposed ACRS reports and retreat items. [Note: A portion of this session may be closed in order to discuss and protect information designated as proprietary, pursuant to 5 U.S.C. 552b(c)(4)] [Note: A portion of

this meeting may be closed pursuant to 5 U.S.C. 552b(c)(2) and (6) to discuss organizational and personnel matters that relate solely to internal personnel rules and practices of the ACRS, and information the release of which would constitute a clearly unwarranted invasion of personal privacy]

Procedures for the conduct of and participation in ACRS meetings were published in the **Federal Register** on December 7, 2018 (83 FR 26506). In accordance with those procedures, oral or written views may be presented by members of the public, including representatives of the nuclear industry. Persons desiring to make oral statements should notify Quynh Nguyen, cognizant ACRS Staff (Telephone: 301-415-5844, Email: Quynh.Nguyen@nrc.gov), 5 days before the meeting, if possible, so that appropriate arrangements can be made to allow necessary time during the meeting for such statements. In view of the possibility that the schedule for ACRS meetings may be adjusted by the Chairman as necessary to facilitate the conduct of the meeting, persons planning to attend should check with the cognizant ACRS staff if such rescheduling would result in major inconvenience. The bridgeline number for the meeting is 866-822-3032, passcode 8272423#.

Thirty-five hard copies of each presentation or handout should be provided 30 minutes before the meeting. In addition, one electronic copy of each presentation should be emailed to the cognizant ACRS Staff one day before meeting. If an electronic copy cannot be provided within this timeframe, presenters should provide the cognizant ACRS Staff with a CD containing each presentation at least 30 minutes before the meeting.

In accordance with Subsection 10(d) of Public Law 92-463 and 5 U.S.C. 552b(c), certain portions of this meeting may be closed, as specifically noted above. Use of still, motion picture, and television cameras during the meeting may be limited to selected portions of the meeting as determined by the Chairman. Electronic recordings will be permitted only during the open portions of the meeting.

ACRS meeting agendas, meeting transcripts, and letter reports are available through the NRC Public Document Room at pdr.resource@nrc.gov, or by calling the PDR at 1-800-397-4209, or from the Publicly Available Records System (PARS) component of NRC's document system (ADAMS) which is accessible from the NRC website at <http://www.nrc.gov/reading-rm/adams.html> or [\[www.nrc.gov/reading-rm/doc-collections/#ACRS/\]\(http://www.nrc.gov/reading-rm/doc-collections/#ACRS/\).](http://</p>
</div>
<div data-bbox=)

Video teleconferencing service is available for observing open sessions of ACRS meetings. Those wishing to use this service should contact Ms. Paula Dorm, ACRS Audio Visual Technician (301-415-7799), between 7:30 a.m. and 3:45 p.m. (ET), at least 10 days before the meeting to ensure the availability of this service. Individuals or organizations requesting this service will be responsible for telephone line charges and for providing the equipment and facilities that they use to establish the video teleconferencing link. The availability of video teleconferencing services is not guaranteed.

Dated: December 19, 2018.

Russell E. Chazell,

Federal Advisory Committee Management Officer, Office of the Secretary.

[FR Doc. 2018-27846 Filed 12-21-18; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[NRC-2016-0268]

Spent Fuel Heat Generation in an Independent Spent Fuel Storage Installation

AGENCY: Nuclear Regulatory Commission.

ACTION: Regulatory guide; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is issuing Revision 2 to Regulatory Guide (RG) 3.54, "Spent Fuel Heat Generation in an Independent Spent Fuel Storage Installation." Revision 2 provides methods acceptable to the Nuclear Regulatory Commission (NRC) staff for calculating spent nuclear fuel heat generation rates for use for an Independent Spent Fuel Storage Installation (ISFSI). The revision presents an up-to-date methodology for determining heat generation rates and provides greater flexibility (less restrictions). It also allows loading of higher burnup fuel by using more accurate methods for decay heat calculations.

DATES: Revision 2 to RG 3.54 is available on December 26, 2018.

ADDRESSES: Please refer to Docket ID NRC-2016-0268 when contacting the NRC about the availability of information regarding this document. You may obtain publically-available information related to this document, using the following methods:

- *Federal rulemaking website:* Go to <http://www.regulations.gov> and search

for Docket ID NRC–2016–0268. Address questions about NRC dockets to Krupskaya Castellon; telephone: 301–287–9221; email: Krupskaya.Castellon@nrc.gov. For technical questions, contact the individuals listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS)*: You may obtain publicly-available documents online in the ADAMS Public Document collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1–800–397–4209, 301–415–4737, or by email to pdr.resource@nrc.gov. The ADAMS accession number for each document referenced in this notice (if that document is available in ADAMS) is provided the first time that a document is referenced. Revision 2 to Regulatory Guide 3.54 and the regulatory analysis may be found in ADAMS under Accession No. ML18228A808 and ML16139A219 respectively.

- *NRC's PDR*: You may examine and purchase copies of public documents at the NRC's PDR, Room O1–F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

Regulatory guides are not copyrighted, and NRC approval is not required to reproduce them.

FOR FURTHER INFORMATION CONTACT: Alexis Sotomayor-Rivera, Office of Nuclear Material Safety and Safeguards, telephone: 301–415–7265; email: Alexis.Sotomayor-Rivera@nrc.gov and Harriet Karagiannis, Office of Nuclear Regulatory Research, telephone: 301–415–2493; email: Harriet.Karagiannis@nrc.gov. Both are staff of the U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001.

SUPPLEMENTARY INFORMATION:

I. Discussion

The NRC is issuing a revision to an existing guide in the NRC's "Regulatory Guide" series. This series was developed to describe and make available to the public information regarding methods that are acceptable to the NRC staff for implementing specific parts of the agency's regulations, techniques that the NRC staff uses in evaluating specific issues or postulated events, and data that the NRC staff needs in its review of applications for permits and licenses.

Revision 2 of RG 3.54 was issued with a temporary identification of Draft Regulatory Guide, DG–3050, to provide

methods that are acceptable to the NRC staff for calculating spent nuclear fuel heat generation rates for use as design input for an independent spent fuel storage installation (ISFSI).

This revision also presents an up-to-date methodology for determining heat generation rates for both pressurized-water reactor (PWR) and boiling-water reactor (BWR) fuel and provides greater flexibility (fewer restrictions) than previous versions of this guide. It allows the loading of higher burnup fuel by using more accurate methods for decay heat calculations by covering a wider range of fuel characteristics, including operating history.

II. Additional Information

The NRC published a notice of the availability of DG–3050 in the **Federal Register** on December 23, 2016 (81 FR 94431), for a 60 day public comment period. The public comment period closed on February 21, 2017. Public comments on DG–3050 and the staff responses to the public comments are available under ADAMS under Accession No. ML18228A811.

III. Congressional Review Act

This RG is a rule as defined in the Congressional Review Act (5 U.S.C. 801–808). However, the Office of Management and Budget has not found it to be a major rule as defined in the Congressional Review Act.

IV. Backfitting and Issue Finality

This RG will provide guidance to applicants and licensees subject to Title 10 of the *Code of Federal Regulations* (CFR) Part 72, including applicants and holders of Certificates of Compliance (CoC), with respect to determining heat generation rates for spent fuel. Issuance of this RG will not constitute backfitting as defined in 10 CFR 72.62(a), which is applicable to ISFSIs. Issuance of the RG will not constitute backfitting under 10 CFR 50.109, or otherwise be inconsistent with the issue finality provisions in 10 CFR part 52. The staff's position is based upon the following considerations.

1. The RG positions describe a methodology acceptable to the NRC staff, and expressly states that current licensees may continue to use guidance the NRC found acceptable for complying with the identified regulations as long as the licensee does not initiate, as a voluntary matter, a change to its current licensing basis. Thus, the guidance will not constitute backfitting as defined in 10 CFR 72.62(a).

2. The NRC has no intention of imposing the positions in the RG on existing CoCs, ISFSI or nuclear power

plant licenses either now or in the future (absent a voluntary request for change from the licensee).

3. The matters addressed in the RG apply equally to both specific licensees under Part 72 as well as general licensees under who hold ISFSI licensees by virtue of their status as holders of Part 50 operating licenses or as holders of Part 52 combined licenses.

4. Backfitting and issue finality do not—with limited exceptions not applicable here—protect current or future applicants. Applicants and potential applicants are not, with certain exceptions, protected by the backfitting provisions in 10 CFR 72.62. This is because the backfitting provisions in Part 72 were not intended to apply to every NRC action which substantially changes the expectations of current and future applicants.

Dated at Rockville, Maryland, this 19th day of December 2018.

For the Nuclear Regulatory Commission.

Thomas H. Boyce,

Chief, Regulatory Guidance and Generic Issues Branch, Division of Engineering, Office of Nuclear Regulatory Research.

[FR Doc. 2018–27931 Filed 12–21–18; 8:45 am]

BILLING CODE 7590–01–P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50–250 and 50–251; NRC–2018–0276]

Florida Power & Light Company; Turkey Point Nuclear Generating Unit Nos. 3 and 4

AGENCY: Nuclear Regulatory Commission.

ACTION: License amendment application; opportunity to comment, request a hearing, and petition for leave to intervene; order imposing procedures.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) is considering issuance of amendments to Renewed Facility Operating License Nos. DPR–31 and DPR–41, issued to Florida Power & Light Company, for operation of Turkey Point Nuclear Generating Unit Nos. 3 and 4, respectively. The proposed amendments would modify Paragraph 3.D, "Transition License Conditions," of the Renewed Facility Operating Licenses to delete Implementation Item 22. For this license amendment request (LAR), the NRC proposes to determine that it involves no significant hazards consideration. Because this LAR contains sensitive unclassified non-safeguards information (SUNSI), an order imposes procedures to obtain