

established to enable it to test and certify products under the programs and procedures which it had requested. The NRTL staff determined that additional on-site reviews were not necessary at this time and that at the next regularly scheduled audits the auditors will assure that the controls are adequate for the scope of the activities involved in the NRTL program.

Preliminary Finding

Based upon a review of the completed application file and the recommendation of the staff, the Assistant Secretary has made a preliminary finding that the Canadian Standards Association can meet the requirements as prescribed by 29 CFR 1910.7 for the programs and procedures for which it has requested recognition.

All interested members of the public are invited to supply detailed reasons and evidence supporting or challenging the sufficiency of the applicant's having met the requirements for expansion of its recognition as a Nationally Recognized Testing Laboratory, as required by 29 CFR 1910.7 and Appendix A to 29 CFR 1910.7. Submission of pertinent written documents and exhibits shall be made no later than September 10, 1996, and must be addressed to the NRTL Recognition Program, Office of Variance Determination, Room N 3653, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW., Washington, D.C. 20210. Copies of the CSA application, the laboratory survey reports, the NRTL staff review and recommendation on this request, and all submitted comments, as received, (Docket No. NRTL-2-92), are available for inspection and duplication at the Docket Office, Room N 2634, Occupational Safety and Health Administration, U.S. Department of Labor, at the above address.

The Assistant Secretary's final decision on whether the applicant (the Canadian Standards Association) satisfies the requirements for expansion of its recognition as an NRTL will be made on the basis of the entire record including the public submissions and any further proceedings that the Assistant Secretary may consider appropriate in accordance with Appendix A to Section 1910.7.

Signed at Washington, D.C. this 8th day of July, 1996.

Joseph A. Dear,

Assistant Secretary.

[FR Doc. 96-17778 Filed 7-11-96; 8:45 am]

BILLING CODE 4510-26-M

[Docket No. NRTL-1-93]

Wyle Laboratories

AGENCY: Occupational Safety and Health Administration, Department of Labor.

ACTION: Notice of Request for Expansion of Recognition as a Nationally Recognized Testing Laboratory, and Preliminary Finding.

SUMMARY: This notice announces the application of Wyle Laboratories for expansion of its recognition as a Nationally Recognized Testing Laboratory (NRTL) under 29 CFR 1910.7, and presents the Agency's preliminary finding.

DATES: The last date for interested parties to submit comments is September 10, 1996.

ADDRESSES: Send comments to: NRTL Recognition Program, Occupational Safety and Health Administration, U.S. Department of Labor—Room N3653, 200 Constitution Avenue, NW, Washington, D.C. 20210.

FOR FURTHER INFORMATION CONTACT: Office of Variance Determination, NRTL Recognition Program, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW., Room N3653, Washington, D.C. 20210.

SUPPLEMENTARY INFORMATION: Notice is hereby given that Wyle Laboratories (WL), which previously made application pursuant to section 6(b) of the Occupational Safety and Health Act of 1970, (84 Stat. 1593, 29 U.S.C. 655), Secretary of Labor's Order No. 1-90 (55 FR 9033), and 29 CFR 1910.7, for recognition as a Nationally Recognized Testing Laboratory (see 59 FR 783, 1/6/94), and was so recognized (see 59 FR 37509, 7/22/94), has made application for expansion of its recognition as a Nationally Recognized Testing Laboratory, for the programs and procedures, and the equipment or materials, listed below.

The address of the laboratory covered by this application is: Wyle Laboratories, 7800 Highway 20 West, Huntsville, Alabama 35807.

Expansion of Recognition

On September 15, 1995, Wyle Laboratories made application for expansion of its recognition as a Nationally Recognized Testing Laboratory in the following areas:

Expansion of Recognition—Programs and Procedures

Based upon the conditions as detailed in the Federal Register document titled, "Nationally Recognized Testing Laboratories; Clarification of the Types

of Programs and Procedures", 60 FR 12980, 3/9/95, WL applied for recognition for the following programs and procedures:

1. Acceptance of testing data from independent organizations, other than NRTLs.
2. Acceptance of product evaluations from independent organizations, other than NRTLs.
3. Acceptance of witnessed testing data.
4. Acceptance of testing data from non-independent organizations.
5. Acceptance of evaluation data from non-independent organizations (requiring NRTL review prior to marketing).
6. Acceptance of continued certification following minor modifications by the client.
7. Acceptance of product evaluations from organizations that function as part of the International Electrotechnical Commission Certification Body (IEC-CB) Scheme.
8. Acceptance of services other than testing of evaluation performed by subcontractors or agents.

Expansion of Recognition—Test Standards

WL also requested expansion of its NRTL recognition for testing and certification of products when tested for compliance with the following test standards, which are appropriate within the meaning of 29 CFR 1910.7(c):

- ANSI/UL 8—Foam Fire Extinguishers
- ANSI/UL 20—General—Use Snap Switches
- ANSI/UL 22—Amusement and Gaming Machines
- ANSI/UL 44—Rubber-Insulated Wires and Cables
- ANSI/UL 45—Portable Electric Tools
- ANSI/UL 48—Electric Signs
- ANSI/UL 62—Flexible Cord and Fixture Wire
- ANSI/UL 65—Electric Wired Cabinets
- ANSI/UL 67—Electric Panelboards
- ANSI/UL 73—Electric-Motor-Operated Appliances
- ANSI/UL 83—Thermoplastic-Insulated Wires and Cables
- ANSI/UL 92—Fire Extinguisher and Booster Hose
- UL 98—Enclosed and Dead-Front Switches
- ANSI/UL 154—Carbon Dioxide Fire Extinguishers
- ANSI/UL 198B—Class H Fuses
- ANSI/UL 198C—High-Interrupting-Capacity Fuses, Current Limiting Type
- ANSI/UL 198D—High-Interrupting-Capacity Class K Fuses
- ANSI/UL 198E—Class R Fuses
- ANSI/UL 198F—Plug Fuses

ANSI/UL 198G—Fuse for Supplementary Overcurrent Protection
 ANSI/UL 198H—Class T Fuses
 ANSI/UL 198L—DC Fuses for Industrial Use
 ANSI/UL 244A—Solid-State Controls for Appliances
 ANSI/UL 299—Dry Chemical Fire Extinguishers
 ANSI/UL 363—Knife Switches
 ANSI/UL 393—Indicating Pressure Gauges for Fire Protection Service
 ANSI/UL 429—Electrically Operated Valves
 UL 444—Communications Cables
 ANSI/UL 466—Electric Scales
 ANSI/UL 467—Electrical Grounding and Bonding Equipment
 ANSI/UL 486B—Wire Connectors for Use with Aluminum Conductors
 ANSI/UL 486C—Splicing Wire Connectors
 ANSI/UL 486D—Insulated Wire Connectors for Use With Underground Conductors
 UL 497A—Secondary Protectors for Communication Circuits
 ANSI/UL 498—Attachment Plugs and Receptacles
 ANSI/UL 507—Electric Fans
 ANSI/UL 510—Insulating Tape
 ANSI/UL 512—Fuseholders
 ANSI/UL 539—Single and Multiple Station Heat Detectors
 ANSI/UL 541—Refrigerated Vending Machines
 ANSI/UL 547—Thermal Protectors for Electric Motors
 ANSI/UL 626—2½ Gallon Stored Pressure Water Type Fire Extinguishers
 ANSI/UL 711—Rating and Fire Testing of Fire Extinguishers
 ANSI/UL 796—Printed-Wiring Boards
 ANSI/UL 813—Commercial Audio Equipment
 ANSI/UL 817—Cord Sets and Power-Supply Cords
 ANSI/UL 845—Electric Motor Control Centers
 ANSI/UL 854—Service Entrance Cable
 ANSI/UL 863—Electric Time-Indicating and -Recording Appliances
 ANSI/UL 877—Circuit Breakers and Circuit-Breaker Enclosure for Use in Hazardous (Classified) Locations
 ANSI/UL 894—Switches for Use in Hazardous (Classified) Locations
 ANSI/UL 916—Energy Management Equipment
 ANSI/UL 917—Clock-Operated Switches
 ANSI/UL 924—Emergency Lighting and Power Equipment
 ANSI/UL 943—Ground-Fault Circuit Interrupters
 ANSI/UL 961—Hobby and Sports Equipment

ANSI/UL 9677—Fused Power-Circuit Devices
 ANSI/UL 998—Humidifiers
 ANSI/UL 1004—Electric Motors
 ANSI/UL 1008—Automatic Transfer Switches
 ANSI/UL 1018—Electric Aquarium Equipment
 UL 1022—Line Isolated Monitors
 ANSI/UL 1028—Electric Hair-Clipping and -Shaving Appliances
 UL 1047—Isolated Power Systems Equipment
 ANSI/UL 1053—Ground-Fault Sensing and Relaying Equipment
 ANSI/UL 1054—Special-Use Switches
 ANSI/UL 1058—Halogenated Agent Extinguishing System Units
 UL 1059—Terminal Blocks
 UL 1066—Low-Voltage AC and DC power Circuit Breakers Used in Enclosures
 ANSI/UL 1077—Supplementary Protectors for Use in Electrical Equipment
 ANSI/UL 1091—Butterfly Valves for Fire Protection Service
 ANSI/UL 1093—Halogenated Agent Fire Extinguishers
 ANSI/UL 1096—Electric Central Air-Heating Equipment
 ANSI/UL 1097—Double Insulation Systems for Use in Electrical Equipment
 UL 1254—Pre-Engineered Dry Chemical Extinguishing System Units
 ANSI/UL 1283—Electromagnetic-Interference Filter
 ANSI/UL 1412—Fusing Resistors and Temperature-Limited Resistors for Radio-, and Television-Type Appliances
 ANSI/UL 1416—Overcurrent and Overtemperature Protectors for Radio- and Television-Type Appliances
 UL 1424—Cables for Power-Limited Fire-Protective-Signaling Circuits
 ANSI/UL 1429—Pullout Switches
 UL 1437—Electric Analog Instruments, Panelboard Types
 UL 1449—Transient Voltage Surge Suppressors
 ANSI/UL 1474—Adjustable Drop Nipples for Sprinkler Systems
 ANSI/UL 1481—Power Supplies for Fire Protective Signaling Systems
 UL 1486—Quick Opening Devices for Dry Pipe Valves for Fire-Protection Service
 ANSI/UL 1557—Electrically Isolated Semiconductor Devices
 ANSI/UL 1564—Industrial Battery Chargers
 ANSI/UL 1577—Optical Isolators
 UL 1604—Electrical Equipment for Use in Class I and II, Division 2 and Class III Hazardous (Classified) Locations
 ANSI/UL 1624—Light Industrial and Fixed Electric Tools

ANSI/UL 1664—Immersion-Detection Circuit-Interrupters
 UL 1673—Electric Space Heating Cables
 UL 1682—Plugs, Receptacles, and Cable Connectors, of the Pin and Sleeve Type
 ANSI/UL 1876—Isolating Signal and Feedback Transformers for Use in Electronic Equipment
 UL 1995—Heating and Cooling Equipment
 UL 2006—Halon 1211 Recovery/Recharge Equipment

The NRTL Recognition Program staff made an in-depth study of the details of WL's original application for recognition and the on-site assessment and determined that an additional on-site visit was not necessary. The programs and procedures for which Wyle Laboratories has requested accreditation are the type that have been utilized previously in their nuclear and defense area programs, and controls have already been established. With respect to the test standards for which WL has requested, all but those pertaining to fire extinguishment and protection equipment are similar to the standards for which it has already been accredited and are, therefore, within the recognized capabilities of its personnel, facilities and equipment. Regarding the fire extinguishment and equipment protection standards, Wyle has tested at least four products in each of 16 of the 18 standards requested. The general knowledge that WL has acquired in the performance of those tests, and the test equipment and personnel on the site, would indicate that it has the capability to test and certify products under these standards.

In any event, at the next scheduled audit a judgement will be made of the adequacy of the controls for the scope of activities involved in the NRTL program as well as of the status of the facility, equipment, and personnel.

Preliminary Finding

Based upon a review of the completed application file and the recommendation of the staff, the Assistant Secretary has made a preliminary finding that the Wyle Laboratories facility for which expansion of its recognition was requested (Huntsville, Alabama) can meet the requirements as prescribed by 29 CFR 1910.7.

All interested members of the public are invited to supply detailed reasons and evidence supporting or challenging the sufficiency of the applicant's having met the requirements for expansion of its recognition as a Nationally Recognized Testing Laboratory, as required by 29 CFR 1910.7 and

Appendix A to 29 CFR 1910.7. Submission of pertinent written documents and exhibits shall be made no later than September 10, 1996, and must be addressed to the NRTL Recognition Program, Office of Variance Determination, Room N 3653, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW., Washington, D.C. 20210. Copies of the WL application, the laboratory survey reports, and all submitted comments, as received, (Docket No. NRTL-1-93), are available for inspection and duplication at the Docket Office, Room N 2634, Occupational Safety and Health Administration, U.S. Department of Labor, at the above address.

The Assistant Secretary's final decision on whether the applicant (Wyle Laboratories) satisfies the requirements for expansion of its recognition as an NRTL will be made on the basis of the entire record including the public submissions and any further proceedings that the Assistant Secretary may consider appropriate in accordance with Appendix A to Section 1910.7.

Signed at Washington, D.C. this 8th day of July, 1996.

Joseph A. Dear,

Assistant Secretary.

[FR Doc. 96-17779 Filed 7-11-96; 8:45 am]

BILLING CODE 4510-26-M

Pension and Welfare Benefits Administration

[Prohibited Transaction Exemption 96-50; Exemption Application No. D-10039, et al.]

Grant of Individual Exemptions; San Diego National Bank

AGENCY: Pension and Welfare Benefits Administration, Labor.

ACTION: Grant of individual exemptions.

SUMMARY: This document contains exemptions issued by the Department of Labor (the Department) from certain of the prohibited transaction restrictions of the Employee Retirement Income Security Act of 1974 (the Act) and/or the Internal Revenue Code of 1986 (the Code).

Notices were published in the Federal Register of the pendency before the Department of proposals to grant such exemptions. The notices set forth a summary of facts and representations contained in each application for exemption and referred interested persons to the respective applications for a complete statement of the facts and representations. The applications have been available for public inspection at

the Department in Washington, D.C. The notices also invited interested persons to submit comments on the requested exemptions to the Department. In addition the notices stated that any interested person might submit a written request that a public hearing be held (where appropriate). The applicants have represented that they have complied with the requirements of the notification to interested persons. No public comments and no requests for a hearing, unless otherwise stated, were received by the Department.

The notices of proposed exemption were issued and the exemptions are being granted solely by the Department because, effective December 31, 1978, section 102 of Reorganization Plan No. 4 of 1978 (43 FR 47713, October 17, 1978) transferred the authority of the Secretary of the Treasury to issue exemptions of the type proposed to the Secretary of Labor.

Statutory Findings

In accordance with section 408(a) of the Act and/or section 4975(c)(2) of the Code and the procedures set forth in 29 CFR Part 2570, Subpart B (55 FR 32836, 32847, August 10, 1990) and based upon the entire record, the Department makes the following findings:

(a) The exemptions are administratively feasible;

(b) They are in the interests of the plans and their participants and beneficiaries; and

(c) They are protective of the rights of the participants and beneficiaries of the plans.

San Diego National Bank Deferred Savings Plan (the Plan) Located in San Diego, California

[Prohibited Transaction Exemption 96-50; Exemption Application No. D-10039]

Exemption

The restrictions of sections 406(a), 406(b)(1) and (b)(2), and 407(a) of the Act and the sanctions resulting from the application of section 4975 of the Code, by reason of section 4975(c)(1) (A) through (E) of the Code, shall not apply to (1) the past acquisition by the Plan of certain stock rights (the Rights) pursuant to a stock rights offering (the Offering) by SDNB Financial Corp., a California corporation (the Parent), which wholly-owns and is the parent company of the San Diego National Bank (the Employer), the sponsor of the Plan and a party in interest with respect to the Plan; (2) the past holding of the Rights during the subscription period of the Offering; and (3) the disposition or exercise of the Rights by the Plan; provided the following conditions are

satisfied: (a) The acquisition and holding of the Rights by the Plan occurred in connection with the Offering made available to all shareholders of the common stock of the Parent; (b) all holders of the common stock of the Parent were treated in a like manner, with respect to the Offering, including the Plan; and (c) all decisions regarding holding and disposing of the Rights by the Plan were made in accordance with Plan provisions for individually-directed investment of participant accounts by the individual participant whose account in the Plan received Rights in the Offering, and if no instructions were received the Rights were sold.

EFFECTIVE DATE: The effective date of this exemption is May 30, 1995.

FOR FURTHER INFORMATION CONTACT: Mr. C.E. Beaver of the Department, telephone (202) 219-8881. (This is a toll-free number.)

Puckett Machinery Company Profit Sharing Plan (the Plan), Located in Jackson, Mississippi

[Prohibited Transaction Exemption 96-51; Exemption Application No. D-10149]

Exemption

The restrictions of sections 406(a), 406(b)(1) and 406(b)(2) of the Act and the sanctions resulting from the application of section 4975 of the Code, by reason of section 4975(c)(1)(A) through (E) of the Code shall not apply to the sale (the Sale) of improved real property (the Property) by the Plan to Richard H. Puckett, a party in interest with respect to the Plan provided that: (a) The Sale is a one time transaction for cash; (b) the Plan will receive the greater of \$315,000 or the fair market value of the Property at the time of the Sale; (c) the Property has been appraised by an independent and qualified real estate appraiser; (d) the Plan will pay no fees or commissions associated with the Sale; and (e) the terms and conditions of the Sale are at least as favorable as those obtainable with an unrelated third party.

For a more complete statement of the facts and representations supporting the Department's decision to grant this exemption, refer to the notice of proposed exemption published on April 4, 1996 at 61 FR 15143.

FOR FURTHER INFORMATION CONTACT: Allison Padams of the Department, telephone (202) 219-8971. (This is not a toll-free number.)