

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice (98-116)]

Information Collection: Submission for OMB Review, Comment Request**AGENCY:** National Aeronautics and Space Administration (NASA).**ACTION:** Notice of Agency Report Forms Under OMB Review.

SUMMARY: The National Aeronautics and Space Administration has submitted to the Office of Management and Budget (OMB) the following proposal for the collection of information under the provisions of the Paperwork Reduction Act (44 U.S.C. Chapter 35).

DATES: Comments on this proposal should be received on or before October 8, 1998.

ADDRESSES: All comments should be addressed to Ms. Sue McDonald, Mail Code GS4, Lyndon B. Johnson Space Center, Houston, TX 77058.

FOR FURTHER INFORMATION CONTACT: Ms. Carmela Simonson, Office of the Chief Information Officer, (202) 358-1223.

Reports: JSC Form 1625.

Title: Radioactive Material Transfer Receipt.

OMB Number: 2700-0007.

Type of review: Extension.

Need and Uses: Federal law requires that Johnson Space Center keep records of each radioactive material transfer.

Affected Public: Business or other for-profit, Federal Government, State, Local or Tribal Government.

Number of Respondents: 50.

Responses Per Respondent: 2.

Annual Responses: 100.

Hours Per Request: 1/2 hr.

Annual Burden Hours: 58.

Frequency of Report: On occasion.

Donald J. Andreotta,

Deputy Chief Information Officer (Operations), Office of the Administrator.

[FR Doc. 98-24075 Filed 9-4-98; 8:45 am]

BILLING CODE 7510-01-P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[98-115]

NASA Advisory Council (NAC), Space Science Advisory Committee (SScAC), Sun-Earth Connection Advisory Subcommittee; Meeting**AGENCY:** National Aeronautics and Space Administration.**ACTION:** Notice of Meeting.

SUMMARY: In accordance with the Federal Advisory Committee Act, Pub.

L. 92-463, as amended, the National Aeronautics and Space Administration announces a meeting of the NASA Advisory Council, Space Science Advisory Committee, Sun-Earth Connection Advisory Subcommittee.

DATES: Monday, September 21, 1998, 8:30 a.m. to 5:00 p.m.; Tuesday, September 22, 1998, 8:30 a.m. to 5:00 p.m.; and Wednesday, September 23, 1998, from 8:30 a.m. to 1:00 p.m.

ADDRESSES: National Aeronautics and Space Administration, MIC 6, Room, 6H46 300 E Street, SW, Washington, DC 20546.

FOR FURTHER INFORMATION CONTACT: Dr. George Withbroe, Code S, National Aeronautics and Space Administration, Washington, DC 20546, (202) 358-2150.

SUPPLEMENTARY INFORMATION: The meeting will be open to the public up to the capacity of the room. The agenda for the meeting is as follows:

- Sun-Earth Connection Program
- Overview: Budget, Current Program,
- Future Activities
- Research and Analysis Program
- Solar Terrestrial Probes Program
- Solar Probe
- Discussion and writing groups

It is imperative that the meeting be held on these dates to accommodate the scheduling priorities of the key participants. Visitors will be requested to sign a visitor's register.

Dated: September 1, 1998.

Matthew M. Crouch,

Advisory Committee Management Officer, National Aeronautics and Space Administration.

[FR Doc. 98-24074 Filed 9-4-98; 8:45 am]

BILLING CODE 7510-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-400]

Carolina Power & Light Company; Notice of Consideration of Issuance of Amendment to Facility Operating License, Proposed No Significant Hazards Consideration Determination, and Opportunity For a Hearing

The U.S. Nuclear Regulatory Commission (the Commission) is considering issuance of an amendment to Facility Operating License No. NPF-63 issued to Carolina Power & Light Company (the licensee) for operation of the Shearon Harris Nuclear Power Plant located in Wake and Chatham Counties, North Carolina.

The proposed amendment would revise the Harris Nuclear Plant (HNP) Technical Specifications (TS)

concerning the applicability of Limiting Conditions for Operation (LCO) and Surveillance Requirements (SR). Specifically, HNP proposes to revise TS 3.0.4 and associated specifications; TS 4.0.4; and Bases for TS 3.0.3, TS 3.0.4, and TS 4.0.4 to be consistent with Generic Letter 87-09 dated June 4, 1987.

This proposed TS change is needed due to the verbatim requirements of TS 3.0.4 and inoperable TS equipment that would prevent plant shutdown. A verbatim reading of the current HNP TS 3.0.4 would not allow entry into a lesser operational mode if required TS components were inoperable.

Before issuance of the proposed license amendment, the Commission will have made findings required by the Atomic Energy Act of 1954, as amended (the Act) and the Commission's regulations.

The Commission has made a proposed determination that the amendment request involves no significant hazards consideration. Under the Commission's regulations in 10 CFR 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated; or (2) create the possibility of a new or different kind of accident from any accident previously evaluated; or (3) involve a significant reduction in a margin of safety. As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. The proposed amendment does not involve a significant increase in the probability or consequences of an accident previously evaluated.

The proposed revision to TS 3.0.4 allows entry into an operational condition in accordance with action requirements when conformance to the action requirements permits continued operation of the facility for an unlimited period of time. This operational flexibility is consistent with that allowed by the existing individual LCOs and their associated action requirements which provide an acceptable level of safety for continued operation.

The proposed revision to TS 4.0.4 clarifies that Specification 4.0.4 does not prevent passage through or to operational conditions as required to comply with action requirements. This is consistent with the existing Specification 3.0.4. In addition, the potential for plant upset and challenge to safety systems is heightened if surveillances are performed during a shutdown to comply with Action Requirements.

The revisions to the Bases Section 3.0 and 4.0 and the elimination of specific exceptions

to Specification 3.0.4 are administrative in nature and, therefore, do not involve a significant increase in the probability or consequences of an accident previously evaluated.

Therefore, the proposed change does not involve a significant increase in the probability or consequences of an accident previously evaluated. There is no physical alteration to any plant system, nor is there a change in the method in which any safety related system performs its function.

2. The proposed amendment does not create the possibility of a new or different kind of accident from any accident previously evaluated.

The proposed amendment does not create the possibility of a new or different kind of accident from any accident previously evaluated because there is no physical alteration to any plant system, nor is there a change in the method in which any safety related system performs its function.

The revisions to the Bases Sections 3.0 and 4.0 and the elimination of specific exemptions to Specification 3.0.4 are administrative in nature and, therefore, do not create the possibility of a new or different kind of accident from any accident previously evaluated.

Therefore, the proposed change does not create the possibility of a new or different kind of accident from any accident previously evaluated.

3. The proposed amendment does not involve a significant reduction in the margin of safety.

The revision to Specification 3.0.4 allows operational flexibility which is consistent with that allowed by the existing individual LCOs and their associated action requirements which provide an acceptable level of safety for continued operation. The proposed revision to Specification 4.0.4 is a clarification to the specification and as such is administrative in nature. The revision makes it clear that Specification 4.0.4 does not prevent passage through or to operational conditions as required to comply with action requirements. This is consistent with the existing Specification 3.0.4. These revisions result in improved Technical Specifications, and therefore, increase the margin of safety.

The revisions to the Bases Sections 3.0 and 4.0 and the elimination of specific exemptions to Specification 3.0.4 are administrative in nature and, therefore, do not involve a significant reduction in a margin of safety.

Therefore, the proposed change does not involve a significant reduction in the margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of

publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of the 30-day notice period. However, should circumstances change during the notice period such that failure to act in a timely way would result, for example, in derating or shutdown of the facility, the Commission may issue the license amendment before the expiration of the 30-day notice period, provided that its final determination is that the amendment involves no significant hazards consideration. The final determination will consider all public and State comments received. Should the Commission take this action, it will publish in the **Federal Register** a notice of issuance and provide for opportunity for a hearing after issuance. The Commission expects that the need to take this action will occur very infrequently.

Written comments may be submitted by mail to the Chief, Rules and Directives Branch, Division of Administrative Services, Office of Administration, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and should cite the publication date and page number of this **Federal Register** notice. Written comments may also be delivered to Room 6D59, Two White Flint North, 11545 Rockville Pike, Rockville, Maryland, from 7:30 a.m. to 4:15 p.m. Federal workdays. Copies of written comments received may be examined at the NRC Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC.

The filing of requests for hearing and petitions for leave to intervene is discussed below.

By October 8, 1998, the licensee may file a request for a hearing with respect to issuance of the amendment to the subject facility operating license and any person whose interest may be affected by this proceeding and who wishes to participate as a party in the proceeding must file a written request for a hearing and a petition for leave to intervene. Requests for a hearing and a petition for leave to intervene shall be filed in accordance with the Commission's "Rules of Practice for Domestic Licensing Proceedings" in 10 CFR Part 2. Interested persons should consult a current copy of 10 CFR 2.714 which is available at the Commission's Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC, and at the local public document room located at the Cameron Village Regional Library, 1930 Clark Avenue, Raleigh, North Carolina 27605.

If a request for a hearing or petition for leave to intervene is filed by the above date, the Commission or an Atomic Safety and Licensing Board, designated by the Commission or by the Chairman of the Atomic Safety and Licensing Board Panel, will rule on the request and/or petition; and the Secretary or the designated Atomic Safety and Licensing Board will issue a notice of hearing or an appropriate order.

As required by 10 CFR 2.714, a petition for leave to intervene shall set forth with particularity the interest of the petitioner in the proceeding, and how that interest may be affected by the results of the proceeding. The petition should specifically explain the reasons why intervention should be permitted with particular reference to the following factors: (1) The nature of the petitioner's right under the Act to be made party to the proceeding; (2) the nature and extent of the petitioner's property, financial, or other interest in the proceeding; and (3) the possible effect of any order which may be entered in the proceeding on the petitioner's interest. The petition should also identify the specific aspect(s) of the subject matter of the proceeding as to which petitioner wishes to intervene. Any person who has filed a petition for leave to intervene or who has been admitted as a party may amend the petition without requesting leave of the Board up to 15 days prior to the first prehearing conference scheduled in the proceeding, but such an amended petition must satisfy the specificity requirements described above.

Not later than 15 days prior to the first prehearing conference scheduled in the proceeding, a petitioner shall file a supplement to the petition to intervene which must include a list of the contentions which are sought to be litigated in the matter. Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner shall provide a brief explanation of the bases of the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner must also provide references to those specific sources and documents of which the petitioner is aware and on which the petitioner intends to rely to establish those facts or expert opinion. Petitioner must provide sufficient information to show that a genuine dispute exists with the applicant on a material issue of law or fact. Contentions shall be limited to matters within the scope of the amendment under consideration. The

contention must be one which, if proven, would entitle the petitioner to relief. A petitioner who fails to file such a supplement which satisfies these requirements with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene, and have the opportunity to participate fully in the conduct of the hearing, including the opportunity to present evidence and cross-examine witnesses.

If a hearing is requested, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to decide when the hearing is held.

If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing held would take place after issuance of the amendment.

If the final determination is that the amendment request involves a significant hazards consideration, any hearing held would take place before the issuance of any amendment.

A request for a hearing or a petition for leave to intervene must be filed with the Secretary of the Commission, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemakings and Adjudications Staff, or may be delivered to the Commission's Public Document Room, the Gelman Building, 2120 L Street, NW., Washington, DC, by the above date. A copy of the petition should also be sent to the Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, and to William D. Johnson, Vice President and Senior Counsel, Carolina Power & Light Company, Post Office Box 1551, Raleigh, North Carolina 27602, attorney for the licensee.

Nontimely filings of petitions for leave to intervene, amended petitions, supplemental petitions and/or requests for hearing will not be entertained absent a determination by the Commission, the presiding officer or the presiding Atomic Safety and Licensing Board that the petition and/or request should be granted based upon a balancing of the factors specified in 10 CFR 2.714(a)(1)(I)-(v) and 2.714(d).

For further details with respect to this action, see the application for amendment dated August 27, 1998, which is available for public inspection at the Commission's Public Document

Room, the Gelman Building, 2120 L Street, NW., Washington, DC, and at the local public document room located at the Cameron Village Regional Library, 1930 Clark Avenue, Raleigh, North Carolina 27605.

Dated at Rockville, Maryland, this 21st day of September, 1998.

For the Nuclear Regulatory Commission.

Scott C. Flanders,

Project Manager, Project Directorate II-1, Division of Reactor Projects—I/II, Office of Nuclear Reactor Regulation.

[FR Doc. 98-24010 Filed 9-4-98; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-295/304-LA-2 ASLBP No. 98-750-06-LA]

Commonwealth Edison Company; Establishment of Atomic Safety and Licensing Board

Pursuant to delegation by the Commission dated December 29, 1972, published in the **Federal Register**, 37 FR 28710 (1972), and Sections 2.105, 2.700, 2.702, 2.714, 2.714a, 2.717, 2.721 of the Commission's Regulations, all as amended, an Atomic Safety and Licensing Board is being established to preside over the following proceeding.

COMMONWEALTH EDISON COMPANY

Zion Nuclear Power Station

This Board is being established pursuant to a petition for leave to intervene submitted by the Committee for Safety at Plant Zion, Randy Robarge and Edwin D. Dienethal. The petition was filed in response to a notice of issuance of a license amendment to the Commonwealth Edison Company for the Zion Nuclear Power Station and the Nuclear Regulatory Commission's Staff's finding of no significant hazards considerations in connection with that license amendment. The notice was published in the **Federal Register** at 63 FR 43216, 43217 (August 12, 1998).

The Board is comprised of the following administrative judges: Thomas S. Moore, Chairman, Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, DC 20555 Dr. Jerry R. Kline, Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, DC 20555

Frederick J. Shon, Atomic Safety and Licensing Board Panel, U.S. Nuclear Regulatory Commission, Washington, DC 20555

All correspondence, documents and other materials shall be filed with the Judges in accordance with 10 CFR 2.701.

Issued at Rockville, Maryland, this 1st day of September 1998.

B. Paul Cotter, Jr.,

Chief Administrative Judge, Atomic Safety and Licensing Board Panel.

[FR Doc. 98-24008 Filed 9-4-98; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-346]

Toledo Edison Company, Centerior Service Company and The Cleveland Electric Illuminating Company; Davis-Besse Nuclear Power Station, Unit 1; Environmental Assessment and Finding of No Significant Impact

The U.S. Nuclear Regulatory Commission (the Commission) is considering the issuance of an order approving, under 10 CFR 50.80, the transfer of Facility Operating License No. NPF-3, issued to the Toledo Edison Company, Centerior Service Company, and The Cleveland Electric Illuminating Company (the licensees) for the Davis-Besse Nuclear Power Station, Unit 1, located in Ottawa County, Ohio, with respect to operating authority under the license, and considering issuance of a conforming amendment under 10 CFR 50.90.

Environmental Assessment

Identification of the Proposed Action

The proposed action would approve the transfer of operating authority under the license to a new company, FirstEnergy Nuclear Operating Company (FENOC), to allow it to use and operate Davis-Besse and to possess and use related licensed nuclear materials in accordance with the same conditions and authorizations included in the current operating license. The proposed action would also approve issuance of a license amendment reflecting the transfer of operating authority. FENOC would be formed by FirstEnergy Corporation to become the licensed operator for Davis-Besse and would have exclusive control over the operation and maintenance of the facility.

Under the proposed arrangement, ownership of Davis-Besse will remain unchanged with each owner retaining its current ownership interest. FENOC will not own any portion of Davis-Besse. Likewise, the owners' entitlement to capacity and energy from Davis-Besse