

is stress-relieved and suitable for use in prestressed concrete. Such merchandise is currently classifiable under Harmonized Tariff Schedule (HTS) item number 7312.10.30.12. The HTS item number is provided for convenience and customs purposes. The written description remains dispositive.

Determination

As a result of the determinations by the Department and the Commission that revocation of this antidumping finding would be likely to lead to continuation or recurrence of dumping and material injury to an industry in the United States, pursuant to section 751(d)(2) of the Act, the Department hereby orders the continuation of the antidumping finding on prestressed concrete steel wire strand from Japan. The Department will instruct the U.S. Customs Service to continue to collect antidumping duty deposits at the rate in effect at the time of entry for all imports of subject merchandise. Pursuant to section 751(c)(6)(A)(iii) of the Act, any subsequent five-year review of this finding will be initiated not later than the fifth anniversary of the effective date of continuation of this finding.

Normally, the effective date of continuation of a finding, order, or suspension agreement will be the date of publication in the **Federal Register** of the Notice of Continuation. As provided in 19 CFR 351.218(e)(4), the Department normally will issue its determination to continue a finding, order, or suspended investigation not later than seven days after the date of publication in the **Federal Register** of the Commission's determination concluding the sunset review and immediately thereafter will publish its notice of continuation in the **Federal Register**. In the instant case, however, the Department's publication of the Notice of Continuation was delayed. The Department has explicitly indicated that the effective date of continuation of this finding is February 3, 1999, seven days after the date of publication in the **Federal Register** of the Commission's determination. As a result, pursuant to sections 751(c)(2) and 751(c)(6)(A) of the Act, the Department intends to initiate the next five-year review of this finding not later than January 2004.

Dated: July 21, 1999.

Robert S. LaRussa,

Assistant Secretary for Import Administration.

[FR Doc. 99-19160 Filed 7-26-99; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-412-818, A-583-831 and A-580-834]

Notice of Antidumping Duty Order; Stainless Steel Sheet and Strip in Coils From United Kingdom, Taiwan and South Korea

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of Antidumping Duty Orders.

EFFECTIVE DATE: July 27, 1999.

FOR FURTHER INFORMATION CONTACT: Rick Johnson, Linda Ludwig or Jim Doyle, Antidumping and Countervailing Duty Enforcement Group III, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230, at (202) 482-3818, (202) 482-0649 and (202) 483-0259 respectively.

Applicable Statute and Regulations

Unless otherwise indicated, all citations to the Tariff Act of 1930, as amended (the Tariff Act), are to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act by the Uruguay Round Agreements Act (URAA). In addition, unless otherwise indicated, all citations to the Department of Commerce's (the Department's) regulations are to the regulations codified at 19 CFR Part 351 (April 1, 1998).

Scope of the Orders

For purposes of this order, the products covered are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise subject to this order is classified in the Harmonized Tariff Schedule of the United States (HTS) at subheadings: 7219.13.00.30, 7219.13.00.50, 7219.13.00.70, 7219.13.00.80, 7219.14.00.30, 7219.14.00.65, 7219.14.00.90, 7219.32.00.05, 7219.32.00.20,

7219.32.00.25, 7219.32.00.35, 7219.32.00.36, 7219.32.00.38, 7219.32.00.42, 7219.32.00.44, 7219.33.00.05, 7219.33.00.20, 7219.33.00.25, 7219.33.00.35, 7219.33.00.36, 7219.33.00.38, 7219.33.00.42, 7219.33.00.44, 7219.34.00.05, 7219.34.00.20, 7219.34.00.25, 7219.34.00.30, 7219.34.00.35, 7219.35.00.05, 7219.35.00.15, 7219.35.00.30, 7219.35.00.35, 7219.90.00.10, 7219.90.00.20, 7219.90.00.25, 7219.90.00.60, 7219.90.00.80, 7220.12.10.00, 7220.12.50.00, 7220.20.10.10, 7220.20.10.15, 7220.20.10.60, 7220.20.10.80, 7220.20.60.05, 7220.20.60.10, 7220.20.60.15, 7220.20.60.60, 7220.20.60.80, 7220.20.70.05, 7220.20.70.10, 7220.20.70.15, 7220.20.70.60, 7220.20.70.80, 7220.20.80.00, 7220.20.90.30, 7220.20.90.60, 7220.90.00.10, 7220.90.00.15, 7220.90.00.60, and 7220.90.00.80. Although the HTS subheadings are provided for convenience and Customs purposes, the Department's written description of the merchandise under investigation is dispositive.

Excluded from the scope of this order are the following: (1) sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (*i.e.*, flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (*i.e.*, cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTS, "Additional U.S. Note" 1(d).

Flapper valve steel is also excluded from the scope of the order. This product is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper

valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this order. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of between 19 and 22 percent, aluminum of no less than 5.0 percent, phosphorus of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromium-cobalt alloy stainless strip is also excluded from the scope of this order. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."¹

Certain electrical resistance alloy steel is also excluded from the scope of this order. This product is defined as a non-magnetic stainless steel manufactured to

American Society of Testing and Materials (ASTM) specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."²

Certain martensitic precipitation-hardenable stainless steel is also excluded from the scope of this order. This high-strength, ductile stainless steel product is designated under the Unified Numbering System (UNS) as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4 mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."³

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this order. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁴ This steel is similar to AISI grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight,

carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6".⁵

Antidumping Duty Orders

On July 19, 1999, the International Trade Commission (the Commission) notified the Department of its final determination pursuant to section 735(b)(1)(A)(i) of the Tariff Act that an industry in the United States is materially injured by reason of less-than-fair-value imports of subject merchandise from United Kingdom, Taiwan and South Korea. Therefore, in accordance with section 736(a)(1) of the Tariff Act, the Department will direct Customs officers to assess, upon further advice by the Department, antidumping duties equal to the amount by which the normal value of the merchandise exceeds the export price (or constructed export price) of the merchandise for all relevant entries of stainless steel sheet and strip in coils from United Kingdom, Taiwan and South Korea. These antidumping duties will be assessed on all unliquidated entries of stainless steel sheet and strip in coils from United Kingdom, Taiwan and South Korea entered, or withdrawn from warehouse, for consumption on or after January 4, 1999, the date on which the Department published its notices of preliminary determinations in the **Federal Register**, 64 FR 85-92, 101-108, 116-124, 137-147 (Jan 4, 1999). On or after the date of publication of this notice in the **Federal Register**, Customs officers must require, at the same time as importers would normally deposit estimated duties, cash deposits for the subject merchandise equal to the estimated weighted-average antidumping duty margins as noted below. The "All Others" rate applies to all exporters of

² "Gilphy 36" is a trademark of Imphy, S.A.

³ "Durphynox 17" is a trademark of Imphy, S.A.

⁴ This list of uses is illustrative and provided for descriptive purposes only.

⁵ "GIN4 Mo," "GIN5" and "GIN6" are the proprietary grades of Hitachi Metals America, Ltd.

¹ "Arnokrome III" is a trademark of the Arnold Engineering Company.

subject stainless steel sheet and strip in coils not specifically listed. The weighted-average dumping margins are as follows:

Exporter/manufacturer	Weighted-average margin (percent)
United Kingdom.	
Avesta Sheffield	14.84
All Others	14.84
Taiwan.	
Tung Mung/Ta Chen	14.95
Tung Mung	14.95
YUSCO/Ta Chen	34.95
YUSCO	34.95
Chang Mien	.00
All Others	12.61
South Korea.	
Pohang Iron & Steel Co., Ltd	12.12
Taihan Electric Wire Co., Ltd	58.79
Inchon Iron & Steel Co., Ltd	0.00
All Others	12.12

This notice constitutes the antidumping duty order with respect to stainless steel sheet and strip in coils from United Kingdom, Taiwan and South Korea. Interested parties may contact the Department's Central Records Unit, room B-099 of the main Commerce building, for copies of an updated list of antidumping duty orders currently in effect. This order is published in accordance with section 736(a) of the Tariff Act of 1930, as amended.

Dated: July 21, 1999.

Bernard T. Carreau,

Acting Assistant Secretary for Import Administration.

[FR Doc. 99-19124 Filed 7-26-99; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-428-825]

Notice of Amended Final Determination of Sales at Less Than Fair Value and Antidumping Duty Order; Stainless Steel Sheet and Strip in Coils From Germany

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of Amended Final Determination of Sales at Less Than Fair Value and Antidumping Duty Order.

EFFECTIVE DATE: July 29, 1999.

FOR FURTHER INFORMATION CONTACT:

Charles Ranado, Stephanie Arthur, or Robert James, Antidumping and

Countervailing Duty Enforcement Group III, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW, Washington, DC 20230, at (202) 482-3518, (202) 482-6312, or (202) 482-5222, respectively.

Applicable Statute and Regulations

Unless otherwise indicated, all citations to the Tariff Act of 1930, as amended (the Tariff Act), are to the provisions effective January 1, 1995, the effective date of the amendments made to the Tariff Act by the Uruguay Round Agreements Act (URAA). In addition, unless otherwise indicated, all citations to the Department of Commerce's (the Department's) regulations are to the regulations codified at 19 CFR Part 351 (April 1, 1998).

Amendment to the Final Determination

On May 19, 1999, the Department determined that stainless steel sheet and strip in coils (stainless sheet in coil) from Germany are being, or are likely to be, sold in the United States at less than fair value (LTFV), as provided in section 735(a) of the Tariff Act. See Notice of Final Determination of Sales at Less Than Fair Value: Stainless Steel Sheet and Strip in Coils From Germany, 64 FR 30710 (June 8, 1999) (Final Determination). On May 28, 1999, respondent Krupp Thyssen Nirosta, GmbH (KTN) timely filed an allegation that the Department had made several ministerial errors in its final determination. Petitioners (Allegheny Ludlum Corp., Armco, Inc. J&L Specialty Steel, Inc., Washington Steel Division of Bethlehem Steel Corp., United Steelworkers of America, AFL-CIO/CLC, Butler Armco Independent Union, and Zanesville Armco Independent Organization) also timely alleged two ministerial errors on June 2, 1999. Both interested parties requested that we correct the errors and publish a notice of amended final determination in the **Federal Register**. See 19 CFR 351.224(e). In addition, on June 8, 1999, petitioners filed comments in rebuttal of two of KTN's alleged errors.

KTN's submission alleges the following errors:

- In attempting to remove a third-country shipment from KTN's U.S. sales listing, the Department inadvertently deleted the wrong transaction;
- The Department used the incorrect interest rates for calculating home market credit expenses and in certain instances U.S. credit expenses and inventory carrying costs;
- For one of KTN's affiliated home market service centers, the Department inadvertently relied upon an outdated

database superseded by a later submission;

- The Department erred in adjusting KTN's cost of production (COP) for certain products subjected to further processing by the affiliated home market service center, thus overstating the COP;

- The Department's attempt to revise KTN's variable cost of manufacture (VCOM) to reflect corrected nickel prices did not work due to a programming error;

- For an affiliated U.S. reseller to which we applied adverse facts available the weighted-average gross unit price set forth in the Department's May 19, 1999 analysis memorandum differs from that hand-entered into the margin program;

- For this same reseller, the Department inadvertently relied upon an outdated database superseded by a later submission;

- Finally, in applying adverse facts available to the affiliated U.S. reseller, the Department erred by failing to exclude putatively cut-to-length material (which is not included in the scope of this investigation).

See Letter, Hogan & Hartson, May 28, 1999 passim. In their submission petitioners note that the Department stated that it intended to apply adverse facts available for KTN's failure to report certain home market downstream sales made by its affiliates. To do this, petitioners aver, the Department intended to calculate the highest gross unit price for each product (i.e., control number) for sales between KTN and its affiliates and use this price as the basis for NV. However, petitioners allege, the Department inadvertently omitted the customer code for one of the home market affiliates to which we were applying facts available. In addition, petitioners argue that the Department's application of facts available for these unreported sales had no effect in certain cases because the Department inadvertently included the affiliated customers in its arm's-length test; when these customers subsequently failed the arm's-length test the transactions were excluded entirely from the margin calculation and not subjected to facts available, as clearly intended by the Department.

Petitioners' rebuttal addressed two of KTN's allegations. With respect to KTN's VCOM, petitioners argue that any correction to home market VCOM applies equally to both U.S. VCOM and U.S. total cost of manufacture. These latter two are both needed to calculate accurate adjustments for differences in physical characteristics of the home market and U.S. merchandise pursuant to section 773(a)(6)(C)(ii) of the Tariff