

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: July 20, 1999.

Michael J. Armstrong,

Associate Director for Mitigation.

[FR Doc. 99-19565 Filed 7-29-99; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATE: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the FIRM is available for inspection as indicated in the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (e-mail) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified

base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR Part 67.

FEMA has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR Part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director for Mitigation certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

Regulatory Classification

This final rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR Part 67 is amended to read as follows:

PART 67—[AMENDED]

1. The authority citation for Part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.;

Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

2. The tables published under the authority of § 67.11 are amended as follows:

Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD).
ALASKA	
Kenai Peninsula Borough (FEMA Docket No. 7278)	
<i>Kenai River Study:</i>	
Approximately 6.1 miles downstream of confluence with Shikok Creek	*18.5
Approximately 4,500 feet downstream of confluence with Shikok Creek	*35.6
Maps are available for inspection at the Kenai Peninsula Borough Planning and Zoning Office, 210 Fidalgo Avenue, Suite 200, Kenai, Alaska.	
LOUISIANA	
Ball (Town), Rapides Parish (FEMA Docket No. 7278)	
<i>Kitchen Creek:</i>	
At confluence with Flagon Bayou	*132
Approximately 250 feet upstream of confluence of Lateral 1	*151
<i>City Drainage Ditch:</i>	
Approximately 250 feet downstream of Kerlin Road	*124
At Louisiana Highway 1204 ...	*162
<i>Haw Creek Tributary 4:</i>	
Approximately 600 feet upstream of confluence with Haw Creek	*133
Approximately 3,400 feet upstream of confluence with Haw Creek	*161
<i>Haw Creek Lateral 2A:</i>	
At confluence with Lateral 2 ..	*150
Approximately 1,400 feet upstream of Burma Road	*177
<i>Haw Creek Lateral 2:</i>	
Approximately 200 feet upstream of confluence with Haw Creek	*145
Approximately 1,275 feet upstream of Burma Road	*168
<i>Haw Creek Lateral 1:</i>	
Just upstream of confluence with Haw Creek	*140
Approximately 1,700 feet upstream of Hollingsworth Road	*151
<i>Flagon Bayou Tributary 8:</i>	
Approximately 1,480 feet downstream of U.S. Highway 165	*117
Just upstream of U.S. Highway 165	*118
<i>Flagon Bayou:</i>	
Approximately 11,000 feet downstream of confluence of Flagon Bayou Tributary 3	*120

Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD).	Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD).	Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD).
Approximately 250 feet upstream of Kansas City Southern Railroad	*141	Maps are available for inspection at 100 West Texas Street, Ruston, Louisiana.		NEBRASKA	
<i>Haw Creek:</i>		LOUISIANA		Howard County (Unincorporated Areas) (FEMA Docket No. 7278)	
Approximately 300 feet downstream of confluence of Haw Creek Lateral 1	*138	Union Parish (Unincorporated Areas) (FEMA Docket No. 7278)		<i>Oak Creek:</i>	
Approximately 4,100 feet upstream of Burma Road	*169	<i>Corney Bayou:</i>		Approximately 7,200 feet downstream of Union Pacific Railroad	*1,842
<i>Kitchen Creek Lateral 1:</i>		At confluence with Middle Fork Bayou D'Arbonne	*90	Approximately 1,200 feet upstream of Naper Road	*1,871
Approximately 700 feet downstream of Missouri Pacific Railroad	*141	Approximately 400 feet upstream of U.S. Highway 167	*109	<i>Middle Loup River:</i>	
Approximately 700 feet upstream of Kitchen Creek Road	*155	<i>Middle Fork Bayou d'Arbonne:</i>		Approximately 7,000 feet downstream of County Road	*1,899
Maps are available for inspection at 100 Municipal Lane, Ball, Louisiana.		At State Routes 15 and 33	*90	Approximately 4,700 feet upstream of County Road	*1,914
Farmerville (Town), Union Parish (FEMA Docket No. 7278)		Approximately 340 feet upstream of U.S. Highway 167	*111	Maps are available for inspection at the Howard County Roads Department, 408 Elm Street, St. Paul, Nebraska.	
<i>Bayou D'Arbonne Lake:</i>		<i>Ouachita River:</i>		NEVADA	
Approximately 12,400 feet (2.35 miles) downstream of State Routes 15 and 33	*90	Approximately 6,150 feet (1.16 miles) downstream of confluence of Bayou DeLoure	*87	Douglas County (and Incorporated Areas) (FEMA Docket No. 7274)	
At State Routes 15 and 33	*90	Approximately 1,550 feet upstream of confluence of Cypress Bayou	*88	<i>Clear Creek:</i>	
<i>Middle Fork Bayou d'Arbonne:</i>		<i>Stowe Creek:</i>		At Douglas County boundary, approximately 200 feet downstream from Center Drive	*4,715
At State Routes 15 and 33	*90	At State Route 15	*90	Approximately 200 feet upstream from R19E/R20E line	*4,824
At confluence of Corney Bayou (located in Union Parish)	*90	Approximately 140 feet upstream of State Route 151	*114	Maps are available for inspection at Douglas County Planning, 1594 Esmeralda Avenue, Room 202, Minden, Nevada.	
<i>Corney Bayou:</i>		<i>Bayou D'Arbonne Lake:</i>		OKLAHOMA	
At confluence with Middle Fork Bayou D'Arbonne (located in Union Parish)	*90	At downstream spillway/dam	*90	Lincoln County (Unincorporated Areas) (FEMA Docket No. 7278)	
Approximately 3,400 feet upstream of confluence with Middle Fork Bayou D'Arbonne	*90	At State Routes 15 and 33	*90	<i>West Captain Creek Tributary 1:</i>	
<i>Bayou D'Arbonne Lake Tributary 1:</i>		Maps are available for inspection at the 911 Office, 100 East Bayou, Room 206, Farmerville, Louisiana.		Approximately 8,000 feet upstream of confluence with West Captain Creek	*940
Approximately 5,300 feet downstream of Sterlington Highway	*90	MISSOURI		At Oklahoma—Lincoln County boundary	*950
Approximately 4,350 feet downstream of Sterlington Highway	*90	Foristell (City), St. Charles County (FEMA Docket No. 7278)		<i>Maps are available for inspection at the Lincoln County Commissioners Office, 811 Manvel Avenue, #4, Chandler, Oklahoma.</i>	
Approximately 4,400 feet downstream of Sterlington Highway	*90	<i>Peru Creek:</i>		Newcastle (City), McClain County (FEMA Docket No. 7278)	
<i>Bayou D'Arbonne Lake Tributary 2:</i>		Approximately 10,570 feet (2 miles) downstream of Stringtown Road ¹	*630	<i>Pond Creek:</i>	
Approximately 750 feet downstream of Barrom Road	*90	Approximately 5,250 feet downstream of Stringtown Road ¹	*646	Approximately 1,450 feet upstream from confluence with the Canadian River	*1,131
Approximately 475 feet downstream of Barrom Road	*90	Stringtown Road is located in Warren County (Unincorporated Areas), Missouri.		Approximately 800 feet upstream from confluence with Tributary 1 of Pond Creek	*1,141
Approximately 500 feet downstream of Barrom Road	*90	Maps are available for inspection at the City of Foristell City Hall, 10 Highway T, Foristell, Missouri.		Approximately 100 feet upstream from U.S. Route 62 (Main Street)	*1,182
Maps are available for inspection at 407 South Main Street, Farmerville, Louisiana.		Lee's Summit (City), Cass and Jackson Counties (FEMA Docket No. 7282)		Approximately 5,225 feet upstream from confluence of Tributary 10 of Pond Creek	*1,243
* The shoreline elevation within the Town of Farmerville is now 90 feet NGVD.		<i>Raintree Lake:</i> Just west of Ward Road	*960		
Lincoln Parish (Unincorporated Areas) (FEMA Docket No. 7278)		Maps are available for inspection at the Community Development Office, 207 Southwest Market, Lee's Summit, Missouri.			
<i>Middle Fork Bayou D'Arbonne:</i>					
Approximately 26,000 feet downstream of State Route 823	*96				
Just upstream of U.S. Highway 167	*101				

Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD).
Tributary 4 of Pond Creek:	
At confluence with Pond Creek	*1,148
Approximately 400 feet upstream of Fifth Street	*1,241
Tributary 5.0 of Pond Creek:	
At confluence with Pond Creek	*1,156
Approximately 3,100 feet upstream of confluence with Tributary 5.3 of Pond Creek	*1,244
Tributary 5.1 of Pond Creek:	
At confluence with Tributary 5.0 of Pond Creek	*1,190
Approximately 2,750 feet upstream of State Highway 130 (Fox Lane)	*1,260
Tributary 5.1.1 of Pond Creek:	
At confluence with Tributary 5.1 of Pond Creek	*1,200
Approximately 400 feet upstream from State Highway 130 (Fox Lane)	*1,270
Tributary 5.3 of Pond Creek:	
At confluence with Tributary 5.0 of Pond Creek	*1,237
Approximately 710 feet upstream of South 16th Street	*1,265
Tributary 6.0 of Pond Creek:	
At confluence with Pond Creek	*1,160
Approximately 500 feet upstream of North 16th Street	*1,211
Tributary D of Canadian River:	
At confluence with Canadian River	*1,169
Approximately 50 feet upstream of Northwest 16th Street	*1,315
Tributary D1 of Canadian River:	
At confluence with Tributary D of Canadian River	*1,198
Approximately 150 feet downstream from intersection with Long Drive	*1,206
At intersection with Long Drive	*1,207
Maps are available for inspection at 5 North Main, Newcastle, Oklahoma.	
UTAH	
Santa Clara (City), Washington County (FEMA Docket No. 7282)	
Lava Flow Wash:	
Approximately 1,100 feet downstream of Red Mountain Drive	*2,846
Approximately 5,300 feet upstream of Red Mountain Drive	*2,947
Sand Hollow Wash:	
Approximately 2,200 feet downstream of Pearl Rose Drive (extended)	*2,690
Approximately 2,100 feet upstream of Pearl Rose Drive (extended)	*2,728
Santa Clara River:	
Approximately 7,500 feet downstream of Chapel Street	*2,685
Just upstream of Old Barn Road	*2,789

Source of flooding and location	# Depth in feet above ground. *Elevation in feet (NGVD).
Tuacahn Wash:	
Just upstream of Santa Clara Dike	*2,778
Approximately 7,200 feet upstream of confluence with Lava Flow Wash	*2,934
Maps are available for inspection at the City of Santa Clara City Hall, 2721 Santa Clara Drive, Santa Clara, Utah.	
WASHINGTON	
Bothell (City), King and Snohomish Counties (FEMA Docket No. 7246)	
North Creek:	
At confluence with Sammamish River	*22
At 208th Street Southeast	*123
Maps are available for inspection at the City of Bothell Department of Community Development, 9654 Northeast 182nd Street, Bothell, Washington.	

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: July 20, 1999.

Michael J. Armstrong,

Associate Director for Mitigation.

[FR Doc. 99-19571 Filed 7-29-99; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Matthew B. Miller, P.E., Chief, Hazards Study Branch, Mitigation Directorate, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646-3461, or (email) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the **Federal Register**.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Associate Director, Mitigation Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the