Use; Part 2: Particular Requirements for Timers and Time Switches

- UL 8730–2–8 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically Operated Water Valves
- UL 8730–2–9 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Temperature Sensing Controls
- UL 8730–2–14 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electric Actuators

⁽¹⁾ These standards are approved for equipment or materials intended for use in commercial and industrial power system applications. These standards are not approved for equipment or materials intended for use in installations that are excluded from the provisions of Subpart S in 29 CFR 1910, in particular Section 1910.302(a)(2).

Note.— Testing and certification of gas operated equipment is limited to equipment for use with "liquefied petroleum gas" ("LPG" or "LP-Gas").

The designations and titles of the above test standards were current at the time of the preparation of the notice of the preliminary finding.

Many of the test standards listed above and under the renewal section are approved as American National Standards by the American National Standards Institute (ANSI). However, for convenience in compiling the list, we show the designation of the standards developing organization (e.g., UL 1950) for the standard, as opposed to the ANSI designation (e.g., ANSI/UL 1950). Under our procedures, an NRTL recognized for an ANSI-approved test standard may use either the latest proprietary version of the test standard or the latest ANSI version of that standard, regardless of which version appears in its list of test standards. Contact ANSI or the ANSI web site (www.ansi.org) and click "NSSN" to find out whether or not a standard is currently ANSI-approved.

Conditions

The Canadian Standards Association must also abide by the following conditions of the recognition, in addition to those already required by 29 CFR 1910.7:

OSHA must be allowed access to the CSA facilities and records for purposes of ascertaining continuing compliance with the terms of its recognition and to investigate as OSHA deems necessary;

If CSA has reason to doubt the efficacy of any test standard it is using under this program, it must promptly inform the organization that developed the test standard of this fact and provide that organization with appropriate relevant information upon which its concerns are based;

CSA must not engage in or permit others to engage in any misrepresentation of the scope or conditions of its recognition. As part of this condition, CSA agrees that it will allow no representation that it is either a recognized or an accredited Nationally Recognized Testing Laboratory (NRTL) without clearly indicating the specific equipment or material to which this recognition is tied, or that its recognition is limited to certain products;

CSA must inform OSHA as soon as possible, in writing, of any change of ownership, facilities, or key personnel, and of any major changes in its operations as an NRTL, including details;

CSA will continue to meet all the terms of its recognition and will always comply with all OSHA policies pertaining to this recognition; and

CSA will continue to meet the requirements for recognition in all areas where it has been recognized.

Signed at Washington, D.C. this 15 day of June, 2001.

R. Davis Layne,

Acting Assistant Secretary. [FR Doc. 01–16671 Filed 7–2–01; 8:45 am] BILLING CODE 4510–26–P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket No. NRTL2-93]

Entela, Inc., Renewal of Recognition

AGENCY: Occupational Safety and Health Administration (OSHA), Labor. **ACTION:** Notice.

SUMMARY: This notice announces the Agency's final decision on the application of Entela, Inc., for renewal of its recognition as a Nationally Recognized Testing Laboratory (NRTL) under 29 CFR 1910.7.

EFFECTIVE DATE: This renewal becomes effective on July 3, 2001 and will be valid until July 3, 2006, unless terminated or modified prior to that date, in accordance with 29 CFR 1910.7.

FOR FURTHER INFORMATION CONTACT: Bernard Pasquet, Office of Technical Programs and Coordination Activities, NRTL Program, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW, Room N3653, Washington, D.C. 20210, or phone (202) 693–2110.

SUPPLEMENTARY INFORMATION:

Notice of Final Decision

The Occupational Safety and Health Administration (OSHA) hereby gives notice of the renewal of recognition of Entela, Inc. (ENT), as a Nationally Recognized Testing Laboratory (NRTL). ENT's renewal covers its existing scope of recognition, which may be found in OSHA's informational web page for the NRTL (http://www.osha-slc.gov/dts/ otpca/nrtl/ent.html).

OSHA recognition of an NRTL signifies that the organization has met the legal requirements in Section 1910.7 of Title 29, Code of Federal Regulations (29 CFR 1910.7). Recognition is an acknowledgment that the organization can perform independent safety testing and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. As a result of recognition, employers may use products "properly certified" by the NRTL to meet OSHA standards that require testing and certification.

The Agency processes applications by an NRTL for initial recognition or for expansion or renewal of this recognition following requirements in Appendix A to 29 CFR 1910.7. This appendix requires that the Agency publish two notices in the **Federal Register** in processing an application. In the first notice, OSHA announces the application and provides its preliminary finding, and in the second notice, the Agency provides its final decision on the application. These notices set forth the NRTL's scope of recognition or modifications of that scope.

Entela, Inc., was originally founded in 1974 as a Michigan Corporation specializing in structural steel inspection. In 1981, equipment and personnel were added to initiate an inhouse materials laboratory. This was followed by a formation of certification programs within Entela, Inc. The original company was founded as Entel Engineering Services.

Entela received its recognition as an NRTL on July 26, 1994 (59 FR 37997), for a period of five years ending July 26, 1999. Appendix A to 29 CFR 1910.7 stipulates that the period of recognition of an NRTL is five years and that an NRTL may renew its recognition by applying not less than nine months, nor more than one year, before the expiration date of its current recognition. Entela submitted a request to renew its recognition on August 10, 1998 (see Exhibit 15), within the time allotted, and retains its recognition pending OSHA's final decision in this renewal process.

OSHA published the required notice in the **Federal Register** on March 16, 2001 (66 FR 15288) to announce ENT's renewal request. This notice included a preliminary finding that ENT could meet the requirements in 29 CFR 1910.7 for renewal of its recognition and invited public comment by April 2, 2001. OSHA received no comments concerning this notice.

In processing ENT's request, OSHA performed an on-site review (audit) of ENT's NRTL facilities listed below. NRTL Program assessment staff reviewed information from these reviews and, in a memo dated October 6, 2000 (see Exhibit 20), recommended the renewal of ENT's recognition.

The following is a chronology of the other **Federal Register** notices published by OSHA concerning Entela's recognition, all of which involved an expansion of recognition for additional sites, standards, or programs: a request announced on February 21, 1997 (62 FR 8041) and granted on May 22, 1997 (62 FR 28066); and a request announced on April 17, 1998 (63 FR 19275) and granted on July 10, 1998 (63 FR 37416). OSHA also published a correction of recognition on July 13, 1999 (64 FR 37815).

You may obtain or review copies of all public documents pertaining to the ENT application by contacting the Docket Office, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW, Room N2625, Washington, D.C. 20210. You should refer to Docket No. NRTL2– 93, the permanent record of public information on the ENT recognition.

The current addresses of the ENT testing facilities recognized by OSHA are: Entela, Inc., 3033 Madison, S.E., Grand Rapids, Michigan 49548, Entela Taiwan Laboratories, 3F No. 260 262 Wen, Lin North Road, Pei Tou, Taipei, Taiwan.

Programs and Procedures

The renewal of recognition includes ENT's continued use of the supplemental programs listed below, based upon the criteria detailed in the March 9, 1995 Federal Register notice (60 FR 12980). This notice lists nine (9) programs and procedures (collectively, programs), eight of which (called supplemental programs) an NRTL may use to control and audit, but not actually to generate, the data relied upon for product certification. An NRTL's initial recognition will always include the first or basic program, which requires that all product testing and evaluation be performed in-house by the NRTL that will certify the product. OSHA previously granted ENT recognition to use these programs, which are listed, as shown below, in OSHA's informational web page on the ENT recognition (http://www.oshaslc.gov/dts/otpca/nrtl/ent.html).

- Program 2: Acceptance of testing data from independent organizations, other than NRTLs.
- Program 3: Acceptance of product evaluations from independent organizations, other than NRTLs.
- Program 4: Acceptance of witnessed testing data.
- Program 5: Acceptance of testing data from non-independent organizations.
- Program 6: Acceptance of evaluation data from non-independent organizations (requiring NRTL review prior to marketing).
- Program 7: Acceptance of continued certification following minor modifications by the client.
- Program 8: Acceptance of product evaluations from organizations that function as part of the International Electrotechnical Commission Certification Body (IEC–CB) Scheme.
- Program 9: Acceptance of services other than testing or evaluation performed by subcontractors or agents.

OSHA developed these programs to limit how an NRTL may perform certain aspects of its work and to accept the activities covered under a program only when the NRTL meets certain criteria. In this sense, they are special conditions that the Agency places on an NRTL's recognition. OSHA does not consider these programs in determining whether an NRTL meets the requirements for recognition under 29 CFR 1910.7. However, these programs help to define the scope of that recognition.

Final Decision and Order

The NRTL Program staff has examined the applications, the audit reports, and other pertinent information. Based upon this examination and the assessor's recommendation, OSHA finds that Entela, Inc., has met the requirements of 29 CFR 1910.7 for renewal of its NRTL recognition. The renewal applies to the sites listed above. In addition, it covers the test standards listed below, and it is subject to limitations and conditions, also listed below. Pursuant to the authority in 29 CFR 1910.7, OSHA hereby renews the recognition of ENT, subject to these limitations and conditions.

Limitations; Renewal of Recognition of Facilities

OSHA limits the renewal of recognition of ENT to the 2 sites listed above. In addition, similar to other NRTLs that operate multiple sites, the Agency's recognition of any ENT testing site is limited to performing testing to the test standards for which OSHA has recognized ENT, and for which the site has the proper capability and control programs.

The following limitations currently apply to the recognition of the Taiwan facility, and continue to apply for the renewal:

a. The Taiwan facility shall be limited to carrying out minor mechanical and electrical testing of instruments and small appliances.

b. Performance of inspections shall be limited to Entela personnel.

Renewal of Recognition of Test Standards

OSHA further limits the renewal of recognition of ENT to testing and certification of products to demonstrate conformance to the test standards listed below (see Listing of Test Standards). OSHA has determined that each test standard meets the requirements for an appropriate test standard, within the meaning of 29 CFR 1910.7(c). Some of the test standards for which OSHA previously recognized ENT were no longer appropriate at the time of preparation of the preliminary notice, primarily because they had been withdrawn by the standards developing organization. As a result, we have excluded these test standards in the listing below. However, under OSHA policy, the NRTL may request recognition for comparable test standards, i.e., other appropriate test standards covering similar type of product testing. Since a number of NRTLs are affected by such withdrawn standards, OSHA will publish a separate notice to make the appropriate substitutions for ENT and other NRTLs that were recognized for these standards. The Agency has contacted these NRTLs regarding this matter.

This current notice includes all of OSHA's current limitations on ENT with regard to the standards listed below. These limitations appear at the end of the list of standards, and standards to which a specific limitation applies are denoted by the use of asterisks.

The Agency's recognition of ENT, or any other NRTL, for a particular test standard is always limited to equipment or materials (products) for which OSHA standards require third party testing and certification before use in the workplace. An NRTL's scope of recognition excludes any product(s) falling within the scope of the test standard for which OSHA has no testing and certification requirements. Listing of Test Standards UL 22 Amusement and Gaming Machines UL 45 Portable Electric Tools UL 48 Electric Signs UL 50 Electric Cabinets and Boxes UL 67 Electric Panelboards UL 73 Motor-Operated Appliances UL 82 Electric Gardening Appliances

- UL 94 Tests for Flammability of Plastic Materials for Parts in Devices and Appliances*
- UL 98 Enclosed and Dead-Front Switches
- UL 122 Photographic Equipment
- UL 130 Electric Heating Pads
- UL 141 Garment Finishing Appliances
- UL 153 Portable Electric Lamps
- UL 174 Household Electric Storage-Tank Water Heaters
- UL 187 X-Ray Equipment
- UL 197 Commercial Electric Cooking Appliances
- UL 213 Rubber Gasketed Fittings for Fire Protection Service
- UL 244A Solid State Controls for Appliances
- UL 250 Household Refrigerators and Freezers
- UL 298 Portable Electric Hand Lamps
- UL 325 Door, Drapery, Louver, and Window Operators and Systems
- UL 353 Limit Controls
- UL 355 Cord Reels
- UL 429 Electrically Operated Valves
- UL 467 Grounding and Bonding Equipment
- UL 469 Musical Instruments and Accessories
- UL 471 Commercial Refrigerators and Freezers
- UL 482 Portable Sun/Heat Lamps
- UL 484 Room Air Conditioners
- UL 496 Edison-Base Lampholders
- UL 499 Electric Heating Appliances
- UL 506 Specialty Transformers
- UL 507 Electric Fans
- UL 508 Electric Industrial Control Equipment**
- UL 541 Refrigerated Vending Machines
- UL 542 Lampholders, Starters, and Starter Holders for Fluorescent Lamps
- UL 544 Electric Medical and Dental Equipment
- UL 563 Ice Makers
- UL 609 Local Burglar-Alarm Units and Systems
- UL 696 Electric Toys
- UL 745–1 Portable Electric Tools
- UL 745-2-1 Drills
- UL 745–2–2 Screwdrivers and Impact Wrenches
- UL 745–2–3 Grinders, Polishers and Disk-type Sanders
- UL 745-2-4 Sanders
- UL 745–2–5 Circular Saws and Circular Knives

- UL 745–2–6 Hammers UL 745–2–8 Shears and Nibblers
- UL 745–2–9 Tappers
- UL 745-2-11 Reciprocating Saws
- UL 745–2–12 Concrete Vibrators
- UL 745–2–14 Planers
- UL 745–2–17 Routers and Trimmers
- UL 745-2-30 Staplers
- UL 745–2–31 Diamond Core Drills
- UL 745–2–32 Magnetic Drill Press UL 745–2–33 Portable Bandsaws
- UL 745–2–34 Strapping Tools
- UL 745–2–35 Drain Cleaners
- UL 745–2–36 Hand Motor Tools
- UL 745–2–37 Plate Joiners
- UL 749 Household Dishwashers
- UL 751 Vending Machines
- UL 756 Coin and Currency Changers and Actuators
- UL 763 Motor Operated Commercial Food Preparing Machines
- UL 778 Motor-Operated Water Pumps
- UL 796 Printed-Ŵiring Boards
- UL 813 Commercial Audio Equipment
- UL 817 Cord Sets & Power-Supply
- Cords
- UL 826 Household Electric Clocks
- UL 858 Household Electric Ranges
- UL 859 Household Electric Personal
- Grooming Appliances UL 863 Time-Indicating and Recording
- Appliance UL 867 Electrostatic Air Cleaners
- UL 869A Reference Standard for
- Service Equipment
- UL 873 Temperature-Indicating and Regulating Equipment
- UL 916 Energy Management Equipment
- UL 917 Clock Operated Switches
- UL 921 Commercial Electric Dishwashers
- UL 923 Microwave Cooking Appliances
- UL 924 Emergency Lighting and Power Equipment
- UL 935 Fluorescent-Lamp Ballasts
- UL 961 Electric Hobby and Sports Equipment
- UL 969 Marking and Labeling Systems
- UL 982 Motor Operated Household Food Preparing Machines
- UL 984 Hermetic Refrigerant Motor-Compressors
- UL 987 Stationary and Fixed Electric Tools
- UL 998 Humidifiers
- UL 1004 Electric Motors * * *
- UL 1005 Electric Flatirons
- UL 1008 Transfer Switch Equipment
- UL 1012 Power Units Other Than Class 2
- UL 1018 Electric Aquarium Equipment
- UL 1026 Electric Household Cooking
- and Food-Serving Equipment UL 1028 Hair Clipping and Shaving
- Appliances
- UL 1029 High-Intensity Discharge Lamp Ballasts

- UL 1042 Electric Baseboard Heating Equipment UL 1069 Hospital Signaling and Nurse-Call System
- UL 1082 Household Electric Coffee Makers and Brewing-Type Appliances
- UL 1083 Household Electric Skillets and Frying Type Appliances
- UL 1086 Household Trash Compactors

UL 1236 Battery Chargers For Charging

- UL 1088 Temporary Lighting Strings
- UL 1206 Electric Commercial Clothes

UL 1230 Amateur Movie Lights

UL 1244 Electrical and Electronic

UL 1261 Electric Water Heaters for

UL 1262 Laboratory Equipment

High-Voltage Video Products

Message Type Electric Signs

UL 1418 Cathode-Ray Tubes

Systems, and Accessories

UL 1286 Office Furnishings

Measuring and Testing Equipment

Radio Receivers, Audio

Television Receivers and

Electric Water Bed Heaters

Electric Lawn Mowers

Telephone Equipment

Electric Hedge Trimmers

Audio-Video Products &

Incandescent Lighting

UL 1572 High Intensity Discharge

Industrial Battery Chargers

Stage and Studio Lighting

Sewing and Cutting Machines

Visual Signaling Appliances

Motor-Operated Massage and

Track Lighting Systems

Class 2 and Class 3

UL 1727 Commercial Electric Personal

UL 1838 Low Voltage Landscape

UL 1950 Information Technology

Equipment Including Electrical

UL 1993 Self-Ballasted Lamps and

UL 2044 Commercial Closed Circuit

UL 2157 Electric Clothes Washing

UL 2161 Neon Transformers and

Fluorescent Lighting Fixtures

Solid-State Dimming Controls

Class 2 Power Units

UL 1431 Personal Hygiene and Health

UL 1433 Control Centers for Changing

Washing Machines

Pools and Tubs

Care Appliances

UL 1270

UL 1310

UL 1410

UL 1445

UL 1447

UL 1448

UL 1459

UL 1472

UL 1492

UL 1564

UL 1570

UL 1571

UL 1573

Units

UL 1574

UL 1585

UL 1594

UL 1638

UL 1647

Fixtures

Lighting Fixtures

Transformers

Exercise Machines

UL 1786 Nightlights

Lighting Systems

Lamp Adapters

Power Supplies

Business Equipment

Television Equipment

Machines and Extractors

Grooming Appliances

Accessories

Engine-Starter Batteries

- UL 2601–1 Medical Electrical Equipment, Part 1: General Requirements for Safety
- UL 3044 Surveillance Closed Circuit Television Equipment
- UL 3101–1 Electric Equipment for Laboratory Use, Part 1, General
- UL 3111–1 Electrical Measuring and Test Equipment, Part 1: General
- UL 6500 Audio/Video and Musical Instrument Apparatus for Household, Commercial, and Similar General Use
- UL 8730–1 Electrical Controls for Household and Similar Use; Part 1: General Requirements
- UL 8730–2–3 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Thermal Motor Protectors for Ballasts for TubuLar Fluorescent Lamps
- UL 8730–2–4 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Thermal Motor Protectors for Motor Compressors or Hermetic and Semi-Hermetic Type
- UL 8730–2–8 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically Operated Water Valves

- **Limited to equipment of no greater than 500 amperes.
- ***Limited to motors rated no greater than one-half horsepower.

Note: Testing and certification of gas operated equipment is limited to equipment for use with "liquefied petroleum gas" ("LPG" or "LP-Gas").

The designations and titles of the above test standards were current at the time of the preparation of the notice of the preliminary finding.

Many of the test standards listed above are approved as American National Standards by the American National Standards Institute (ANSI). However, for convenience in compiling the list, we show the designation of the standards developing organization (e.g., UL 1950) for the standard, as opposed to the ANSI designation (e.g., ANSI/UL 1950). Under our procedures, an NRTL recognized for an ANSI-approved test standard may use either the latest proprietary version of the test standard or the latest ANSI version of that standard, regardless of which version appears in its list of test standards. Contact ANSI or the ANSI web site (www.ansi.org) and click "NSSN" to find out whether or not a standard is currently ANSI-approved.

None of the above standards had been withdrawn by the standards developing organization (SDO) at the time of the preparation of the notice of preliminary finding.

Conditions

Entela, Inc. must also abide by the following conditions of the recognition, in addition to those already required by 29 CFR 1910.7:

OSHA must be allowed access to the ENT facilities and records for purposes of ascertaining continuing compliance with the terms of its recognition and to investigate as OSHA deems necessary;

If ENT has reason to doubt the efficacy of any test standard it is using under this program, it must promptly inform the organization that developed the test standard of this fact and provide that organization with appropriate relevant information upon which its concerns are based;

ENT must not engage in or permit others to engage in any misrepresentation of the scope or conditions of its recognition. As part of this condition, ENT agrees that it will allow no representation that it is either a recognized or an accredited Nationally Recognized Testing Laboratory (NRTL) without clearly indicating the specific equipment or material to which this recognition is tied, or that its recognition is limited to certain products;

ENT must inform OSHA as soon as possible, in writing, of any change of ownership, facilities, or key personnel, and of any major changes in its operations as an NRTL, including details;

ENT will continue to meet all the terms of its recognition and will always comply with all OSHA policies pertaining to this recognition; and

ENT will continue to meet the requirements for recognition in all areas where it has been recognized.

Signed at Washington, D.C. this 15 day of June, 2001.

R. Davis Layne,

Acting Assistant Secretary.

[FR Doc. 01–16670 Filed 7–2–01; 8:45 am] BILLING CODE 4510–26–P

THE NATIONAL FOUNDATION ON THE ARTS AND THE HUMANITIES

Meetings of Humanities Panel

AGENCY: The National Endowment for the Humanities.

ACTION: Notice of Meetings.

SUMMARY: Pursuant to the provisions of the Federal Advisory Committee Act (Public Law 92–463, as amended), notice is hereby given that the following meetings of the Humanities Panel will be held at the Old Post Office, 1100 Pennsylvania Avenue, NW., Washington, DC 20506.

FOR FURTHER INFORMATION CONTACT:

Laura S. Nelson, Advisory Committee Management Officer, National Endowment for the Humanities, Washington, DC 20506; telephone (202) 606–8322. Hearing-impaired individuals are advised that information on this matter may be obtained by contacting the Endowment's TDD terminal on (202) 606–8282.

SUPPLEMENTARY INFORMATION: The proposed meetings are for the purpose of panel review, discussion, evaluation and recommendation on applications for financial assistance under the National Foundation on the Arts and the Humanities Act of 1965, as amended, including discussion of information given in confidence to the agency by the grant applicants. Because the proposed meetings will consider information that is likely to disclose trade secrets and commercial or financial information obtained from a person and privileged or confidential and/or information of a personal nature the disclosure of which would constitute a clearly unwarranted invasion of personal privacy, pursuant to authority granted me by the Chairman's Delegation of Authority to Close Advisory Committee meetings, dated July 19, 1993, I have determined that these meetings will be closed to the public pursuant to subsections (c) (4), and (6) of section 552b of Title 5, United States Code.

1. Date: July 10, 2001.

Time: 8:30 a.m. to 6:00 p.m.

Room: 415.

Program: This meeting will review applications for Colleges, Universities, Other Educational Organizations I, submitted to the Office of Challenge Grants at the May 1, 2001 deadline.

2. *Date:* July 17, 2001.

Time: 8:30 a.m. to 6:00 p.m. *Room:* 420.

R00111: 420.

Program: This meeting will review applications for History Museums, Historical Societies, Historic Sites, submitted to the Office of Challenge Grants at the May 1, 2001 deadline.

3. *Date:* July 17, 2001.

Time: 8:30 a.m. to 5:00 p.m. *Room:* 315.

Program: This meeting will review

applications for American History, submitted to the Division of Research Programs at the May 1, 2001 deadline.

4. *Date:* July 18, 2001.

Time: 8:30 a.m. to 5:00 p.m.

Room: 315.

Program: This meeting will review applications for History of Science and Medicine, submitted to the Division of Research Programs at the May 1, 2001 deadline.

^{*}Exclusive of radiant panel testing.