#Depth in feet above ground. *Elevation in feet Source of flooding and location (NGVD) Elevation in feet (NAVD) At upstream corporate lim-*535 **Scioto County** (Unincorporated Áreas) Maps available for inspection at the Scioto County Courthouse, 602 7th Street, Room 1, Portsmouth, Ohio. Village of Rarden Maps available for inspection at the Rarden City Hall, 1400 Main Street, Rarden, Ohio. City of Portsmouth Maps available for inspection at the Portsmouth Municipal Building, 728 2nd Street, Portsmouth, Ohio. **VIRGINIA** Southampton County Unincorporated Areas) (FEMA Docket No. D-**7520)** Southampton County (Unincorporated Areas) Blackwater River: At the confluence with Chowan River . *14 Approximately 6,700 feet upstream of State Route 620 (Broadwater Road) *36 Southampton County (Unincorporated Areas), Town of Courtland Nottoway River: At the confluence with *14 Chowan River Approximately 2,400 feet upstream of Norfolk Franklin & Danville Rail-*27 road Southampton County (Unincorporated Areas) Maps available for inspection at the Southampton County Administrator's Office, 26022 Administration Center Drive, Courtland, Virginia. Town of Courtland Maps available for inspection at the Courtland Town Office, 22219 Meherrin

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: May 15, 2002.

Road, Courtland, Virginia.

Robert F. Shea,

Acting Administrator, Federal Insurance and Mitigation Administration.

[FR Doc. 02–12654 Filed 5–20–02; 8:45 am]

BILLING CODE 6718-04-P

FEDERAL EMERGENCY MANAGEMENT AGENCY

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Final rule.

SUMMARY: Base (1% annual chance) flood elevations and modified base flood elevations are made final for the communities listed below. The base flood elevations and modified base flood elevations are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing base flood elevations and modified base flood elevations for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT:

Matthew B. Miller, P.E., Chief, Hazards Study Branch, Federal Insurance and Mitigation Administration, Federal Emergency Management Agency, 500 C Street SW., Washington, DC 20472, (202) 646–3461, or (e-mail) matt.miller@fema.gov.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency (FEMA or Agency) makes final determinations listed below of base flood elevations and modified base flood elevations for each community listed. The proposed base flood elevations and proposed modified base flood elevations were published in newspapers of local circulation and an opportunity for the community or individuals to appeal the proposed determinations to or through the community was provided for a period of ninety (90) days. The proposed base flood elevations and proposed modified base flood elevations were also published in the Federal Register.

This final rule is issued in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and Flood Insurance Rate Map available at the address cited below for each community.

The base flood elevations and modified base flood elevations are made final in the communities listed below. Elevations at selected locations in each community are shown.

National Environmental Policy Act

This rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act

The Acting Executive Associate Director, Mitigation Directorate, certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because final or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

Regulatory Classification

This final rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism

This rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform

This rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

§ 67.11 [Amended]			#Depth in feet		#Depth in feet
2. The tables published under the authority of § 67.11 are amended as follows:		Source of flooding and location	above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)	Source of flooding and location	above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)
Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)	Approximately 500 feet east of the intersection of Delwood Beach Road and Delwood Drive Approximately 500 feet west of the intersection	*12	West side of U.S. Route 98 (Tyndall Parkway) at Pitts Bayou Crossing Maps available for inspec- tion at the Department of Public Works, 324 South	*8
CONNECTICUT		of Sabre Drive and Delta Avenue	*8	Berthe Avenue, Callaway, Florida.	
Cheshire (Town), New Haven (FEMA Docket No. D-7512) Judd Brook:		North Bay: Approximately 500 feet west of the intersection of 27th Street and Mound Avenue	*11	Lynn Haven (City), Bay County (FEMA Docket No. D-7524)	
At West Johnson Avenue Approximately 600 feet upstream of Interstate 84	*137	Approximately 750 feet north of the intersection of North Shore Road and Goose Bayou Road	*7	North Bay: At the intersection of West 19th Street and Mary- land Avenue	*7
Maps available for inspection at the Town Planning Department, Town Hall,	140	Callaway Creek: At State Route 22 Approximately 0.8 mile up-	*7	Shoreline at Little Oyster Bar Point At intersection of New Jer-	*11
84 South Main Street, Cheshire, Connecticut.		stream of State Route 22 Callaway Bayou: Approximately 200 feet	*7	sey Avenue and 11th Street	*7
Southington (Town), Hart- ford County (FEMA Docket No. D-7512)		south of intersection of Colonial Road and Coloridge Drive	*7	tion at the Lynn Haven City Hall, 825 Ohio Ave- nue, Lynn Haven, Florida.	
Judd Brook: Approximately 75 feet upstream of corporate limits	*139	Approximately 1,600 feet south of intersection of Colonial Road and Coleridge Drive	*10	Martin County (Unincorporated Areas) (FEMA Docket No. D-7514)	
At confluence of East Branch Judd Brook and Humiston Brook: Humiston Brook: At confluence of Judd	*144	Approximately 200 feet southwest of intersection of Cherry Street and Everitt Avenue	*8	Bessey Creek: Approximately 1,100 feet downstream of Andrews Drive	*8 *26
Brook and East Branch Judd Brook Approximately 50 feet downstream of Marion	*144	St. Andrew Sound: Approximately 4,000 feet south of intersection of Interstate 98 and		Danforth Creek: At Martin Downs Boule- vard	*8
Avenue East Branch Judd Brook: At confluence of Judd	*166	Unnamed Road	*11	Approximately 1,600 feet upstream of State Route 76A	*23
Brook and Humiston Brook Approximately 1,940 feet upstream of Marion Av-	*144	Unnamed Road	*13	Approximately 2.1 miles upstream of State Route 76	*8
enue Maps available for inspection at the Planning and Zoning Department, 75	*185	640 Mulberry Avenue, Panama City, Florida.		Approximately 4.9 miles upstream of State Route 76	*10
Main Štreet, Southington, Connecticut.		Callaway (City), Bay County (FEMA Docket No. D-7524)		Approximately 700 feet downstream of Buckskin Trail Approximately 0.78 miles	*8
FLORIDA		East Bay: Approximately 0.7 mile east of the intersection		upstream of State Route	*19
Bay County (Unincorporated Areas) (FEMA Docket No. D-7514)		of South Berthe Avenue and Wallace Road Approximately 1,000 feet	*11	Manatee Creek: State Route A1A Approximately 1,800 feet	*9
Gulf of Mexico: Approximately 500 feet southwest of the inter- section of Paridiso		southeast of intersection of South Berthe Avenue and Wallace Road Callaway Bayou:	*7	upstream of Twin Lakes Drive East Fork Creek:	*15
Place and Miracle Strip Parkway Approximately 1,100 feet southwest of Salt Creek	*16	Approximately 0.7 mile east of the intersection of South Berthe Avenue	*44	Approximaely 400 feet up- stream of Cove Road Approximately 100 feet upstream of Mariner	*9
crossing of U.S. Route 98 East Bay:	*8	and Wallace Road Approximately 500 feet southeast of intersection of Winonast and Beulah	*11	Sands Drive	*15
At Farndale Bayou shore- line crossing of Tyndall County Line Road Approximately 500 feet	*6	Avenue Callaway Creek: At State Route 22	*7 *7	east of the intersection of A1A and 42nd Street Approximately 1.1 miles northeast of intersection	*14
west of the Hamilton Road extended	*10	Approximately 0.6 mile upstream of State Route 22 Pitts Bayou:	*7	of Golfhouse Drive and Hill Terrace	*6

Source of flooding and location *Bevation in feet (NGVD) • Elevation in feet (NAVD) Maps available for inspection at the Martin County Engineer's Office, 2401 South East Monterey Road, Stuart, Florida. Mexico Beach (City). Bay County (FEMA Docket No. D-7524) Gulf of Mexico: At the intersection of 38th Street and 36th Street Approximately 175 feet Approximately 175 feet *8 Source of flooding and location *Elevation in feet (NGVD) • Elevation in feet (NAVD) At State Route 254 Chattahoochee River: Approximately 1.7 miles downstream of State Route 75 Approximately 300 feet east of the intersection of Bay Avenue and Oak Shore Drive St. Andrew Bay: Approximately 175 feet *8 Approximately 175 feet Approximately 175 feet *8 Approximately 800 feet Approximately 175 feet	#Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD) *1,317
tion at the Martin County Engineer's Office, 2401 South East Monterey Road, Stuart, Florida. Mexico Beach (City). Bay County (FEMA Docket No. D-7524) Gulf of Mexico: At the intersection of 38th Street and 36th Street Approximately 1.75 feet *8 (FEMA Docket No. D-7514) East Bay: Approximately 2,500 feet southeast of the inter- section of Fleming Street and Interstate 98 Approximately 300 feet east of the intersection of Bay Avenue and Oak Shore Drive Approximately 1.75 feet *8 Chattahoochee River: Approximately 1.7 miles downstream of State Route 75 Maps available for inspection at the White County Planning Commission Director's Office, 59 South Main Street, Cleveland,	*1,317
Mexico Beach (City). Bay County (FEMA Docket No. D-7524) Gulf of Mexico: At the intersection of 38th Street and 36th Street Approximately 175 feet Street and Interstate 98 Approximately 300 feet east of the intersection of Bay Avenue and Oak Shore Drive	*1,390
At the intersection of 38th Street and 36th Street Approximately 175 feet *8 Shoré Drive	*1,394
south of the intersection Sunset Drive and Cedar	
of 16th Street and U.S. Highway 98	
Maps available for inspection at the Mexico Beach City Hall, 118 North 14th Street, Mexico Beach, Florida. *8 *8 Orrington (Town), Penobscot County (FEMA Docket No. D-7522) Parker, Florida. *8 Orrington (Town), Penobscot County (FEMA Docket No. D-7522) Sedgeunkedunk Stream:	
Panama City (City). Bay County (FEMA Docket No. D-7514) Springfield (City), Bay County (FEMA Docket No. D-7514) A point approximately 100 feet downstream of Orrington corporate limits	*42
Watson Bayou: Approximately 300 feet West of the intersection of Harris Avenue and Watson Bayou Tributary: Approximately 300 feet South of the intersection of East 2nd St and A point approximately 420 feet upstream of Fields Pond Road bridge Penobscot River:	*102
11th Street	*11 *16
and Texas Street *11 Street, Springfield, Florida. St. Andrew Bay: Approximately 400 feet Street, Springfield, Florida. GEORGIA Brewer Lake: Entire shoreline within community	*112
north of the intersection of Allen Avenue and Linda Avenue	
of Fairland Avenue and Beach Drive	
North Bay: Approximately 100 feet west of the intersection of Frankfort Avenue and fluence with Chattahoo-chee River	
Calhoun Avenue	
section of Halbor Flace and Harbor Road Maps available for inspection at the City Hall, City fluence with Chattahoo-chee River	*9 *9
rison Avenue, Panama City, Florida. ers Road	*9
Panama City Beach (City), Bay County (FEMA Docket No. D- 7514) Brasstown Creek Approximately 1.3 miles upstream of the con- fluence with Brasstown *1,322 Maps available for inspection at the Malden Engineering Office, Malden	*9
Gulf of Mexico: Approximately 400 feet west of the intersection of Crane Street and Mir- Approximately 400 feet was to fine intersection of Crane Street and Mir- Approximately 400 feet Brasstown Creek Tributary No. 2: At the confluence with City Hall, 200 Pleasant Street, Malden, Massachusetts.	
acle Strip Parkway Approximately 200 feet west of the intersection of Habanero Avenue *16 Brasstown Creek Approximately 0.9 mile upstream of the confluence with Brasstown *1,341 County (FEMA Docket No. D-7516)	
and Lullwater Drive East Maps available for inspection at the Panama City Beach City Hall, 110 South Arnold Road, Panama City Beach, Florida *8 Creek	*9

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)
Approximately 180 feet south of the intersection of Lynn Street and Adamski Memorial Highway	*9	Maps available for inspection at the Corning Code Enforcement Office, 7 Nasser Civic Center, Corning, New York. Corning (Town), Steuben County (FEMA Docket		A point approximately 1.19 miles upstream of Main Street	*1,003
way, Revere, Massachusetts.		No. D-7506) Post Creek: Approximately 150 feet		Lockport (Town), Niagara County (FEMA Docket No. D-7516)	
MISSISSIPPI		downstream of down-	*956	Eighteen Mile Creek:	
Gulfport (City), Harrison		stream corporate limits Approximately 1,850 feet	956	At downstream corporate limits	*356
County (FEMA Docket No. D-7524) Flat Branch:		upstream of down- stream corporate limits Maps available for inspec- tion at the Corning Town	*967	Approximately 130 feet upstream of Stone Road East Tributary to Eighteen Mile Creek:	*365
Approximately 525 feet upstream of Dedeaux Road	*20	Hall, 20 South Maple Street, Corning, New York.		At downstream corporate limits	*360
Highway 49 Maps available for inspection at the Gulfport City Hall, 2309 15th Street,	*50	Hamilton (Town), Madi- son County (FEMA Docket No. D-7504)		stream of State Route 104 West Tributary to Eighteen Mile Creek:	*363
Gulfport, Mississippi.		Sangerfield River: From downstream cor-		At confluence with Eight- een Mile Creek	*359
NEW JERSEY		porate limits Approximately 150 feet upstream of upstream	*1,075	At Lockport town line East Branch to Eighteen Mile Creek:	*384
Watchung (Borough), Somerset County (FEMA Docket No. D- 7255)		corporate limits	*1,186	At downstream corporate limits	*357
Stony Brook:		Hamilton, New York.		corporate limits	*375
Approximately 40 feet downstream of Johnston Drive	*115	Hamilton (Village), Madi- son County (FEMA		At Niagara Street Just downstream of Upper	*472
Approximately 150 feet upstream of Somerset Street	*187	Docket No. D–7516) Canal Tributary: At confluence with Payne		Mountain Road	*584
East Branch Stony Brook: Approximately 675 feet downstream of Valley		At the upstream corporate limits	*1,110 *1,116	Branch Approximately 2,250 feet upstream of confluence	*497
Drive Approximately 20 feet downstream of Mead-	*213	Payne Brook: Approximately 1,360 feet downstream of College Street	*1,101	with Gulf Branch Tonawanda Creek: Approximately 1 mile up-	*514
owlark Drive	*237	At upstream corporate limits	*1,125	stream of Rapids Road At upstream corporate limits	*591 *591
At Raymond Avenue Approximately 1,650 feet upstream of Apple Tree	*128	Payne Brook Tributary: At the confluence with	*1,104	Donner Creek: At the downstream cor-	391
Road	*405	Payne Brook Approximately 80 feet upstream of Eaton Street Maps available for inspec-	*1,119	porate limits Approximately 1,660 feet upstream of Hamm	*606
ough Hall, 15 Mountain Boulevard, Watchung, New Jersey.		tion at the Hamilton Village Hall, 3 Broad Street, Hamilton, New York.		Road	*618
NEW YORK		Lisle (Town), Broome County (FEMA Docket		Lockport, New York.	
Corning (City), Steuben County (FEMA Docket No. D-7516)		No. D-7514) Dudley Creek: Approximately 650 feet downstream of Owen		Tusten (Town), Sullivan County (FEMA Docket No. D-7514) Delaware River:	
Post Creek: Approximately 0.52 mile upstream of the con- fluence with Chemung	*024	Hill Road	*1,044 *1,097	At the downstream corporate limits	*629
River	*924 *958	Dudley Creek	*1,075 *1,106	CONRAIL bridge Maps available for inspection at the Tusten Town Hall, 210 Bridge Street,	*665
	. 550	downstream of Main Street	*979	Narrowsburg, New York.	

Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)	Source of flooding and location	#Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)	Source of flooding and location #Depth in feet above ground. *Elevation in feet (NGVD) • Elevation in feet (NAVD)	
VIRGINIA		Isle of Wight County (Un-		Maps available for inspec-	
Franklin (City), Independent City (FEMA		incorporated Areas) (FEMA Docket No. D– 7514)		tion at the Bay City Village Hall, W6371 Main Street, Bay City, Wisconsin.	
Docket No. D-7514) Blackwater River: At downstream corporate limits	*17 *22	Blackwater River: Approximately 3.7 miles downstream of CSX Transportation Approximately 1.3 miles upstream of Broadwater Road (State Route 629) Maps available for inspection at the Isle of Wight Planning and Zoning Department, 17140 Monu-	*16 *36	Chippewa Falls (City), Chippewa County (FEMA Docket No. D– 7516)	
At upstream corporate limits				Duncan Creek: Upstream side of Bridge Street** Approximately 0.72 mile upstream of Glen Loch	
Suffolk (City), Independent City (FEMA Docket No. D-7514)		ment Circle, Suite 201, Isle of Wight, Virginia.		Maps available for inspection at the Chippewa Falls City Hall, 30 West Central	
Blackwater River: At downstream corporate limits	*15	Bay City (Village), Pierce County (FEMA Docket		Street, Chippewa Falls, Wisconsin.	
At upstream corporate limits	*16	No. D-7516) Mississippi River (Lake		(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")	
Maps available for inspec- tion at the Suffolk City Manager's Office, 441 Market Street, Suffolk, Vir- ginia.			Pepin): Entire shoreline within community	*682	Dated: May 15, 2002. Robert F. Shea, Acting Administrator, Federal Insurance and
	J I	downstream of CSX Transportation Approximately 900 feet	*683	Mitigation Administration. [FR Doc. 02–12653 Filed 5–20–02; 8:45 am]	
		upstream of Great River	*690	BILLING CODE 6718-04-P	