

DEPARTMENT OF LABOR**Occupational Safety and Health Administration****[Docket No. NRTL1-89]****Intertek Testing Services NA, Inc.,
Expansion of Recognition****AGENCY:** Occupational Safety and Health Administration (OSHA), Labor.**ACTION:** Notice.

SUMMARY: This notice announces the Agency's final decision to approve an expansion of its recognition of Intertek Testing Services NA, Inc., (ITSNA) as a Nationally Recognized Testing Laboratory (NRTL) to include an additional 46 test standards. ITSNA is also approved to use one other test standard, ANSI/BHMA A156.3 Exit Devices, on an interim basis, subject to review.

DATES: *Recognition:* This recognition becomes effective on November 4, 2003 and, unless modified in accordance with 29 CFR 1910.7, continues in effect while ITSNA remains recognized by OSHA as an NRTL. *Comments on Interim Approval:* Comments on the interim approval for test standard ANSI/BHMA A156.3 Exit Devices must be received no later than November 19, 2003.

ADDRESSES: Submit comments on the interim approval for test standard ANSI/BHMA A156.3 Exit Devices to: the OSHA Docket Office, Docket NRTL1-89, Room N-2625, U.S. Department of Labor, Occupational Safety and Health Administration, 200 Constitution Avenue, NW., Washington DC, 20210.

FOR FURTHER INFORMATION CONTACT: Bernard Pasquet or Roy Resnick, Office of Technical Programs and Coordination Activities, NRTL Program, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue NW., Room N3653, Washington DC 20210, or phone (202) 693-2110.

SUPPLEMENTARY INFORMATION:**Notice of Final Decision**

The Occupational Safety and Health Administration (OSHA) hereby gives notice of the expansion of recognition of Intertek Testing Services NA, Inc., (ITSNA) as a Nationally Recognized Testing Laboratory (NRTL). ITSNA's expansion covers the use of additional test standards. OSHA's current scope of recognition for ITSNA may be found in the following informational Web page: <http://www.osha-slc.gov/dts/otpcanrtl/its.html>.

OSHA recognition of an NRTL signifies that the organization has met

the legal requirements in § 1910.7 of title 29, Code of Federal Regulations (29 CFR 1910.7). Recognition is an acknowledgment that the organization can perform independent safety testing and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. As a result of recognition, employers may use products "properly certified" by the NRTL to meet OSHA standards that require testing and certification.

The Agency processes applications by an NRTL for initial recognition or for expansion or renewal of this recognition following requirements in appendix A to 29 CFR 1910.7. This appendix requires that the Agency publish two notices in the **Federal Register** in processing an application. In the first notice, OSHA announces the application and provides its preliminary finding and, in the second notice, the Agency provides its final decision on the application. These notices set forth the NRTL's scope of recognition or modifications of that scope.

ITSNA submitted an application, dated June 3, 2002 (see Exhibit 43), to expand its recognition to use 141 additional test standards. The NRTL Program staff determined that 94 of the 141 test standards cannot be included in the expansion because they either are not "appropriate test standards," within the meaning of 29 CFR 1910.7(c), or are already included in ITSNA's scope. The staff makes similar determinations in processing expansion requests from any NRTL. Therefore, OSHA approves 47 test standards for the expansion, which are listed below. However, one of these standards was inadvertently excluded from the listing published in the preliminary notice. Therefore, only 46 standards were listed even though the notice showed the total was 47. We are including this standard in the expansion as explained below under Interim Approval Subject to Review.

In connection with ITSNA's expansion request, OSHA did not perform an on-site review (evaluation) of ITSNA. However, an OSHA NRTL Program assessor reviewed information pertinent to this request and recommended that ITSNA be granted the expansion (see Exhibit 45). OSHA delayed processing of this request, in part, through no fault of the NRTL.

OSHA published the notice of its preliminary findings on the expansion request in the **Federal Register** on June 20, 2003 (68 FR 37026). The notice requested submission of any public comments by July 7, 2003. OSHA did not receive any comments pertaining to the application.

The previous notices published by OSHA for ITSNA's recognition covered another expansion of recognition, which became effective on March 25, 2003 (68 FR 14430).

You may obtain or review copies of all public documents pertaining to the ITSNA application by contacting the Docket Office, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue NW., Room N2625, Washington, DC 20210. You should refer to Docket No. NRTL1-89, the permanent record of public information on ITSNA's recognition.

The current addresses of the ITSNA facilities already recognized by OSHA are:

ITSNA Atlanta, 1950 Evergreen Blvd., Suite 100, Duluth, Georgia 30096
ITSNA Boxborough, 70 Codman Hill Road, Boxborough, Massachusetts 01719
ITSNA Cortland, 3933 U.S. Route 11, Cortland, New York 13045
ITSNA Lexington, 731 Enterprise Drive, Lexington, Kentucky 40510
ITSNA Los Angeles, 27611 LaPaz Road, Suite C, Laguna Niguel, California 92677
ITSNA Madison, 8431 Murphy Drive, Middleton, Wisconsin 53562
ITSNA Minneapolis, 7250 Hudson Blvd., Suite 100, Oakdale, Minnesota 55128
ITSNA San Francisco, 1365 Adams Court, Menlo Park, CA 94025
ITSNA Sweden AB, Box 1103, S-164 #22, Kista, Stockholm, Sweden
ITSNA Totowa, 40 Commerce Way, Unit B, Totowa, New Jersey 07512
ITSNA Vancouver, 211 Schoolhouse Street, Coquitlam, British Columbia, V3K 4X9 Canada
ITSNA Hong Kong, 2/F., Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
ITSNA Taiwan, 14/F., Huei Fung Building, 27, Chung Shan North Road, Sec. 3, Taipei 10451, Taiwan

Interim Approval Subject to Review

As mentioned above, one of the test standards was inadvertently excluded from the listing of test standards in the preliminary notice. The standard is ANSI/BHMA A156.3 Exit Devices. Therefore, OSHA is expanding the recognition of ITSNA to include this standard. The total approved for the expansion remains at 47, the number mentioned in the preliminary notice. However, since this standard was not included in the preliminary notice, the Agency will provide interested parties an opportunity to comment. Comments submitted by interested parties must be received no later than November 19, 2003 at the address listed above. If we

receive comments, OSHA will determine whether additional procedures are necessary.

Existing Conditions

Currently, OSHA imposes certain conditions on its recognition of ITSNA. As mentioned in previous notices, these conditions continue to apply solely to ITSNA's NRTL operations and are in addition to any other condition that OSHA normally imposes in its recognition of an organization as an NRTL. One condition refers to "ITS Ltd", which represents Intertek Testing Services, Ltd., the parent company of ITSNA. For background as to why we imposed the condition, see 63 FR 69676, December 17, 1998, and 66 FR 29178, May 29, 2001. We include these conditions in this notice mainly for information and list them first under the Conditions section below.

Final Decision and Order

The NRTL Program staff has examined the application, the assessor's recommendation, and other pertinent information. Based upon this examination and the recommendation, OSHA finds that Intertek Testing Services NA, Inc., has met the requirements of 29 CFR 1910.7 for expansion of its recognition to include an additional 46 test standards subject to the limitation and conditions listed below, and one added standard subject to further review. Pursuant to the authority in 29 CFR 1910.7, OSHA hereby expands the recognition of ITSNA, subject to this limitation and these conditions.

Limitation

OSHA limits the expansion to testing and certification of products for demonstration of conformance to the following 46 test standards, and OSHA has determined the standards are appropriate within the meaning of 29 CFR 1910.7(c).

* ANSI/BHMA A156.3 Exit Devices [interim approval only]
 ANSI Z21.69 Connectors for Movable Gas Appliances
 ANSI Z21.86 Vented Gas-Fired Space Heating Appliance
 ANSI Z21.88 Vented Gas Fireplace Heaters
 UL 6A Electrical Rigid Metal Conduit—Aluminum, Bronze, and Stainless Steel
 ANSI/NFPA 11 Low Expansion Foam and Combined Agent Systems
 ANSI/NFPA 11A Medium- and High-Expansion Foam Systems
 ANSI/NFPA 12 Carbon Dioxide Extinguishing Systems

ANSI/NFPA 12A Halon 1301 Fire Extinguishing Agent Systems
 ANSI/NFPA 17 Dry Chemical Extinguishing Systems
 ANSI/NFPA 20 Installation of Stationary Pumps for Fire Protection
 UL 497C Protectors for Coaxial Communications Circuits
 UL 498A Current Taps and Adapters
 UL 508A Industrial Control Equipment
 UL 514D Cover Plates for Flush-Mounted Wiring Devices
 UL 536 Flexible Metallic Hose
 UL 698A Industrial Control Panels Relating to Hazardous (Classified) Locations
 UL 789 Indicator Posts for Fire-Protection Service
 UL 797A Electrical Metallic Tubing—Aluminum
 UL 963 Sealing, Wrapping, and Marking Equipment
 UL 1425 Cables for Non-Power-Limited Fire-Alarm Circuits
 UL 1434 Thermistor-Type Devices
 UL 1653 Electrical Nonmetallic Tubing
 UL 1655 Community-Antenna Television Cables
 UL 1682 Plugs, Receptacles, and Cable Connectors, of the Pin and Sleeve Type
 UL 1699 Arc-Fault Circuit-Interrupters
 UL 1741 Inverters, Converters, and Controllers for Use in Independent Power Systems
 UL 1887 Fire Test of Plastic Sprinkler Pipe for Flame and Smoke Characteristics
¹ UL 2017 General Purpose Signaling Devices and Systems
² UL 2089 Vehicle Battery Adapters
 UL 2125 Motor-Operated Air Compressors for Use in Sprinkler Systems
 UL 2127 Inert Gas Clean Agent Extinguishing System Unit
 UL 2166 Halocarbon Clean Agent Extinguishing System Units
 UL 2202 Electric Vehicle (EV) Charging System Equipment
 UL 2227 Overfilling Prevention Devices
 UL 60335-2-34 Household and Similar Electrical Appliances, Part 2; Particular Requirements for Motor-Compressors
 UL 60730-2-4 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Thermal Motor Protectors for Motor Compressors or Hermetic and Semi-Hermetic Type
 UL 60730-2-6 Automatic Electrical Controls for Household and Similar

Use; Part 2: Particular Requirements for Automatic Electrical Pressure Sensing Controls Including Mechanical Requirements
 UL 60730-2-9 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Temperature Sensing Controls
 UL 60730-2-10A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically-Operated Motor Starting Relays
 UL 60730-2-11A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Energy Regulators
 UL 60730-2-12A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electrically-Operated Doors
 UL 60730-2-13A Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Humidity Sensing Controls
 UL 60730-2-14 Automatic Electrical Controls for Household and Similar Use; Part 2: Particular Requirements for Electric Actuators
 UL 61010A-2-020 Electrical Equipment for Laboratory Use; Part 2: Particular Requirements for Laboratory Centrifuges
 UL 61010C-1 Process Control Equipment
 UL 61058-1 Switch for Appliances

Note: Testing and certification of gas operated equipment is limited to equipment for use with "liquefied petroleum gas" ("LPG" or "LP—Gas")

OSHA's recognition of ITSNA, or any NRTL, for a particular test standard is limited to equipment or materials (*i.e.*, products) for which OSHA standards require third party testing and certification before use in the workplace. Consequently, any NRTL's scope of recognition excludes any product(s) that fall within the scope of a test standard, but for which OSHA standards do not require NRTL testing and certification.

Many of the UL test standards listed above also are approved as American National Standards by the American National Standards Institute (ANSI). However, for convenience, we use the designation of the standards developing organization (*e.g.*, UL 536) for the standard, as opposed to the ANSI designation (*e.g.*, ANSI/UL 536). Under our procedures, any NRTL recognized for an ANSI-approved test standard may use either the latest proprietary version of the test standard or the latest ANSI version of that standard. (Contact ANSI or the ANSI web site (<http://www.ansi.org>) and click "NSSLN" to find

¹ This standard is approved for testing and certification of vehicle battery adaptors for use within recreational vehicles and mobile homes.

² Limited to electrical portions only.

out whether or not a test standard is currently ANSI-approved.)

Conditions

Intertek Testing Services NA, Inc., must also abide by the following conditions of the recognition, in addition to those already required by 29 CFR 1910.7:

ITSNA may perform safety testing for hazardous location products only at the specific ITSNA sites that OSHA has recognized, and that have been pre-qualified for such testing by the ITSNA Chief Engineer. In addition, all safety test reports for hazardous location products must undergo a documented review and approval at the Cortland testing facility by a test engineer qualified in hazardous location safety testing, prior to ITSNA's initial or continued authorization of the certifications covered by these reports;

ITSNA may not test and certify any products for a client that is a manufacturer or vendor that is either owned in excess of 2% by ITSNA or affiliated organizationally with ITSNA;

ITSNA must have specific written testing procedures in place before testing products covered by any test standard for which it is recognized and must use these procedures in testing and certifying those products;

OSHA must be allowed access to ITSNA's facilities and records for purposes of ascertaining continuing compliance with the terms of its recognition and to investigate as OSHA deems necessary;

If ITSNA has reason to doubt the efficacy of any test standard it is using under this program, it must promptly inform the organization that developed the test standard of this fact and provide that organization with appropriate relevant information upon which its concerns are based;

ITSNA must not engage in or permit others to engage in any misrepresentation of the scope or conditions of its recognition. As part of this condition, ITSNA agrees that it will allow no representation that it is either a recognized or an accredited Nationally Recognized Testing Laboratory (NRTL) without clearly indicating the specific equipment or material to which this recognition is tied, or that its recognition is limited to certain products;

ITSNA must inform OSHA as soon as possible, in writing, of any change of ownership, facilities, or key personnel, and of any major changes in its operations as an NRTL, including details;

ITSNA will meet all the terms of its recognition and will comply with all

OSHA policies pertaining to this recognition; and

ITSNA will continue to meet the requirements for recognition in all areas where it has been recognized.

Signed at Washington, DC this 24th day of October, 2003.

John L. Henshaw,

Assistant Secretary.

[FR Doc. 03-27647 Filed 11-3-03; 8:45 am]

BILLING CODE 4510-26-P

LEGAL SERVICES CORPORATION

Sunshine Act Meeting of the Board of Directors Search Committee for LSC President and Inspector General

TIME AND DATE: The Board of Directors' Search Committee for LSC President and Inspector General will meet on November 10, 2003. The meeting will begin at 8:00 a.m. and continue until conclusion of the Committee's agenda.

LOCATION: Heidrick & Struggles, 303 Peachtree Street, NE, Suite 4300, Atlanta, GA 30308.

STATUS OF MEETING: Open, except that a portion of the meeting may be closed pursuant to a vote of the Board of Directors authorizing the Committee to hold an executive session. The closing is authorized by the relevant provisions of the Government in the Sunshine Act [5 U.S.C. 552b(c)(2), (4) & (6)] and the corresponding provisions of the Legal Services Corporation's implementing regulation [45 CFR 1622.5(a), (c) & (e)]. A copy of the General Counsel's Certification that the closing is authorized by law will be available upon request.

MATTERS TO BE CONSIDERED:

Open Session

1. Approval of agenda.
2. Consider and act on other business.

Closed Session

3. Interviews of select candidates for the position of LSC President.
4. Review and discussion of interviewed candidates.
5. Selection of candidates to recommend to the full Board for further consideration.

Open Session

6. Consider and act on adjournment of meeting.

FOR FURTHER INFORMATION CONTACT:

Victor M. Fortuno, Vice President for Legal Affairs, General Counsel and Corporate Secretary, at (202) 295-1500.

SPECIAL NEEDS: Upon request, meeting notices will be made available in alternate formats to accommodate visual

and hearing impairments. Individuals who have a disability and need an accommodation to attend the meeting may notify Elizabeth Cushing at (202) 295-1500.

Dated: October 31, 2003.

Victor M. Fortuno,

Vice President for Legal Affairs, General Counsel and Corporate Secretary.

[FR Doc. 03-27789 Filed 10-31-03; 9:32 am]

BILLING CODE 7050-01-P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice 03-136]

Government-Owned Inventions, Available for Licensing

AGENCY: National Aeronautics and Space Administration.

ACTION: Notice of availability of inventions for licensing.

SUMMARY: The inventions listed below are assigned to the National Aeronautics and Space Administration, have been filed in the United States Patent and Trademark office, and are available for licensing.

DATES: November 4, 2003.

FOR FURTHER INFORMATION CONTACT:

Edward K. Fein, Patent Counsel, Johnson Space Center, Mail Code HA, Houston, TX 77058-8452; telephone (281) 483-4871; fax (281) 244-8452.

NASA Case No. MSC-23193-1: Passive Tracking System And Method (This Is A Continuation);

NASA Case No. MSC-23193-3: Passive Tracking System And Method (This Is A CIP);

NASA Case No. MSC-23518-1: Solid Freeform Fabrication Apparatus And Method;

NASA Case No. MSC-23554-1: An Automated Glucose Control System And Uses Therefore.

Dated: October 29, 2003.

Robert M. Stephens,

Deputy General Counsel.

[FR Doc. 03-27679 Filed 11-3-03; 8:45 am]

BILLING CODE 7510-01-P

NATIONAL AERONAUTICS AND SPACE ADMINISTRATION

[Notice 03-137]

Government-Owned Inventions, Available for Licensing

AGENCY: National Aeronautics and Space Administration.

ACTION: Notice of Availability of Inventions for Licensing.