48688

allow those students to receive continued educational and cultural programming offered by the Department for a period of one additional year.

Mara Tekach,

Deputy Assistant Secretary for Professional Exchanges, Bureau of Educational and Cultural Affairs.

[FR Doc. 2015–19586 Filed 8–13–15; 8:45 am] BILLING CODE 4710–05–P

PENSION BENEFIT GUARANTY CORPORATION

29 CFR Part 4022

Benefits Payable in Terminated Single-Employer Plans; Interest Assumptions for Paying Benefits

AGENCY: Pension Benefit Guaranty Corporation.

ACTION: Final rule.

SUMMARY: This final rule amends the Pension Benefit Guaranty Corporation's regulation on Benefits Payable in Terminated Single-Employer Plans to prescribe interest assumptions under the regulation for valuation dates in September 2015. The interest assumptions are used for paying benefits under terminating singleemployer plans covered by the pension insurance system administered by PBGC.

DATES: Effective September 1, 2015.

FOR FURTHER INFORMATION CONTACT: Catherine B. Klion (*Klion.Catherine@ pbgc.gov*), Assistant General Counsel for Regulatory Affairs, Pension Benefit Guaranty Corporation, 1200 K Street NW., Washington, DC 20005, 202–326– 4024. (TTY/TDD users may call the Federal relay service toll-free at 1–800– 877–8339 and ask to be connected to 202–326–4024.)

SUPPLEMENTARY INFORMATION: PBGC's regulation on Benefits Payable in Terminated Single-Employer Plans (29 CFR part 4022) prescribes actuarial assumptions—including interest assumptions—for paying plan benefits under terminating single-employer plans covered by title IV of the Employee Retirement Income Security Act of 1974. The interest assumptions in the regulation are also published on PBGC's Web site (http://www.pbgc.gov).

PBGC uses the interest assumptions in Appendix B to Part 4022 to determine whether a benefit is payable as a lump sum and to determine the amount to pay. Appendix C to Part 4022 contains interest assumptions for private-sector pension practitioners to refer to if they wish to use lump-sum interest rates determined using PBGC's historical methodology. Currently, the rates in Appendices B and C of the benefit payment regulation are the same.

The interest assumptions are intended to reflect current conditions in the financial and annuity markets. Assumptions under the benefit payments regulation are updated monthly. This final rule updates the benefit payments interest assumptions for September 2015.¹

The September 2015 interest assumptions under the benefit payments regulation will be 1.25 percent for the period during which a benefit is in pay status and 4.00 percent during any years preceding the benefit's placement in pay status. In comparison with the interest assumptions in effect for August 2015, these interest assumptions represent a decrease of 0.25 percent in the immediate annuity rate and are otherwise unchanged.

PBGC has determined that notice and public comment on this amendment are impracticable and contrary to the public interest. This finding is based on the need to determine and issue new interest assumptions promptly so that the assumptions can reflect current market conditions as accurately as possible.

Because of the need to provide immediate guidance for the payment of benefits under plans with valuation dates during September 2015, PBGC finds that good cause exists for making the assumptions set forth in this amendment effective less than 30 days after publication.

PBGC has determined that this action is not a "significant regulatory action" under the criteria set forth in Executive Order 12866.

Because no general notice of proposed rulemaking is required for this amendment, the Regulatory Flexibility Act of 1980 does not apply. See 5 U.S.C. 601(2).

List of Subjects in 29 CFR Part 4022

Employee benefit plans, Pension insurance, Pensions, Reporting and recordkeeping requirements.

In consideration of the foregoing, 29 CFR part 4022 is amended as follows:

PART 4022—BENEFITS PAYABLE IN TERMINATED SINGLE-EMPLOYER PLANS

■ 1. The authority citation for part 4022 continues to read as follows:

Authority: 29 U.S.C. 1302, 1322, 1322b, 1341(c)(3)(D), and 1344.

■ 2. In appendix B to part 4022, Rate Set 263, as set forth below, is added to the table.

Appendix B to Part 4022—Lump Sum Interest Rates for PBGC Payments

* * *

Rate set	For plans with a valuation date		Immediate annuity rate	Deferred annuities (percent)					
	On or after	Before	(percent)	<i>i</i> 1	<i>i</i> ₂	İ3	n _i	n ₂	
*	*		*	*	*		*	*	
263	9–1–15	10–1–15	1.25	4.00	4.00	4.00	7	8	

■ 3. In appendix C to part 4022, Rate Set 263, as set forth below, is added to the table.

Appendix C to Part 4022—Lump Sum Interest Rates for Private-Sector Payments

* * * * *

benefits under terminating covered single-employer plans for purposes of allocation of assets under ERISA section 4044. Those assumptions are updated quarterly.

¹ Appendix B to PBGC's regulation on Allocation of Assets in Single-Employer Plans (29 CFR part 4044) prescribes interest assumptions for valuing

Rate set	For plans with a valuation date		Immediate annuity rate	Deferred annuities (percent)					
	On or after	Before	(percent)	<i>i</i> 1	<i>i</i> ₂	i ₃	nı	n ₂	
*	*		*	*	*		*	*	
263	9–1–15	10–1–15	1.25	4.00	4.00	4.00	7	8	

Issued in Washington, DC, on this 6th day of August 2015.

Judith Starr,

General Counsel, Pension Benefit Guaranty Corporation.

[FR Doc. 2015–20064 Filed 8–13–15; 8:45 am] BILLING CODE 7709–01–P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2015-0710]

Drawbridge Operation Regulation; Narrow Bay, Suffolk County, NY

AGENCY: Coast Guard, DHS. **ACTION:** Notice of deviation from drawbridge regulation.

SUMMARY: The Coast Guard has issued a temporary deviation from the operating schedule that governs the operation of the Smith Point Bridge across Narrow Bay, mile 6.1, at Suffolk County, New York. This deviation is necessary to accommodate the 5K Run for Literacy. This deviation allows the bridge to remain in the closed position for one hour.

DATES: This deviation is effective from 9 a.m. through 10 a.m. on September 12, 2015.

ADDRESSES: The docket for this deviation, [USCG-2015-0710] is available at *http://www.regulations.gov.* Type the docket number in the "SEARCH" box and click "SEARCH." Click on Open Docket Folder on the line associated with this deviation. You may also visit the Docket Management Facility in Room W12-140, on the ground floor of the Department of Transportation West Building, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this temporary deviation, call or email Ms. Judy K. Leung-Yee, Project Officer, First Coast Guard District, telephone (212) 514– 4330, *judy.k.leung-yee@uscg.mil.* If you have questions on viewing the docket, call Ms. Cheryl Collins, Program Manager, Docket Operations, telephone (202) 366–9826.

SUPPLEMENTARY INFORMATION: The Smith Point Bridge, mile 6.1, across Narrow Bay, has a vertical clearance in the closed position of 18 feet at mean high water and 19 feet at mean low water. The existing bridge operating regulations are found at 33 CFR 117.799(d).

The waterway is transited by seasonal recreational vessels of various sizes.

The Community Family Literacy Project, Inc. requested a temporary deviation from the normal operating schedule to facilitate the 5K Run for Literacy.

Under this temporary deviation the Smith Point Bridge may remain in the closed position for one hour between 9 a.m. and 10 a.m. on Saturday September 12, 2015.

There are no alternate routes for vessel traffic; however, vessels that can pass under the closed draws during this closure may do so at all times. The bridge may be opened in the event of an emergency.

The Coast Guard will inform the users of the waterways through our Local and Broadcast Notice to Mariners of the change in operating schedule for the bridge so that vessels can arrange their transits to minimize any impact caused by the temporary deviation.

In accordance with 33 CFR 117.35(e), the drawbridge must return to its regular operating schedule immediately at the end of the effective period of this temporary deviation. This deviation from the operating regulations is authorized under 33 CFR 117.35.

Dated: August 5, 2015.

C.J. Bisignano,

Supervisory Bridge Management Specialist, First Coast Guard District. [FR Doc. 2015–20117 Filed 8–13–15; 8:45 am]

BILLING CODE 9110-04-P

DEPARTMENT OF HOMELAND SECURITY

Coast Guard

33 CFR Part 117

[Docket No. USCG-2015-0765]

Drawbridge Operation Regulation; Townsend Gut, Boothbay and Southport, Maine

AGENCY: Coast Guard, DHS. **ACTION:** Notice of deviation from drawbridge regulation.

SUMMARY: The Coast Guard has issued a temporary deviation from the operating schedule that governs the Southport (SR 27) Bridge, across Townsend Gut, mile 0.7, at Boothbay and Southport, Maine. This deviation is necessary to facilitate replacement of the bridge wedge motor. This deviation allows the bridge to remain in the closed position for 24 hours.

DATES: This deviation is effective from 7 a.m. on October 5, 2015 through 7 a.m. on October 6, 2015.

ADDRESSES: The docket for this deviation, [USCG–2015–0765] is available at *http://www.regulations.gov.* Type the docket number in the "SEARCH" box and click "SEARCH." Click on Open Docket Folder on the line associated with this deviation. You may also visit the Docket Management Facility in Room W12–140, on the ground floor of the Department of Transportation West Building, 1200 New Jersey Avenue SE., Washington, DC 20590, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: If you have questions on this temporary deviation, contact Mr. Joe M. Arca, Project Officer, First Coast Guard District, telephone (212) 514–4336, email *joe.m.arca@uscg.mil.* If you have questions on viewing the docket, call Ms. Cheryl Collins, Program Manager, Docket Operations, telephone (202) 366–9826.

SUPPLEMENTARY INFORMATION: The Southport (SR 27) Bridge, mile 0.7, across the Townsend Gut has a vertical clearance in the closed position of 10