

Dated: June 6, 2019.

Eddie D. Mayenschein,

Assistant Administrator, Policy, Plans, and Engagement.

[FR Doc. 2019-12383 Filed 6-11-19; 8:45 am]

BILLING CODE 9110-05-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR 6165-N-01]

Notice of Annual Factors for Determining Public Housing Agency Administrative Fees for the Section 8 Housing Choice Voucher, Mainstream, and Moderate Rehabilitation Programs

AGENCY: Office of the Assistant Secretary for Public and Indian Housing, HUD.

ACTION: Notice.

SUMMARY: This notice announces the monthly per unit fee rates for use in determining the on-going administrative fees for public housing agencies (PHAs) administering the Housing Choice Voucher (HCV), Mainstream, and Moderate Rehabilitation programs, including the Moderate Rehabilitation Single Room Occupancy program, during calendar year (CY) 2019.

DATES: January 1, 2019.

FOR FURTHER INFORMATION CONTACT:

Miguel A. Fontanez, Director, Housing Voucher Financial Management Division, Office of Public Housing and Voucher Programs, Office of Public and Indian Housing, Department of Housing and Urban Development, Room 4226, 451 Seventh Street SW, Washington, DC 20410-8000, telephone number 202-402-2934. (This is not a toll-free number). Hearing- or speech-impaired individuals may call TTY number 1 (800) 877-8337.

SUPPLEMENTARY INFORMATION:

A. Background

Pursuant to Section 8(q) of the U.S. Housing Act of 1937 and the implementing rule at 24 CFR 982.152, HUD publishes a notice each year specifying administrative fees for PHAs administering the Housing Choice Voucher and Moderate Rehabilitation programs in different geographic areas, based on changes in wage data or other objectively measurable data that reflect the costs of administering the program. This notice provides the CY 2019 administrative fee rates by area and describes the methodology that the Office of Public Housing and Voucher Programs will use to determine administrative fees for the HCV, Mainstream, and Moderate

Rehabilitation programs, including the Moderate Rehabilitation Single Room Occupancy program.

B. CY 2019 Methodology

For CY 2019, in accordance with the Consolidated Appropriations Act, 2019 (Pub. L. 116-6), Section 7, "Funding for Administrative Costs", administrative fees will be determined on the basis of vouchers leased as of the first day of each month. This data will be extracted from the Voucher Management System (VMS) at the close of each reporting cycle and validated prior to use. For the Moderate Rehabilitation program, including the Single Room Occupancy program, administrative fees will be earned on the basis of the units under Housing Assistance Payments (HAP) contract.

Two fee rates are provided for each PHA. The first rate, Column A, applies to the first 7,200 voucher unit months leased in CY 2019. The second rate, Column B, applies to all remaining voucher unit months leased in CY 2019. In years prior to 2010, a Column C rate was also established, which applied to all voucher unit months leased in dwelling units owned by the PHA. For CY 2019, as in recent years, there are no Column C administrative fee rates. Fees for leasing PHA-owned units will be determined in the same manner as for all other voucher leasing using the same Column A and Column B rates.

The fee rates calculated for CY 2019, using the standard procedures, in some cases resulted in fee rates lower than those established for CY 2018. In those cases, the affected PHAs are being held harmless at the CY 2018 fee rates.

The fee rates for each PHA are generally those rates covering the fee areas in which each PHA has the greatest proportion of its participants, based on Public Housing Information Center (PIC) data submitted by the PHA. In some cases, PHAs have participants in more than one fee area. If such a PHA so chooses, the PHA may request that the Department establish a blended fee rate schedule that will consider proportionately all areas in which participants are located. Once a blended rate schedule is established, it will be used to determine the PHA's fee eligibility for all months in CY 2019. The PHAs will be advised via the 2019 HCV Funding Implementation Notice of when they may apply for blended fee rates and the deadline date for submitting such requests.

PHAs that operate over a large geographic area, defined as multiple counties, may request a higher administrative fee rate if eligible under the criteria which will be described in

the CY 2019 implementation notice. The PHAs will be advised via the 2019 HCV Funding Implementation Notice of when to apply for higher fee rates and the deadline date for such requests.

Accordingly, the Department issues the monthly per unit fee rates to be used to determine PHA administrative fee eligibility for the programs identified in this notice. These fee rates are posted on the Department's website at: http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/programs/hcv, under Program Related Information.

Any questions concerning this notice should be directed to the PHA's assigned representative at the Financial Management Center or to the Financial Management Division at PIH.Financial.Management.Division@hud.gov.

C. Moving to Work (MTW) Agencies

Where an MTW Agency has an alternative formula for calculating HCV administrative fees in Attachment A of their MTW Agreements, the Department will continue to calculate the HCV administrative fees in accordance with that MTW Agreement provision.

D. Environmental Impact

This notice establishes administrative fee rates and related external administrative procedures which do not constitute a development decision that affects the physical condition of specific project areas or building sites. Accordingly, under 24 CFR 50.19(c)(6), this notice is excluded from environmental review under the National Environmental Policy Act of 1969 (42 U.S.C. 4321).

Dated: June 5, 2019.

R. Hunter Kurtz,

Principal Deputy Assistant Secretary for Public and Indian Housing.

PHA	A Rate	B Rate
AK901	98.76	92.18
AL001	66.91	62.45
AL002	67.96	63.44
AL004	66.03	61.63
AL005	68.81	64.22
AL006	66.03	61.63
AL007	66.03	61.63
AL008	64.77	60.46
AL011	64.77	60.46
AL012	66.03	61.63
AL014	64.77	60.46
AL047	67.98	63.46
AL048	66.03	61.63
AL049	66.03	61.63
AL050	66.03	61.63
AL052	64.77	60.46
AL053	64.77	60.46

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
AL054	66.03	61.63	AR161	61.94	57.81	CA030	80.79	75.41
AL060	64.77	60.46	AR163	64.40	60.11	CA031	124.34	116.06
AL061	66.03	61.63	AR166	61.94	57.81	CA032	124.34	116.06
AL063	66.91	62.45	AR170	70.26	65.58	CA033	107.12	99.97
AL068	66.03	61.63	AR175	70.26	65.58	CA035	124.34	116.06
AL069	66.91	62.45	AR176	61.94	57.81	CA039	90.15	84.14
AL072	66.91	62.45	AR177	61.94	57.81	CA041	107.94	100.74
AL073	64.94	60.60	AR181	64.40	60.11	CA043	83.26	77.70
AL075	64.77	60.46	AR194	64.40	60.11	CA044	94.43	88.13
AL077	66.03	61.63	AR197	61.94	57.81	CA048	71.45	66.69
AL086	66.91	62.45	AR200	61.94	57.81	CA052	124.34	116.06
AL090	64.77	60.46	AR210	61.94	57.81	CA053	78.19	72.98
AL091	64.77	60.46	AR211	61.94	57.81	CA055	107.94	100.74
AL099	64.77	60.46	AR213	61.94	57.81	CA056	124.34	116.06
AL105	64.77	60.46	AR214	61.94	57.81	CA058	124.34	116.06
AL107	64.77	60.46	AR215	61.94	57.81	CA059	124.34	116.06
AL112	64.77	60.46	AR219	70.26	65.58	CA060	124.34	116.06
AL114	64.77	60.46	AR223	61.94	57.81	CA061	82.57	77.07
AL115	64.77	60.46	AR224	61.94	57.81	CA062	124.34	116.06
AL116	64.77	60.46	AR225	61.94	57.81	CA063	111.17	103.75
AL118	64.77	60.46	AR232	64.40	60.11	CA064	107.63	100.46
AL121	64.77	60.46	AR240	61.94	57.81	CA065	107.94	100.74
AL124	64.94	60.60	AR241	64.75	60.43	CA066	107.94	100.74
AL125	66.91	62.45	AR247	61.94	57.81	CA067	124.34	116.06
AL129	66.03	61.63	AR252	70.26	65.58	CA068	124.34	116.06
AL131	66.03	61.63	AR257	61.94	57.81	CA069	86.64	80.85
AL138	66.03	61.63	AR264	67.53	63.03	CA070	75.57	70.53
AL139	66.03	61.63	AR265	61.94	57.81	CA071	124.34	116.06
AL152	66.03	61.63	AR266	61.94	57.81	CA072	124.34	116.06
AL154	64.77	60.46	AZ001	71.74	66.95	CA073	107.94	100.74
AL155	64.77	60.46	AZ003	71.74	66.95	CA074	124.34	116.06
AL160	64.77	60.46	AZ004	70.92	66.19	CA075	124.34	116.06
AL165	68.95	64.36	AZ005	71.74	66.95	CA076	121.41	113.30
AL169	67.96	63.44	AZ006	78.44	73.22	CA077	111.17	103.75
AL171	64.77	60.46	AZ008	57.11	53.30	CA079	124.34	116.06
AL172	66.03	61.63	AZ009	71.74	66.95	CA082	124.34	116.06
AL174	64.77	60.46	AZ010	71.74	66.95	CA084	88.99	83.06
AL177	64.77	60.46	AZ013	79.70	74.39	CA085	121.27	113.19
AL181	64.77	60.46	AZ021	71.74	66.95	CA086	85.06	79.38
AL192	64.77	60.46	AZ023	60.18	56.16	CA088	121.27	113.19
AL202	67.96	63.44	AZ025	70.92	66.19	CA092	124.34	116.06
AR002	70.26	65.58	AZ028	71.74	66.95	CA093	124.34	116.06
AR003	64.40	60.11	AZ031	71.74	66.95	CA094	124.34	116.06
AR004	70.26	65.58	AZ032	71.74	66.95	CA096	86.64	80.85
AR006	70.26	65.58	AZ033	70.92	66.19	CA102	124.34	116.06
AR010	61.94	57.81	AZ034	58.94	55.01	CA103	124.34	116.06
AR012	61.94	57.81	AZ035	79.70	74.39	CA104	124.34	116.06
AR015	63.99	59.72	AZ037	58.94	55.01	CA105	124.34	116.06
AR016	61.94	57.81	AZ041	78.44	73.22	CA106	86.64	80.85
AR017	64.40	60.11	AZ043	96.06	89.66	CA108	111.17	103.75
AR020	61.94	57.81	AZ045	59.18	55.23	CA110	124.34	116.06
AR024	67.53	63.03	AZ880	71.74	66.95	CA111	124.34	116.06
AR031	64.40	60.11	AZ901	78.44	73.22	CA114	124.34	116.06
AR033	61.94	57.81	CA001	124.34	116.06	CA116	111.17	103.75
AR034	64.40	60.11	CA002	124.34	116.06	CA117	124.34	116.06
AR035	61.94	57.81	CA003	124.34	116.06	CA118	124.34	116.06
AR037	61.94	57.81	CA004	124.34	116.06	CA119	124.34	116.06
AR039	61.94	57.81	CA005	94.43	88.13	CA120	124.34	116.06
AR041	70.26	65.58	CA006	86.64	80.85	CA121	124.34	116.06
AR042	64.40	60.11	CA007	94.43	88.13	CA123	124.34	116.06
AR045	61.94	57.81	CA008	94.75	88.44	CA125	107.94	100.74
AR052	61.94	57.81	CA010	124.34	116.06	CA126	124.34	116.06
AR059	61.94	57.81	CA011	124.34	116.06	CA128	94.43	88.13
AR066	61.94	57.81	CA014	124.34	116.06	CA131	107.94	100.74
AR068	61.94	57.81	CA019	99.19	92.59	CA132	111.17	103.75
AR082	61.94	57.81	CA021	121.41	113.30	CA136	124.34	116.06
AR104	64.40	60.11	CA022	99.19	92.59	CA143	90.15	84.14
AR117	61.94	57.81	CA023	81.40	75.99	CA144	82.57	77.07
AR121	61.94	57.81	CA024	90.60	84.57	CA149	94.43	88.13
AR131	64.40	60.11	CA026	91.24	85.15	CA151	94.43	88.13
AR135	61.94	57.81	CA027	99.19	92.59	CA155	111.17	103.75
AR152	61.94	57.81	CA028	86.64	80.85	CO001	75.37	70.35

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
CO002	69.62	64.97	CT052	97.21	90.74	FL106	81.13	75.71
CO005	78.46	73.23	CT053	91.63	85.51	FL109	62.05	57.92
CO006	67.16	62.68	CT058	81.77	76.32	FL110	63.15	58.94
CO016	85.53	79.82	CT061	81.77	76.32	FL113	77.87	72.68
CO019	75.37	70.35	CT063	101.00	94.26	FL116	98.69	92.11
CO024	67.16	62.68	CT067	101.00	94.26	FL119	82.31	76.82
CO028	70.31	65.62	CT068	91.63	85.51	FL123	78.29	73.07
CO031	67.16	62.68	CT901	91.63	85.51	FL128	81.66	76.23
CO034	81.04	75.65	DC001	114.69	107.05	FL132	82.44	76.97
CO035	69.88	65.23	DC880	114.69	107.05	FL136	98.69	92.11
CO036	75.37	70.35	DE001	90.84	84.79	FL137	77.67	72.49
CO040	103.71	96.81	DE002	79.68	74.37	FL139	64.65	60.34
CO041	81.04	75.65	DE003	90.84	84.79	FL141	84.98	79.31
CO043	78.46	73.23	DE005	90.84	84.79	FL144	106.69	99.60
CO045	67.16	62.68	DE901	79.68	74.37	FL145	105.40	98.39
CO048	75.37	70.35	FL001	73.57	68.67	FL147	63.15	58.94
CO049	75.37	70.35	FL002	77.67	72.49	FL201	81.13	75.71
CO050	75.37	70.35	FL003	77.67	72.49	FL202	62.05	57.92
CO051	88.17	82.29	FL004	81.13	75.71	FL881	105.40	98.39
CO052	75.37	70.35	FL005	105.40	98.39	FL888	77.67	72.49
CO057	75.37	70.35	FL007	77.87	72.68	GA001	68.81	64.22
CO058	75.37	70.35	FL008	85.25	79.56	GA002	68.81	64.22
CO061	85.53	79.82	FL009	82.31	76.82	GA004	68.81	64.22
CO070	85.53	79.82	FL010	98.69	92.11	GA006	83.89	78.29
CO071	70.31	65.62	FL011	64.65	60.34	GA007	68.81	64.22
CO072	75.37	70.35	FL013	106.69	99.60	GA009	68.81	64.22
CO079	78.46	73.23	FL015	69.13	64.52	GA010	83.89	78.29
CO087	103.71	96.81	FL017	105.40	98.39	GA011	83.89	78.29
CO090	69.88	65.23	FL018	63.15	58.94	GA023	68.81	64.22
CO095	99.17	92.56	FL019	74.89	69.91	GA062	65.31	60.96
CO101	67.16	62.68	FL020	74.89	69.91	GA078	83.89	78.29
CO103	81.04	75.65	FL021	82.31	76.82	GA095	83.89	78.29
CO888	69.62	64.97	FL022	77.87	72.68	GA116	83.89	78.29
CO911	75.37	70.35	FL023	85.25	79.56	GA188	83.89	78.29
CO921	75.37	70.35	FL024	77.87	72.68	GA228	83.89	78.29
CT001	97.21	90.74	FL025	74.89	69.91	GA232	83.89	78.29
CT002	104.20	97.26	FL026	64.65	60.34	GA237	83.89	78.29
CT003	91.63	85.51	FL028	98.69	92.11	GA264	83.89	78.29
CT004	101.00	94.26	FL030	77.87	72.68	GA269	83.89	78.29
CT005	91.63	85.51	FL031	62.05	57.92	GA285	68.81	64.22
CT006	82.46	76.96	FL032	63.66	59.41	GA901	83.89	78.29
CT007	104.20	97.26	FL033	81.13	75.71	GQ901	115.26	107.59
CT008	91.63	85.51	FL034	77.67	72.49	HI002	113.76	106.17
CT009	91.63	85.51	FL035	63.15	58.94	HI003	126.72	118.28
CT010	81.77	76.32	FL037	73.57	68.67	HI004	126.74	118.30
CT011	101.00	94.26	FL041	82.75	77.24	HI005	128.12	119.59
CT013	91.63	85.51	FL045	82.75	77.24	HI901	126.72	118.28
CT015	97.21	90.74	FL046	63.15	58.94	IA002	65.95	61.55
CT017	97.21	90.74	FL047	81.66	76.23	IA004	69.33	64.71
CT018	89.95	83.95	FL049	62.05	57.92	IA015	65.95	61.55
CT019	104.20	97.26	FL053	63.66	59.41	IA018	69.01	64.41
CT020	104.20	97.26	FL057	62.05	57.92	IA020	78.77	73.53
CT023	91.63	85.51	FL060	79.52	74.22	IA022	80.28	74.94
CT024	81.77	76.32	FL062	77.67	72.49	IA023	69.61	64.97
CT026	91.63	85.51	FL063	69.80	65.15	IA024	76.26	71.17
CT027	97.21	90.74	FL066	105.40	98.39	IA030	65.95	61.55
CT028	91.63	85.51	FL068	105.40	98.39	IA038	76.56	71.45
CT029	101.00	94.26	FL069	63.15	58.94	IA042	65.95	61.55
CT030	97.21	90.74	FL070	69.80	65.15	IA045	72.21	67.40
CT031	81.77	76.32	FL071	64.65	60.34	IA047	65.95	61.55
CT032	91.63	85.51	FL072	77.87	72.68	IA049	65.95	61.55
CT033	91.63	85.51	FL073	69.13	64.52	IA050	76.56	71.45
CT036	91.63	85.51	FL075	77.67	72.49	IA054	65.95	61.55
CT038	91.63	85.51	FL079	98.69	92.11	IA056	65.95	61.55
CT039	91.63	85.51	FL080	82.31	76.82	IA057	65.95	61.55
CT040	91.63	85.51	FL081	98.69	92.11	IA084	65.95	61.55
CT041	91.63	85.51	FL083	82.31	76.82	IA087	70.58	65.87
CT042	101.00	94.26	FL092	63.66	59.41	IA098	69.48	64.86
CT047	82.46	76.96	FL093	81.13	75.71	IA100	65.95	61.55
CT048	91.63	85.51	FL102	63.15	58.94	IA107	65.95	61.55
CT049	91.63	85.51	FL104	77.67	72.49	IA108	65.95	61.55
CT051	91.63	85.51	FL105	85.25	79.56	IA113	76.56	71.45

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
IA114	65.95	61.55	IL095	71.35	66.59	KS017	57.08	53.27
IA117	69.61	64.97	IL096	60.83	56.78	KS038	57.08	53.27
IA119	65.95	61.55	IL101	95.61	89.22	KS041	57.08	53.27
IA120	78.77	73.53	IL103	95.61	89.22	KS043	64.19	59.90
IA122	65.95	61.55	IL104	75.49	70.46	KS053	66.62	62.18
IA124	65.95	61.55	IL107	95.61	89.22	KS062	57.08	53.27
IA125	65.95	61.55	IL116	95.61	89.22	KS063	57.23	53.42
IA126	72.21	67.40	IL117	67.14	62.67	KS068	64.19	59.90
IA127	65.95	61.55	IL120	60.83	56.78	KS073	64.95	60.61
IA128	65.95	61.55	IL122	68.66	64.08	KS091	57.08	53.27
IA129	65.95	61.55	IL123	60.83	56.78	KS149	57.08	53.27
IA130	65.95	61.55	IL124	75.49	70.46	KS159	57.08	53.27
IA131	78.77	73.53	IL126	61.14	57.07	KS161	57.08	53.27
IA132	76.56	71.45	IL130	95.61	89.22	KS162	64.19	59.90
IA136	65.95	61.55	IL131	72.21	67.40	KS165	57.08	53.27
ID005	67.21	62.73	IL136	95.61	89.22	KS166	57.08	53.27
ID013	83.52	77.95	IL137	96.43	89.99	KS167	57.23	53.42
ID016	83.52	77.95	IL901	95.61	89.22	KS168	60.28	56.27
ID021	83.52	77.95	IN002	52.23	48.75	KS170	57.08	53.27
ID901	69.57	64.92	IN003	58.21	54.34	KY001	61.41	57.32
IL002	95.61	89.22	IN004	54.22	50.61	KY003	56.21	52.46
IL003	75.49	70.46	IN005	54.22	50.61	KY004	68.01	63.48
IL004	68.80	64.21	IN006	64.36	60.07	KY007	55.18	51.50
IL006	67.38	62.89	IN007	56.62	52.85	KY008	55.18	51.50
IL009	72.21	67.40	IN009	52.23	48.75	KY009	61.41	57.32
IL010	72.21	67.40	IN010	71.06	66.33	KY011	68.41	63.85
IL011	61.14	57.07	IN011	71.06	66.33	KY012	56.26	52.51
IL012	65.10	60.76	IN012	61.41	57.32	KY015	69.20	64.58
IL014	72.77	67.92	IN015	57.30	53.48	KY017	55.18	51.50
IL015	66.03	61.62	IN016	56.26	52.51	KY021	55.18	51.50
IL016	60.83	56.78	IN017	64.36	60.07	KY022	55.18	51.50
IL018	72.21	67.40	IN018	52.23	48.75	KY026	55.18	51.50
IL020	72.21	67.40	IN019	56.13	52.38	KY027	55.18	51.50
IL022	68.66	64.08	IN020	57.30	53.48	KY035	55.18	51.50
IL024	95.61	89.22	IN021	54.22	50.61	KY040	55.18	51.50
IL025	95.61	89.22	IN022	57.68	53.85	KY047	55.18	51.50
IL026	95.61	89.22	IN023	61.41	57.32	KY053	55.18	51.50
IL028	68.80	64.21	IN025	61.41	57.32	KY056	55.18	51.50
IL030	66.03	61.62	IN026	56.25	52.50	KY061	68.01	63.48
IL032	72.77	67.92	IN029	71.06	66.33	KY071	61.34	57.25
IL034	67.38	62.89	IN031	52.23	48.75	KY086	55.18	51.50
IL035	72.77	67.92	IN032	53.17	49.62	KY107	55.18	51.50
IL036	61.14	57.07	IN035	54.22	50.61	KY121	55.18	51.50
IL037	60.83	56.78	IN037	56.26	52.51	KY132	61.11	57.03
IL038	60.83	56.78	IN041	52.23	48.75	KY133	69.20	64.58
IL039	65.23	60.89	IN043	52.23	48.75	KY135	69.20	64.58
IL040	60.83	56.78	IN047	52.23	48.75	KY136	69.20	64.58
IL042	60.83	56.78	IN048	52.23	48.75	KY137	55.18	51.50
IL043	60.83	56.78	IN050	52.23	48.75	KY138	55.18	51.50
IL050	61.14	57.07	IN055	53.17	49.62	KY140	68.01	63.48
IL051	67.14	62.67	IN056	54.67	51.02	KY141	55.18	51.50
IL052	60.83	56.78	IN058	58.73	54.83	KY142	60.35	56.32
IL053	61.14	57.07	IN060	56.25	52.50	KY150	55.18	51.50
IL054	95.61	89.22	IN062	56.07	52.34	KY157	55.18	51.50
IL056	95.61	89.22	IN067	52.23	48.75	KY160	55.18	51.50
IL057	60.83	56.78	IN071	62.16	58.00	KY161	60.35	56.32
IL059	60.83	56.78	IN073	52.23	48.75	KY163	55.18	51.50
IL061	61.55	57.44	IN077	53.17	49.62	KY169	55.18	51.50
IL074	66.03	61.62	IN078	54.67	51.02	KY171	61.41	57.32
IL076	60.83	56.78	IN079	64.36	60.07	KY901	68.01	63.48
IL079	60.83	56.78	IN080	64.36	60.07	LA001	71.29	66.52
IL082	60.83	56.78	IN084	52.23	48.75	LA002	69.78	65.14
IL083	68.66	64.08	IN086	52.23	48.75	LA003	76.97	71.84
IL084	64.53	60.23	IN091	52.23	48.75	LA004	66.61	62.17
IL085	62.10	57.97	IN092	52.23	48.75	LA005	66.61	62.17
IL086	64.53	60.23	IN094	54.36	50.72	LA006	66.61	62.17
IL087	60.83	56.78	IN100	57.30	53.48	LA009	76.97	71.84
IL088	60.83	56.78	IN901	64.36	60.07	LA012	71.29	66.52
IL089	75.77	70.72	KS001	64.19	59.90	LA013	71.29	66.52
IL090	95.61	89.22	KS002	60.28	56.27	LA023	66.61	62.17
IL091	60.83	56.78	KS004	64.95	60.61	LA024	66.10	61.69
IL092	95.61	89.22	KS006	57.08	53.27	LA029	66.61	62.17

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
LA031	66.10	61.69	LA248	66.10	61.69	MA078	117.46	109.64
LA032	66.61	62.17	LA253	68.25	63.71	MA079	126.96	118.49
LA033	66.10	61.69	LA257	66.10	61.69	MA080	117.46	109.64
LA036	66.10	61.69	LA258	66.10	61.69	MA081	117.46	109.64
LA037	71.11	66.38	LA266	66.61	62.17	MA082	117.46	109.64
LA046	66.61	62.17	LA888	69.78	65.14	MA084	117.46	109.64
LA057	66.61	62.17	LA889	71.29	66.52	MA085	117.46	109.64
LA063	66.61	62.17	LA903	71.29	66.52	MA086	117.46	109.64
LA067	66.10	61.69	MA001	117.46	109.64	MA087	117.46	109.64
LA074	66.10	61.69	MA002	126.96	118.49	MA088	117.46	109.64
LA086	66.10	61.69	MA003	126.96	118.49	MA089	126.96	118.49
LA094	71.29	66.52	MA005	117.46	109.64	MA090	126.96	118.49
LA097	66.10	61.69	MA006	116.13	108.40	MA091	126.96	118.49
LA101	76.97	71.84	MA007	117.46	109.64	MA092	126.96	118.49
LA103	71.29	66.52	MA008	117.46	109.64	MA093	126.96	118.49
LA104	66.61	62.17	MA010	117.46	109.64	MA094	116.88	109.10
LA111	66.10	61.69	MA012	117.46	109.64	MA095	127.26	118.78
LA114	66.10	61.69	MA013	126.96	118.49	MA096	116.88	109.10
LA115	66.10	61.69	MA014	126.96	118.49	MA098	126.96	118.49
LA120	66.61	62.17	MA015	126.96	118.49	MA099	126.96	118.49
LA122	66.61	62.17	MA016	126.96	118.49	MA100	117.46	109.64
LA125	66.10	61.69	MA017	126.96	118.49	MA101	126.96	118.49
LA128	66.10	61.69	MA018	116.13	108.40	MA105	117.46	109.64
LA129	66.61	62.17	MA019	126.96	118.49	MA106	117.46	109.64
LA132	66.10	61.69	MA020	126.96	118.49	MA107	117.46	109.64
LA159	66.10	61.69	MA022	126.96	118.49	MA108	117.46	109.64
LA163	66.10	61.69	MA023	126.96	118.49	MA109	126.96	118.49
LA165	66.61	62.17	MA024	117.46	109.64	MA110	127.26	118.78
LA166	66.10	61.69	MA025	126.96	118.49	MA111	126.96	118.49
LA168	66.61	62.17	MA026	117.46	109.64	MA112	126.96	118.49
LA169	66.10	61.69	MA027	126.96	118.49	MA116	126.96	118.49
LA171	66.61	62.17	MA028	126.96	118.49	MA117	126.96	118.49
LA172	66.61	62.17	MA029	117.46	109.64	MA118	126.96	118.49
LA173	66.61	62.17	MA031	126.96	118.49	MA119	126.96	118.49
LA174	66.61	62.17	MA032	126.96	118.49	MA121	126.96	118.49
LA178	66.61	62.17	MA033	126.96	118.49	MA122	126.96	118.49
LA179	66.61	62.17	MA034	117.46	109.64	MA123	117.46	109.64
LA181	71.29	66.52	MA035	117.46	109.64	MA125	126.96	118.49
LA182	66.10	61.69	MA036	126.96	118.49	MA127	117.46	109.64
LA184	69.78	65.14	MA037	117.46	109.64	MA133	126.96	118.49
LA186	66.61	62.17	MA039	117.46	109.64	MA134	126.96	118.49
LA187	71.29	66.52	MA040	126.96	118.49	MA135	126.96	118.49
LA188	66.10	61.69	MA041	117.46	109.64	MA138	127.26	118.78
LA189	66.61	62.17	MA042	126.96	118.49	MA139	117.46	109.64
LA190	69.78	65.14	MA043	117.46	109.64	MA140	126.96	118.49
LA192	66.10	61.69	MA044	126.96	118.49	MA147	126.96	118.49
LA194	68.25	63.71	MA045	126.96	118.49	MA154	126.96	118.49
LA195	66.10	61.69	MA046	127.26	118.78	MA155	126.96	118.49
LA196	66.61	62.17	MA047	127.26	118.78	MA165	126.96	118.49
LA199	76.97	71.84	MA048	126.96	118.49	MA170	116.13	108.40
LA202	76.97	71.84	MA050	117.46	109.64	MA172	117.46	109.64
LA204	76.97	71.84	MA051	117.46	109.64	MA174	126.96	118.49
LA205	76.97	71.84	MA053	126.96	118.49	MA180	127.26	118.78
LA206	66.61	62.17	MA054	126.96	118.49	MA181	127.26	118.78
LA207	66.61	62.17	MA055	126.96	118.49	MA188	117.46	109.64
LA211	68.25	63.71	MA056	126.96	118.49	MA880	126.96	118.49
LA212	66.10	61.69	MA057	126.96	118.49	MA881	126.96	118.49
LA213	71.11	66.38	MA059	126.96	118.49	MA882	117.46	109.64
LA214	66.61	62.17	MA060	117.46	109.64	MA883	126.96	118.49
LA215	66.10	61.69	MA061	126.96	118.49	MA901	126.96	118.49
LA219	76.97	71.84	MA063	126.96	118.49	MD001	84.56	78.92
LA220	66.10	61.69	MA065	126.96	118.49	MD002	84.56	78.92
LA222	66.10	61.69	MA066	117.46	109.64	MD003	114.69	107.05
LA229	66.10	61.69	MA067	126.96	118.49	MD004	114.69	107.05
LA230	69.78	65.14	MA069	126.96	118.49	MD006	66.34	61.90
LA232	66.10	61.69	MA070	126.96	118.49	MD007	114.69	107.05
LA233	66.10	61.69	MA072	126.96	118.49	MD009	63.94	59.68
LA238	71.29	66.52	MA073	126.96	118.49	MD014	76.00	70.94
LA241	66.10	61.69	MA074	126.96	118.49	MD015	114.69	107.05
LA242	66.10	61.69	MA075	126.96	118.49	MD016	90.84	84.79
LA246	66.10	61.69	MA076	117.46	109.64	MD018	84.56	78.92
LA247	66.10	61.69	MA077	117.46	109.64	MD019	76.22	71.13

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
MD021	95.93	89.53	MI084	58.76	54.83	MN182	61.26	57.17
MD022	114.69	107.05	MI087	58.76	54.83	MN184	89.79	83.81
MD023	84.56	78.92	MI089	66.73	62.29	MN188	61.26	57.17
MD024	114.69	107.05	MI093	62.99	58.79	MN190	61.26	57.17
MD025	84.56	78.92	MI094	54.78	51.13	MN191	61.26	57.17
MD027	84.56	78.92	MI096	66.73	62.29	MN192	61.26	57.17
MD028	66.34	61.90	MI097	66.73	62.29	MN193	68.83	64.25
MD029	90.84	84.79	MI100	66.73	62.29	MN197	61.26	57.17
MD032	84.56	78.92	MI112	54.78	51.13	MN200	61.26	57.17
MD033	84.56	78.92	MI115	62.99	58.79	MN203	64.27	59.98
MD034	84.56	78.92	MI117	54.78	51.13	MN212	89.79	83.81
MD901	114.69	107.05	MI119	54.78	51.13	MN216	89.79	83.81
ME001	64.81	60.49	MI120	58.17	54.30	MN219	66.70	62.26
ME002	64.81	60.49	MI121	59.13	55.19	MN220	66.83	62.38
ME003	103.66	96.76	MI132	54.78	51.13	MN801	89.79	83.81
ME004	64.81	60.49	MI139	66.73	62.29	MN802	89.79	83.81
ME005	74.18	69.22	MI157	66.73	62.29	MO001	66.03	61.62
ME006	79.27	73.97	MI167	63.98	59.72	MO002	64.19	59.90
ME007	74.18	69.22	MI168	63.98	59.72	MO003	63.30	59.08
ME008	68.14	63.59	MI178	54.78	51.13	MO004	66.03	61.62
ME009	75.29	70.28	MI186	55.08	51.41	MO006	66.03	61.62
ME011	91.20	85.11	MI194	63.98	59.72	MO007	63.30	59.08
ME015	103.66	96.76	MI198	62.99	58.79	MO008	63.30	59.08
ME018	75.29	70.28	MI880	63.98	59.72	MO009	63.30	59.08
ME019	83.08	77.53	MI901	66.73	62.29	MO010	63.30	59.08
ME020	103.66	96.76	MN001	89.79	83.81	MO014	63.30	59.08
ME021	75.29	70.28	MN002	89.79	83.81	MO016	63.30	59.08
ME025	64.81	60.49	MN003	66.42	61.99	MO017	64.19	59.90
ME027	66.53	62.10	MN006	62.11	57.97	MO030	64.19	59.90
ME028	91.20	85.11	MN007	66.42	61.99	MO037	63.30	59.08
ME030	68.14	63.59	MN008	61.26	57.17	MO040	63.30	59.08
ME901	63.62	59.37	MN009	61.26	57.17	MO053	64.19	59.90
MI001	66.73	62.29	MN018	61.26	57.17	MO058	63.30	59.08
MI003	66.73	62.29	MN021	75.15	70.14	MO064	63.30	59.08
MI005	66.73	62.29	MN032	61.26	57.17	MO065	63.30	59.08
MI006	57.07	53.26	MN034	61.26	57.17	MO072	63.30	59.08
MI008	66.73	62.29	MN037	61.26	57.17	MO074	63.30	59.08
MI009	57.44	53.61	MN038	68.41	63.85	MO107	63.30	59.08
MI010	58.17	54.30	MN049	61.26	57.17	MO129	63.30	59.08
MI019	54.78	51.13	MN063	66.70	62.26	MO133	63.30	59.08
MI020	54.78	51.13	MN067	89.79	83.81	MO145	63.30	59.08
MI023	55.08	51.41	MN073	66.42	61.99	MO149	63.30	59.08
MI027	66.73	62.29	MN077	66.83	62.38	MO188	63.30	59.08
MI030	54.78	51.13	MN085	61.26	57.17	MO190	63.30	59.08
MI031	62.99	58.79	MN090	61.26	57.17	MO193	64.19	59.90
MI032	58.17	54.30	MN101	61.26	57.17	MO196	64.19	59.90
MI035	60.15	56.14	MN107	61.26	57.17	MO197	64.19	59.90
MI036	54.78	51.13	MN128	61.26	57.17	MO198	63.30	59.08
MI037	66.73	62.29	MN144	89.79	83.81	MO199	66.03	61.62
MI038	57.67	53.84	MN147	89.79	83.81	MO200	63.30	59.08
MI039	66.73	62.29	MN151	74.34	69.40	MO203	63.30	59.08
MI040	66.73	62.29	MN152	89.79	83.81	MO204	64.19	59.90
MI044	66.73	62.29	MN153	61.26	57.17	MO205	66.03	61.62
MI045	66.73	62.29	MN154	61.26	57.17	MO206	63.30	59.08
MI047	54.78	51.13	MN158	75.15	70.14	MO207	63.30	59.08
MI048	66.73	62.29	MN161	64.27	59.98	MO209	63.30	59.08
MI049	54.78	51.13	MN163	89.79	83.81	MO210	64.19	59.90
MI050	54.78	51.13	MN164	75.15	70.14	MO212	63.30	59.08
MI051	66.73	62.29	MN166	61.26	57.17	MO213	64.19	59.90
MI052	66.73	62.29	MN167	66.70	62.26	MO215	63.30	59.08
MI055	66.73	62.29	MN168	64.27	59.98	MO216	63.30	59.08
MI058	63.98	59.72	MN169	61.26	57.17	MO217	63.30	59.08
MI059	66.73	62.29	MN170	89.79	83.81	MO227	66.03	61.62
MI060	58.76	54.83	MN171	63.23	59.00	MS004	63.36	59.14
MI061	59.13	55.19	MN172	68.41	63.85	MS005	66.43	62.01
MI063	54.78	51.13	MN173	61.26	57.17	MS006	63.36	59.14
MI064	79.51	74.21	MN174	61.26	57.17	MS016	67.53	63.03
MI066	62.99	58.79	MN176	61.26	57.17	MS019	63.36	59.14
MI070	58.76	54.83	MN177	61.26	57.17	MS030	63.36	59.14
MI073	62.99	58.79	MN178	64.27	59.98	MS040	66.43	62.01
MI074	59.13	55.19	MN179	61.26	57.17	MS057	63.36	59.14
MI080	60.81	56.76	MN180	61.26	57.17	MS058	78.40	73.16

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
MS095	63.36	59.14	NC163	65.78	61.39	NH009	85.96	80.22
MS103	78.40	73.16	NC164	78.43	73.19	NH010	98.80	92.21
MS107	63.36	59.14	NC165	62.57	58.40	NH011	75.78	70.74
MS128	63.36	59.14	NC166	62.57	58.40	NH012	80.73	75.35
MS301	66.43	62.01	NC167	63.74	59.49	NH013	96.13	89.73
MT001	86.92	81.13	NC173	65.65	61.27	NH014	96.13	89.73
MT002	76.95	71.83	NC175	65.65	61.27	NH015	75.78	70.74
MT003	71.63	66.85	NC901	62.57	58.40	NH016	75.78	70.74
MT004	83.29	77.73	ND001	75.15	70.14	NH022	117.46	109.64
MT006	67.48	62.99	ND002	75.04	70.03	NH888	98.63	92.05
MT015	73.11	68.22	ND003	75.04	70.03	NH901	92.84	86.64
MT033	78.24	73.01	ND009	75.04	70.03	NJ002	109.48	102.16
MT036	73.11	68.22	ND010	75.15	70.14	NJ003	109.48	102.16
MT901	86.92	81.13	ND011	75.04	70.03	NJ004	93.44	87.21
NC001	65.65	61.27	ND012	75.15	70.14	NJ006	112.11	104.65
NC002	78.43	73.19	ND013	75.04	70.03	NJ007	109.75	102.44
NC003	71.93	67.12	ND014	75.15	70.14	NJ008	109.75	102.44
NC004	62.57	58.40	ND015	75.04	70.03	NJ009	93.44	87.21
NC006	67.94	63.42	ND016	75.04	70.03	NJ010	90.84	84.79
NC007	65.65	61.27	ND017	75.04	70.03	NJ011	112.11	104.65
NC008	71.93	67.12	ND019	75.04	70.03	NJ012	93.44	87.21
NC009	66.73	62.27	ND021	75.15	70.14	NJ013	112.11	104.65
NC011	67.94	63.42	ND022	75.04	70.03	NJ014	92.57	86.42
NC012	67.94	63.42	ND025	75.04	70.03	NJ015	93.44	87.21
NC013	78.43	73.19	ND026	75.04	70.03	NJ021	112.11	104.65
NC014	62.57	58.40	ND030	75.04	70.03	NJ022	112.11	104.65
NC015	65.65	61.27	ND031	75.04	70.03	NJ023	109.48	102.16
NC018	62.57	58.40	ND035	75.04	70.03	NJ025	109.48	102.16
NC019	65.65	61.27	ND036	75.04	70.03	NJ026	93.44	87.21
NC020	62.57	58.40	ND037	75.04	70.03	NJ030	93.44	87.21
NC021	78.43	73.19	ND038	75.04	70.03	NJ032	109.48	102.16
NC022	65.65	61.27	ND039	75.04	70.03	NJ033	112.11	104.65
NC025	62.57	58.40	ND044	75.04	70.03	NJ035	112.11	104.65
NC032	62.57	58.40	ND049	75.04	70.03	NJ036	93.44	87.21
NC035	63.16	58.95	ND052	75.04	70.03	NJ037	109.48	102.16
NC039	64.63	60.33	ND054	75.04	70.03	NJ039	109.48	102.16
NC050	65.78	61.39	ND055	75.04	70.03	NJ042	112.11	104.65
NC056	69.17	64.56	ND070	75.04	70.03	NJ043	112.11	104.65
NC057	71.93	67.12	ND901	75.04	70.03	NJ044	112.11	104.65
NC059	67.94	63.42	NE001	69.61	64.97	NJ046	109.75	102.44
NC065	71.93	67.12	NE002	68.92	64.33	NJ047	112.11	104.65
NC070	68.42	63.85	NE003	68.92	64.33	NJ048	109.75	102.44
NC071	64.63	60.33	NE004	68.92	64.33	NJ049	89.00	83.06
NC072	68.13	63.60	NE010	68.92	64.33	NJ050	109.48	102.16
NC075	62.57	58.40	NE041	68.92	64.33	NJ051	90.84	84.79
NC077	62.57	58.40	NE078	68.92	64.33	NJ052	109.48	102.16
NC081	67.94	63.42	NE083	68.92	64.33	NJ054	109.75	102.44
NC087	65.65	61.27	NE094	68.92	64.33	NJ055	112.11	104.65
NC089	62.57	58.40	NE100	68.92	64.33	NJ056	109.75	102.44
NC098	65.65	61.27	NE104	68.92	64.33	NJ058	90.84	84.79
NC102	68.42	63.85	NE114	68.92	64.33	NJ059	92.57	86.42
NC104	78.43	73.19	NE120	68.92	64.33	NJ060	109.75	102.44
NC118	62.57	58.40	NE123	68.92	64.33	NJ061	89.00	83.06
NC120	78.43	73.19	NE141	68.92	64.33	NJ063	89.00	83.06
NC134	68.42	63.85	NE143	68.92	64.33	NJ065	109.75	102.44
NC137	65.65	61.27	NE150	68.92	64.33	NJ066	109.48	102.16
NC138	62.57	58.40	NE153	69.61	64.97	NJ067	112.11	104.65
NC139	62.57	58.40	NE157	68.92	64.33	NJ068	109.48	102.16
NC140	65.65	61.27	NE174	69.61	64.97	NJ070	112.11	104.65
NC141	62.57	58.40	NE175	69.01	64.41	NJ071	112.11	104.65
NC144	65.65	61.27	NE179	68.92	64.33	NJ073	90.84	84.79
NC145	62.57	58.40	NE180	68.92	64.33	NJ074	90.84	84.79
NC146	62.57	58.40	NE181	68.92	64.33	NJ075	112.11	104.65
NC147	65.65	61.27	NE182	68.92	64.33	NJ077	93.44	87.21
NC149	62.57	58.40	NH001	92.84	86.64	NJ081	109.75	102.44
NC150	62.57	58.40	NH002	98.63	92.05	NJ083	93.44	87.21
NC151	62.57	58.40	NH003	96.13	89.73	NJ084	112.11	104.65
NC152	65.65	61.27	NH004	96.13	89.73	NJ086	109.48	102.16
NC155	62.57	58.40	NH005	105.72	98.66	NJ088	109.48	102.16
NC159	69.17	64.56	NH006	96.13	89.73	NJ089	112.11	104.65
NC160	62.57	58.40	NH007	83.27	77.72	NJ090	112.11	104.65
NC161	62.57	58.40	NH008	96.13	89.73	NJ092	109.48	102.16

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
NJ095	109.75	102.44	NY057	115.02	107.36	NY433	57.99	54.12
NJ097	112.11	104.65	NY059	67.65	63.15	NY443	67.65	63.15
NJ099	109.48	102.16	NY060	74.27	69.32	NY447	80.30	74.95
NJ102	109.48	102.16	NY061	66.95	62.48	NY449	69.06	64.47
NJ105	109.48	102.16	NY062	102.76	95.92	NY501	80.30	74.95
NJ106	112.11	104.65	NY065	67.82	63.31	NY503	80.30	74.95
NJ108	109.48	102.16	NY066	68.34	63.80	NY504	73.89	68.97
NJ109	109.48	102.16	NY067	64.69	60.37	NY505	70.07	65.40
NJ110	112.11	104.65	NY068	63.38	59.14	NY512	80.30	74.95
NJ112	112.11	104.65	NY070	69.06	64.47	NY513	80.30	74.95
NJ113	109.48	102.16	NY071	75.78	70.72	NY516	80.30	74.95
NJ114	112.11	104.65	NY073	76.02	70.96	NY519	80.30	74.95
NJ118	90.84	84.79	NY077	115.02	107.36	NY521	73.89	68.97
NJ204	90.84	84.79	NY079	76.02	70.96	NY522	62.33	58.16
NJ212	107.56	100.39	NY084	99.98	93.31	NY527	73.89	68.97
NJ214	109.75	102.44	NY085	115.02	107.36	NY529	90.43	84.40
NJ880	109.75	102.44	NY086	115.02	107.36	NY530	74.27	69.32
NJ881	112.11	104.65	NY087	62.33	58.16	NY532	80.30	74.95
NJ882	109.48	102.16	NY088	115.02	107.36	NY534	67.65	63.15
NJ902	90.84	84.79	NY089	84.53	78.90	NY535	80.30	74.95
NJ912	109.48	102.16	NY091	69.06	64.47	NY538	80.30	74.95
NM001	78.21	73.00	NY094	115.02	107.36	NY541	63.38	59.14
NM002	60.44	56.41	NY098	67.65	63.15	NY552	67.65	63.15
NM003	62.07	57.93	NY102	73.89	68.97	NY557	80.30	74.95
NM006	78.11	72.89	NY103	90.43	84.40	NY561	80.30	74.95
NM009	92.55	86.37	NY107	73.89	68.97	NY562	80.30	74.95
NM020	61.16	57.07	NY109	67.65	63.15	NY564	80.30	74.95
NM033	60.44	56.41	NY110	99.98	93.31	NY630	80.30	74.95
NM039	60.44	56.41	NY111	115.02	107.36	NY888	115.02	107.36
NM050	92.55	86.37	NY113	115.02	107.36	NY889	61.14	57.06
NM057	78.21	73.00	NY114	99.98	93.31	NY891	115.02	107.36
NM061	60.44	56.41	NY117	115.02	107.36	NY892	115.02	107.36
NM063	61.16	57.07	NY120	115.02	107.36	NY895	115.02	107.36
NM066	76.97	71.83	NY121	115.02	107.36	NY904	115.02	107.36
NM067	60.44	56.41	NY123	115.02	107.36	NY912	69.06	64.47
NM077	78.21	73.00	NY125	102.76	95.92	OH001	67.79	63.26
NM088	64.45	60.16	NY127	115.02	107.36	OH002	61.56	57.45
NV001	82.23	76.75	NY128	115.02	107.36	OH003	71.46	66.69
NV018	92.37	86.22	NY130	115.02	107.36	OH004	69.20	64.58
NV905	82.23	76.75	NY132	115.02	107.36	OH005	63.13	58.92
NY001	73.89	68.97	NY134	102.76	95.92	OH006	71.03	66.29
NY002	69.06	64.47	NY137	102.76	95.92	OH007	70.29	65.62
NY003	115.02	107.36	NY138	99.98	93.31	OH008	61.56	57.45
NY005	99.98	93.31	NY141	115.02	107.36	OH009	59.05	55.11
NY006	67.65	63.15	NY146	115.02	107.36	OH010	59.05	55.11
NY009	80.30	74.95	NY147	115.02	107.36	OH012	71.46	66.69
NY012	80.30	74.95	NY148	99.98	93.31	OH014	61.97	57.84
NY015	80.30	74.95	NY149	115.02	107.36	OH015	69.20	64.58
NY016	70.07	65.40	NY151	115.02	107.36	OH016	60.56	56.52
NY017	61.14	57.06	NY152	115.02	107.36	OH018	60.56	56.52
NY018	64.81	60.49	NY154	115.02	107.36	OH019	60.35	56.32
NY019	67.65	63.15	NY158	102.76	95.92	OH020	59.05	55.11
NY020	80.30	74.95	NY159	115.02	107.36	OH021	63.13	58.92
NY021	70.58	65.88	NY160	99.98	93.31	OH022	63.13	58.92
NY022	80.30	74.95	NY165	115.02	107.36	OH024	59.05	55.11
NY023	115.02	107.36	NY402	71.35	66.59	OH025	71.46	66.69
NY025	80.30	74.95	NY403	57.73	53.88	OH026	60.02	56.01
NY027	73.89	68.97	NY404	69.06	64.47	OH027	71.46	66.69
NY028	80.30	74.95	NY405	69.06	64.47	OH028	62.88	58.68
NY033	80.30	74.95	NY406	84.53	78.90	OH029	69.68	65.02
NY034	67.65	63.15	NY408	80.30	74.95	OH030	59.05	55.11
NY035	115.02	107.36	NY409	69.06	64.47	OH031	70.29	65.62
NY038	115.02	107.36	NY413	74.27	69.32	OH032	59.26	55.31
NY041	84.53	78.90	NY416	80.30	74.95	OH033	59.05	55.11
NY042	115.02	107.36	NY417	67.65	63.15	OH034	59.26	55.31
NY044	84.53	78.90	NY421	80.30	74.95	OH035	59.05	55.11
NY045	90.43	84.40	NY422	80.30	74.95	OH036	59.32	55.37
NY048	57.99	54.12	NY424	80.30	74.95	OH037	59.05	55.11
NY049	102.76	95.92	NY427	80.30	74.95	OH038	69.20	64.58
NY050	115.02	107.36	NY428	80.30	74.95	OH039	59.05	55.11
NY051	102.76	95.92	NY430	80.30	74.95	OH040	59.05	55.11
NY054	78.97	73.72	NY431	80.30	74.95	OH041	59.05	55.11

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
OH042	71.46	66.69	OR022	83.78	78.19	PA073	61.46	57.36
OH043	67.79	63.26	OR026	86.03	80.29	PA074	62.31	58.17
OH044	61.56	57.45	OR027	77.62	72.46	PA075	79.18	73.90
OH045	59.05	55.11	OR028	83.78	78.19	PA076	77.37	72.20
OH046	59.05	55.11	OR031	87.14	81.34	PA077	63.17	58.95
OH047	59.05	55.11	OR032	81.32	75.89	PA078	100.29	93.61
OH049	69.20	64.58	OR034	92.48	86.32	PA079	64.00	59.73
OH050	59.05	55.11	PA001	63.40	59.17	PA080	63.17	58.95
OH053	59.05	55.11	PA002	90.84	84.79	PA081	77.37	72.20
OH054	61.53	57.43	PA003	61.46	57.36	PA082	73.06	68.19
OH056	59.05	55.11	PA004	77.37	72.20	PA083	61.99	57.86
OH058	59.05	55.11	PA005	63.40	59.17	PA085	60.66	56.61
OH059	67.79	63.26	PA006	63.40	59.17	PA086	61.77	57.65
OH060	59.05	55.11	PA007	90.84	84.79	PA087	76.96	71.83
OH061	60.41	56.38	PA008	79.18	73.90	PA088	86.25	80.49
OH062	63.13	58.92	PA009	75.45	70.41	PA090	80.41	75.06
OH063	59.05	55.11	PA010	63.40	59.17	PA091	73.31	68.42
OH066	59.05	55.11	PA011	77.37	72.20	PA092	62.46	58.30
OH067	59.05	55.11	PA012	90.84	84.79	RI001	116.13	108.40
OH069	59.05	55.11	PA013	76.96	71.83	RI002	116.13	108.40
OH070	67.79	63.26	PA014	63.40	59.17	RI003	116.13	108.40
OH071	71.03	66.29	PA015	63.40	59.17	RI004	116.13	108.40
OH072	59.05	55.11	PA016	69.71	65.06	RI005	110.95	103.54
OH073	71.46	66.69	PA017	63.40	59.17	RI006	116.13	108.40
OH074	60.70	56.65	PA018	63.40	59.17	RI007	116.13	108.40
OH075	59.05	55.11	PA019	65.06	60.72	RI008	100.98	94.25
OH076	59.05	55.11	PA020	71.42	66.66	RI009	116.13	108.40
OH077	59.05	55.11	PA021	65.06	60.72	RI010	116.13	108.40
OH078	59.05	55.11	PA022	72.68	67.83	RI011	116.13	108.40
OH079	67.79	63.26	PA023	90.84	84.79	RI012	116.13	108.40
OH080	60.49	56.45	PA024	77.37	72.20	RI014	116.13	108.40
OH081	60.56	56.52	PA026	64.00	59.73	RI015	116.13	108.40
OH082	59.19	55.24	PA027	60.66	56.61	RI016	116.13	108.40
OH083	67.79	63.26	PA028	82.51	77.02	RI017	116.13	108.40
OH085	71.03	66.29	PA029	65.53	61.16	RI018	116.13	108.40
OH086	59.05	55.11	PA030	61.46	57.36	RI019	116.13	108.40
OH882	71.46	66.69	PA031	67.00	62.53	RI020	116.13	108.40
OK002	63.67	59.43	PA032	64.66	60.34	RI022	116.13	108.40
OK005	61.94	57.81	PA033	64.00	59.73	RI024	116.13	108.40
OK006	61.62	57.52	PA034	69.13	64.51	RI026	116.13	108.40
OK024	61.62	57.52	PA035	79.18	73.90	RI027	116.13	108.40
OK027	61.62	57.52	PA036	80.41	75.06	RI028	116.13	108.40
OK032	61.62	57.52	PA037	69.71	65.06	RI029	116.13	108.40
OK033	61.94	57.81	PA038	61.46	57.36	RI901	116.13	108.40
OK044	61.62	57.52	PA039	74.47	69.51	RQ006	79.99	74.65
OK062	61.62	57.52	PA041	63.86	59.60	RQ007	74.42	69.46
OK067	61.62	57.52	PA042	61.46	57.36	RQ008	79.99	74.65
OK073	61.94	57.81	PA043	61.46	57.36	RQ009	74.42	69.46
OK095	63.35	59.13	PA044	61.46	57.36	RQ010	74.42	69.46
OK096	61.62	57.52	PA045	64.56	60.25	RQ011	79.99	74.65
OK099	61.62	57.52	PA046	90.84	84.79	RQ012	74.42	69.46
OK111	61.62	57.52	PA047	61.46	57.36	RQ013	79.99	74.65
OK118	61.62	57.52	PA048	75.01	70.01	RQ014	79.99	74.65
OK139	63.67	59.43	PA050	62.31	58.17	RQ015	79.99	74.65
OK142	61.94	57.81	PA051	90.84	84.79	RQ016	79.99	74.65
OK146	61.62	57.52	PA052	79.18	73.90	RQ017	74.42	69.46
OK148	63.35	59.13	PA053	64.56	60.25	RQ018	74.42	69.46
OK901	63.67	59.43	PA054	63.17	58.95	RQ019	79.99	74.65
OR001	83.78	78.19	PA055	64.56	60.25	RQ020	81.73	76.28
OR002	83.78	78.19	PA056	61.77	57.65	RQ021	79.99	74.65
OR003	84.99	79.33	PA057	61.46	57.36	RQ022	79.99	74.65
OR005	79.10	73.83	PA058	64.00	59.73	RQ023	79.99	74.65
OR006	96.28	89.86	PA059	61.77	57.65	RQ024	79.99	74.65
OR007	81.32	75.89	PA060	64.56	60.25	RQ025	79.99	74.65
OR008	89.95	83.95	PA061	64.56	60.25	RQ026	74.42	69.46
OR011	89.95	83.95	PA063	64.56	60.25	RQ027	79.99	74.65
OR014	89.95	83.95	PA064	62.31	58.17	RQ028	79.99	74.65
OR015	95.65	89.27	PA065	64.56	60.25	RQ029	74.42	69.46
OR016	83.78	78.19	PA067	77.37	72.20	RQ030	74.42	69.46
OR017	77.62	72.46	PA068	62.31	58.17	RQ031	74.42	69.46
OR019	85.05	79.37	PA069	67.00	62.53	RQ032	79.99	74.65
OR020	84.99	79.33	PA071	75.45	70.41	RQ033	74.42	69.46

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
RQ034	79.99	74.65	SC033	63.41	59.18	TX021	60.94	56.88
RQ035	74.42	69.46	SC034	65.47	61.10	TX023	73.12	68.24
RQ036	79.99	74.65	SC035	63.41	59.18	TX025	64.89	60.56
RQ037	74.42	69.46	SC036	71.93	67.12	TX027	85.36	79.68
RQ038	79.99	74.65	SC037	65.47	61.10	TX028	64.15	59.86
RQ039	81.73	76.28	SC046	71.93	67.12	TX029	64.15	59.86
RQ040	81.73	76.28	SC056	70.95	66.22	TX030	63.99	59.72
RQ041	74.42	69.46	SC057	70.95	66.22	TX031	83.25	77.71
RQ042	74.42	69.46	SC059	63.41	59.18	TX032	75.51	70.49
RQ043	74.42	69.46	SC911	71.72	66.94	TX034	73.12	68.24
RQ044	79.99	74.65	SD010	69.03	64.42	TX035	61.09	57.01
RQ045	79.99	74.65	SD011	67.22	62.74	TX037	73.12	68.24
RQ046	74.42	69.46	SD014	67.22	62.74	TX039	60.94	56.88
RQ047	79.99	74.65	SD016	69.03	64.42	TX042	60.94	56.88
RQ048	74.42	69.46	SD021	67.22	62.74	TX044	60.94	56.88
RQ049	79.99	74.65	SD026	67.22	62.74	TX046	64.15	59.86
RQ050	79.99	74.65	SD034	67.22	62.74	TX048	60.94	56.88
RQ052	74.42	69.46	SD035	73.04	68.16	TX049	60.94	56.88
RQ053	79.99	74.65	SD036	67.22	62.74	TX051	64.15	59.86
RQ054	79.99	74.65	SD037	67.22	62.74	TX062	64.15	59.86
RQ055	74.42	69.46	SD039	69.03	64.42	TX064	64.15	59.86
RQ056	79.99	74.65	SD043	67.22	62.74	TX065	64.89	60.56
RQ057	74.42	69.46	SD045	67.22	62.74	TX072	60.94	56.88
RQ058	74.42	69.46	SD047	67.22	62.74	TX073	64.15	59.86
RQ059	74.42	69.46	SD048	67.22	62.74	TX075	60.94	56.88
RQ060	74.42	69.46	SD055	67.22	62.74	TX079	63.99	59.72
RQ061	74.42	69.46	SD056	67.22	62.74	TX081	60.94	56.88
RQ062	74.42	69.46	SD057	67.22	62.74	TX085	88.67	82.75
RQ063	79.99	74.65	SD058	67.22	62.74	TX087	83.25	77.71
RQ064	79.99	74.65	SD059	67.22	62.74	TX095	85.36	79.68
RQ065	74.42	69.46	TN001	67.53	63.03	TX096	60.94	56.88
RQ066	74.42	69.46	TN002	62.62	58.44	TX105	60.94	56.88
RQ067	74.42	69.46	TN003	62.99	58.80	TX111	65.49	61.12
RQ068	74.42	69.46	TN004	68.46	63.89	TX114	60.94	56.88
RQ069	74.42	69.46	TN005	74.84	69.85	TX128	85.36	79.68
RQ070	79.99	74.65	TN006	62.62	58.44	TX134	60.94	56.88
RQ071	74.42	69.46	TN007	62.62	58.44	TX137	63.99	59.72
RQ072	79.99	74.65	TN012	62.99	58.80	TX147	60.94	56.88
RQ073	74.42	69.46	TN013	62.03	57.90	TX152	60.94	56.88
RQ074	74.42	69.46	TN020	74.84	69.85	TX158	63.99	59.72
RQ075	79.99	74.65	TN024	62.03	57.90	TX163	74.62	69.63
RQ077	79.99	74.65	TN026	62.03	57.90	TX164	74.62	69.63
RQ080	74.42	69.46	TN035	74.84	69.85	TX173	64.89	60.56
RQ081	79.99	74.65	TN038	62.62	58.44	TX174	74.62	69.63
RQ082	79.99	74.65	TN042	62.03	57.90	TX175	60.94	56.88
RQ083	79.99	74.65	TN054	62.62	58.44	TX177	64.15	59.86
RQ901	79.99	74.65	TN062	62.03	57.90	TX178	60.94	56.88
RQ911	79.99	74.65	TN065	62.99	58.80	TX183	60.94	56.88
SC001	70.95	66.22	TN066	62.62	58.44	TX189	60.94	56.88
SC002	71.72	66.94	TN076	62.62	58.44	TX193	73.18	68.32
SC003	65.47	61.10	TN079	74.84	69.85	TX197	63.99	59.72
SC004	65.47	61.10	TN088	62.99	58.80	TX201	60.94	56.88
SC005	65.47	61.10	TN113	62.99	58.80	TX202	64.15	59.86
SC007	68.81	64.22	TN117	68.46	63.89	TX206	64.89	60.56
SC008	65.47	61.10	TN903	74.84	69.85	TX208	63.99	59.72
SC015	63.41	59.18	TQ901	115.26	107.59	TX210	63.99	59.72
SC016	65.47	61.10	TX001	83.25	77.71	TX217	60.94	56.88
SC018	65.47	61.10	TX003	70.73	66.00	TX224	64.15	59.86
SC019	65.47	61.10	TX004	79.54	74.24	TX236	63.99	59.72
SC020	65.47	61.10	TX005	75.51	70.49	TX242	60.94	56.88
SC021	63.41	59.18	TX006	73.18	68.32	TX257	63.99	59.72
SC022	71.93	67.12	TX007	64.89	60.56	TX259	83.25	77.71
SC023	65.47	61.10	TX008	74.62	69.63	TX263	60.94	56.88
SC024	70.95	66.22	TX009	85.36	79.68	TX264	83.25	77.71
SC025	65.47	61.10	TX010	63.99	59.72	TX266	83.25	77.71
SC026	66.82	62.35	TX011	63.99	59.72	TX272	60.94	56.88
SC027	65.47	61.10	TX012	75.51	70.49	TX284	60.94	56.88
SC028	63.41	59.18	TX014	63.99	59.72	TX298	60.94	56.88
SC029	65.47	61.10	TX016	60.94	56.88	TX300	60.94	56.88
SC030	63.41	59.18	TX017	75.51	70.49	TX302	74.62	69.63
SC031	63.41	59.18	TX018	63.99	59.72	TX303	73.18	68.32
SC032	65.47	61.10	TX019	60.94	56.88	TX309	60.94	56.88

PHA	A Rate	B Rate	PHA	A Rate	B Rate	PHA	A Rate	B Rate
TX313	74.62	69.63	TX537	60.94	56.88	VT009	79.93	74.60
TX322	83.25	77.71	TX542	63.99	59.72	VT901	93.98	87.72
TX327	63.99	59.72	TX546	63.99	59.72	WA001	101.38	94.60
TX330	60.94	56.88	TX559	85.36	79.68	WA002	101.38	94.60
TX332	60.94	56.88	TX560	75.51	70.49	WA003	89.54	83.57
TX335	60.94	56.88	TX901	75.51	70.49	WA004	84.56	78.92
TX341	71.76	66.98	UT002	69.85	65.20	WA005	86.08	80.36
TX343	73.18	68.32	UT003	69.85	65.20	WA006	101.38	94.60
TX349	79.54	74.24	UT004	69.85	65.20	WA007	69.02	64.42
TX350	73.18	68.32	UT006	74.57	69.59	WA008	83.78	78.19
TX358	60.94	56.88	UT007	69.85	65.20	WA011	101.38	94.60
TX372	60.94	56.88	UT009	69.85	65.20	WA012	78.20	72.98
TX376	60.94	56.88	UT011	69.85	65.20	WA013	78.47	73.23
TX377	83.25	77.71	UT014	84.82	79.16	WA014	65.20	60.86
TX378	61.09	57.01	UT015	84.82	79.16	WA017	67.21	62.73
TX381	60.94	56.88	UT016	84.82	79.16	WA018	84.56	78.92
TX392	85.36	79.68	UT020	69.85	65.20	WA020	69.02	64.42
TX395	62.95	58.76	UT021	71.94	67.15	WA021	78.20	72.98
TX396	60.94	56.88	UT022	69.85	65.20	WA024	99.35	92.71
TX397	60.94	56.88	UT025	69.85	65.20	WA025	96.24	89.81
TX421	60.94	56.88	UT026	69.85	65.20	WA036	89.54	83.57
TX431	79.54	74.24	UT028	84.82	79.16	WA039	101.38	94.60
TX432	70.73	66.00	UT029	84.82	79.16	WA042	81.31	75.88
TX433	79.54	74.24	UT030	69.85	65.20	WA049	92.51	86.33
TX434	85.36	79.68	UT031	74.57	69.59	WA054	86.08	80.36
TX435	85.36	79.68	VA001	77.79	72.60	WA055	77.87	72.69
TX436	85.36	79.68	VA002	62.62	58.44	WA057	84.54	78.90
TX439	70.73	66.00	VA003	77.79	72.60	WA061	87.99	82.12
TX440	75.51	70.49	VA004	114.69	107.05	WA064	80.07	74.72
TX441	75.51	70.49	VA005	70.56	65.85	WA071	71.46	66.69
TX444	63.99	59.72	VA006	77.79	72.60	WI001	66.42	61.99
TX445	64.15	59.86	VA007	70.56	65.85	WI002	65.72	61.34
TX447	64.15	59.86	VA010	59.70	55.72	WI003	73.14	68.27
TX448	64.15	59.86	VA011	62.10	57.95	WI006	62.88	58.69
TX449	60.94	56.88	VA012	77.79	72.60	WI011	55.85	52.12
TX452	73.18	68.32	VA013	62.80	58.61	WI020	89.79	83.81
TX454	60.94	56.88	VA014	62.80	58.61	WI031	54.95	51.28
TX455	82.23	76.75	VA015	56.16	52.42	WI043	55.34	51.66
TX456	72.96	68.10	VA016	78.90	73.64	WI045	54.95	51.28
TX457	68.34	63.79	VA017	77.79	72.60	WI047	54.95	51.28
TX458	63.99	59.72	VA018	56.16	52.42	WI048	54.95	51.28
TX459	71.76	66.98	VA019	114.69	107.05	WI060	89.79	83.81
TX461	64.83	60.52	VA020	70.56	65.85	WI064	60.98	56.92
TX470	63.99	59.72	VA021	56.16	52.42	WI065	55.34	51.66
TX472	63.99	59.72	VA022	57.09	53.27	WI068	55.85	52.12
TX480	83.25	77.71	VA023	57.09	53.27	WI069	55.85	52.12
TX481	63.99	59.72	VA024	56.16	52.42	WI070	54.95	51.28
TX482	63.99	59.72	VA025	77.79	72.60	WI083	65.72	61.34
TX483	75.51	70.49	VA028	114.69	107.05	WI085	54.95	51.28
TX484	81.55	76.11	VA030	56.16	52.42	WI091	54.95	51.28
TX485	60.94	56.88	VA031	62.62	58.44	WI096	54.95	51.28
TX486	61.94	57.81	VA032	62.62	58.44	WI127	54.95	51.28
TX488	60.94	56.88	VA034	56.16	52.42	WI131	54.95	51.28
TX493	85.36	79.68	VA035	114.69	107.05	WI142	65.72	61.34
TX495	79.54	74.24	VA036	78.90	73.64	WI160	54.95	51.28
TX497	64.15	59.86	VA037	56.30	52.54	WI166	54.95	51.28
TX498	65.49	61.12	VA038	56.16	52.42	WI183	60.04	56.03
TX499	63.99	59.72	VA039	77.79	72.60	WI186	55.09	51.41
TX500	60.94	56.88	VA040	56.16	52.42	WI193	54.95	51.28
TX505	75.51	70.49	VA041	77.79	72.60	WI195	67.96	63.42
TX509	64.89	60.56	VA042	62.62	58.44	WI201	65.72	61.34
TX511	60.94	56.88	VA044	57.06	53.26	WI203	60.98	56.92
TX512	60.94	56.88	VA046	114.69	107.05	WI204	55.85	52.12
TX514	63.99	59.72	VA901	70.56	65.85	WI205	54.95	51.28
TX516	60.94	56.88	VQ901	97.78	91.26	WI206	54.95	51.28
TX519	60.94	56.88	VT001	93.98	87.72	WI208	54.95	51.28
TX522	85.36	79.68	VT002	82.48	76.98	WI213	55.34	51.66
TX523	65.49	61.12	VT003	85.32	79.63	WI214	73.14	68.27
TX526	85.52	79.82	VT004	84.47	78.84	WI218	65.72	61.34
TX533	85.36	79.68	VT005	79.08	73.81	WI219	60.98	56.92
TX534	82.23	76.75	VT006	93.98	87.72	WI221	54.95	51.28
TX535	60.94	56.88	VT008	79.08	73.81	WI222	54.95	51.28

PHA	A Rate	B Rate
WI231	54.95	51.28
WI233	54.95	51.28
WI237	55.97	52.24
WI241	54.95	51.28
WI242	54.95	51.28
WI244	60.32	56.30
WI245	54.95	51.28
WI246	55.58	51.87
WI248	54.95	51.28
WI256	54.95	51.28
WI901	54.95	51.28
WV001	73.20	68.32
WV003	59.05	55.11
WV004	60.35	56.32
WV005	57.93	54.07
WV006	61.01	56.94
WV009	61.66	57.55
WV010	63.75	59.50
WV015	57.93	54.07
WV016	61.97	57.84
WV017	57.70	53.86
WV018	57.70	53.86
WV027	58.91	54.99
WV034	57.70	53.86
WV035	58.91	54.99
WV037	60.35	56.32
WV039	57.93	54.07
WV042	57.93	54.07
WV045	57.70	53.86
WY002	85.45	79.76
WY003	68.38	63.83
WY004	102.96	96.10
WY013	68.38	63.83

[FR Doc. 2019-12385 Filed 6-11-19; 8:45 am]

BILLING CODE 4210-67-P

DEPARTMENT OF THE INTERIOR

Bureau of Ocean Energy Management

[OMB Control Number 1010-0176; Docket ID: BOEM-2017-0016]

Agency Information Collection Activities; Submission to the Office of Management and Budget for Review and Approval; Renewable Energy and Alternate Uses of Existing Facilities on the Outer Continental Shelf

AGENCY: Bureau of Ocean Energy Management, Interior.

ACTION: Notice of Information Collection; request for comment.

SUMMARY: In accordance with the Paperwork Reduction Act of 1995, the Bureau of Ocean Energy Management (BOEM) is proposing to renew an information collection with revisions.

DATES: Interested persons are invited to submit comments on or before July 11, 2019.

ADDRESSES: Send written comments on this information collection request (ICR) to the Office of Management and Budget's Desk Officer for the

Department of the Interior by email at OIRA_Submission@omb.eop.gov; or via facsimile to 202-395-5806. Please provide a copy of your comments to the BOEM Information Collection Clearance Officer, Anna Atkinson, Bureau of Ocean Energy Management, 45600 Woodland Road, Sterling, Virginia, 20166; or by email to anna.atkinson@boem.gov. Please reference Office of Management and Budget (OMB) Control Number 1010-0176 in the subject line of your comments.

FOR FURTHER INFORMATION CONTACT: To request additional information about this ICR, contact Anna Atkinson by email, or by telephone at 703-787-1025. You may also view the ICR at <http://www.reginfo.gov/public/do/PRAMain>.

SUPPLEMENTARY INFORMATION: In accordance with the Paperwork Reduction Act of 1995, we provide the general public and other Federal agencies with an opportunity to comment on new, proposed, revised, and continuing collections of information. This helps us assess the impact of our information collection requirements and minimize the public's reporting burden. It also helps the public understand our information collection requirements and provide the requested data in the desired format.

A **Federal Register** notice with a 60-day public comment period soliciting comments on this collection of information was published on February 11, 2019 (84 FR 3232). No comments were received.

We are again soliciting comments on the proposed ICR that is described below. We are especially interested in public comment addressing the following issues: (1) Is the collection necessary to the proper functions of BOEM; (2) will this information be processed and used in a timely manner; (3) is the estimate of burden accurate; (4) how might BOEM enhance the quality, utility, and clarity of the information to be collected; and (5) how might BOEM minimize the burden of this collection on the respondents, including minimizing the burden through the use of information technology?

Comments that you submit in response to this notice are a matter of public record. We will include or summarize each comment in our request to the Office of Management and Budget (OMB) for approval of this ICR. You should be aware that your entire comment—including your address, phone number, email address, or other personal identifying information—may be made publicly available at any time. In order for BOEM to withhold from

disclosure your personally identifiable information, you must identify any information contained in the submittal of your comments that, if released, would clearly constitute an unwarranted invasion of your personal privacy. You must also briefly describe any possible harmful consequences of the disclosure of your information, such as embarrassment, injury, or other harm. While you can ask us in your comment to withhold your personally identifiable information from public review, we cannot guarantee that we will be able to do so.

BOEM protects proprietary information in accordance with the Freedom of Information Act (5 U.S.C. 552), the Department of the Interior's FOIA regulations (43 CFR part 2), and 30 CFR 585.113.

Abstract: This information collection request concerns the paperwork requirements in the regulations under 30 CFR part 585, Renewable Energy and Alternate Uses of Existing Facilities on the Outer Continental Shelf (OCS) issued pursuant to the OCS Lands Act, as amended (43 U.S.C. 1331 *et seq.*). The OCS Lands Act at subsection 8(p) (43 U.S.C. 1337(p)) authorizes the Secretary of the Interior to issue leases, easements, or rights-of-way on the OCS for activities that produce or support production, transportation, or transmission of energy from sources other than oil and gas, including renewable energy. Subsection 8(p) directs the Secretary of the Interior to issue any necessary regulations to carry out the OCS renewable energy program. The Secretary delegated this authority to BOEM. BOEM has issued regulations for OCS renewable energy activities at 30 CFR part 585; this notice concerns the reporting and recordkeeping elements required under these regulations.

Respondents are lessees and grantees submitting plans for commercial and noncommercial renewable energy projects on the OCS, and, if such plans are approved, constructing, operating, maintaining, and decommissioning. BOEM must ensure that these activities are carried out in a manner that provides for, among other things, safety, protection of the environment, and consideration of other users of the OCS. In order to execute its duties, BOEM requires information regarding, *inter alia*, potential purchasers of leases, grants, and rights-of-way; their proposed activities; and their payments to the Treasury and financial assurance.

BOEM uses forms to collect some information to ensure proper and efficient administration of OCS renewable energy leases and grants and to document the financial responsibility