

peoples, as specified in Executive Order 12898.

#### List of Subjects in 40 CFR Part 52

Environmental protection,  
Incorporation by reference, Ozone.

Dated: August 14, 2019.

**Deborah Jordan,**

*Acting Regional Administrator, Region IX.*

[FR Doc. 2019-18432 Filed 8-26-19; 8:45 am]

**BILLING CODE 6560-50-P**

## ENVIRONMENTAL PROTECTION AGENCY

### 40 CFR Part 80

[EPA-HQ-OAR-2019-0168; FRL-9999-00-OAR]

#### Section 610 Review of “Regulation of Fuels and Fuel Additives: Changes to Renewable Fuel Standard Program”; Extension of Comment Period

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notification of extension of public comment period.

**SUMMARY:** On May 22, 2019, the U.S. Environmental Protection Agency (“EPA”) published an entry in the Spring 2019 Unified Agenda of Regulatory and Deregulatory Actions announcing that EPA will review the rulemaking “Regulation of Fuels and Fuel Additives: Changes to Renewable Fuel Standard Program” pursuant to section 610 of the Regulatory Flexibility Act. The purpose of this review is to determine if the provisions that could affect small entities should be continued without change, should be rescinded, or amended to minimize adverse economic impacts on small entities. The entry invited public comment on this proposal via the established docket on *Regulations.gov* by August 22, 2019—90 days after publication of the Spring 2019 Unified Agenda of Regulatory and Deregulatory Actions. On August 15, 2019, EPA received a request from the Small Refiners Coalition to extend the comment period by 30 days to allow its members to provide thorough comments and data. On August 16, 2019, EPA received a similar request from the Small Retailers Coalition. EPA is extending the deadline for written comments an additional 30 days to September 23, 2019.

**DATES:** Comments must be received on or before September 23, 2019.

**ADDRESSES:** You may send your comments, identified by Docket ID No. EPA-HQ-OAR-2019-0168, by any of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov> (our preferred method) Follow the online instructions for submitting comments.

- *Mail:* U.S. Environmental Protection Agency, EPA Docket Center, Office of Air and Radiation Docket, Mail Code 28221T, 1200 Pennsylvania Avenue NW, Washington, DC 20460.

- *Hand Delivery/Courier:* EPA Docket Center, WJC West Building, Room 3334, 1301 Constitution Avenue NW, Washington, DC 20004. The Docket Center’s hours of operations are 8:30 a.m.–4:30 p.m., Monday–Friday (except Federal Holidays).

*Instructions:* Submit your comments on EPA’s section 610 review referenced above, identified by Docket ID No. EPA-HQ-OAR-2019-0168, at <http://www.regulations.gov> (our preferred method), or the other methods identified above. Once submitted, comments cannot be edited or removed from the docket. EPA may publish any comment received to its public docket. Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Multimedia submissions (audio, video, etc.) must be accompanied by a written comment. The written comment is considered the official comment and should include discussion of all points you wish to make. EPA will generally not consider comments or comment contents located outside of the primary submission (*i.e.*, on the web, cloud, or other file sharing system). For additional submission methods, the full EPA public comment policy, information about CBI or multimedia submissions, and general guidance on making effective comments, please visit <http://www.epa.gov/dockets/commenting-epa-dockets>.

#### FOR FURTHER INFORMATION CONTACT:

Jessica Mroz, Office of Transportation and Air Quality, Environmental Protection Agency, 1200 Pennsylvania Avenue NW, Washington, DC 20460; telephone number: 202-564-1094; email address: [mroz.jessica@epa.gov](mailto:mroz.jessica@epa.gov).

**SUPPLEMENTARY INFORMATION:** The EPA rulemaking that is the subject of this review was published on March 26, 2010, at 75 FR 14670. For the reasons noted above, the public comment period for this review will now end on September 23, 2019.

Dated: August 20, 2019.

**Sarah Dunham,**

*Director, Office of Transportation and Air Quality.*

[FR Doc. 2019-18435 Filed 8-26-19; 8:45 am]

**BILLING CODE 6560-50-P**

## ENVIRONMENTAL PROTECTION AGENCY

### 40 CFR Part 180

[EPA-HQ-OPP-2006-0766; FRL-9996-03]

RIN 2070-AJ28

#### Tolerance Crop Grouping Program V

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Proposed rule.

**SUMMARY:** EPA is proposing revisions to its pesticide tolerance crop grouping regulations, which allow the establishment of tolerances for multiple related crops based on data from a representative set of crops. EPA is proposing to revise one commodity definition, add three new commodity definitions, and amend the current herbs and spices crop group currently provided in Crop Group 19. The crops in the current “Crop Group 19: Herbs and Spices Group” will be separated into two new crop groups, “Crop Group 25: Herb Group” and “Crop Group 26: Spice Group.” Once final, these revisions will increase the utility and benefit of the crop grouping system for producers and other stakeholders involved in commercial agriculture. This is the fifth in a series of planned crop group updates expected to be prepared over the next several years.

**DATES:** Comments must be received on or before October 28, 2019.

**ADDRESSES:** Submit your comments, identified by docket identification (ID) number EPA-HQ-OPP-2006-0766, by one of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov>. Follow the online instructions for submitting comments.

Do not submit electronically any information you consider to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute.

- *Mail:* OPP Docket, Environmental Protection Agency Docket Center (EPA/DC), (28221T), 1200 Pennsylvania Ave. NW, Washington, DC 20460-0001.

- *Hand Delivery:* To make special arrangements for hand delivery or delivery of boxed information, please follow the instructions at <http://www.epa.gov/dockets/contacts.html>.

Additional instructions on commenting or visiting the docket, along with more information about dockets generally, is available at <http://www.epa.gov/dockets>.

**FOR FURTHER INFORMATION CONTACT:** Prasad Chumble, Field and External Affairs Division (7506P), Office of Pesticide Programs, Environmental

Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20460-0001; telephone number 703-347-8367; email address: [chumble.prasad@epa.gov](mailto:chumble.prasad@epa.gov).

#### SUPPLEMENTARY INFORMATION:

### I. General Information

#### A. Legal Authority

EPA is initiating this rulemaking to amend the existing crop grouping regulations under section 408(e)(1)(C) of the Federal Food, Drug, and Cosmetic Act (FFDCA), which authorizes EPA to establish “general procedures and requirements to implement [section 408].” 21 U.S.C. 346a(e)(1)(C). Under section 408 of the FFDCA, EPA is authorized to establish tolerances for pesticide chemical residues in food. EPA establishes tolerances for each pesticide based on the potential risks to human health posed by that pesticide. A tolerance is the maximum permissible residue level established for a pesticide in raw agricultural commodities and processed foods. The crop group regulations currently in 40 CFR 180.40 and 180.41 enable the establishment of tolerances for a group of crops based on residue data for certain crops that are representative of the group.

#### B. Does this action apply to me?

You may be potentially affected by this action if you are an agricultural producer or food manufacturer. The following list of North American Industrial Classification System (NAICS) codes is not intended to be exhaustive, but rather provides a guide to help readers determine whether this document applies to them. Potentially affected entities may include:

- Crop production (NAICS code 111).
- Animal production (NAICS code 112).
- Food manufacturing (NAICS code 311).
- Pesticide manufacturing (NAICS code 32532).

#### C. What should I consider as I prepare my comments for EPA?

1. *Submitting CBI.* Do not submit this information to EPA through [regulations.gov](http://regulations.gov) or email. Clearly mark the part or all of the information that you claim to be CBI. For CBI information in a disk or CD-ROM that you mail to EPA, mark the outside of the disk or CD-ROM as CBI and then identify electronically within the disk or CD-ROM the specific information that is claimed as CBI. In addition to one complete version of the comment that includes information claimed as CBI, a copy of the comment that does not contain the information claimed as CBI

must be submitted for inclusion in the public docket. Information so marked will not be disclosed except in accordance with procedures set forth in 40 CFR part 2.

2. *Tips for preparing your comments.* When preparing and submitting your comments, see the commenting tips at <http://www.epa.gov/dockets/comments.html>.

### II. Background

#### A. Tolerance-Setting Requirements and Petitions From the Interregional Research Project Number 4 (IR-4) To Expand the Existing Crop Grouping System

EPA is authorized to establish tolerances, which are the maximum levels of pesticide chemical residues that may be in or on food commodities, under section 408 of the FFDCA (21 U.S.C. 346a). EPA establishes pesticide tolerances only after determining that aggregate exposure to the pesticide is considered safe. The United States Food and Drug Administration and the United States Department of Agriculture (USDA) enforce compliance with tolerance limits.

Traditionally, tolerances are established for a specific pesticide and commodity combination. However, under EPA’s crop grouping regulations (40 CFR 180.40 and 180.41), a single tolerance may be established that applies to a group of related commodities. For example, “Crop Group 26: Spice Group” is proposed to include 166 commodities. Crop group tolerances may be established based on residue data from designated representative commodities within the group. Representative commodities are selected based on EPA’s determination that they are likely to bear the maximum level of residue that could occur on any crop within the group. Using the same example, the proposed representative commodities for Crop Group 26 is a choice of either celery seed or dill seed. Once a crop group tolerance is established, the tolerance level applies to all commodities within the group.

This proposed rule is the fifth in a series of planned crop group amendments expected to be completed over the next several years. The previous four crop group amendment rules were finalized on December 7, 2007 (72 FR 69150); December 8, 2010 (75 FR 76284); August 22, 2012 (77 FR 50617); and May 3, 2016 (81 FR 26471) (Refs. 1, 2, 3, and 4, respectively). Specific information and details regarding the history of the crop group regulations, the previous amendments to the regulations, and the process for

amending crop groups can be found in the **Federal Register** of May 23, 2007 (Ref. 5) and in the docket for this action under docket identifier EPA-HQ-OPP-2006-0766 at <http://regulations.gov>. Specific information regarding how the Agency implements crop group amendments can be found in 40 CFR 180.40(j).

The proposed changes identified in this action have been informed by a petition developed by the International Crop Grouping Consulting Committee (ICGCC) workgroup and submitted to EPA by a nation-wide cooperative project, the Interregional Research Project Number 4 (IR-4) (Ref. 6). This petition and the supporting monographs, as well as EPA’s analyses of the petitions (Refs. 7, 8, and 9), are included in the docket for this action. Additional petitions seeking amendments and changes to the crop grouping regulations (40 CFR 180.40 and 180.41) from the ICGCC workgroup and IR-4 have been submitted and are being evaluated by EPA.

#### B. Regulatory Burden Reductions and Cost Savings Achieved Through the Expansion of the Existing Crop Grouping System

In 2007, EPA prepared an Economic Analysis (EA) of the potential costs and benefits associated with the first proposed rule issued in this series of updates, entitled “Economic Analysis Proposed Expansion of Crop Grouping Program” (Ref. 10). EPA considers the findings of the 2007 EA to apply to each subsequent crop group rulemaking, including this proposal, due to the similarity in purpose and scope of each of those rulemakings.

As discussed in the 2007 EA, EPA believes that crop grouping rulemakings are burden-reducing and cost-saving regulations. However, the impacts in the 2007 EA were measured primarily on a qualitative basis. For example, the crop grouping rules provide for greater sharing of data by permitting the results from a magnitude of residue field trial studies in one crop to be applied to other, similar crops. The primary beneficiaries are minor crop producers and pesticide registrants. Minor crop producers benefit because lower registration costs will encourage more products to be registered on minor crops, providing additional tools (*i.e.*, pesticides) for pest control. Pesticide registrants are expected to benefit as expanded markets for pesticide products will lead to increased sales. Additionally, the IR-4, which is publicly funded, is also expected to benefit from this rule as it will help IR-4 use its resources more efficiently in its

efforts to ensure that minor or specialty crop growers have access to legal, registered uses of essential pest management tools such as pesticides and biopesticides. The Agency is also expected to benefit from broader operational efficiency gains, which result from fewer emergency pesticide use requests from specialty crop growers, the ability to conduct risk assessment based on crop groupings, greater ease of establishing import tolerances, greater capacity to assess risks of pesticides used on crops not grown in the United States, further harmonization of crop classification and nomenclature, harmonized commodity import and export standards, and increased potential for resource sharing between EPA and other pesticide regulatory agencies.

While the 2007 EA provides a qualitative assessment of the benefits of the crop grouping rulemaking activities, EPA has developed a new burden reduction and cost savings assessment specific to the crop group amendments proposed in this rule, entitled “Burden Reduction from the Proposed Expansion of Crop Grouping Program” (Ref. 11). Although there are several uncertainties in the evaluation, for this proposed rule, EPA estimates that the cost savings from these proposed amendments to be approximately \$55.1 million annually. The Agency estimates that the cost savings from creating the new herb group and expanding the commodities within it to be approximately \$38.4 million annually. The Agency also estimates that the cost savings from the creation of a new spice group and the expansion of the commodities within it to be approximately \$16.7 million annually.

While EPA’s proposal estimates cost savings of \$55.1 million, these estimates are based solely on the number of field trials potentially avoided by the crop grouping amendments being proposed. This limitation means that other sources of value to society, such as making it easier to register pesticides for minor herb or spice crop uses, are not captured in these estimates. While easier registration of pesticides would have value to growers, who would then have access to more means of pest control, this benefit is not quantitatively included in the value estimated by the reduced cost of field trials. Additionally, there is a potential for overestimation when using the value of reduced field trial costs to estimate the cost savings of this rule. Many of these crops may have never been the subject of a tolerance petition that required a field residue trial. Therefore, even if there is a demand for a pesticide on one

of the herb or spice crops after a tolerance is granted, it does not reflect an actual savings, but merely a potential savings if a registrant or IR-4 were planning to submit field trial residue data to support a tolerance petition.

EPA’s full analysis on the estimated burden reductions and cost savings is provided in the docket for this action at regulations.gov using Docket ID EPA–HQ–OPP–2006–0766. EPA welcomes feedback on the assumptions made in developing these estimates, as well as any additional information that may help the Agency to refine these estimates.

### C. International Efforts and Considerations

1. *North American Free Trade Agreement (NAFTA) partner involvement in the proposal.* EPA’s Office of Pesticide Programs’ Chemistry Science Advisory Council (ChemSAC), an internal Agency peer review committee, provided detailed analyses (Ref. 7, 8, and 9) for each proposed crop group to IR-4, Canada’s Pest Management Regulatory Agency (PMRA), and the government of Mexico for their review and comment, and invited these parties to participate in the ChemSAC meeting to finalize the recommendations for each petition. The results of the ChemSAC meeting finalizing the recommendations for proposal in this action are provided in the docket (Ref. 12).

PMRA has indicated that it will, in parallel with the United States effort and under the authority of Canada’s Pest Control Products (PCP) Act (2002), establish equivalent crop groups. Additionally, once the new crop groups become effective in the United States, Mexico will have them as a reference for the establishment of maximum residue limits (MRLs) in Mexico.

2. *Relationship of proposal to Codex activities.* When Codex establishes MRLs for a pesticide chemical residue and EPA is not establishing tolerances at that same level, section 408 of the FFDCA calls for EPA to provide an explanation for its reasons for departing from that Codex level. In implementing this provision, EPA works to harmonize tolerance determinations with a Codex MRL whenever possible. This activity facilitates free trade and international movement of United States-produced goods. Further, since Canada is a key trading partner for United States agriculture, EPA also works closely with the Canadian pesticide registrar and similarly works to establish harmonized pesticide tolerance levels with Canada. Both Canada and Codex have adopted their own crop group schemes that are

synchronized with and complement the efforts and goals of the crop grouping rulemaking efforts.

3. *Policy for establishing import tolerances for individual spices.* While not directly related to the proposed crop groups, this paragraph summarizes a recent EPA policy that relates to establishing “import tolerances” for spice commodities. In 2017, EPA instituted a policy of establishing “import tolerances” for pesticide residues based on monitoring data as a substitute for crop field trial residue data (Ref. 13). Because most spices are not grown in the United States, getting data from domestic field trials to support the establishment of tolerances for individual spices grown primarily overseas or the current spice subgroup is extremely unlikely. Establishing individual tolerances for pesticide residues on imported spices using monitoring data is consistent with current Codex practice and is expected to adequately cover pesticide residues in spices moving through the channels of trade. It should be noted, however, that data on the representative commodity of either dill seed or celery seed would still be necessary to support the establishment of a group 26 tolerance.

### D. Scheme for Organization of Revised and Pre-Existing Crop Groups

EPA has amended the generic crop group regulations to include an explicit scheme for how revised crop groups will be organized in the regulations.

In brief, the current regulations at § 180.40(j) specify that when a crop group is amended in a manner that expands or contracts its coverage of commodities, EPA will retain the pre-existing crop group in 40 CFR180.41 and insert the new, related crop group immediately after the pre-existing crop group in the Code of Federal Regulations (CFR). Although EPA will initially retain pre-existing crop groups that have been superseded by new crop groups, 40 CFR180.41(j) states that EPA will not establish new tolerances under the pre-existing groups and that EPA will convert tolerances for any pre-existing crop groups to tolerances with the coverage of the new crop group. Conversions to revised crop groups are being implemented through the registration review process and in the course of establishing new tolerances for a pesticide.

As explained in Unit III.A., EPA believes it would benefit growers of herbs and spices to create two completely new and separate crop groups rather than to follow the 40 CFR180.41(j) process to create new crop

group 19–19 for Herbs and Spices. As a result, the proposal to separate Crop Group 19 into Crop Groups 25 and 26, as discussed in Unit III, does not fully follow the process described in § 180.40(j). The current process does not adequately address the separation of an existing crop group into two or more crop groups in order to expand and clarify the coverage of commodities, nor do the proposals follow the naming or numbering conventions established in 40 CFR 180.40(j). Therefore, to recognize that different processes may be appropriate in situations where an existing crop group may need to be separated into two or more distinct crop groups, EPA is proposing to revise paragraph (j) to outline how it intends to implement these types of crop group amendments.

### III. Specific Proposed Revisions

This unit explains the proposed amendments to the crop group regulations.

#### A. Separation of Herbs and Spices in Crop Group 19: Herbs and Spices

EPA is proposing to separate the current “Crop Group 19: Herbs and Spices Group” into two separate crop groups, which will be the proposed “Crop Group 25: Herb Group” and “Crop Group 26: Spice Group.” Proposed Crop Groups 25 and 26 are discussed in more detail in the following sections of this unit. In accordance with the process outlined in 40 CFR 180.40(j), Crop Group 19 will be retained in the CFR until all the tolerances for the pre-existing Crop Group 19 and its associated subgroups have been updated to comply with the newly proposed crop groups.

Separating the current herbs and spices crop group into a separate herb crop group and a spice crop group will benefit herb and spice growers. Combining the two sets of commodities together and requiring residue data on both herb and spice representative commodities has limited the establishment of Crop Group 19 tolerances because herb growers do not want to or cannot develop residue data on the spice representative commodities and vice versa for spice growers. Separating these groups will benefit herb growers by allowing them to submit representative crop data that reflects the commodities they produce and similarly, the separation will benefit spice growers.

A separate herb crop group and appropriate subgroups will provide a benefit to herb growers, as well as botanical herbs grown for medicinal purposes, since the representative

commodities will only be herbs with similar characteristics. Also, a separate crop group for herbs allows for the subdivision of dried and fresh herbs into subgroups, which will be beneficial to herb growers because of the different practices for growing herbs for the fresh market and for the dried markets. As a result, these changes will make available new pesticides not previously available for crop protection for these herb commodities, and the tolerances established under the proposed crop groups and subgroups will be a better reflection of their crops. Similarly, a separate spice crop group will allow spices to be placed in a crop group that is more reflective of their edible parts and will provide a benefit to spice growers, as well as botanical spices grown for medicinal purposes, since the representative commodities will only be spices with similar uses and commonly grown in the United States.

Finally, separating herbs and spices into two crop groups will also help in harmonization with Codex which has two separate crop groups, one for herbs and one for spices.

#### B. Crop Group 25: Herb Group

EPA is proposing to establish a new crop group, entitled “Crop Group 25: Herb Group.” The following paragraphs describe this new crop grouping in more detail.

1. *Commodities.* EPA proposes to include the following 317 commodities in Crop Group 25: Agrimony, fresh leaves, *Agrimonia eupatoria* L.; Agrimony, dried leaves, *Agrimonia eupatoria* L.; Angelica, fresh leaves, *Angelica archangelica* L.; Angelica, dried leaves, *Angelica archangelica* L.; Angelica, fragrant, fresh leaves, *Angelica dahurica* (Hoffm.) Benth & Hook. F. ex Franch. & Sav.; Angelica, fragrant, dried leaves, *Angelica dahurica* (Hoffm.) Benth & Hook. F. ex Franch. & Sav.; Applemint, fresh leaves, *Mentha suaveolens* Ehrh.; Applemint, dried leaves, *Mentha suaveolens* Ehrh.; Avarum, fresh leaves, *Senna auriculata* (L.) Roxb.; Avarum, dried leaves, *Senna auriculata* (L.) Roxb.; Balm, fresh leaves, *Melissa officinalis* L.; Balm, dried leaves, *Melissa officinalis* L.; Balloon pea, fresh leaves, *Lessertia frutescens* (L.) Goldblatt & J.C. Manning; Balloon pea, dried leaves, *Lessertia frutescens* (L.) Goldblatt & J.C. Manning; Barrenwort, fresh leaves, *Epimedium grandiflorum* C. Morren; Barrenwort, dried leaves, *Epimedium grandiflorum* C. Morren; Basil, fresh leaves, *Ocimum basilicum* L.; Basil, dried leaves, *Ocimum basilicum* L.; Basil, American, fresh leaves, *Ocimum americanum* L.; Basil, American, dried leaves, *Ocimum*

*americanum* L.; Basil, Greek, fresh leaves, *Ocimum minimum* L.; Basil, Greek, dried leaves, *Ocimum minimum* L.; Basil, holy, fresh leaves, *Ocimum tenuiflorum* L.; Basil, holy, dried leaves, *Ocimum tenuiflorum* L.; Basil, lemon, fresh leaves, *Ocimum x citriodorum* Vis.; Basil, lemon, dried leaves, *Ocimum x citriodorum* Vis.; Basil, Russian, fresh leaves, *Ocimum gratissimum* L.; Basil, Russian, dried leaves, *Ocimum gratissimum* L.; Bay, fresh leaves, *Laurus nobilis* L.; Bay, dried leaves, *Laurus nobilis* L.; Bisongrass, fresh leaves, *Anthoxanthum nitens* (Weber) Y. Schouten & Veldkamp; Bisongrass, dried leaves, *Anthoxanthum nitens* (Weber) Y. Schouten & Veldkamp; Blue mallow, fresh leaves, *Malva sylvestris* L.; Boneset, fresh leaves, *Eupatorium perfoliatum* L.; Boneset, dried leaves, *Eupatorium perfoliatum* L.; Borage, fresh leaves, *Borago officinalis* L.; Borage, dried leaves, *Borago officinalis* L.; Borage, Indian, fresh leaves, *Plectranthus amboinicus* (Lour.) Spreng.; Borage, Indian, dried leaves, *Plectranthus amboinicus* (Lour.) Spreng.; Burnet, fresh leaves, *Sanguisorba* spp.; Burnet, dried leaves, *Sanguisorba* spp.; Burnet, garden, fresh leaves, *Sanguisorba officinalis* L.; Burnet, garden, dried leaves, *Sanguisorba officinalis* L.; Burnet, salad, fresh leaves, *Sanguisorba minor* Scop.; Burnet, salad, dried leaves, *Sanguisorba minor* Scop.; Butterbur, dried leaves, *Petasites hybridus* (L.) G. Gaertn. et al., *P. frigidus* (L.) Fr.; Calamint, fresh leaves, *Clinopodium* spp.; Calamint, dried leaves, *Clinopodium* spp.; Calamint, large-flower, fresh leaves, *Clinopodium grandiflorum* (L.) Kuntze; Calamint, large-flower, dried leaves, *Clinopodium grandiflorum* (L.) Kuntze; Calamint, lesser, fresh leaves, *Clinopodium nepeta* (L.) Kuntze; Calamint, lesser, dried leaves, *Clinopodium nepeta* (L.) Kuntze; Calendula, fresh leaves, *Calendula officinalis* L.; Calendula, dried leaves, *Calendula officinalis* L.; Caltrop, fresh leaves, *Tribulus terrestris* L.; Caltrop, dried leaves, *Tribulus terrestris* L.; Camomile (Chamomile), fresh leaves, *Chamaemelum* spp. and *Matricaria* spp.; Camomile (Chamomile), dried leaves, *Chamaemelum* spp. and *Matricaria* spp.; Camomile (Chamomile), German, fresh leaves, *Matricaria recutita* L.; Camomile (Chamomile), German, dried leaves, *Matricaria recutita* L.; Camomile (Chamomile), Roman, fresh leaves, *Chamaemelum nobile* (L.) All.; Camomile (Chamomile), Roman, dried leaves, *Chamaemelum nobile* (L.) All.;

Caraway, fresh leaves, *Carum carvi* L.; Caraway, dried leaves, *Carum carvi* L.; Cat's claw, dried leaves, *Uncaria tomentosa* (Willd.) DC., *Uncaria guianensis* (Aubl.) J.F. Gmel.; Catnip, fresh leaves, *Nepeta cataria* L.; Catnip, dried leaves, *Nepeta cataria* L.; Catnip, Japanese, fresh leaves, *Schizonepeta multifida* (L.) Briq.; Catnip, Japanese, dried leaves, *Schizonepeta multifida* (L.) Briq.; Celandine, greater, fresh leaves, *Chelidonium majus* L.; Celandine, lesser, fresh leaves, *Ficaria verna* Huds.; Centaury, fresh leaves, *Centaureum erythraeae* Rafn.; Centaury, dried leaves, *Centaureum erythraeae* Rafn.; Chaste tree, fresh leaves, *Vitex agnus-castus* L.; Chaste tree, dried leaves, *Vitex agnus-castus* L.; Chervil, dried leaves, *Anthriscus cerefolium* (L.) Hoffm.; Chinese chastetree, dried leaves, *Vitex negundo* L.; Chinese foxglove, dried leaves, *Rehmannia glutinosa* (Gaertn.) Steud.; Chive, dried leaves, *Allium schoenoprasum* L.; Chive, Chinese, dried leaves, *Allium tuberosum* Rottler ex Spreng.; Cicely, sweet, fresh leaves, *Myrrhis odorata* (L.) Scop.; Cicely, sweet, dried leaves, *Myrrhis odorata* (L.) Scop.; Cilantro, dried leaves, *Coriandrum sativum* L.; Clary, fresh leaves, *Salvia sclarea* L.; Clary, dried leaves, *Salvia sclarea* L.; Coriander, Bolivian, fresh leaves, *Porophyllum ruderale* (Jacq.) Cass.; Coriander, Bolivian, dried leaves, *Porophyllum ruderale* (Jacq.) Cass.; Coriander, Vietnamese, fresh leaves, *Persicaria odorata* (Lour.) Sojak.; Coriander, Vietnamese, dried leaves, *Persicaria odorata* (Lour.) Sojak.; Costmary, fresh leaves, *Tanacetum balsamita* L. subsp. *Balsamita*; Costmary, dried leaves, *Tanacetum balsamita* L. subsp. *Balsamita*; Creat, dried leaves, *Andrographis paniculata* (Burm. f.) Wall. Ex Nees; Culantro, fresh leaves, *Eryngium foetidum* L.; Culantro, dried leaves, *Eryngium foetidum* L.; Curry leaf, fresh leaves, *Bergera koenigii* L.; Curry leaf, dried leaves, *Bergera koenigii* L.; Curryplant, fresh leaves, *Helichrysum italicum* (Roth) G. Don; Cut leaf, fresh leaves, *Prostanthera incisa* R. Br.; Cut leaf, fresh leaves, *Prostanthera incisa* R. Br.; Dillweed, dried leaves, *Anethum graveolens* L.; Dokudami, fresh leaves, *Houttuynia cordata* Thunb.; Echinacea, dried leaves, *Echinacea angustifolia* DC.; Epazote, fresh leaves, *Dysphania ambrosioides* (L.) Mosyakin & Clemants; Epazote, dried leaves, *Dysphania ambrosioides* (L.) Mosyakin & Clemants; Eucommia, dried leaves, *Eucommia ulmoides* Oliv.; Evening primrose, fresh leaves, *Oenothera biennis* L.; Evening primrose, dried leaves, *Oenothera biennis* L.; Fennel, common, fresh leaves, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *vulgare*; Fennel, common, dried leaves, *Foeniculum vulgare* Mill. Subsp. *vulgare* var. *vulgare*; Fennel, Florence, dried leaves, *Foeniculum vulgare* Mill. Subsp. *vulgare* var. *azoricum* (Mill.) Thell.; Fennel, Spanish, fresh leaves, *Nigella* spp.; Fennel, Spanish, dried leaves, *Nigella* spp.; Fenugreek, fresh leaves, *Trigonella foenum-graecum* L.; Fenugreek, dried leaves, *Trigonella foenum-graecum* L.; Feverfew, fresh leaves, *Tanacetum parthenium* (L.) Sch. Bip.; Feverfew, dried leaves, *Tanacetum parthenium* (L.) Sch. Bip.; Field pennycress, fresh leaves, *Thlaspi arvense* L.; Flowers, edible, fresh, multiple species; Flowers, edible, dried, multiple species; Fumitory, fresh leaves, *Fumaria officinalis* L.; Fumitory, dried leaves, *Fumaria officinalis* L.; Galbanum, dried leaves, *Ferula gummosa* Boiss.; Gambir, fresh leaves, *Uncaria gambir* (W. Hunter) Roxb.; Geranium, fresh leaves, *Pelargonium* spp.; Geranium, dried leaves, *Pelargonium* spp.; Geranium, lemon, fresh leaves, *Pelargonium crispum* (P.J. Bergius) L'Her.; Geranium, lemon, dried leaves, *Pelargonium crispum* (P.J. Bergius) L'Her.; Geranium, rose, fresh leaves, *Pelargonium graveolens* L'Her.; Geranium, rose, dried leaves, *Pelargonium graveolens* L'Her.; Germander, golden, fresh leaves, *Teucrium polium* L.; Germander, golden, dried leaves, *Teucrium polium* L.; Gotu kola, dried leaves, *Centella asiatica* (L.) Urb.; Gumweed, fresh leaves, *Grindelia camporum* Greene; Gumweed, dried leaves, *Grindelia camporum* Greene; Gymnema, dried leaves, *Gymnema sylvestre* (Retz.) Schult.; Gypsywort, fresh leaves, *Lycopus europaeus* L.; Gypsywort, dried leaves, *Lycopus europaeus* L.; Heal-all, fresh leaves, *Prunella vulgaris* L.; Heal-all, dried leaves, *Prunella vulgaris* L.; Honewort, fresh leaves, *Cryptotaenia canadensis* (L.) DC.; Honeybush, dried leaves, *Cyclopia genistoides* (L.) R. Br.; Horehound, fresh leaves, *Marrubium vulgare* L.; Horehound, dried leaves, *Marrubium vulgare* L.; Horsemint, fresh leaves, *Mentha longifolia* (L.) Huds.; Horsemint, dried leaves, *Mentha longifolia* (L.) Huds.; Hyssop, fresh leaves, *Hyssopus officinalis* L.; Hyssop, dried leaves, *Hyssopus officinalis* L.; Hyssop, anise, fresh leaves, *Agastache foeniculum* (Pursh) Kuntze; Hyssop, anise, dried leaves, *Agastache foeniculum* (Pursh) Kuntze; Jasmine, fresh leaves, *Jasminum officinale* L., *J. odoratissimum* L.; Jasmine, dried leaves, *Jasminum officinale* L., *J. odoratissimum* L.; Labrador tea, fresh leaves, *Rhododendron groenlandicum* (Oeder) Kron & Judd, *R. tomentosum* Harmaja; Labrador tea, dried leaves, *Rhododendron groenlandicum* (Oeder) Kron & Judd, *R. tomentosum* Harmaja; Lavender, fresh leaves, *Lavandula angustifolia* Mill.; Lavender, dried leaves, *Lavandula angustifolia* Mill.; Lemongrass, fresh leaves, *Cymbopogon citratus* (DC.) Stapf; Lemongrass, dried leaves, *Cymbopogon citratus* (DC.) Stapf; Lemon verbena, fresh leaves, *Aloysia citrodora* Palau; Lemon verbena, dried leaves, *Aloysia citrodora* Palau; Lovage, fresh leaves, *Levisticum officinale* W.D.J. Koch; Lovage, dried leaves, *Levisticum officinale* W.D.J. Koch; Love-in-a-mist, fresh leaves, *Nigella damascena* L.; Love-in-a-mist, dried leaves, *Nigella damascena* L.; Mamaki, dried leaves, *Pipturus arborescens* (Link) C.B. Rob.; Marigold, fresh leaves, *Tagetes* spp.; Marigold, dried leaves, *Tagetes* spp.; Marigold, African, fresh leaves, *Tagetes erecta* L.; Marigold, African, dried leaves, *Tagetes erecta* L.; Marigold, Aztec, fresh leaves, *Tagetes minuta* L.; Marigold, Aztec, dried leaves, *Tagetes minuta* L.; Marigold, French, fresh leaves, *Tagetes patula* L.; Marigold, French, dried leaves, *Tagetes patula* L.; Marigold, Irish lace, fresh leaves, *Tagetes filifolia* Lag; Marigold, Irish lace, dried leaves, *Tagetes filifolia* Lag.; Marigold, licorice, fresh leaves, *Tagetes micrantha* Cav; Marigold, licorice, dried leaves, *Tagetes micrantha* Cav; Marigold, Mexican mint, fresh leaves, *Tagetes lucida* Cav.; Marigold, Mexican mint, dried leaves, *Tagetes lucida* Cav.; Marigold, signet, fresh leaves, *Tagetes tenuifolia* Cav.; Marigold, signet, dried leaves, *Tagetes tenuifolia* Cav.; Marjoram, fresh leaves, *Origanum* spp.; Marjoram, dried leaves, *Origanum* spp.; Marjoram, pot, fresh leaves, *Origanum onites* L.; Marjoram, pot, dried leaves, *Origanum onites* L.; Marjoram, sweet, fresh leaves, *Origanum majorana* L.; Marjoram, sweet, dried leaves, *Origanum majorana* L.; Marshmallow, fresh leaves, *Althaea officinalis* L.; Marshmallow, dried leaves, *Althaea officinalis* L.; Meadowsweet, fresh leaves, *Filipendula ulmaria* (L.) Maxim.; Meadowsweet, dried leaves, *Filipendula ulmaria* (L.) Maxim.; Mint, fresh leaves, *Mentha* spp.; Mint, dried leaves, *Mentha* spp.; Mint, corn, fresh leaves, *Mentha arvensis* L.; Mint, corn, dried leaves, *Mentha arvensis* L.; Mint, Korean, fresh leaves, *Agastache rugosa* (Fisch. & C.A. Mey.) Kun; Mint, Korean, dried leaves, *Agastache rugosa* (Fisch. & C.A. Mey.) Kun; Monarda, fresh leaves, *Monarda* spp.; Monarda, dried leaves, *Monarda*

spp.; Motherwort, fresh leaves, *Leonurus cardiaca* L.; Motherwort, dried leaves, *Leonurus cardiaca* L.; Mountainmint, fresh leaves, *Pycnanthemum* spp.; Mountainmint, dried leaves, *Pycnanthemum* spp.; Mountainmint, clustered, fresh leaves, *Pycnanthemum muticum* (Michx.) Pers.; Mountainmint, clustered, dried leaves, *Pycnanthemum muticum* (Michx.) Pers.; Mountainmint, hoary, fresh leaves, *Pycnanthemum incanum* Michx.; Mountainmint, hoary, dried leaves, *Pycnanthemum incanum* Michx.; Mountainmint, Virginia, fresh leaves, *Pycnanthemum virginianum* (L.) T. Durand & B.D. Jacks. Ex B.L. Rob. & Fernald; Mountainmint, Virginia, dried leaves, *Pycnanthemum virginianum* (L.) T. Durand & B.D. Jacks. Ex B.L. Rob. & Fernald; Mountainmint, whorled, fresh leaves, *Pycnanthemum verticillatum* (Michx.) Pers.; Mountainmint, whorled, dried leaves, *Pycnanthemum verticillatum* (Michx.) Pers.; Mugwort, fresh leaves, *Artemisia vulgaris* L.; Mugwort, dried leaves, *Artemisia vulgaris* L.; Mulberry, white, dried leaves, *Morus alba* L.; Mullein, fresh leaves, *Verbascum densiflorum* Bertol., *Verbascum* spp.; Mullein, dried leaves, *Verbascum densiflorum* Bertol., *Verbascum* spp.; Nasturtium, fresh leaves, *Tropaeolum* spp.; Nasturtium, dried leaves, *Tropaeolum* spp.; Nasturtium, bush fresh leaves, *Tropaeolum minus* L.; Nasturtium, bush dried leaves, *Tropaeolum minus* L.; Nasturtium, garden, fresh leaves, *Tropaeolum majus* L.; Nasturtium, garden, dried leaves, *Tropaeolum majus* L.; Nettle, fresh leaves, *Urtica dioica* L.; Nettle, dried leaves, *Urtica dioica* L.; Oregano, fresh leaves, *Origanum vulgare* L.; Oregano, dried leaves, *Origanum vulgare* L.; Oregano, Mexican, fresh leaves, *Lippia graveolens* Kunth; Oregano, Mexican, dried leaves, *Lippia graveolens* Kunth; Oregano, Puerto Rico, fresh leaves, *Lippia micromera* Schauer; Oregano, Puerto Rico, dried leaves, *Lippia micromera* Schauer; Oswego tea, fresh leaves, *Monarda didyma* L.; Oswego tea, dried leaves, *Monarda didyma* L.; Pandan leaf, fresh leaves, *Pandanus amaryllifolius*, Roxb.; Pandan leaf, dried leaves, *Pandanus amaryllifolius*, Roxb.; Pansy, fresh leaves, *Viola tricolor* L.; Pansy, dried leaves, *Viola tricolor* L.; Paracress, fresh leaves, *Acmella oleracea* (L.) R.K. Jansen; Paracress, dried leaves, *Acmella oleracea* (L.) R.K. Jansen; Parsley, dried leaves, *Petroselinum crispum* (Mill.) Fuss; Pennyroyal, fresh leaves, *Mentha pulegium* L.; Pennyroyal, dried leaves, *Mentha pulegium* L.; Peppermint, fresh leaves, *Mentha x piperita* L.

Peppermint, dried leaves *Mentha x piperita* L.; Perilla, fresh leaves, *Perilla frutescens* (L.) Britton; Perilla, dried leaves, *Perilla frutescens* (L.) Britton; Rooibos, dried leaves, *Aspalathus linearis* (Burm. f.) R. Dahlgren; Rose, fresh leaves, *Rosa* spp.; Rose, dried leaves, *Rosa* spp.; Rosemary, fresh leaves, *Rosmarinus officinalis* L.; Rosemary, dried leaves, *Rosmarinus officinalis* L.; Sage, fresh leaves, *Salvia officinalis* L.; Sage, dried leaves, *Salvia officinalis* L.; Sage, Greek, fresh leaves, *Salvia fruticosa* Mill.; Sage, Greek, dried leaves, *Salvia fruticosa* Mill.; Sage, Spanish, fresh leaves, *Salvia lavandulifolia* Vahl; Sage, Spanish, dried leaves, *Salvia lavandulifolia* Vahl; Savory, summer, fresh leaves, *Satureja hortensis* L.; Savory, summer, dried leaves, *Satureja hortensis* L.; Savory, winter, fresh leaves, *Satureja montana* L.; Savory, winter, dried leaves, *Satureja montana* L.; Sorrel, fresh leaves, *Rumex* spp.; Sorrel, dried leaves, *Rumex* spp.; Sorrel, French, fresh leaves, *Rumex scutatus* L.; Sorrel, French, dried leaves, *Rumex scutatus* L.; Sorrel, garden, fresh leaves, *Rumex acetosa* L.; Sorrel, garden, dried leaves, *Rumex acetosa* L.; Southernwood, fresh leaves, *Artemisia abrotanum* L.; Southernwood, dried leaves, *Artemisia abrotanum* L.; Spearmint, fresh leaves, *Mentha spicata* L.; Spearmint, dried leaves, *Mentha spicata* L.; Spearmint, Scotch, fresh leaves, *Mentha x gracilis* Sole; Spearmint, Scotch, dried leaves, *Mentha x gracilis* Sole; Spotted beebalm, fresh leaves, *Monarda punctata* L.; Spotted beebalm, dried leaves, *Monarda punctata* L.; Squaw vine, dried leaves, *Mitchella repens* L.; St. John's Wort, dried leaves, *Hypericum perforatum* L.; Stevia, dried leaves, *Stevia rebaudiana* (Bertoni) Bertoni; Swamp leaf, fresh leaves, *Limnophila chinensis* (Osbeck) Merr.; Tansy, fresh leaves, *Tanacetum vulgare* L.; Tansy, dried leaves, *Tanacetum vulgare* L.; Tarragon, fresh leaves, *Artemisia dracunculus* L.; Tarragon, dried leaves, *Artemisia dracunculus* L.; Thyme, fresh leaves, *Thymus* spp.; Thyme, dried leaves, *Thymus* spp.; Thyme, creeping, fresh leaves, *Thymus serpyllum* L.; Thyme, creeping, dried leaves, *Thymus serpyllum* L.; Thyme, lemon, fresh leaves, *Thymus x citriodorus* (Pers.) Schreb.; Thyme, lemon, dried leaves, *Thymus x citriodorus* (Pers.) Schreb.; Thyme, mastic, fresh leaves, *Thymus mastichina* (L.) L.; Thyme, mastic, dried leaves, *Thymus mastichina* (L.) L.; Toon, Chinese, fresh leaves, *Toona sinensis* (A. Juss.) M. Roem.; Toon, Chinese, dried leaves, *Toona sinensis* (A. Juss.) M. Roem.; Vasaka, dried

leaves, *Justicia adhatoda* L.; Veronica, fresh leaves, *Veronica officinalis* L.; Violet, fresh leaves, *Viola odorata* L.; Violet, dried leaves, *Viola odorata* L.; Watermint, fresh leaves, *Mentha aquatica* L.; Watermint, dried leaves, *Mentha aquatica* L.; Waterpepper, fresh leaves, *Persicaria hydropiper* (L.) Delarbre; Wild bergamot, fresh leaves, *Monarda fistulosa* L.; Wild bergamot, dried leaves, *Monarda fistulosa* L.; Wintergreen, fresh leaves, *Gaultheria procumbens* L.; Wintergreen, dried leaves, *Gaultheria procumbens* L.; Wood betony, dried leaves, *Stachys officinalis* (L.) Trevis.; Woodruff, fresh leaves, *Galium odoratum* (L.) Scop.; Woodruff, dried leaves, *Galium odoratum* (L.) Scop.; Wormwood, fresh leaves, *Artemisia absinthium* L.; Wormwood, dried leaves, *Artemisia absinthium* L.; Wormwood, Roman, fresh leaves, *Artemisia pontica* L.; Wormwood, Roman, dried leaves, *Artemisia pontica* L.; Yarrow, fresh leaves, *Achillea millefolium* L.; Yarrow, dried leaves, *Achillea millefolium* L.; Yellow gentian, fresh leaves, *Gentiana lutea* L.; Yellow gentian, dried leaves, *Gentiana lutea* L.; Yerba santa, fresh leaves, *Eriodictyon californicum* (Hook. & Arn.) Torr.; Yerba santa, dried leaves, *Eriodictyon californicum* (Hook. & Arn.) Torr.; Yomogi, fresh leaves, *Artemisia princeps* L.; Yomogi, dried leaves, *Artemisia princeps* L. Also included are cultivars, varieties, and hybrids of these commodities.

The 317 members of the new Crop Group 25 are proposed based on similarities of growth habits as well as herbs being either fresh or dried leaves, similar pest problems, sources of essential oil, lack of animal feed items, comparison of established tolerances, and for international harmonization purposes. This new Crop Group 25 would include all the herbs from the current Crop Group 19 with the following exceptions:

- Crop Group 19 and the herb subgroup 19A include both fresh and dried forms of chive (*Allium schoenoprasum*) and chive, Chinese (*Allium tuberosum*), whereas the proposed Crop Group 25 and dried herb subgroup 25B include only the dried forms of those chives. In 2007, EPA determined that pesticide residues on the fresh forms of chives would be similar to other bulb vegetable commodities and included them in Crop Group 3–07 (Ref. 1). To avoid dual coverage, EPA is removing the fresh forms of these chives from the herb group (crop group 25) and subgroup 25A.

- Crop Group 19 and the herb subgroup 19A include both the fresh

and dried forms of coriander (cilantro or Chinese parsley leaf) (*Coriandrum sativum*) and dillweed (*Anethum graveolens* L.), whereas the proposed group and herb subgroup 25B include only the dried forms. In 2016, EPA determined that pesticide residues on the fresh forms of these commodities would be similar to other leafy vegetables and included them in Crop Group 4–16 (Ref. 4). To avoid dual coverage, EPA is removing the fresh forms of these chives from the herb group (crop group 25) and subgroup 25A.

- Although Crop Group 19 and herb subgroup 19A list rue (*Ruta graveolens*) as an herb, EPA is proposing to move rue to the new spice Crop Group 26. The reason for this modification is that rue is—due to similar crop growth, harvesting stages, pest pressures, and pesticide use patterns—expected to have pesticide residues more similar to other spices.

Adding these herb commodities into a separate herb group will benefit growers by enabling the use of pesticides not previously available for crop protection. Many minor herb orphan crops have become more popular in some countries and areas today than they were at the time that Crop Group 19 was established. Increased globalization of herbs in cooking in the United States has resulted in additional herbs to be enjoyed worldwide. Some of these “minor” crops have great potential to be grown on a larger scale in some areas in the future due to their unique nutritional and medicinal values. Because the demand for herbs keeps increasing in the United States, these crops may provide local market growers new revenue opportunities for fresh herbs with high returns per acre. Also, this crop group regulation will facilitate the establishment of pesticide tolerances for numerous pesticides that are needed to control a wide diversity of herb pests, as well as to develop integrated pest management (IPM) programs to incorporate reduced risk pesticides, organic and biopesticides, and cultural methods to reduce the development of pesticide resistance.

Being included in a crop group means that individual tolerances do not need to be established for each commodity nor does residue data need to be generated for each of the individual commodities. Allowing EPA’s risk assessments to focus on the representative crop is reliable and efficient.

2. *Representative commodities.* EPA proposes the following commodities as representative commodities for the new Crop Group 25: Basil, fresh leaves; mint,

fresh leaves; basil, dried leaves; and mint, dried leaves. The representative commodities are based on similarities to the related commodities within a group or subgroup regarding their edible portions, cultural methods, geographical locations, and pest problems, as well as considerations based on their high production (both acres and yield) and consumption compared to other crops in proposed Crop Group 25. Based on EPA’s analysis for the proposed Crop Group 25, these representative commodities will account for more than 99% of the harvested United States acres for the members of the new crop group (Ref. 7).

Basil has been a representative commodity for the Crop Group 19 and for the herb subgroup 19A since 1995 and has several established tolerances. Mint, which will cover all members of the mint (*Mentha* spp.) family including peppermint and spearmint, is replacing chive as a representative commodity since it is more widely grown (240,000 hectares worldwide versus 24,000 hectares worldwide) (Ref. 7.), and because chive, fresh leaves, are in a different crop group. Additionally, both basil and mint are important parts of many cuisines, especially European, Mediterranean, Indian and Asian cooking. EPA expects that all proposed members of the proposed crop group will have similar residue levels based on similarities of the raw agricultural commodities (RACs), and comparisons of established tolerances on these commodities support that residue levels will cover the wide number of commodities.

3. *Crop subgroups.* EPA proposes two crop subgroups for the new “Crop Group 25: Herb Group”: Subgroup 25A for fresh herbs and subgroup 25B for dried herbs. Comparisons of established tolerances proposed for the new herb, fresh leaves subgroup 25A and the new herb, dried leaves subgroup 25B have shown tolerances for dried herbs are often significantly higher (4X to 7.3X) than fresh herbs, indicating a need for different tolerances or subgroups for fresh and dried herbs (Ref. 7). In addition, fresh herbs are grown in a different way than dried herbs. Fresh herbs are grown more like fresh-cut flowers, and a high-quality product free of pests is required for their sale. Dried herbs, on the other hand, are grown like alfalfa and machine harvested with or without insect holes, which is not an issue for their sale. Dried herbs also have less storage problems than fresh herbs. Additionally, many herbs grown for dietary supplements are prepared in their dried forms, and all herb oils are also prepared from dried herbs. It is

worth noting that 40 CFR 180.40(f)(2) allows crop group tolerances to be established for processed commodities or fractions of commodities, such as “Herb, subgroup 25B, oil”.

Most commodities in proposed Crop Group 25 are included in both the fresh leaves and dried leaves forms and therefore would be in both proposed subgroups. However, there are 38 commodities that are included in proposed Crop Group 25 as only the fresh leaves or dried leaves. These are discussed briefly below; see Refs. 6–9 for more details.

For seven commodities, only the dried leaves are included in proposed Crop Group 25 because the fresh leaves are already included in a different crop group. Pesticide residues on the fresh forms of these commodities are expected to be similar to the commodities in another crop group than they are to herbs. These seven commodities and the crop group the fresh leaves are in are as follows:

- Chervil, *Anthriscus cerefolium* (L.) Hoffm.; Cilantro, *Coriandrum sativum* L. (4–16); Dillweed, *Anethum graveolens* L.; and Parsley, *Petroselinum crispum* (Mill.) Fuss; *Petroselinum crispum* var. *neapolitanum* Danert in Crop Group 4–16 Leafy Vegetable Group;
- Chive, *Allium schoenoprasum* L. and Chive, Chinese, *Allium tuberosum* Rottler ex Spreng in Crop Group 3–07 Bulb Vegetable Group; and
- Fennel, Florence, fresh leaves and stalk in Crop Group 22 Stalk, Stem and Leaf Petiole Vegetable Group.

The other 30 commodities are included in proposed Crop Group 25 only in the dried leaves form or the fresh leaves form because only one form is currently utilized in commerce. For example, some are dietary supplements used only in the dried form, while other commodities are used in foods as only the fresh or dried form.

- Eleven commodities are included in proposed Crop Group 25 only in their fresh leaves form: Blue mallow, fresh leaves, *Malva sylvestris* L.; Celandine, greater, fresh leaves, *Chelidonium majus* L.; Celandine, lesser, fresh leaves, *Ficaria verna* Huds.; Curryplant, fresh leaves, *Helichrysum italicum* (Roth) G. Don; Dokudami, fresh leaves, *Houttuynia cordata* Thunb.; Field pennycress, fresh leaves, *Thlaspi arvense* L.; Gambir, fresh leaves, *Uncaria gambir* (W. Hunter) Roxb.; Honewort, fresh leaves, *Cryptotaenia canadensis* (L.) DC.; Swamp leaf, fresh leaves, *Limnophila chinensis* (Osbeck) Merr.; Veronica, fresh leaves, *Veronica officinalis* L.; and Waterpepper, fresh leaves, *Persicaria hydropiper* (L.) Delarbre.

• Nineteen commodities are included in proposed Group 25 only in their dried leaves form: Butterbur, dried leaves, *Petasites hybridus* (L.) G. Gaertn. Et al., *P. frigidus* (L.) Fr.; Cat's claw, dried leaves, *Uncaria tomentosa* (Willd.) DC., *Uncaria guianensis* (Aubl.) J.F. Gmel.; Chinese chastetree, dried leaves, *Vitex negundo* L.; Chinese foxglove, dried leaves, *Rehmannia glutinosa* (Gaertn.) Steud.; Creat, dried leaves, *Andrographis paniculata* (Burm. f.) Wall. Ex Nees; Echinacea, dried leaves, *Echinacea angustifolia* DC.; Eucommia, dried leaves, *Eucommia ulmoides* Oliv.; Galbanum, dried leaves, *Ferula gummosa* Boiss.; Gotu kola, dried leaves, *Centella asiatica* (L.) Urb.; Gymnema, dried leaves, *Gymnema sylvestre* (Retz.) Schult.; Honeybush, dried leaves, *Cyclopia genistoides* (L.) R. Br.; Mamaki, dried leaves, *Pipturus arborescens* (Link) C. B. Rob.; Mulberry, white, dried leaves, *Morus alba* L.; Rooibos, dried leaves, *Aspalathus linearis* (Burm. f.) R. Dahlgren; Squaw vine, dried leaves, *Mitchella repens* L.; St. John's Wort, dried leaves, *Hypericum perforatum* L.; Stevia, dried leaves, *Stevia rebaudiana* (Bertoni) Bertoni; Vasaka, dried leaves, *Justicia adhatoda* L.; and Wood betony, dried leaves, *Stachys officinalis* (L.) Trevis.

EPA is considering revising the herb group and herb subgroups in the final rule to include both forms of the 30 commodities listed in the two previous paragraphs. Making this change would ensure coverage of residues in those other forms in case there are changes in how these commodities are used in the future, e.g., if the fresh leaves form is used in the future even though only the dried leaves form is used now. Recognizing the potential for confusion with pesticide applications to fresh and dried herbs, EPA intends, as a separate effort, to take into consideration approaches to labeling to ensure that pesticide labels clearly describe the list of herbs and their forms on which the pesticide can be used. EPA requests comments on including the 30 commodities in both forms in herb group 25 and its subgroups in the final rule.

i. *Herb, fresh leaves subgroup 25A.* (Representative commodities—Basil, fresh leaves and mint, fresh leaves). EPA is proposing 151 commodities in new subgroup 25A: Agrimony, fresh leaves, *Agrimonia eupatoria* L.; Angelica, fresh leaves; Angelica, fragrant, fresh leaves; Applemint, fresh leaves; Avarum, fresh leaves; Balm, fresh leaves; Balloon pea, fresh leaves; Barrenwort, fresh leaves; Basil, fresh leaves; Basil, American, fresh leaves; Basil, Greek, fresh leaves; Basil, holy, fresh leaves; Basil, lemon,

fresh leaves; Basil, Russian, fresh leaves; Bay, fresh leaves; Biongrass, fresh leaves; Blue mallow, fresh leaves; Boneset, fresh leaves; Borage, fresh leaves; Borage, Indian, fresh leaves; Burnet, fresh leaves; Burnet, garden, fresh leaves; Burnet, salad, fresh leaves; Calamint, fresh leaves; Calamint, large-flower, fresh leaves; Calamint, lesser, fresh leaves; Calendula, fresh leaves; Camomile (Chamomile), fresh leaves; Caltrop, fresh leaves; Camomile (Chamomile), German, fresh leaves; Camomile (Chamomile), Roman, fresh leaves; Caraway, fresh leaves; Catnip, fresh leaves; Catnip, Japanese, fresh leaves; Celandine, greater, fresh leaves; Celandine, lesser, fresh leaves; Centaury, fresh leaves; Chaste tree, fresh leaves; Cicely, sweet, fresh leaves; Clary, fresh leaves; Coriander, Bolivian, fresh leaves; Coriander, Vietnamese, fresh leaves; Costmary, fresh leaves; Culantro, fresh leaves; Curry leaf, fresh leaves; Curryplant, fresh leaves; Cut leaf, fresh leaves; Dokudami, fresh leaves; Epazote, fresh leaves; Evening primrose, fresh leaves; Fennel, common, fresh leaves; Fennel, Spanish, fresh leaves; Fenugreek, fresh leaves; Feverfew, fresh leaves; Field pennycress, fresh leaves; Flowers, edible, fresh, multiple species; Fumitory, fresh leaves; Gambir, fresh leaves; Geranium, fresh leaves; Geranium, lemon, fresh leaves; Geranium, rose, fresh leaves; Germander, golden, fresh leaves; Gumweed, fresh leaves; Gypsywort, fresh leaves; Heal-all, fresh leaves; Honewort, fresh leaves; Horehound, fresh leaves; Horsemint, fresh leaves; Hyssop, fresh leaves; Hyssop, anise, fresh leaves; Jasmine, fresh leaves; Labrador tea, fresh leaves; Lavender, fresh leaves; Lemongrass, fresh leaves; Lemon verbena, fresh leaves; Lovage, fresh leaves; Love-in-a-mist, fresh leaves; Marigold, fresh leaves; Marigold, African, fresh leaves; Marigold, Aztec, fresh leaves; Marigold, French, fresh leaves; Marigold, Irish lace, fresh leaves; Marigold, licorice, fresh leaves; Marigold, Mexican mint, fresh leaves; Marigold, signet, fresh leaves; Marjoram, fresh leaves; Marjoram, pot, fresh leaves; Marjoram, sweet, fresh leaves; Marshmallow, fresh leaves; Meadowsweet, fresh leaves; Mint, fresh leaves; Mint, corn, fresh leaves; Mint, Korean, fresh leaves; Motherwort, fresh leaves; Monarda, fresh leaves; Mountainmint, fresh leaves; Mountainmint, clustered, fresh leaves; Mountainmint, hoary, fresh leaves; Mountainmint, Virginia, fresh leaves; Mountainmint, whorled, fresh leaves; Mugwort, fresh leaves; Mullein, fresh leaves; Nasturtium, fresh leaves;

Nasturtium, bush, fresh leaves; Nasturtium, garden, fresh leaves; Nettle, fresh leaves; Oregano, fresh leaves; Oregano, Mexican, fresh leaves; Oregano, Puerto Rico, fresh leaves; Oswego tea, fresh leaves; Pandan leaf, fresh leaves; Pansy, fresh leaves; Paracress, fresh leaves; Pennyroyal, fresh leaves; Peppermint, fresh leaves; Perilla, fresh leaves; Rose, fresh leaves; Rosemary, fresh leaves; Sage, fresh leaves; Sage, Greek, fresh leaves; Sage, Spanish, fresh leaves; Savory, summer, fresh leaves; Savory, winter, fresh leaves; Sorrel, fresh leaves; Sorrel, French, fresh leaves; Sorrel, garden, fresh leaves; Southernwood, fresh leaves; Spearmint, fresh leaves; Spearmint, Scotch, fresh leaves; Spotted beebalm, fresh leaves; Swamp leaf, fresh leaves; Tansy, fresh leaves; Tarragon, fresh leaves; Thyme, fresh leaves; Thyme, creeping, fresh leaves; Thyme, lemon, fresh leaves; Thyme, mastic, fresh leaves; Toon, Chinese, fresh leaves; Veronica, fresh leaves; Violet, fresh leaves; Watermint, fresh leaves; Waterpepper, fresh leaves; Wild bergamot, fresh leaves; Wintergreen, fresh leaves; Woodruff, fresh leaves; Wormwood, fresh leaves; Wormwood, Roman, fresh leaves; Yarrow, fresh leaves; Yellow gentian, fresh leaves; Yerba santa, fresh leaves; Yomogi, fresh leaves. Also included are cultivars, varieties, and hybrids of these commodities.

ii. *Herb, dried leaves subgroup 25B.* (Representative commodities—Basil, dried leaves and Mint, dried leaves). EPA is proposing 166 commodities in new subgroup 25B: Agrimony, dried leaves; Angelica, dried leaves; Angelica, fragrant, dried leaves; Applemint, dried leaves; Avarum, dried leaves; Balm, dried leaves; Balloon pea, dried leaves; Barrenwort, dried leaves; Basil, dried leaves; Basil, American, dried leaves; Basil, Greek, dried leaves; Basil, holy, dried leaves; Basil, lemon, dried leaves; Basil, Russian, dried leaves; Bay, dried leaves; Biongrass, dried leaves; Boneset, dried leaves; Borage, dried leaves; Borage, Indian, dried leaves; Burnet, dried leaves; Burnet, garden, dried leaves; Burnet, salad, dried leaves; Butterbur, dried leaves; Calamint, dried leaves; Calamint, large-flower, dried leaves; Calamint, lesser, dried leaves; Calendula, dried leaves; Caltrop, dried leaves; Camomile (Chamomile), dried leaves; Camomile (Chamomile), German, dried leaves; Camomile (Chamomile), Roman, dried leaves; Caraway, dried leaves; Cat's claw, dried leaves; Catnip, dried leaves; Catnip, Japanese, dried leaves; Centaury, dried leaves; Chaste tree, dried leaves;

Chervil, dried leaves; Chinese chastetree, dried leaves; Chinese foxglove, dried leaves; Chive, dried leaves; Chive, Chinese, dried leaves; Cicely, sweet, dried leaves; Cilantro, dried leaves; Clary, dried leaves; Coriander, Bolivian, dried leaves; Coriander, Vietnamese, dried leaves; Costmary, dried leaves; Creat, dried leaves; Culantro, dried leaves; Curry leaf, dried leaves; Cut leaf, dried leaves; Dillweed, dried leaves; Echinacea, dried leaves; Epazote, dried leaves; Eucommia, dried leaves; Evening primrose, dried leaves; Fennel, common, dried leaves; Fennel, Florence, dried leaves; Fennel, Spanish, dried leaves; Fenugreek, dried leaves; Feverfew, dried leaves; Flowers, edible, dried, multiple species; Fumitory, dried leaves; Galbanum, dried leaves; Geranium, dried leaves; Geranium, lemon, dried leaves; Geranium, rose, dried leaves; Germander, golden, dried leaves; Gotu kola, dried leaves; Gumweed, dried leaves; Gymnema, dried leaves; Gypsywort, dried leaves; Heal-all, dried leaves; Honeybush, dried leaves; Horehound, dried leaves; Horsemint, dried leaves; Hyssop, dried leaves; Hyssop, anise, dried leaves; Jasmine, dried leaves; Labrador tea, dried leaves; Lavender, dried leaves; Lemongrass, dried leaves; Lemon verbena, dried leaves; Lovage, dried leaves; Love-in-a-mist, dried leaves; Mamaki, dried leaves; Marigold, dried leaves; Marigold, African, dried leaves; Marigold, Aztec, dried leaves; Marigold, French, dried leaves; Marigold, Irish lace, dried leaves; Marigold, licorice, dried leaves; Marigold, Mexican mint, dried leaves; Marigold, signet, dried leaves; Marjoram, dried leaves; Marjoram, pot, dried leaves; Marjoram, sweet, dried leaves; Marshmallow, dried leaves; Meadowsweet, dried leaves; Mint, dried leaves; Mint, corn, dried leaves; Mint, Korean, dried leaves; Monarda, dried leaves; Motherwort, dried leaves; Mountainmint, dried leaves; Mountainmint, clustered, dried leaves; Mountainmint, hoary, dried leaves; Mountainmint, Virginia, dried leaves; Mountainmint, whorled, dried leaves; Mugwort, dried leaves; Mulberry, white, dried leaves; Mullein, dried leaves; Nasturtium, dried leaves; Nasturtium, bush, dried leaves; Nasturtium, garden, dried leaves; Nettle, dried leaves; Oregano, dried leaves; Oregano, Mexican, dried leaves; Oregano, Puerto Rico, dried leaves; Oswego tea, dried leaves; Pandan leaf, dried leaves; Pansy, dried leaves; Paracress, dried leaves; Parsley, dried leaves; Pennyroyal, dried leaves; Peppermint, dried leaf; Perilla, dried

leaves; Rooibos, dried leaves; Rose, dried leaves; Rosemary, dried leaves; Sage, dried leaves; Sage, Greek, dried leaves; Sage, Spanish, dried leaves; Savory, summer, dried leaves; Savory, winter, dried leaves; Sorrel, dried leaves; Sorrel, French, dried leaves; Sorrel, garden, dried leaves; Southernwood, dried leaves; Spearmint, dried leaves; Spearmint, Scotch, dried leaves; Spotted beebalm, dried leaves; Squaw vine, dried leaves; St. John's Wort, dried leaves; Stevia, dried leaves; Tansy, dried leaves; Tarragon, dried leaves; Thyme, dried leaves; Thyme, creeping, dried leaves; Thyme, lemon, dried leaves; Thyme, mastic, dried leaves; Toon, Chinese, dried leaves; Vasaka, dried leaves; Violet, dried leaves; Watermint, dried leaves; Wild bergamot, dried leaves; Wintergreen, dried leaves; Wood betony, dried leaves; Woodruff, dried leaves; Wormwood, dried leaves; Wormwood, Roman, dried leaves; Yarrow, dried leaves; Yellow gentian, dried leaves; Yerba santa, dried leaves; Yomogi, dried leaves. Also included are cultivars, varieties, and hybrids of these commodities.

4. *Commodity definitions.* In conjunction with the new Crop Group 25, EPA proposes three new commodity definitions for basil, edible flowers, and mint. In addition, EPA proposes to amend the commodity definition for marjoram. These commodity definitions are being proposed as specified in the proposed regulatory text to distinguish and define the various varieties of basil, edible flowers, marjoram, and mint. These proposed commodity definitions, which will be defined in 40 CFR180.1(g), cover both fresh and dried leaves to be consistent with the subgroups in proposed Crop Group 25.

The proposed basil commodity definition is needed since it is one of the proposed representative commodities and includes several types of basil species.

The proposed edible flowers definition is needed because there are many flowers that are used as herbs in restaurant cuisine and are available at limited times in grocery stores for the consumer. If listed separately in Crop Group 25, there would be over 100 additional commodities just for their edible flowers.

The proposed commodity definition for mint is needed since it is one of the representative commodities and includes several mint species (*Mentha* spp.), including peppermint and spearmint.

EPA is also proposing to revise the current commodity definition for marjoram. This revision is needed to

reflect the proposed Crop Group 25 and correct plant species names.

#### C. Crop Group 26: Spice Group

EPA is proposing to establish a new crop group, entitled "Crop Group 26: Spice Group."

1. *Commodities.* EPA proposes to include the following 166 commodities in Crop Group 26: Ajowan, seed, *Trachyspermum ammi* (L.) Sprague ex Turill; Allspice, *Pimenta dioica* (L.) Merr; Ambrette seed, *Abelmoschus esculentus* (L.) Moench; Amia, *Phyllanthus amarus* Schumacher; Angelica, seed, *Angelica archangelica* L.; Angostura bark, *Angostura trifoliata* (Willd.) T.S. Elias; Anise seed, *Pimpinella anisum* L.; Anise pepper, *Zanthoxylum piperitum* (L.) DC.; Anise, star, *Illicium verum* Hook. f.; Annatto seed, *Bixa orellana* L.; Asafoetida, *Ferula assa-foetida* L.; Ashwagandha, fruit, *Withania somnifera* (L.) Dunal; Balsam, Peruvian, *Myroxylon balsamum* (L.) Harms var. *pereirae*; Batavia-cassia, fruit, *Cinnamomum burmanni* (Nees & T. Nees) Blume; Batavia-cassia, bark, *Cinnamomum burmanni* (Nees & T. Nees) Blume; Belleric myrobalan, *Terminalia bellirica* (Gaertn.) Roxb.; Betel vine, *Piper betel* L.; Black bread weed, *Nigella arvensis* L.; Blue mallee, *Eucalyptus polybractea* R.T. Baker; Boldo, leaves, *Peumus boldus* Molina; Buchi, *Agathosma betulina* (P.J. Bergius) Pillans; Calamus-root, *Acorus calamus* L.; Candlebush, *Senna alata* (L.) Roxb.; Canella bark, *Canella winterana* (L.) Gaertn.; Caper buds, *Capparis spinosa* L.; Caraway, fruit, *Carum carvi* L.; Caraway, black, *Nigella sativa* L.; Cardamom, black, *Amomum* spp.; Cardamom, Ethiopian, *Aframomum corrorima* (A. Braun) P.C. M. Jansen; Cardamom, green, *Elettaria cardamomum* (L.) Maton; Cardamom, Nepal, *Amomum subulatum* Roxb.; *Amomum aromaticum* Roxb.; Cardamom-amomum, *Amomum compactum* Sol. ex Maton; Cascada buckthorn, bark, *Frangula purshiana* (DC.) A. Gray; Cassia bark, *Cinnamomum* spp.; Cassia fruit, *Cinnamomum* spp.; Cassia, Chinese, fruit, *Cinnamomum aromaticum* Nees.; Cassia, Chinese, bark, *Cinnamomum aromaticum* Nees; Cat's claw, roots, *Uncaria tomentosa* (Willd.) DC., *Uncaria guianensis* (Aubl.) J.F. Gmel.; Catechu, bark, *Senegalia catechu* (L.f.) P.J.H. Hurter & Mabb.; Celery seed, *Apium graveolens* var. *dulce* (Mill.) Pers.; Chervil, seed, *Anthriscus cerefolium* (L.) Hoffm.; Chaste treeberry, berry, *Vitex agnus-castus* L.; Chinese chastetree, roots, *Vitex negundo* L.; Chinese hawthorn, *Crataegus pinnatifida* Bunge; Chinese nutmeg tree,

*Torreya grandis* Fortune; Chinese-pepper, *Zanthoxylum simulans* Hance; Chinese prickly-ash, *Zanthoxylum bungeanum* Maxim.; Cinnamon, bark, *Cinnamomum verum* J. Presl; Cinnamon, fruit, *Cinnamomum verum* J. Presl; Cinnamon, Saigon, fruit, *Cinnamomum loureiroi* Nees; Cinnamon, Saigon, bark, *Cinnamomum loureiroi* Nees; Clove buds, *Syzygium aromaticum* (L.) Merr. & L.M. Perry; Copaiba, *Copaifera officinalis* (Jacq.) L.; Coptis, *Coptis*, *Coptis chinensis* Franch., *Coptis* spp. Franch., *Coptis* spp.; Coriander, fruit, *Coriandrum sativum* L.; Coriander, seed, *Coriandrum sativum* L.; Cubeb, seed, *Piper cubeba* L.f.; Culantro, seed, *Eryngium foetidum* L.; Cumin, *Cuminum cyminum* L.; Cumin, black, *Bunium persicum* (Boiss.) B. Fedtsch.; Daharian angelica, leaves, *Angelica dahurica* (Hoffm.) Benth. & Hook. f. ex Franch. & Sav.; Daharian angelica, seed, *Angelica dahurica* (Hoffm.) Benth. & Hook. f. ex Franch. & Sav.; Damiana leaf, *Turnera diffusa* Willd.; Dill, seed, *Anethum graveolens* L.; Dorrigo pepper, berry, *Tasmannia stipitata* (Vick.) A.C. Smith; Dorrigo pepper, leaf, *Tasmannia stipitata* (Vick.) A.C. Smith; Epimedium, *Epimedium* spp.; Eucalyptus, *Eucalyptus* spp.; Eucommia, bark, *Eucommia ulmoides* Oliv.; Felty germander, *Teucrium polium* L.; Fennel, common, fruit, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *vulgare*; Fennel, common, seed, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *vulgare*; Fennel, Florence, fruit, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *azoricum* (Mill.) Thell.; Fennel, Florence, seed, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *azoricum* (Mill.) Thell.; Fennel flower, seed, *Nigella hispanica* L.; Fenugreek, seed, *Trigonella foenum-graecum* L.; Fingerrout, *Boesenbergia rotunda* (L.) Mansf.; Frankincense, *Boswellia sacra* Flueck.; Frankincense, Indian, *Boswellia serrata* Roxb. ex Colebr.; Galbanum, *Ferula gummosa* Boiss.; Gambooge, *Garcinia gummi-gutta* (L.) N. Robson; Grains of Paradise, *Aframomum melegueta* K. Schum.; Grains of Selim, *Xylopia aethiopica* (Dunal) A. Rich.; Guarana, *Paullinia cupana* Kunth; Guaiac, *Guaiacum officinale* L.; Guggul, *Commiphora wightii* (Arn.) Bhandari; Gum arabic, *Senegalia senegal* (L.) Britton; Gum ghatti, *Anogeissus latifolia* (Roxb. ex DC.) Wall. ex Guill. & Perr.; Gum karaya, *Sterculia urens* Roxb; Gum tragacanth, *Astragalus gummifer* Labill.; Gymnema, dried leaves, *Gymnema sylvestre* (Retz.) Schult.; Haw, black, *Viburnum prunifolium* L.; Honewort, seed, *Cryptotaenia canadensis* (L.) DC.; Imperatoria, *Peucedanum officinale* L.;

Iva, *Achillea erba-rotta* All. subsp. *moschata* (Wulfen) I. Richardson; Jalap, *Ipomoea purga* (Wender.) Hayne; Juniper berry, *Juniperus communis* L.; Kaffir lime, leaf, *Citrus hystrix* DC.; Kewra, *Pandanus fascicularis* Lam.; Kokam, *Garcinia indica* (Thouars) Choisy; Linden, dried leaves, *Tilia americana* L.; Lovage, seed, *Levisticum officinale* W.D.J. Koch; Mace, *Myristica fragrans* Houtt.; Magnolia-bark, *Magnolia officinalis* Rehder & E.H. Wilson; Mahaleb, *Prunus mahaleb* L.; Malabar cardamom, *Amomum villosum* Lour.; Malabathrum, *Cinnamomum tamala* (Buch.-Ham.) Nees & Eberm.; Malabar-tamarind, *Garcinia* spp.; Mastic, *Pistacia lentiscus* L.; Micromeria, white, *Micromeria fruticosa* (L.) Druce; Milk thistle, *Silybum marianum* (L.) Gaertn.; Mioga, *Zingiber mioga* (Thunb.) Roscoe; Miracle fruit, *Synsepalum dulcificum* (Schumach. & Thonn.) Daniell; Mustard seed, *Brassica* spp. and *Sinapis* spp.; Mustard, black (*Brassica nigra* (L.) W.D.J. Koch; Mustard, brown (*Brassica juncea* (L.) Czern. var. *juncea*; Mustard, white, *Sinapis alba* L. ssp. *alba*; Myrrh, *Commiphora myrrha* (Nees) Engl., *Commiphora africana* (A. Rich.) Engl.; Myrrh, bisabol, *Commiphora kataf* (Forssk.) Engl; Myrtle, dried leaves, *Myrtus communis* L.; Myrtle, anise, *Syzygium anisatum* (Vickery) Craven & Biffen; Myrtle, lemon, *Backhousia citriodora* F. Muell.; Nasturtium, pods, *Tropaeolum* spp.; Nasturtium, bush, pods, *Tropaeolum minus* L.; Nasturtium, garden, pods, *Tropaeolum majus* L.; Nutmeg, *Myristica fragrans* Houtt.; Pepper, black, *Piper nigrum* L.; Pepper, white, *Piper nigrum* L.; Pepper, Cubeb, *Piper cubeba* L.f.; Pepper, Indian long (*Piper longum* L.; Pepper, leaf, *Piper auritum* Kunth, *Piper lolot* C.DC, *Piper sanctum* (Miq.) Schltldl., *Piper umbellatum* L.; Pepper, Long, *Piper longum* L.; Pepper, Javanese Long, *Piper retrofractum* Vahl.; Pepper, Sichuan, *Zanthoxylum* spp.; Pepperbush, berry, *Tasmannia* spp.; Pepperbush, leaf, *Tasmannia* spp.; Peppertree, *Schinus* spp.; Peppertree, Brazilian, *Schinus terebinthifolius* Raddi; Peppertree, Peruvian, *Schinus molle* L.; Perilla leaf, *Perilla frutescens* (L.) Britton; Perilla seed, *Perilla frutescens* (L.) Britton; Pine, maritime, *Pinus pinaster* Aiton; Pipsissewa, leaves, *Chimaphila umbellata* (L.) W.P.C. Barton; Poppy seed, *Papaver somniferum* L. subsp. *somniferum*; Pygeum, *Prunus africana* (Hook.f.) Kalkman; Quassia, bark, *Quassia amara* L.; Quebracho bark, *Aspidosperma quebracho-blanco* Schltldl.; Quinine, *Cinchona pubescens* Vahl; Qing hua jiao, *Zanthoxylum*

*schinifolium* Siebold & Zucc; Quillaja, *Quillaja saponaria* Molina; Rue, *Ruta graveolens* L.; Saffron crocus, *Crocus sativus* L.; Sassafras, leaves, *Sassafras albidum* (Nutt.) Nees; Saunders, red, *Pterocarpus santalinus* L.f.; Simaruba, bark, *Simarouba amara* Aubl.; Slippery elm, *Ulmus rubra* Muhl.; Sumac, fragrant, *Rhus aromatica* Aiton; Sumac, smooth leaf, *Rhus glabra* L.; Tasmanian pepper berry, *Tasmannia lanceolata* (Poir.) A.C. Sm.; Tasmanian pepper leaf, *Tasmannia lanceolata* (Poir.) A.C. Sm.; Tsao-Ko, *Amomum tsao-ko* Crevost & Lemarié; Vanilla, *Vanilla planifolia* Jacks.; Wattleseed, *Acacia* spp.; White willow, *Salix alba* L.; Yellow gentian, roots, *Gentiana lutea* L.; and Willow, *Salix* spp. Also included are cultivars, varieties, and hybrids of these commodities.

Spices are classified based on the specific plant part that is edible. Over 2,000 commodities were researched as being members of this crop group. The commodities proposed here were selected for this new crop group based on similarities of growth habits and edible plant parts that are exposed similarly to pesticides, geographical distribution, lack of animal feed items, comparison of established tolerances, and for international harmonization purposes. All the spices currently included in Crop Group 19 are proposed for inclusion in this new Crop Group 26.

Adding these spice commodities into a separate group will benefit these growers by enabling the use of pesticides not previously available for crop protection. Many minor spice orphan crops have become more popular in some countries and areas today than they were at the time Crop Group 19 was established. Increased globalization of spices in cooking in the United States has resulted in additional spices to be enjoyed worldwide. Some of these “minor” crops have great potential to be grown on a larger scale in some areas in the future due to their unique nutritional and medicinal values. Being included in a crop group means that individual tolerances do not need to be established for each commodity nor does residue data need to be generated for each of the individual commodities. Because the demand for spices keeps increasing in the United States, these crops may provide local market growers new revenue opportunities for spices with high returns per acre. Also, allowing EPA’s risk assessments to focus on the representative crop is reliable and efficient.

2. *Representative commodities.* EPA proposes the option of one of the following two commodities as the

representative commodity for the proposed Crop Group 26: Celery seed or Dill seed.

Most spices are not grown in the United States. Black pepper, which is one of the representative commodities required for Crop Group 19 and for subgroup 19B, is one such commodity that is not grown in the United States. Black pepper has therefore become an obstacle to the development of tolerances for herbs and spices in Crop Group 19 and for spices in subgroup 19B. For this reason, EPA proposes to no longer list black pepper as a representative commodity.

Crop Group 19 and subgroup 19B also provide a choice between celery seed or dill seed as one of the representative commodities, and EPA proposes to maintain this choice for Crop Group 26. Unlike black pepper, celery seed and dill seed are grown in the United States and would be significant representative commodities for the proposed Crop Group 26. Celery seed and dill seed have similar residue levels based on similarities of the raw agricultural commodities, cultural methods, pest problems, and exposure to pesticide sprays. The proposed representative commodities also cover over 99% of the total spice production areas in the United States, and they also tend to be an equal or more conservative estimate of tolerances and potential residues (Ref. 8). Therefore, EPA is proposing that the representative commodities for proposed Crop Group 26 be a choice between celery seed or dill seed.

3. *No subgroups in new Crop Group 26.* EPA proposes not to establish subgroups in new Crop Group 26. As stated previously, most spices are not grown in the United States. Crop subgroups for spices would not be beneficial because of the low acreage of these crops and their inability to be readily grown in the United States, with the exception of dill seed and celery seed. Additionally, since EPA is proposing a choice between celery seed or dill seed, testing on only one of these representative commodities will support a tolerance for all commodities listed in Crop Group 26, negating the need for subgroups at this time.

#### D. Other Changes

##### 1. Revisions to 180.40(j)

As noted in Unit II.D., EPA is proposing to amend paragraph (j) to update the crop group revision process to include the current approach being taken in this rulemaking. For this rulemaking, EPA is proposing to amend the single Crop group 19 by splitting it into two new separate crop groups using

different names and different numbers—*i.e.*, commodities in “Herbs and Spices, group 19” would be separated into two new crop groups: “Herbs, group 25” and “Spices, group 26”. EPA’s proposed amendment to paragraph (j) recognizes this process for revising crop groups.

The rest of the process mirrors the current process in 40 CFR 180.41(j), where EPA would: (1) No longer establish tolerances under the pre-existing crop group; (2) amend tolerances for the pre-existing crop group to conform them to the revised crop group at appropriate times; and (3) remove the pre-existing crop group from the CFR once all the tolerances for the pre-existing crop group have been updated.

EPA plans to eventually convert tolerances for any pre-existing crop groups to tolerances with the coverage of the new crop group. This conversion will be implemented through the registration review process and in the course of establishing new tolerances for a pesticide. To this end, EPA requests that petitioners for tolerances address this issue in their petitions once this crop group rule is finalized.

#### IV. References

The following is a listing of the documents that are specifically referenced in this document. The docket includes these documents and other information considered by EPA, including documents that are referenced within the documents that are included in the docket, even if the referenced document is not physically located in the docket. For assistance in locating these other documents, please consult the person listed under **FOR FURTHER INFORMATION CONTACT**.

- USEPA. *Pesticide Tolerance Crop Grouping Program; Final Rule*. **Federal Register** (72 FR 69150, December 7, 2007) (FRL–8343–1).
- USEPA. *Pesticide Tolerance Crop Grouping Program II; Revisions to General Tolerance Regulations; Final Rule*. **Federal Register** (75 FR 76284, December 8, 2010) (FRL–8853–8).
- USEPA. *Pesticide Tolerance Crop Grouping Program III; Revisions to General Tolerance Regulations; Final Rule*. **Federal Register** (77 FR 50617, August 22, 2012) (FRL–9354–3).
- USEPA. *Pesticide Tolerance Crop Grouping Program Amendment IV; Final Rule*. **Federal Register** (81 FR 26471, May 3, 2016) (FRL–9944–87).
- USEPA. *Pesticide Tolerance Crop Grouping Program; Proposed Expansion; Proposed Rule*. **Federal Register** (72 FR 28920, May 23, 2007) (FRL–8126–1).
- USDA IR–4. Barney, William. *USDA–IR–4 Petition to Amend the Crop Group Regulation 40 CFR 180.41(c)(26) and Commodity Definitions [40 CFR 180.1(g)]*

*for Crop Group 19, Herb and Spice Group*. May 29, 2008.

- Schneider, Bernard A. *EPA Memorandum: Crop Grouping—Part XV B: Analysis of the USDA IR–4 Petition to Amend the Crop Group Regulation 40 CFR 180.41(c)(26) and Commodity Definitions [40 CFR 180.1(g)] Related to Crop Group 19 Herb and Spice Group. Emphasis on New Herb Crop Group 25*. June 8, 2015. Updated March 21, 2017.
- Schneider, Bernard A. *EPA Memorandum: Crop Grouping—Part XV C: Analysis of the USDA IR–4 Petition to Amend the Crop Group Regulation 40 CFR 180.41(c)(26) and Commodity Definitions [40 CFR 180.1(g)] Related to Crop Group 19 Herb and Spice Group. Emphasis on New Spice Crop Group 26*. August 21, 2015. Updated March 20, 2017.
- Schneider, Bernard A. *EPA Memorandum: Crop Grouping—Part XV D: Appendices for the Analysis of the USDA IR–4 Petition to Amend the Crop Group Regulation 40 CFR 180.41(c)(26) and Commodity Definitions [40 CFR 180.1(g)] Related to Herb Crop Group 25 and Spice Crop Group 26*. June 15, 2015.
- USEPA. *Economic Analysis of the Proposed Expansion of Crop Grouping Program*. February 12, 2007. EPA Docket ID No. EPA–HQ–OPP–2006–0766–0012.
- USEPA. *Burden Reduction from the Proposed Expansion of Crop Grouping Program*. June 26, 2019.
- USEPA. *Chemistry Science Advisory Council (ChemSAC) Meeting Minutes: Summary of ChemSAC Decisions/ Discussion on Herb Crop Group 25 and Spice Crop Group 26*. August 30, 2017.
- USEPA. *Chemistry Science Advisory Council (ChemSAC) Meeting Minutes: Use of Monitoring Data to Establish Import Tolerances for Pesticide Residues in Spices*. May 10, 2017.

#### V. Statutory and Executive Order Reviews

Additional information about these statutes and Executive Orders can be found at <http://www2.epa.gov/laws-regulations/laws-and-executive-orders>.

A. *Executive Order 12866: Regulatory Planning and Review and Executive Order 13563: Improving Regulation and Regulatory Review*

This action is not a significant regulatory action and was therefore not submitted to the Office of Management and Budget (OMB) for review under Executive Orders 12866 (58 FR 51735; October 4, 1993) and 13563 (76 FR 3821, January 21, 2011).

B. *Executive Order 13771: Reducing Regulations and Controlling Regulatory Costs*

This action is expected to be an Executive Order 13771 deregulatory action. Details on the estimated cost savings of this proposed rule can be found in EPA’s analysis of the potential

costs and benefits associated with this action.

**C. Paperwork Reduction Act (PRA)**

This action does not impose any new information collection requirements that would require additional review or approval by OMB under the provisions of PRA, 44 U.S.C. 3501 *et seq.* However, this action is expected to reduce mandatory paperwork due to a reduction in required studies. This action will also have the effect of reducing the number of residue chemistry studies because fewer representative crops would need to be tested under a crop grouping scheme than would otherwise be required.

**D. Regulatory Flexibility Act (RFA)**

I certify that this action will not have a significant economic impact on a substantial number of small entities under the RFA. In making this determination, the impact of concern is any significant adverse economic impact on small entities. An agency may certify that a rule will not have a significant economic impact on a substantial number of small entities if the rule relieves regulatory burden, has no net burden or otherwise has a positive economic effect on the small entities subject to the rule. This proposed action provides regulatory relief and regulatory flexibility. The new crop groups ease the process for pesticide manufacturers to obtain pesticide tolerances on greater numbers of crops. Pesticides will be more widely available to growers for use on crops, particularly specialty crops. Rather than having any adverse impact on small businesses, this proposal would relieve regulatory burden for all directly regulated small entities.

**E. Unfunded Mandates Reform Act (UMRA)**

This action does not contain any unfunded mandate as described in UMRA, 2 U.S.C. 1531–1538, and does not significantly or uniquely affect small governments. This action imposes no enforceable duty on any state, local or tribal governments or the private sector.

**F. Executive Order 13132: Federalism**

This action does not have federalism implications as specified in Executive Order 13132 (64 FR 43255), August 4, 1999). It will not have substantial direct effects on the states, on the relationship between the national government and the states, or on the distribution of power and responsibilities among the various levels of government. Thus, Executive Order 13132 does not apply to this action.

**G. Executive Order 13175: Consultation and Coordination With Indian Tribal Governments**

This action does not have tribal implications as specified in Executive Order 13175 (62 FR 19985, April 23, 1997) because it will not have any effect on tribal governments, on the relationship between the Federal Government and the Indian tribes, or on the distribution of power and responsibilities between the Federal Government and Indian tribes. Thus, Executive Order 13175 does not apply to this action.

**H. Executive Order 13045: Protection of Children From Environmental Health Risks and Safety Risks**

EPA interprets Executive Order 13045 (62 FR 19885, April 23, 1997) as applying only to those regulatory actions that concern environmental health or safety risks that the EPA has reason to believe may disproportionately affect children, per the definition of “covered regulatory action” in section 2–202 of the Executive Order. This action is not subject to Executive Order 13045 because it does not concern an environmental health risk or safety risk.

**I. Executive Order 13211: Actions That Significantly Affect Energy Supply, Distribution, or Use**

This action is not subject to Executive Order 13211 (66 FR 28355, May 22, 2001), because it is not a significant regulatory action under Executive Order 12866, nor does it affect energy supply, distribution or use.

**J. National Technology Transfer and Advancement Act (NTTAA)**

This action does not involve technical standards that would require consideration of voluntary consensus standards pursuant to NTTAA section 12(d), 15 U.S.C. 272 note.

**K. Executive Order 12898: Federal Actions To Address Environmental Justice in Minority Populations and Low-Income Populations**

This action does not involve special consideration of environmental justice related issues as specified in Executive Order 12898 (59 FR 7629, February 16, 1994), because this action does not address human health or environmental risks or otherwise have any disproportionate high and adverse human health or environmental effects on minority, low-income or indigenous populations.

**List of Subjects in 40 CFR Part 180**

Administrative practice and procedure, Commodities, Environmental protection, Pesticides and pests.

Dated: August 15, 2019.

**Alexandra Dapolito Dunn,**

*Assistant Administrator, Office of Chemical Safety and Pollution Prevention.*

Therefore, it is proposed that 40 CFR chapter I be amended as follows:

**PART 180—[AMENDED]**

■ 1. The authority citation for part 180 continues to read as follows:

**Authority:** 21 U.S.C. 321 (q), 346a and 371.

■ 2. In § 180.1:

■ a. Add alphabetically the entries for “Basil”; “Flowers, edible, multiple species”; and “Mint” to the table in paragraph (g).

■ b. Revise the entry for “Marjoram” in the table in paragraph (g).

The additions and revision read as follows:

**§ 180.1 Definitions and interpretations.**

\* \* \* \* \*  
(g) \* \* \*

A	B	
*	*	* * * * *
Basil ( <i>Ocimum</i> spp.) .....	Basil ( <i>Ocimum basilicum</i> L.); Basil, American ( <i>Ocimum americanum</i> L.); Basil, Greek ( <i>Ocimum minimum</i> L.); Basil, holy ( <i>Ocimum tenuiflorum</i> L.); Basil, lemon ( <i>Ocimum x citriodorum</i> Vis.); Basil, Russian ( <i>Ocimum gratissimum</i> L.).	

A	B
<p>Flowers, edible, multiple species.</p>	<p>Nasturtium (<i>Tropaeolum</i> spp.); Rose (<i>Rosa</i> spp.); Violet (<i>Viola odorata</i> L.); Acacia Blossoms (<i>Acacia senegal</i> (L.) Willd.); Alyssum, Sweet (<i>Lobularia maritima</i> (L.) Desv.); Anchusa, Garden (<i>Anchusa azurea</i> Mill.); Angelica (<i>Angelica archangelica</i> L.); Apricot, Japanese (<i>Prunus mume</i> Siebold &amp; Zucc.); Arugula (<i>Eruca sativa</i> Mill.); Balm (<i>Melissa officinalis</i> L.); Banana (<i>Musa</i> spp.); Basil (<i>Ocimum</i> spp.); Begonia, Tuberous (<i>Begonia x tuberhybrida</i> Voss); Bilimbi (<i>Averrhoa bilimbi</i> L.); Borage (<i>Borago officinalis</i> L.); Broccoli (<i>Brassica oleracea</i> L. var. <i>italica</i> Plenck); Burnet (<i>Sanguisorba</i> spp.); Calendula (<i>Calendula officinalis</i> L.); Caper (<i>Capparis spinosa</i> L.); Carambola (<i>Averrhoa carambola</i> L.); Carnation (<i>Dianthus caryophyllus</i> L.); Chamomile (<i>Chamaemelum</i> spp. and <i>Matricaria</i> spp.); Chervil (<i>Anthriscus cerefolium</i> (L.) Hoffm.); Chicory (<i>Cichorium intybus</i> L.); Chive, Chinese (<i>Allium tuberosum</i> Rottler ex Spreng.); Chrysanthemum (<i>Chrysanthemum</i> spp.); Clary (<i>Salvia sclarea</i> L.); Clove (<i>Syzygium aromaticum</i> (L.) Merr. &amp; L.M. Perry); Clover, Red (<i>Trifolium pratense</i> L.); Coriander/ Cilantro (<i>Coriandrum sativum</i> L.); Cornflower (<i>Centaurea cyanus</i> L.); Costmary (<i>Tanacetum balsamita</i> L. subsp. <i>balsamita</i>); Daisy, English (<i>Bellis perennis</i> L.); Dame's Rocket (<i>Hesperis matronalis</i> L.); Dandelion (<i>Taraxacum officinale</i> F. H. Wigg. aggr.); Daylily (<i>Hemerocallis fulva</i> (L.) L.); Dill (<i>Anethum graveolens</i> L.); Elder (<i>Sambucus nigra</i> L.); Feijoa (<i>Acca sellowiana</i> (O. Berg) Burret); Fennel (common) (<i>Foeniculum vulgare</i> Mill. subsp. <i>vulgare</i> var. <i>vulgare</i>); Frangipani (<i>Plumeria rubra</i> L.); Fuchsia (<i>Fuchsia</i> spp.); Gardenia (<i>Gardenia jasminoides</i> J. Ellis); Geranium (<i>Pelargonium</i> spp.); Geranium, Lemon (<i>Pelargonium crispum</i> (P.J. Bergius) L'Her.); Geranium, Rose (<i>Pelargonium graveolens</i> L'Her.); Ginger, White (<i>Hedychium coronarium</i> J. Koenig); Gladiolus (<i>Gladiolus</i> spp.); Hibiscus (<i>Hibiscus</i> spp.); Hibiscus, Chinese (<i>Hibiscus rosa-sinensis</i> L.); Hollyhock (<i>Alcea rosea</i> L.); Honey-suckle, Japanese (<i>Lonicera japonica</i> Thunb.); Hyssop, anise (<i>Agastache foeniculum</i> (Pursh) Kuntze); Impatiens (<i>Impatiens walleriana</i> Hook. f.); Jasmine, Arabian (<i>Jasminum sambac</i> (L.) Aiton); Kewra (<i>Pandanus fascicularis</i> Lam.); Lavender (<i>Lavandula angustifolia</i> Mill.); Lemon (<i>Citrus limon</i> (L.) Burm. f.); Lilac (<i>Syringa vulgaris</i> L.); Lily, Mariposa (<i>C. gunnisonii</i>); Lily, Sege (<i>C. nuttallii</i>); Lotus (<i>Nelumbo nucifera</i> Gaertn.); Lovage (<i>Levisticum officinale</i> W.D.J. Koch); Mallow, High (<i>Malva sylvestris</i> L.); Marigold (<i>Tagetes</i> spp.); Marjoram (<i>Origanum</i> spp.); Meadowsweet (<i>Filipendula ulmaria</i> (L.) Maxim.); Mint (<i>Mentha</i> spp.); Mioga (<i>Zingiber mioga</i> (Thunb.) Roscoe); Monarda (<i>Monarda</i> spp.); Motherwort (<i>Leonurus cardiaca</i> L.); Mustard (<i>Brassica</i> spp. and <i>Sinapis</i> spp.); Nasturtium (<i>Tropaeolum</i> spp.); Okra (<i>Abelmoschus esculentus</i> (L.) Moench); Orange, Bitter (<i>Citrus aurantium</i> L.); Passion flower (<i>Passiflora</i> spp.); Pea Blossoms (<i>Pisum sativum</i> L. subsp. <i>sativum</i> var. <i>sativum</i>); Peach (<i>Prunus persica</i> (L.) Batsch var. <i>persica</i>); Peony, Common (<i>Paeonia officinalis</i> L.); Perilla (<i>Perilla frutescens</i> (L.) Britton); Petunia (<i>Petunia x hybrida</i> hort. ex E. Vilm.); Primrose (<i>Primula vulgaris</i> Huds.); Purslane, winter (<i>Claytonia perfoliata</i> Donn ex Willd.); Radish (<i>Raphanus sativus</i> L.); Redbud (<i>Cercis canadensis</i> L.); Rose (<i>Rosa</i> spp.); Rosemary (<i>Rosmarinus officinalis</i> L.); Rose-of-Sharon (<i>Hibiscus syriacus</i> L.); Runner bean, Scarlet (<i>Phaseolus coccineus</i> L.); Safflower (<i>Carthamus tinctorius</i> L.); Sage (<i>Salvia officinalis</i> L.); Sage, Pineapple (<i>Salvia elegans</i>); Savory, Summer (<i>Satureja hortensis</i> L.); Saxifrage, Burnet (<i>Pimpinella saxifraga</i> L.); Snapdragon (<i>Antirrhinum majus</i> L.); Sorrel, Garden (<i>Rumex acetosa</i> L.); Sorrel, Wood (<i>Oxalis acetosella</i> L.); Squash (<i>Cucurbita</i> spp.); Stock, Gillyflower, Brompton stock (<i>Matthiola incana</i> (L.) W. T. Aiton); Sunflower (<i>Helianthus annuus</i> L.); Sweet William (<i>Dianthus barbatus</i> L.); Thyme (<i>Thymus vulgaris</i> L.); Tuberose (<i>Polianthes tuberosa</i> L.); Tulip (<i>Tulipa</i> spp.); Verbena, Lemon (<i>Aloysia citrodora</i> Palau); Violet (<i>Viola</i> spp.); Yucca (<i>Yucca</i> spp.), and other edible flowers.</p>
<p>Marjoram (<i>Origanum</i> spp.) ...</p>	<p>Marjoram (<i>Origanum</i> spp.); Marjoram, pot (<i>Origanum onites</i> L.); Marjoram, sweet (<i>Origanum majorana</i> L.); Oregano (<i>Origanum vulgare</i> L.).</p>
<p>Mint (<i>Mentha</i> spp.) .....</p>	<p>Mint (<i>Mentha</i> spp.); Applemint (<i>Mentha suaveolens</i> Ehrh.); Horsemint (<i>Mentha longifolia</i> (L.) Huds.); Mint, Corn (<i>Mentha arvensis</i> L.); Peppermint (<i>Mentha x piperita</i> L.); Spearmint, (<i>Mentha spicata</i> L.); Spearmint, Scotch (<i>Mentha x gracilis</i> Sole); Watermint (<i>Mentha aquatica</i> L.); Pennyroyal (<i>Mentha pulegium</i> L.).</p>

■ 3. Amend § 180.40 by revising paragraph (j) to read as follows:

**§ 180.40 Tolerances for crop groups.**

(j)(1) When EPA amends a crop group in a manner that expands or contracts the commodities that are covered by the group, EPA will initially retain the pre-existing as well as the revised crop group in the CFR.

(2) Where the revised crop group has the same number as the pre-existing crop group, the revised crop group number will be followed by a hyphen and the final two digits of the year in which it was established (e.g., if Crop Group 1 is amended in 2007, the revised

group will be designated as Crop Group 1–07). If the pre-existing crop group had crop subgroups, these subgroups will be numbered in a similar fashion in the revised crop group. The name of the revised crop group will not be changed from the pre-existing crop group unless the revision so changes the composition of the crop group that the pre-existing name is no longer accurate.

(3) Where EPA amends a crop group by creating one or more different crop groups, the revised crop groups will have different numbers and names (e.g., the amendment of Crop Group 19 through the creation of Crop Groups 25 and 26). The pre-existing crop group will be amended to identify the revised crop group(s).

(4) Once a revised crop group is established, EPA will no longer establish tolerances under the pre-existing crop group. At appropriate times, EPA will amend tolerances for crop groups that have been superseded by revised crop groups to conform the pre-existing crop group to the revised crop group. Once all of the tolerances for the pre-existing crop group have been updated, the pre-existing crop group will be removed from the CFR.

■ 4. In § 180.41:  
 ■ a. Add a new paragraph (c)(28)(iv) after the table in paragraph (iii).  
 ■ b. Add new paragraphs (c)(34) and (35).  
 The additions read as follows:

§ 180.41 Crop group tables.

\* \* \* \* \*  
 (c) \* \* \* \* \*  
 (28) \* \* \* \* \*  
 \* \* \* \* \*

(iv) After [date of publication of final rule], new herb crop group and

subgroup tolerances will be established as Crop Group 25 or subgroups 25A and 25B, and new spice crop group tolerances will be established as Crop Group 26.

\* \* \* \* \*

(34) Crop Group 25. Herb Group.

(i) *Representative commodities.* Basil, dried leaves; Basil, fresh leaves; Mint, dried leaves; and Mint, fresh leaves.

(ii) *Commodities.* The following Table 1 lists all commodities included in Crop Group 25 and identifies the related crop subgroups.

TABLE 1—CROP GROUP 25: HERB GROUP

Commodities	Related crop subgroups
Agrimony, fresh leaves, <i>Agrimonia eupatoria</i> L	25A
Agrimony, dried leaves, <i>Agrimonia eupatoria</i> L	25B
Angelica, fresh leaves, <i>Angelica archangelica</i> L	25A
Angelica, dried leaves, <i>Angelica archangelica</i> L	25B
Angelica, fragrant, fresh leaves, <i>Angelica dahurica</i> (Hoffm.) Benth & Hook. F. ex Franch. & Sav	25A
Angelica, fragrant, dried leaves, <i>Angelica dahurica</i> (Hoffm.) Benth & Hook. F. ex Franch. & Sav	25B
Applemint, fresh leaves, <i>Mentha suaveolens</i> Ehrh	25A
Applemint, dried leaves, <i>Mentha suaveolens</i> Ehrh	25B
Avarum, fresh leaves, <i>Senna auriculata</i> (L.) Roxb	25A
Avarum, dried leaves, <i>Senna auriculata</i> (L.) Roxb	25B
Balm, fresh leaves, <i>Melissa officinalis</i> L	25A
Balm, dried leaves, <i>Melissa officinalis</i> L	25B
Balloon pea, fresh leaves, <i>Lessertia frutescens</i> (L.) Goldblatt & J.C. Manning	25A
Balloon pea, dried leaves, <i>Lessertia frutescens</i> (L.) Goldblatt & J.C. Manning	25B
Barrenwort, fresh leaves, <i>Epimedium grandiflorum</i> C. Morren	25A
Barrenwort, dried leaves, <i>Epimedium grandiflorum</i> C. Morren	25B
Basil, fresh leaves, <i>Ocimum basilicum</i> L	25A
Basil, dried leaves, <i>Ocimum basilicum</i> L	25B
Basil, American, fresh leaves, <i>Ocimum americanum</i> L	25A
Basil, American, dried leaves, <i>Ocimum americanum</i> L	25B
Basil, Greek, fresh leaves, <i>Ocimum minimum</i> L	25A
Basil, Greek, dried leaves, <i>Ocimum minimum</i> L	25B
Basil, holy, fresh leaves, <i>Ocimum tenuiflorum</i> L	25A
Basil, holy, dried leaves, <i>Ocimum tenuiflorum</i> L	25B
Basil, lemon, fresh leaves, <i>Ocimum x citriodorum</i> Vis	25A
Basil, lemon, dried leaves, <i>Ocimum x citriodorum</i> Vis	25B
Basil, Russian, fresh leaves, <i>Ocimum gratissimum</i> L	25A
Basil, Russian, dried leaves, <i>Ocimum gratissimum</i> L	25B
Bay, fresh leaves, <i>Laurus nobilis</i> L	25A
Bay, dried leaves, <i>Laurus nobilis</i> L	25B
Bisongrass, fresh leaves, <i>Anthoxanthum nitens</i> (Weber) Y. Schouten & Veldkamp	25A
Bisongrass, dried leaves, <i>Anthoxanthum nitens</i> (Weber) Y. Schouten & Veldkamp	25B
Blue mallow, fresh leaves, <i>Malva sylvestris</i> L	25A
Boneset, fresh leaves, <i>Eupatorium perfoliatum</i> L	25A
Boneset, dried leaves, <i>Eupatorium perfoliatum</i> L	25B
Borage, fresh leaves, <i>Borago officinalis</i> L	25A
Borage, dried leaves, <i>Borago officinalis</i> L	25B
Borage, Indian, fresh leaves, <i>Plectranthus amboinicus</i> (Lour.) Spreng	25A
Borage, Indian, dried leaves, <i>Plectranthus amboinicus</i> (Lour.) Spreng	25B
Burnet, fresh leaves, <i>Sanguisorba</i> spp	25A
Burnet, dried leaves, <i>Sanguisorba</i> spp	25B
Burnet, garden, fresh leaves, <i>Sanguisorba officinalis</i> L	25A
Burnet, garden, dried leaves, <i>Sanguisorba officinalis</i> L	25B
Burnet, salad, fresh leaves, <i>Sanguisorba minor</i> Scop	25A
Burnet, salad, dried leaves, <i>Sanguisorba minor</i> Scop	25B
Butterbur, dried leaves, <i>Petasites hybridus</i> (L.) G. Gaertn. Et al., <i>P. frigidus</i> (L.) Fr	25B
Calamint, fresh leaves, <i>Clinopodium</i> spp	25A
Calamint, dried leaves, <i>Clinopodium</i> spp	25B
Calamint, large-flower, fresh leaves, <i>Clinopodium grandiflorum</i> (L.) Kuntze	25A
Calamint, large-flower, dried leaves, <i>Clinopodium grandiflorum</i> (L.) Kuntze	25B
Calamint, lesser, fresh leaves, <i>Clinopodium nepeta</i> (L.) Kuntze	25A
Calamint, lesser, dried leaves, <i>Clinopodium nepeta</i> (L.) Kuntze	25B
Calendula, fresh leaves, <i>Calendula officinalis</i> L	25A
Calendula, dried leaves, <i>Calendula officinalis</i> L	25B
Caltrop, fresh leaves, <i>Tribulus terrestris</i> L	25A
Caltrop, dried leaves, <i>Tribulus terrestris</i> L	25B
Camomile (Chamomile), fresh leaves, <i>Chamaemelum</i> spp. and <i>Matricaria</i> spp	25A
Camomile (Chamomile), dried leaves, <i>Chamaemelum</i> spp. and <i>Matricaria</i> spp	25B
Camomile (Chamomile), German, fresh leaves, <i>Matricaria recutita</i> L	25A
Camomile (Chamomile), German, dried leaves, <i>Matricaria recutita</i> L	25B
Camomile (Chamomile), Roman, fresh leaves, <i>Chamaemelum nobile</i> (L.) AIL	25A
Camomile (Chamomile), Roman, dried leaves, <i>Chamaemelum nobile</i> (L.) AIL	25B

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroups
Caraway, fresh leaves, <i>Carum carvi</i> L .....	25A
Caraway, dried leaves, <i>Carum carvi</i> L .....	25B
Cat's claw, dried leaves, <i>Uncaria tomentosa</i> (Willd.) DC., <i>Uncaria guianensis</i> (Aubl.) J.F. Gmel .....	25B
Catnip, fresh leaves, <i>Nepeta cataria</i> L .....	25A
Catnip, dried leaves, <i>Nepeta cataria</i> L .....	25B
Catnip, Japanese, fresh leaves, <i>Schizonepeta multifida</i> (L.) Briq .....	25A
Catnip, Japanese, dried leaves, <i>Schizonepeta multifida</i> (L.) Briq .....	25B
Celandine, greater, fresh leaves, <i>Chelidonium majus</i> L .....	25A
Celandine, lesser, fresh leaves, <i>Ficaria verna</i> Huds .....	25A
Centaurry, fresh leaves, <i>Centaureum erythraeae</i> Rafn .....	25A
Centaurry, dried leaves, <i>Centaureum erythraeae</i> Rafn .....	25B
Chaste tree, fresh leaves, <i>Vitex agnus-castus</i> L .....	25A
Chaste tree, dried leaves, <i>Vitex agnus-castus</i> L .....	25B
Chervil, dried leaves, <i>Anthriscus cerefolium</i> (L.) Hoffm .....	25B
Chinese chastetree, dried leaves, <i>Vitex negundo</i> L .....	25B
Chinese foxglove, dried leaves, <i>Rehmannia glutinosa</i> (Gaertn.) Steud .....	25B
Chive, dried leaves, <i>Allium schoenoprasum</i> L .....	25B
Chive, Chinese, dried leaves, <i>Allium tuberosum</i> Rottler ex Spreng .....	25B
Cicely, sweet, fresh leaves, <i>Myrrhis odorata</i> (L.) Scop .....	25A
Cicely, sweet, dried leaves, <i>Myrrhis odorata</i> (L.) Scop .....	25B
Cilantro, dried leaves, <i>Coriandrum sativum</i> L .....	25B
Clary, fresh leaves, <i>Salvia sclarea</i> L .....	25A
Clary, dried leaves, <i>Salvia sclarea</i> L .....	25B
Coriander, Bolivian, fresh leaves, <i>Porophyllum ruderale</i> (Jacq.) Cass .....	25A
Coriander, Bolivian, dried leaves, <i>Porophyllum ruderale</i> (Jacq.) Cass .....	25B
Coriander, Vietnamese, fresh leaves, <i>Persicaria odorata</i> (Lour.) Sojak .....	25A
Coriander, Vietnamese, dried leaves, <i>Persicaria odorata</i> (Lour.) Sojak .....	25B
Costmary, fresh leaves, <i>Tanacetum balsamita</i> L. subsp. <i>Balsamita</i> .....	25A
Costmary, dried leaves, <i>Tanacetum balsamita</i> L. subsp. <i>Balsamita</i> .....	25B
Creat, dried leaves, <i>Andrographis paniculata</i> (Burm. f.) Wall. Ex Nees .....	25B
Culantro, fresh leaves, <i>Eryngium foetidum</i> L .....	25A
Culantro, dried leaves, <i>Eryngium foetidum</i> L .....	25B
Curry leaf, fresh leaves, <i>Bergera koenigii</i> L .....	25A
Curry leaf, dried leaves, <i>Bergera koenigii</i> L .....	25B
Curryplant, fresh leaves, <i>Helichrysum italicum</i> (Roth) G. Don .....	25A
Cut leaf, fresh leaves, <i>Prostanthera incisa</i> R. Br .....	25A
Cut leaf, dried leaves, <i>Prostanthera incisa</i> R. Br .....	25B
Dillweed, dried leaves, <i>Anethum graveolens</i> L .....	25B
Dokudami, fresh leaves, <i>Houttuynia cordata</i> Thunb .....	25A
Echinacea, dried leaves, <i>Echinacea angustifolia</i> DC .....	25B
Epazote, fresh leaves, <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants .....	25A
Epazote, dried leaves, <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants .....	25B
Eucommia, dried leaves, <i>Eucommia ulmoides</i> Oliv .....	25B
Evening primrose, fresh leaves, <i>Oenothera biennis</i> L .....	25A
Evening primrose, dried leaves, <i>Oenothera biennis</i> L .....	25B
Fennel, common, fresh leaves, <i>Foeniculum vulgare</i> Mill. Subsp. <i>vulgare</i> var. <i>vulgare</i> .....	25A
Fennel, common, dried leaves, <i>Foeniculum vulgare</i> Mill. Subsp. <i>vulgare</i> var. <i>vulgare</i> .....	25B
Fennel, Florence, dried leaves, <i>Foeniculum vulgare</i> Mill. Subsp. <i>vulgare</i> var. <i>azoricum</i> (Mill.) Theil .....	25B
Fennel, Spanish, fresh leaves, <i>Nigella</i> spp .....	25A
Fennel, Spanish, dried leaves, <i>Nigella</i> spp .....	25B
Fenugreek, fresh leaves, <i>Trigonella foenum-graecum</i> L .....	25A
Fenugreek, dried leaves, <i>Trigonella foenum-graecum</i> L .....	25B
Feverfew, fresh leaves, <i>Tanacetum parthenium</i> (L.) Sch. Bip .....	25A
Feverfew, dried leaves, <i>Tanacetum parthenium</i> (L.) Sch. Bip .....	25B
Field pennycress, fresh leaves, <i>Thlaspi arvense</i> L .....	25A
Flowers, edible, fresh, multiple species .....	25A
Flowers, edible, dried, multiple species .....	25B
Fumitory, fresh leaves, <i>Fumaria officinalis</i> L .....	25A
Fumitory, dried leaves, <i>Fumaria officinalis</i> L .....	25B
Galbanum, dried leaves, <i>Ferula gummosa</i> Boiss .....	25B
Gambir, fresh leaves, <i>Uncaria gambir</i> (W. Hunter) Roxb .....	25A
Geranium, fresh leaves, <i>Pelargonium</i> spp .....	25A
Geranium, dried leaves, <i>Pelargonium</i> spp .....	25B
Geranium, lemon, fresh leaves, <i>Pelargonium crispum</i> (P. J. Bergius) L'Her .....	25A
Geranium, lemon, dried leaves, <i>Pelargonium crispum</i> (P. J. Bergius) L'Her .....	25B
Geranium, rose, fresh leaves, <i>Pelargonium graveolens</i> L'Her .....	25A
Geranium, rose, dried leaves, <i>Pelargonium graveolens</i> L'Her .....	25B
Germander, golden, fresh leaves, <i>Teucrium polium</i> L .....	25A
Germander, golden, dried leaves, <i>Teucrium polium</i> L .....	25B
Gotu kola, dried leaves, <i>Centella asiatica</i> (L.) Urb .....	25B
Gumweed, fresh leaves, <i>Grindelia camporum</i> Greene .....	25A

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroups
Gumweed, dried leaves, <i>Grindelia camporum</i> Greene	25B
Gymnema, dried leaves, <i>Gymnema sylvestre</i> (Retz.) Schult	25B
Gypsywort, fresh leaves, <i>Lycopus europaeus</i> L	25A
Gypsywort, dried leaves, <i>Lycopus europaeus</i> L	25B
Heal-all, fresh leaves, <i>Prunella vulgaris</i> L	25A
Heal-all, dried leaves, <i>Prunella vulgaris</i> L	25B
Honewort, fresh leaves, <i>Cryptotaenia canadensis</i> (L.) DC	25A
Honeybush, dried leaves, <i>Cyclopia genistoides</i> (L.) R. Br	25B
Horehound, fresh leaves, <i>Marrubium vulgare</i> L	25A
Horehound, dried leaves, <i>Marrubium vulgare</i> L	25B
Horsemint, fresh leaves, <i>Mentha longifolia</i> (L.) Huds	25A
Horsemint, dried leaves, <i>Mentha longifolia</i> (L.) Huds	25B
Hyssop, fresh leaves, <i>Hyssopus officinalis</i> L	25A
Hyssop, dried leaves, <i>Hyssopus officinalis</i> L	25B
Hyssop, anise, fresh leaves, <i>Agastache foeniculum</i> (Pursh) Kuntze	25A
Hyssop, anise, dried leaves, <i>Agastache foeniculum</i> (Pursh) Kuntze	25B
Jasmine, fresh leaves, <i>Jasminum officinale</i> L., <i>J. odoratissimum</i> L	25A
Jasmine, dried leaves, <i>Jasminum officinale</i> L., <i>J. odoratissimum</i> L	25B
Labrador tea, fresh leaves, <i>Rhododendron groenlandicum</i> (Oeder) Kron & Judd, <i>R. tomentosum</i> Harmaja	25A
Labrador tea, dried leaves, <i>Rhododendron groenlandicum</i> (Oeder) Kron & Judd, <i>R. tomentosum</i> Harmaja	25B
Lavender, fresh leaves, <i>Lavandula angustifolia</i> Mill	25A
Lavender, dried leaves, <i>Lavandula angustifolia</i> Mill	25B
Lemongrass, fresh leaves, <i>Cymbopogon citratus</i> (DC.) Stapf	25A
Lemongrass, dried leaves, <i>Cymbopogon citratus</i> (DC.) Stapf	25B
Lemon verbena, fresh leaves, <i>Aloysia citrodora</i> Palau	25A
Lemon verbena, dried leaves, <i>Aloysia citrodora</i> Palau	25B
Lovage, fresh leaves, <i>Levisticum officinale</i> W.D.J. Koch	25A
Lovage, dried leaves, <i>Levisticum officinale</i> W.D.J. Koch	25B
Love-in-a-mist, fresh leaves, <i>Nigella damascena</i> L	25A
Love-in-a-mist, dried leaves, <i>Nigella damascena</i> L	25B
Mamaki, dried leaves, <i>Pipturus arborescens</i> (Link) C.B. Rob	25B
Marigold, fresh leaves, <i>Tagetes</i> spp	25A
Marigold, dried leaves, <i>Tagetes</i> spp	25B
Marigold, African, fresh leaves, <i>Tagetes erecta</i> L	25A
Marigold, African, dried leaves, <i>Tagetes erecta</i> L	25B
Marigold, Aztec, fresh leaves, <i>Tagetes minuta</i> L	25A
Marigold, Aztec, dried leaves, <i>Tagetes minuta</i> L	25B
Marigold, French, fresh leaves, <i>Tagetes patula</i> L	25A
Marigold, French, dried leaves, <i>Tagetes patula</i> L	25B
Marigold, Irish lace, fresh leaves, <i>Tagetes filifolia</i> Lag	25A
Marigold, Irish lace, dried leaves, <i>Tagetes filifolia</i> Lag	25B
Marigold, licorice, fresh leaves, <i>Tagetes micrantha</i> Cav	25A
Marigold, licorice, dried leaves, <i>Tagetes micrantha</i> Cav	25B
Marigold, Mexican mint, fresh leaves, <i>Tagetes lucida</i> Cav	25A
Marigold, Mexican mint, dried leaves, <i>Tagetes lucida</i> Cav	25B
Marigold, signet, fresh leaves, <i>Tagetes tenuifolia</i> Cav	25A
Marigold, signet, dried leaves, <i>Tagetes tenuifolia</i> Cav	25B
Marjoram, fresh leaves, <i>Origanum</i> spp	25A
Marjoram, dried leaves, <i>Origanum</i> spp	25B
Marjoram, pot, fresh leaves, <i>Origanum onites</i> L	25A
Marjoram, pot, dried leaves, <i>Origanum onites</i> L	25B
Marjoram, sweet, fresh leaves, <i>Origanum majorana</i> L	25A
Marjoram, sweet, dried leaves, <i>Origanum majorana</i> L	25B
Marshmallow, fresh leaves, <i>Althaea officinalis</i> L	25A
Marshmallow, dried leaves, <i>Althaea officinalis</i> L	25B
Meadowsweet, fresh leaves, <i>Filipendula ulmaria</i> (L.) Maxim	25A
Meadowsweet, dried leaves, <i>Filipendula ulmaria</i> (L.) Maxim	25B
Mint, fresh leaves, <i>Mentha</i> spp	25A
Mint, dried leaves, <i>Mentha</i> spp	25B
Mint, corn, fresh leaves, <i>Mentha arvensis</i> L	25A
Mint, corn, dried leaves, <i>Mentha arvensis</i> L	25B
Mint, Korean, fresh leaves, <i>Agastache rugosa</i> (Fisch. & C.A. Mey.) Kun	25A
Mint, Korean, dried leaves, <i>Agastache rugosa</i> (Fisch. & C.A. Mey.) Kun	25B
Monarda, fresh leaves, <i>Monarda</i> spp	25A
Monarda, dried leaves, <i>Monarda</i> spp	25B
Motherwort, fresh leaves, <i>Leonurus cardiaca</i> L	25A
Motherwort, dried leaves, <i>Leonurus cardiaca</i> L	25B
Mountainmint, fresh leaves, <i>Pycnanthemum</i> spp	25A
Mountainmint, dried leaves, <i>Pycnanthemum</i> spp	25B
Mountainmint, clustered, fresh leaves, <i>Pycnanthemum muticum</i> (Michx.) Pers	25A
Mountainmint, clustered, dried leaves, <i>Pycnanthemum muticum</i> (Michx.) Pers	25B

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroups
Mountainmint, hoary, fresh leaves, <i>Pycnanthemum incanum</i> Michx .....	25A
Mountainmint, hoary, dried leaves, <i>Pycnanthemum incanum</i> Michx .....	25B
Mountainmint, Virginia, fresh leaves, <i>Pycnanthemum virginianum</i> (L.) T. Durand & B.D. Jacks. Ex B.L. Rob. & Fernal .....	25A
Mountainmint, Virginia, dried leaves, <i>Pycnanthemum virginianum</i> (L.) T. Durand & B.D. Jacks. ex B.L. Rob. & Fernal .....	25B
Mountainmint, whorled, fresh leaves, <i>Pycnanthemum verticillatum</i> (Michx.) Pers .....	25A
Mountainmint, whorled, dried leaves, <i>Pycnanthemum verticillatum</i> (Michx.) Pers .....	25B
Mugwort, fresh leaves, <i>Artemisia vulgaris</i> L .....	25A
Mugwort, dried leaves, <i>Artemisia vulgaris</i> L .....	25B
Mulberry, white, dried leaves, <i>Morus alba</i> L .....	25B
Mullein, fresh leaves, <i>Verbascum densiflorum</i> Bertol., <i>Verbascum</i> spp .....	25A
Mullein, dried leaves, <i>Verbascum densiflorum</i> Bertol., <i>Verbascum</i> spp .....	25B
Nasturtium, fresh leaves, <i>Tropaeolum</i> spp .....	25A
Nasturtium, dried leaves, <i>Tropaeolum</i> spp .....	25B
Nasturtium, bush fresh leaves, <i>Tropaeolum minus</i> L .....	25A
Nasturtium, bush dried leaves, <i>Tropaeolum minus</i> L .....	25B
Nasturtium, garden, fresh leaves, <i>Tropaeolum majus</i> L .....	25A
Nasturtium, garden, dried leaves, <i>Tropaeolum majus</i> L .....	25B
Nettle, fresh leaves, <i>Urtica dioica</i> L .....	25A
Nettle, dried leaves, <i>Urtica dioica</i> L .....	25B
Oregano, fresh leaves, <i>Origanum vulgare</i> L .....	25A
Oregano, dried leaves, <i>Origanum vulgare</i> L .....	25B
Oregano, Mexican, fresh leaves, <i>Lippia graveolens</i> Kunth .....	25A
Oregano, Mexican, dried leaves, <i>Lippia graveolens</i> Kunth .....	25B
Oregano, Puerto Rico, fresh leaves, <i>Lippia micromera</i> Schauer .....	25A
Oregano, Puerto Rico, dried leaves, <i>Lippia micromera</i> Schauer .....	25B
Oswego tea, fresh leaves, <i>Monarda didyma</i> L .....	25A
Oswego tea, dried leaves, <i>Monarda didyma</i> L .....	25B
Pandan leaf, fresh leaves, <i>Pandanus amaryllifolius</i> , Roxb .....	25A
Pandan leaf, dried leaves, <i>Pandanus amaryllifolius</i> , Roxb .....	25B
Pansy, fresh leaves, <i>Viola tricolor</i> L .....	25A
Pansy, dried leaves, <i>Viola tricolor</i> L .....	25B
Paracress, fresh leaves, <i>Acmella oleracea</i> (L.) R.K. Jansen .....	25A
Paracress, dried leaves, <i>Acmella oleracea</i> (L.) R.K. Jansen .....	25B
Parsley, dried leaves, <i>Petroselinum crispum</i> (Mill.) Fuss .....	25B
Pennyroyal, fresh leaves, <i>Mentha pulegium</i> L .....	25A
Pennyroyal, dried leaves, <i>Mentha pulegium</i> L .....	25B
Peppermint, fresh leaves, <i>Mentha x piperita</i> L .....	25A
Peppermint, dried leaves, <i>Mentha x piperita</i> L .....	25B
Perilla, fresh leaves, <i>Perilla frutescens</i> (L.) Britton .....	25A
Perilla, dried leaves, <i>Perilla frutescens</i> (L.) Britton .....	25B
Rooibos, dried leaves, <i>Aspalathus linearis</i> (Burm. f.) R. Dahlgren .....	25B
Rose, fresh leaves, <i>Rosa</i> spp .....	25A
Rose, dried leaves, <i>Rosa</i> spp .....	25B
Rosemary, fresh leaves, <i>Rosmarinus officinalis</i> L .....	25A
Rosemary, dried leaves, <i>Rosmarinus officinalis</i> L .....	25B
Sage, fresh leaves, <i>Salvia officinalis</i> L .....	25A
Sage, dried leaves, <i>Salvia officinalis</i> L .....	25B
Sage, Greek, fresh leaves, <i>Salvia fruticosa</i> Mill .....	25A
Sage, Greek, dried leaves, <i>Salvia fruticosa</i> Mill .....	25B
Sage, Spanish, fresh leaves, <i>Salvia lavandulifolia</i> Vahl .....	25A
Sage, Spanish, dried leaves, <i>Salvia lavandulifolia</i> Vahl .....	25B
Savory, summer, fresh leaves, <i>Satureja hortensis</i> L .....	25A
Savory, summer, dried leaves, <i>Satureja hortensis</i> L .....	25B
Savory, winter, fresh leaves, <i>Satureja montana</i> L .....	25A
Savory, winter, dried leaves, <i>Satureja montana</i> L .....	25B
Sorrel, fresh leaves, <i>Rumex</i> spp .....	25A
Sorrel, dried leaves, <i>Rumex</i> spp .....	25B
Sorrel, French, fresh leaves, <i>Rumex scutatus</i> L .....	25A
Sorrel, French, dried leaves, <i>Rumex scutatus</i> L .....	25B
Sorrel, garden, fresh leaves, <i>Rumex acetosa</i> L .....	25A
Sorrel, garden, dried leaves, <i>Rumex acetosa</i> L .....	25B
Southernwood, fresh leaves, <i>Artemisia abrotanum</i> L .....	25A
Southernwood, dried leaves, <i>Artemisia abrotanum</i> L .....	25B
Spearmint, fresh leaves, <i>Mentha spicata</i> L .....	25A
Spearmint, dried leaves, <i>Mentha spicata</i> L .....	25B
Spearmint, Scotch, fresh leaves, <i>Mentha x gracilis</i> Sol .....	25A
Spearmint, Scotch, dried leaves, <i>Mentha x gracilis</i> Sol .....	25B
Spotted beebalm, fresh leaves, <i>Monarda punctata</i> L .....	25A
Spotted beebalm, dried leaves, <i>Monarda punctata</i> L .....	25B
Squaw vine, dried leaves, <i>Mitchella repens</i> L .....	25B
St. John's Wort, dried leaves, <i>Hypericum perforatum</i> L .....	25B

TABLE 1—CROP GROUP 25: HERB GROUP—Continued

Commodities	Related crop subgroups
Stevia, dried leaves, <i>Stevia rebaudiana</i> (Bertoni) Bertoni .....	25B
Swamp leaf, fresh leaves, <i>Limnophila chinensis</i> (Osbeck) Merr .....	25A
Tansy, fresh leaves, <i>Tanacetum vulgare</i> L .....	25A
Tansy, dried leaves, <i>Tanacetum vulgare</i> L .....	25B
Tarragon, fresh leaves, <i>Artemisia dracunculus</i> L .....	25A
Tarragon, dried leaves, <i>Artemisia dracunculus</i> L .....	25B
Thyme, fresh leaves, <i>Thymus</i> spp .....	25A
Thyme, dried leaves, <i>Thymus</i> spp .....	25B
Thyme, creeping, fresh leaves, <i>Thymus serpyllum</i> L .....	25A
Thyme, creeping, dried leaves, <i>Thymus serpyllum</i> L .....	25B
Thyme, lemon, fresh leaves, <i>Thymus x citriodorus</i> (Pers.) Schreb .....	25A
Thyme, lemon, dried leaves, <i>Thymus x citriodorus</i> (Pers.) Schreb .....	25B
Thyme, mastic, fresh leaves, <i>Thymus mastichina</i> (L.) L .....	25A
Thyme, mastic, dried leaves, <i>Thymus mastichina</i> (L.) L .....	25B
Toon, Chinese, fresh leaves, <i>Toona sinensis</i> (A. Juss.) M. Roem .....	25A
Toon, Chinese, dried leaves, <i>Toona sinensis</i> (A. Juss.) M. Roem .....	25B
Vasaka, dried leaves, <i>Justicia adhatoda</i> L .....	25B
Veronica, fresh leaves, <i>Veronica officinalis</i> L .....	25A
Violet, fresh leaves, <i>Viola odorata</i> L .....	25A
Violet, dried leaves, <i>Viola odorata</i> L .....	25B
Watermint, fresh leaves, <i>Mentha aquatica</i> L .....	25A
Watermint, dried leaves, <i>Mentha aquatica</i> L .....	25B
Waterpepper, fresh leaves, <i>Persicaria hydropiper</i> (L.) Delarbre .....	25A
Wild bergamot, fresh leaves, <i>Monarda fistulosa</i> L .....	25A
Wild bergamot, dried leaves, <i>Monarda fistulosa</i> L .....	25B
Wintergreen, fresh leaves, <i>Gaultheria procumbens</i> L .....	25A
Wintergreen, dried leaves, <i>Gaultheria procumbens</i> L .....	25B
Wood betony, dried leaves, <i>Stachys officinalis</i> (L.) Trevis .....	25B
Woodruff, fresh leaves, <i>Galium odoratum</i> (L.) Scop .....	25A
Woodruff, dried leaves, <i>Galium odoratum</i> (L.) Scop .....	25B
Wormwood, fresh leaves, <i>Artemisia absinthium</i> L .....	25A
Wormwood, dried leaves, <i>Artemisia absinthium</i> L .....	25B
Wormwood, Roman, fresh leaves, <i>Artemisia pontica</i> L .....	25A
Wormwood, Roman, dried leaves, <i>Artemisia pontica</i> L .....	25B
Yarrow, fresh leaves, <i>Achillea millefolium</i> L .....	25A
Yarrow, dried leaves, <i>Achillea millefolium</i> L .....	25B
Yellow gentian, fresh leaves, <i>Gentiana lutea</i> L .....	25A
Yellow gentian, dried leaves, <i>Gentiana lutea</i> L .....	25B
Yerba santa, fresh leaves, <i>Eriodictyon californicum</i> (Hook. & Arn.) Torr .....	25A
Yerba santa, dried leaves, <i>Eriodictyon californicum</i> (Hook. & Arn.) Torr .....	25B
Yomogi, fresh leaves, <i>Artemisia princeps</i> L .....	25A
Yomogi, dried leaves, <i>Artemisia princeps</i> L .....	25B
Cultivars, varieties, and hybrids of these commodities .....	.....

(iii) *Crop subgroups.* The following Crop Group 25, specifies the subgroup, and lists all the commodities included in each subgroup.

Table 2 identifies the crop subgroups for representative commodities for each

TABLE 2—CROP GROUP 25: SUBGROUP LISTING

Representative commodities	Commodities
<b>Crop Subgroup 25A. Herb Fresh Leaves Subgroup</b>	
Basil, fresh leaves and mint, fresh leaves.	<p>Agrimony, fresh leaves; Angelica, fresh leaves; Angelica, fragrant, fresh leaves; Applemint, fresh leaves; Avarum, fresh leaves; Balloon pea, fresh leaves; Barrenwort, fresh leaves; Balm, fresh leaves; Basil, fresh leaves; Basil, American, fresh leaves; Basil, Greek, fresh leaves; Basil, holy, fresh leaves; Basil, lemon, fresh leaves; Basil, Russian, fresh leaves; Bay, fresh leaves; Bisongrass, fresh leaves; Blue mallow, fresh leaves; Boneset, fresh leaves; Borage, fresh leaves; Borage, Indian, fresh leaves; Burnet, fresh leaves; Burnet, garden, fresh leaves; Burnet, salad, fresh leaves; Calamint, fresh leaves; Calamint, large-flower, fresh leaves; Calamint, lesser, fresh leaves; Calendula, fresh leaves; Caltrop, fresh leaves; Camomile, fresh leaves; Camomile, German, fresh leaves; Camomile, Roman, fresh leaves; Caraway, fresh leaves; Catnip, fresh leaves; Catnip, Japanese, fresh leaves; Celandine, greater, fresh leaves; Celandine, lesser, fresh leaves; Centaury, fresh leaves; Chaste tree, fresh leaves; Cicely, sweet, fresh leaves; Clary, fresh leaves; Coriander, Bolivian, fresh leaves; Coriander, Vietnamese, fresh leaves; Costmary, fresh leaves; Culantro, fresh leaves; Curry leaf, fresh leaves; Curryplant, fresh leaves; Cut leaf, fresh leaves; Dokudami, fresh leaves; Epazote, fresh leaves; Evening primrose, fresh leaves; Fennel, common, fresh leaves; Fennel, Spanish, fresh leaves; Fenugreek, fresh leaves; Feverfew, fresh leaves; Field pennycress, fresh leaves; Flowers, edible, fresh; Fumitory, fresh leaves; Gambir, fresh leaves; Geranium, fresh leaves; Geranium, lemon, fresh leaves; Geranium, rose, fresh leaves; Germander, golden, fresh leaves; Gumweed, fresh leaves; Gypsywort, fresh leaves; Heal-all, fresh leaves; Honewort, fresh leaves; Horehound, fresh leaves; Horsemint, fresh leaves; Hyssop, fresh leaves; Hyssop, anise, fresh leaves; Jasmine, fresh leaves; Labrador tea, fresh leaves; Lavender, fresh leaves; Lemongrass, fresh leaves; Lemon verbena, fresh leaves; Lovage, fresh leaves; Love-in-a-mist, fresh leaves; Marigold, fresh leaves; Marigold, African, fresh leaves; Marigold, Aztec, fresh leaves; Marigold, French, fresh leaves; Marigold, Irish lace, fresh leaves; Marigold, licorice, fresh leaves; Marigold, Mexican mint, fresh leaves; Marigold, signet, fresh leaves; Marjoram, fresh leaves; Marjoram, pot, fresh leaves; Marjoram, sweet, fresh leaves; Marshmallow, fresh leaves; Meadowsweet, fresh leaves; Mint, fresh leaves; Mint, corn, fresh leaves; Mint, Korean, fresh leaves; Monarda, fresh leaves; Motherwort, fresh leaves; Mountainmint, fresh leaves; Mountainmint, clustered, fresh leaves; Mountainmint, hoary, fresh leaves; Mountainmint, Virginia, fresh leaves; Mountainmint, whorled, fresh leaves; Mugwort, fresh leaves; Mullein, fresh leaves; Nasturtium, fresh leaves; Nasturtium, bush, fresh leaves; Nasturtium, garden, fresh leaves; Nettle, fresh leaves; Oregano, fresh leaves; Oregano, Mexican, fresh leaves; Oregano, Puerto Rico, fresh leaves; Oswego tea, fresh leaves; Pandan leaf, fresh leaves; Pansy, fresh leaves; Paracress, fresh leaves; Pennyroyal, fresh leaves; Peppermint, fresh leaves; Perilla, fresh leaves; Rose, fresh leaves; Rosemary, fresh leaves; Sage, fresh leaves; Sage, Greek, fresh leaves; Sage, Spanish, fresh leaves; Savory, summer, fresh leaves; Savory, winter, fresh leaves; Sorrel, fresh leaves; Sorrel, French, fresh leaves; Sorrel, garden, fresh leaves; Southernwood, fresh leaves; Spearmint, fresh leaves; Spearmint, Scotch, fresh leaves; Spotted beebalm, fresh leaves; Swamp leaf, fresh leaves; Tansy, fresh leaves; Tarragon, fresh leaves; Thyme, fresh leaves; Thyme, creeping, fresh leaves; Thyme, lemon, fresh leaves; Thyme, mastic, fresh leaves; Toon, Chinese, fresh leaves; Veronica, fresh leaves; Violet, fresh leaves; Watermint, fresh leaves; Waterpepper, fresh leaves; Wild bergamot, fresh leaves; Wintergreen, fresh leaves; Woodruff, fresh leaves; Wormwood, fresh leaves; Wormwood, Roman, fresh leaves; Yarrow, fresh leaves; Yellow gentian, fresh leaves; Yerba santa, fresh leaves; Yomogi, fresh leaves; cultivars, varieties, and/or hybrids of these.</p>

TABLE 2—CROP GROUP 25: SUBGROUP LISTING—Continued

Representative commodities	Commodities
<b>Crop Subgroup 25B. Herb Dried Leaves Subgroup</b>	
Basil, dried leaves and mint, dried leaves.	Agrimony, dried leaves; Angelica, dried leaves; Angelica, fragrant, dried leaves; Apuleia, dried leaves; Avarum, dried leaves; Balloon pea, dried leaves; Balm, dried leaves; Barrenwort, dried leaves; Basil, dried leaves; Basil, American, dried leaves; Basil, Greek, dried leaves; Basil, holy, dried leaves; Basil, lemon, dried leaves; Basil, Russian, dried leaves; Bay, dried leaves; Bisongrass, dried leaves; Boneset, dried leaves; Borage, dried leaves; Borage, Indian, dried leaves; Burnet, dried leaves; Burnet, garden, dried leaves; Burnet, salad, dried leaves; Butterbur, dried leaves; Calamint, dried leaves; Calamint, large-flower, dried leaves; Calamint, lesser, dried leaves; Calendula, dried leaves; Caltrop, dried leaves; Camomile, dried leaves; Camomile, German, dried leaves; Camomile, Roman, dried leaves; Caraway, dried leaves; Cat's claw, dried leaves; Catnip, dried leaves; Catnip, Japanese, dried leaves; Centaury, dried leaves; Chaste tree, dried leaves; Chervil, dried leaves; Chinese chastetree, dried leaves; Chinese foxglove, dried leaves; Chive, dried leaves; Chive, Chinese, dried leaves; Cicely, sweet, dried leaves; Cilantro, dried leaves; Clary, dried leaves; Coriander, Bolivian, dried leaves; Coriander, Vietnamese, dried leaves; Costmary, dried leaves; Creat, dried leaves; Culantro, dried leaves; Curry leaf, dried leaves; Cut leaf, dried leaves; Dillweed, dried leaves; Echinacea, dried leaves; Epazote, dried leaves; Eucommia, dried leaves; Evening primrose, dried leaves; Fennel, common, dried leaves; Fennel, Florence, dried leaves; Fennel, Spanish, dried leaves; Fenugreek, dried leaves; Feverfew, dried leaves; Flowers, edible, dried; Fumitory, dried leaves; Geranium, dried leaves; Geranium, lemon, dried leaves; Geranium, rose, dried leaves; Germander, golden, dried leaves; Gotu kola, dried leaves; Gumweed, dried leaves; Gymnema, dried leaves; Gypsywort, dried leaves; Heal-all, dried leaves; Honeybush, dried leaves; Horehound, dried leaves; Horsemint, dried leaves; Hyssop, dried leaves; Hyssop, anise, dried leaves; Jasmine, dried leaves; Labrador, tea, dried leaves; Lavender, dried leaves; Lemongrass, dried leaves; Lemon verbena, dried leaves; Lovage, dried leaves; Love-in-a-mist, dried leaves; Mamaki, dried leaves; Marigold, dried leaves; Marigold, African, dried leaves; Marigold, Aztec, dried leaves; Marigold, French, dried leaves; Marigold, Irish lace, dried leaves; Marigold, licorice, dried leaves; Marigold, Mexican mint, dried leaves; Marigold, signet, dried leaves; Marjoram, dried leaves; Marjoram, pot, dried leaves; Marjoram, sweet, dried leaves; Marshmallow, dried leaves; Meadowsweet, dried leaves; Mint, dried leaves; Mint, corn, dried leaves; Mint, Korean, dried leaves; Monarda, dried leaves; Motherwort, dried leaves; Mountainmint, dried leaves; Mountainmint, clustered, dried leaves; Mountainmint, hoary, dried leaves; Mountainmint, Virginia, dried leaves; Mountainmint, whorled, dried leaves; Mugwort, dried leaves; Mulberry, white, dried leaves; Mullein, dried leaves; Nasturtium, dried leaves; Nasturtium, bush, dried leaves; Nasturtium, garden, dried leaves; Nettle, dried leaves; Oregano, dried leaves; Oregano, Mexican, dried leaves; Oregano, Puerto Rico, dried leaves; Oswego tea, dried leaves; Pandan leaf, dried leaves; Pansy, dried leaves; Paracress, dried leaves; Parsley, dried leaves; Pennyroyal, dried leaves; Peppermint, dried leaves; Perilla, dried leaves; Rooibos, dried leaves; Rose, dried leaves; Rosemary, dried leaves; Sage, dried leaves; Sage, Greek, dried leaves; Sage, Spanish, dried leaves; Savory, summer, dried leaves; Savory, winter, dried leaves; Sorrel, dried leaves; Sorrel, French, dried leaves; Sorrel, garden, dried leaves; Southernwood, dried leaves; Spearmint, dried leaves; Spearmint, Scotch, dried leaves; Spotted beebalm, dried leaves; Squaw vine, dried leaves; St. John's Wort, dried leaves; Stevia, dried leaves; Tansy, dried leaves; Tarragon, dried leaves; Thyme, dried leaves; Thyme, creeping, dried leaves; Thyme, lemon, dried leaves; Thyme, mastic, dried leaves; Toon, Chinese, dried leaves; Vasaka, dried leaves; Violet, dried leaves; Watermint, dried leaves; Wild bergamot, dried leaves; Wintergreen, dried leaves; Wood betony, dried leaves; Woodruff, dried leaves; Wormwood, dried leaves; Wormwood, Roman, dried leaves; Yarrow, dried leaves; Yellow gentian, dried leaves; Yerba santa, dried leaves; Yomogi, dried leaves; cultivars, varieties, and/or hybrids of these.

(35) *Crop Group 26. Spice Group.*  
 (i) *Representative commodities.* Dill seed or Celery seed.

(ii) *Commodities.* The following Table 1 lists all commodities included in Crop Group 26.

TABLE 1—CROP GROUP 26: SPICE GROUP

Commodities
Ajowan, seed, <i>Trachyspermum ammi</i> (L.) Sprague ex Turill Allspice, <i>Pimenta dioica</i> (L.) Merr. Ambrette seed, <i>Abelmoschus esculentus</i> (L.) Moench Amia, <i>Phyllanthus amarus</i> Schumach Angelica, seed, <i>Angelica archangelica</i> L. Angostura bark, <i>Angostura trifoliata</i> (Willd.) T.S. Elias Anise seed, <i>Pimpinella anisum</i> L. Anise pepper, <i>Zanthoxylum piperitum</i> (L.) DC. Anise, star, <i>Illicium verum</i> Hook. f. Annatto seed, <i>Bixa orellana</i> L. Asafoetida, <i>Ferula assa-foetida</i> L. Ashwagandha, fruit, <i>Withania somnifera</i> (L.) Dunal Balsam, Peruvian, <i>Myroxylon balsamum</i> (L.) Harms var. <i>pereirae</i> (Royle) Harms Batavia-cassia, bark, <i>Cinnamomum burmanni</i> (Nees & T. Nees) Blume Batavia-cassia, fruit, <i>Cinnamomum burmanni</i> (Nees & T. Nees) Blume Belleric myrobalan, <i>Terminalia bellirica</i> (Gaertn.) Roxb. Betel vine, <i>Piper betle</i> L.

TABLE 1—CROP GROUP 26: SPICE GROUP—Continued

## Commodities

Black bread weed, *Nigella arvensis* L.  
 Blue mallee, *Eucalyptus polybractea* R.T. Baker  
 Boldo, leaves, *Peumus boldus* Molina  
 Buchi, *Agathosma betulina* (P.J. Bergius) Pillans  
 Calamus-root, *Acorus calamus* L.  
 Candlebush, *Senna alata* (L.) Roxb.  
 Canela bark, *Canella winterana* (L.) Gaertn.  
 Caper buds, *Capparis spinosa* L.  
 Caraway, fruit, *Carum carvi* L.  
 Caraway, black, *Nigella sativa* L.  
 Cardamom, black, *Amomum* spp.  
 Cardamom, Ethiopian, *Aframomum corrorima* (A. Braun) P.C.M. Jansen  
 Cardamom, green, *Elettaria cardamomum* (L.) Maton  
 Cardamom, Nepal, *Amomum subulatum* Roxb., *Amomum aromaticum* Roxb.  
 Cardamon-amomum, *Amomum compactum* Sol. ex Maton  
 Cascada buckthorn, bark, *Frangula purshiana* (DC.) A. Gray  
 Cassia bark, *Cinnamomum* spp.  
 Cassia fruit, *Cinnamomum* spp.  
 Cassia, Chinese, fruit, *Cinnamomum aromaticum* Nees.  
 Cassia, Chinese, bark, *Cinnamomum aromaticum* Nees.  
 Cat's claw, roots, *Uncaria tomentosa* (Willd.) DC., *Uncaria guianensis* (Aubl.) J.F. Gmel.  
 Catechu, bark, *Senegalia catechu* (L.f.) P.J.H. Hurter & Mabb.  
 Celery seed, *Apium graveolens* var. *dulce* (Mill.) Pers.  
 Chervil, seed, *Anthriscus cerefolium* (L.) Hoffm.  
 Chaste treeberry, berry, *Vitex agnus-castus* L.  
 Chinese chastetree, roots, *Vitex negundo* L.  
 Chinese hawthorn, *Crataegus pinnatifida* Bunge  
 Chinese nutmeg tree, *Torreya grandis* Fortune  
 Chinese-pepper, *Zanthoxylum simulans* Hance  
 Chinese prickly-ash, *Zanthoxylum bungeanum* Maxim  
 Cinnamon, bark, *Cinnamomum verum* J. Presl  
 Cinnamon, fruit, *Cinnamomum verum* J. Presl  
 Cinnamon, Saigon, bark, *Cinnamomum loureiroi* Nees  
 Cinnamon, Saigon, fruit, *Cinnamomum loureiroi* Nees  
 Clove buds, *Syzygium aromaticum* (L.) Merr. & L.M. Perry  
 Copaiba, *Copaifera officinalis* (Jacq.) L.  
 Coptis, *Coptis chinensis* Franch., *Coptis* spp.  
 Coriander, fruit, *Coriandrum sativum* L.  
 Coriander, seed, *Coriandrum sativum* L.  
 Cubeb, seed, *Piper cubeba* L.f.  
 Culantro, seed, *Eryngium foetidum* L.  
 Cumin, *Cuminum cyminum* L.  
 Cumin, black, *Bunium persicum* (Boiss.) B. Fedtsch.  
 Daharian angelica, leaves, *Angelica dahurica* (Hoffm.) Benth. & Hook. f. ex Franch. & Sav.  
 Daharian angelica, seed, *Angelica dahurica* (Hoffm.) Benth. & Hook. f. ex Franch. & Sav.  
 Damiana leaf, *Turnera diffusa* Willd.  
 Dill, seed, *Anethum graveolens* L.  
 Dorrigo pepper, berry, *Tasmannia stipitata* (Vick.) A.C. Smith  
 Dorrigo pepper, leaf, *Tasmannia stipitata* (Vick.) A.C. Smith  
 Epimedium, *Epimedium* spp.  
 Eucalyptus, *Eucalyptus* spp.  
 Eucommia, bark, *Eucommia ulmoides* Oliv.  
 Felty germander, *Teucrium polium* L.  
 Fennel, common, fruit, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *vulgare*  
 Fennel, common, seed, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *vulgare*  
 Fennel, Florence, fruit, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *azoricum* (Mill.) Thell.  
 Fennel, Florence, seed, *Foeniculum vulgare* Mill. subsp. *vulgare* var. *azoricum* (Mill.) Thell.  
 Fennel flower, seed, *Nigella hispanica* L.  
 Fenugreek, seed, *Trigonella foenum-graecum* L.  
 Fingerroot, *Boesenbergia rotunda* (L.) Mansf.  
 Frankincense, *Boswellia sacra* Flueck.  
 Frankincense, Indian, *Boswellia serrata* Roxb. ex Colebr.  
 Galbanum, *Ferula gummosa* Boiss.  
 Gambooge, *Garcinia gummi-gutta* (L.) N. Robson  
 Grains of Paradise, *Aframomum melegueta* K. Schum.  
 Grains of Selim, *Xylopiya aethiopica* (Dunal) A. Rich.  
 Guarana, *Paullinia cupana* Kunt  
 Guaiac, *Guaiacum officinale* L.  
 Guggul, *Commiphora wightii* (Arn.) Bhandari  
 Gum arabic, *Senegalia senegal* (L.) Britton  
 Gum ghatti, *Anogeissus latifolia* (Roxb. ex DC.) Wall. ex Guill. & Perr.  
 Gum karaya, *Sterculia urens* Roxb.

TABLE 1—CROP GROUP 26: SPICE GROUP—Continued

## Commodities

Gum tragacanth, *Astragalus gummifer* Labill.  
 Gymnema, dried leaves *Gymnema sylvestre* (Retz.) Schult.  
 Haw, black, *Viburnum prunifolium* L.  
 Honewort, seed, *Cryptotaenia canadensis* (L.) DC.  
 Imperatoria, *Peucedanum officinale* L.  
 Iva, *Achillea erba-rotta* All. subsp. *moschata* (Wulfen) I. Richardson  
 Jalap, *Ipomoea purga* (Wender.) Hayne  
 Juniper berry, *Juniperus communis* L.  
 Kaffir lime, leaf, *Citrus hystrix* DC.  
 Kewra, *Pandanus fascicularis* Lam.  
 Kokam, *Garcinia indica* (Thouars) Choisy  
 Linden, dried leaves, *Tilia americana* L.  
 Lovage, seed, *Levisticum officinale* W.D.J. Koch  
 Mace, *Myristica fragrans* Houtt.  
 Magnolia-bark, *Magnolia officinalis* Rehder & E.H. Wilson  
 Mahaleb, *Prunus mahaleb* L.  
 Malabar cardamom, *Amomum villosum* Lour.  
 Malabathrum, *Cinnamomum tamala* (Buch-Ham.) Nees & Eberm.  
 Malabar-tamarind, *Garcinia* spp.  
 Mastic, *Pistacia lentiscus* L.  
 Micromeria, white, *Micromeria fruticosa* (L.) Druce  
 Milk thistle, *Silybum marianum* (L.) Gaertn.  
 Mioga, *Zingiber mioga* (Thunb.) Roscoe  
 Miracle fruit, *Synsepalum dulcificum* (Schumach. & Thonn.) Daniell  
 Mustard seed, *Brassica* spp. and *Sinapis* spp.  
 Mustard, black, *Brassica nigra* (L.) W.D.J. Koch  
 Mustard, brown, *Brassica juncea* (L.) Czern. var. *juncea*  
 Mustard, white, *Sinapis alba* L. ssp. *alba*  
 Myrrh, *Commiphora myrrha* (Nees) Engl., *Commiphora africana* (A. Rich.) Engl.  
 Myrrh, bisabol, *Commiphora kataf* (Forssk.) Engl  
 Myrtle, dried leaves, *Myrtus communis* L.  
 Myrtle, anise, *Syzygium anisatum* (Vickery) Craven & Biffen  
 Myrtle, lemon, *Backhousia citriodora* F. Muell.  
 Nasturtium, pods, *Tropaeolum* spp  
 Nasturtium, bush, pods, *Tropaeolum minus* L.  
 Nasturtium, garden, pods, *Tropaeolum majus* L.  
 Nutmeg, *Myristica fragrans* Houtt.  
 Pepper, black, *Piper nigrum* L.  
 Pepper, white, *Piper nigrum* L.  
 Pepper, Cubeb, *Piper cubeba* L.f.  
 Pepper, Indian long, *Piper longum* L.  
 Pepper, leaf, *Piper auritum* Kunth, *Piper lolot* C.DC, *Piper sanctum* (Miq.) Schltldl., *Piper umbellatum* L.  
 Pepper, long, *Piper longum* L.  
 Pepper, Javanese Long, *Piper retrofractum* Vahl.  
 Pepper, Sichuan, *Zanthoxylum* spp.  
 Pepperbush, berry, *Tasmannia* spp.  
 Pepperbush, leaf, *Tasmannia* spp.  
 Peppertree, *Schinus* spp.  
 Peppertree, Brazilian, *Schinus terebinthifolius* Raddi  
 Peppertree, Peruvian, *Schinus molle* L.  
 Perilla leaf, *Perilla frutescens* (L.) Britton  
 Perilla seed, *Perilla frutescens* (L.) Britton  
 Pine, maritime, *Pinus pinaster* Aiton  
 Pipsissewa, leaves, *Chimaphila umbellata* (L.) W.P.C. Barton  
 Poppy seed, *Papaver somniferum* L. subsp. *somniferum*  
 Pygeum, *Prunus africana* (Hook.f.) Kalkman  
 Quassia, bark, *Quassia amara* L.  
 Quebracho bark, *Aspidosperma quebracho-blanco* Schltldl.  
 Quinine, *Cinchona pubescens* Vahl  
 Qing hua jiao, *Zanthoxylum schinifolium* Siebold & Zucc  
 Quillaja, *Quillaja saponaria* Molina  
 Rue, *Ruta graveolens* L.  
 Saffron crocus, *Crocus sativus* L.  
 Sassafras, leaves, *Sassafras albidum* (Nutt.) Nees  
 Saunders, red, *Pterocarpus santalinus* L.f.  
 Simaruba, bark, *Simarouba amara* Aubl.  
 Slippery elm, *Ulmus rubra* Muhl.  
 Sumac, fragrant, *Rhus aromatica* Aiton  
 Sumac, smooth leaf, *Rhus glabra* L.  
 Tasmanian pepper berry, *Tasmannia lanceolata* (Poir.) A.C. Sm  
 Tasmanian pepper leaf, *Tasmannia lanceolata* (Poir.) A.C. Sm.  
 Tsao-Ko, *Amomum tsao-ko* Crevost & Lemarié

TABLE 1—CROP GROUP 26: SPICE GROUP—Continued

## Commodities

Vanilla, *Vanilla planifolia* Jacks.  
 Wattleseed, *Acacia* spp.  
 White willow, *Salix alba* L.  
 Willow, *Salix* spp.  
 Yellow gentian, roots, *Gentiana lutea* L.  
 Cultivars, varieties, and hybrids of these commodities.

[FR Doc. 2019–18285 Filed 8–26–19; 8:45 am]

BILLING CODE 6560–50–P

## DEPARTMENT OF TRANSPORTATION

### Federal Motor Carrier Safety Administration

#### 49 CFR Part 367

[Docket No. FMCSA–2019–0066]

RIN 2126–AC26

#### Fees for the Unified Carrier Registration Plan and Agreement

**AGENCY:** Federal Motor Carrier Safety Administration (FMCSA), DOT.

**ACTION:** Notice of proposed rulemaking.

**SUMMARY:** FMCSA proposes reductions in the annual registration fees States collect from motor carriers, motor private carriers of property, brokers, freight forwarders, and leasing companies for the Unified Carrier Registration (UCR) Plan and Agreement for the 2020, 2021, and subsequent registration years. The proposed fees for the 2020 registration year would be reduced below the 2018 registration fee level that was in effect by approximately 12.82 percent to ensure that fee revenues do not exceed the statutory maximum, and to account for the various excess funds held in the depository. The proposed fees for the 2021 registration year would be reduced below the 2018 level by approximately 4.19 percent. The reduction of the current 2019 registration year fees (finalized on December 28, 2018) would range from approximately \$2 to \$1,629 per entity, depending on the number of vehicles owned or operated by the affected entities.

**DATES:** Comments on this notice of proposed rulemaking (NPRM) must be received on or before September 6, 2019.

**ADDRESSES:** You may submit comments identified by Docket Number FMCSA–2019–0066 using any of the following methods:

- **Federal eRulemaking Portal:** <http://www.regulations.gov>. Follow the online instructions for submitting comments.
- **Mail:** Docket Management Facility, U.S. Department of Transportation, 1200 New Jersey Avenue SE, West Building, Ground Floor, Room W12–140, Washington, DC 20590–0001.
- **Hand Delivery or Courier:** U.S. Department of Transportation, 1200 New Jersey Avenue SE, West Building, Ground Floor, Room W12–140, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.
- **Fax:** 202–493–2251.

To avoid duplication, please use only one of these four methods. See the “Public Participation and Request for Comments” portion of the **SUPPLEMENTARY INFORMATION** section for instructions on submitting comments.

**FOR FURTHER INFORMATION CONTACT:** Mr. Gerald Folsom, Office of Registration and Safety Information, Federal Motor Carrier Safety Administration, 1200 New Jersey Avenue SE, Washington, DC 20590–0001 by telephone at 202–385–2405. If you have questions on viewing or submitting material to the docket, contact Docket Services, telephone 202–366–9826.

#### SUPPLEMENTARY INFORMATION:

##### I. Public Participation and Request for Comments

###### A. Submitting Comments

If you submit a comment, please include the docket number for this NPRM (Docket No. FMCSA–2019–0066), indicate the specific section of this document to which each comment applies, and provide a reason for each suggestion or recommendation. You may submit your comments and material online or by fax, mail, or hand delivery, but please use only one of these means. FMCSA recommends that you include your name and a mailing address, an email address, or a phone number in the body of your document so that FMCSA can contact you if there are questions regarding your submission.

To submit your comment online, go to <http://www.regulations.gov>, put the

docket number, FMCSA–2019–0066, in the keyword box, and click “Search.” When the new screen appears, click on the “Comment Now!” button and type your comment into the text box on the following screen. Choose whether you are submitting your comment as an individual or on behalf of a third party and then submit.

If you submit your comments by mail or hand delivery, submit them in an unbound format, no larger than 8½ by 11 inches, suitable for copying and electronic filing. If you submit comments by mail and would like to know that they reached the facility, please enclose a stamped, self-addressed postcard or envelope.

FMCSA will consider all comments and material received during the comment period and may change this proposed rule based on your comments. FMCSA may issue a final rule at any time after the close of the comment period.

#### Confidential Business Information

Confidential Business Information (CBI) is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as “PROPIN.” FMCSA will treat such marked submissions as confidential under the FOIA, and will not place them in the public docket of this NPRM. Submissions containing CBI should be sent to Brian Dahlin, Chief, Regulatory Analysis Division, Federal Motor Carrier Safety Administration, 1200 New Jersey Avenue SE, Washington DC 20590. Any comment that FMCSA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.