

Assessment Rates

The Department shall determine, and the Customs Service shall assess, antidumping duties on all appropriate entries. The Department will issue appraisement instructions directly to the Customs Service. In accordance with 19 CFR 351.106(c)(2), we will instruct the Customs Service to liquidate without regard to antidumping duties all entries of the subject merchandise for which the importer-specific assessment rate is zero or *de minimis* (i.e., less than 0.50 percent).

This notice serves as a final reminder to importers of their responsibility under 19 CFR 351.402(f)(2) to file a certificate regarding the reimbursement of antidumping duties prior to liquidation of the relevant entries during this review period. Failure to comply with this requirement could result in the Secretary's presumption that reimbursement of antidumping duties occurred and the subsequent assessment of double antidumping duties.

Cash Deposit Requirements

The following deposit requirements shall be effective for all shipments of the subject merchandise from Germany that are entered, or withdrawn from warehouse, for consumption on or after the publication date of the final results of this administrative review, as provided for by section 751(a)(1) of the Act: (1) The cash deposit rate for MAN Roland will be the rate established above in the "Final Results of the Review" section; (2) for previously investigated companies not listed above, the cash deposit rate will continue to be the company-specific rate published for the most recent period; (3) if the exporter is not a firm covered in this review, or the original investigation, but the manufacturer is, the cash deposit rate will be the rate established for the most recent period for the manufacturer of the merchandise; and (4) the cash deposit rate for all other manufacturers or exporters of this merchandise will continue to be 30.72 percent, the all others rate made effective by the less-than-fair-value investigation. These requirements, when imposed, shall remain in effect until publication of the final results of the next administrative review.

This notice serves as the only reminder to parties subject to administrative protective order (APO) of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely written notification of return/

destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulation and the terms of an APO is a sanctionable violation.

This administrative review and notice are issued and published in accordance with sections 751(a)(1) and 777(i)(1) of the Act and 19 CFR 351.221.

Dated: January 9, 2002.

Faryar Shirzad,

Assistant Secretary for Import Administration.

[FR Doc. 02-1131 Filed 1-15-02; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

[A-580-834]

Notice of Amended Final Antidumping Duty Administrative Review: Stainless Steel Sheet and Strip in Coils From the Republic of Korea

AGENCY: Import Administration, International Trade Administration, Department of Commerce.

ACTION: Notice of amended final results of antidumping duty administrative review of stainless steel sheet and strip in coils from the Republic of Korea.

EFFECTIVE DATE: January 16, 2002.

FOR FURTHER INFORMATION CONTACT:

Brandon Farlander and Laurel LaCivita, AD/CVD Enforcement Group III, Office 9, Import Administration, International Trade Administration, U.S. Department of Commerce, 14th Street and Constitution Avenue, NW., Washington, DC 20230; telephone: (202) 482-0182 and (202) 482-4243, respectively.

The Applicable Statute and Regulations

Unless otherwise indicated, all citations to the Tariff Act of 1930, as amended ("the Act"), are references to the provisions effective January 1, 1995, the effective date of the amendments made to the Act by the Uruguay Round Agreements Act ("URAA"). In addition, unless otherwise indicated, all citations to the Department's regulations are to the regulations codified at 19 CFR part 351 (2001).

Scope of the Review

For purposes of this administrative review, the products covered are certain stainless steel sheet and strip in coils. Stainless steel is an alloy steel containing, by weight, 1.2 percent or less of carbon and 10.5 percent or more of chromium, with or without other elements. The subject sheet and strip is

a flat-rolled product in coils that is greater than 9.5 mm in width and less than 4.75 mm in thickness, and that is annealed or otherwise heat treated and pickled or otherwise descaled. The subject sheet and strip may also be further processed (e.g., cold-rolled, polished, aluminized, coated, etc.) provided that it maintains the specific dimensions of sheet and strip following such processing.

The merchandise subject to this review is classified in the Harmonized Tariff Schedule of the United States (HTS) at subheadings: 7219.13.0031, 7219.13.0051, 7219.13.0071, 7219.1300.81,¹ 7219.14.0030, 7219.14.0065, 7219.14.0090, 7219.32.0005, 7219.32.0020, 7219.32.0025, 7219.32.0035, 7219.32.0036, 7219.32.0038, 7219.32.0042, 7219.32.0044, 7219.33.0005, 7219.33.0020, 7219.33.0025, 7219.33.0035, 7219.33.0036, 7219.33.0038, 7219.33.0042, 7219.33.0044, 7219.34.0005, 7219.34.0020, 7219.34.0025, 7219.34.0030, 7219.34.0035, 7219.35.0005, 7219.35.0015, 7219.35.0030, 7219.35.0035, 7219.90.0010, 7219.90.0020, 7219.90.0025, 7219.90.0060, 7219.90.0080, 7220.12.1000, 7220.12.5000, 7220.20.1010, 7220.20.1015, 7220.20.1060, 7220.20.1080, 7220.20.6005, 7220.20.6010, 7220.20.6015, 7220.20.6060, 7220.20.6080, 7220.20.7005, 7220.20.7010, 7220.20.7015, 7220.20.7060, 7220.20.7080, 7220.20.8000, 7220.20.9030, 7220.20.9060, 7220.90.0010, 7220.90.0015, 7220.90.0060, and 7220.90.0080. Although the HTS subheadings are provided for convenience and Customs purposes, the Department's written description of the merchandise under review is dispositive.

Excluded from the scope of this review are the following: (1) Sheet and strip that is not annealed or otherwise heat treated and pickled or otherwise descaled, (2) sheet and strip that is cut to length, (3) plate (i.e., flat-rolled stainless steel products of a thickness of 4.75 mm or more), (4) flat wire (i.e., cold-rolled sections, with a prepared edge, rectangular in shape, of a width of not more than 9.5 mm), and (5) razor blade steel. Razor blade steel is a flat-rolled product of stainless steel, not further worked than cold-rolled (cold-

¹ Due to changes to the HTS numbers in 2001, 7219.13.0030, 7219.13.0050, 7219.13.0070, and 7219.13.0080 are now 7219.13.0031, 7219.13.0051, 7219.13.0071, and 7219.13.0081, respectively.

reduced), in coils, of a width of not more than 23 mm and a thickness of 0.266 mm or less, containing, by weight, 12.5 to 14.5 percent chromium, and certified at the time of entry to be used in the manufacture of razor blades. See Chapter 72 of the HTS, "Additional U.S. Note" 1(d).

In response to comments by interested parties, the Department has determined that certain specialty stainless steel products are also excluded from the scope of this review. These excluded products are described below.

Flapper valve steel is defined as stainless steel strip in coils containing, by weight, between 0.37 and 0.43 percent carbon, between 1.15 and 1.35 percent molybdenum, and between 0.20 and 0.80 percent manganese. This steel also contains, by weight, phosphorus of 0.025 percent or less, silicon of between 0.20 and 0.50 percent, and sulfur of 0.020 percent or less. The product is manufactured by means of vacuum arc remelting, with inclusion controls for sulphide of no more than 0.04 percent and for oxide of no more than 0.05 percent. Flapper valve steel has a tensile strength of between 210 and 300 ksi, yield strength of between 170 and 270 ksi, plus or minus 8 ksi, and a hardness (Hv) of between 460 and 590. Flapper valve steel is most commonly used to produce specialty flapper valves in compressors.

Also excluded is a product referred to as suspension foil, a specialty steel product used in the manufacture of suspension assemblies for computer disk drives. Suspension foil is described as 302/304 grade or 202 grade stainless steel of a thickness between 14 and 127 microns, with a thickness tolerance of plus-or-minus 2.01 microns, and surface glossiness of 200 to 700 percent Gs. Suspension foil must be supplied in coil widths of not more than 407 mm, and with a mass of 225 kg or less. Roll marks may only be visible on one side, with no scratches of measurable depth. The material must exhibit residual stresses of 2 mm maximum deflection, and flatness of 1.6 mm over 685 mm length.

Certain stainless steel foil for automotive catalytic converters is also excluded from the scope of this review. This stainless steel strip in coils is a specialty foil with a thickness of between 20 and 110 microns used to produce a metallic substrate with a honeycomb structure for use in automotive catalytic converters. The steel contains, by weight, carbon of no more than 0.030 percent, silicon of no more than 1.0 percent, manganese of no more than 1.0 percent, chromium of no less than 5.0 percent, phosphorus

of no more than 0.045 percent, sulfur of no more than 0.03 percent, lanthanum of less than 0.002 or greater than 0.05 percent, and total rare earth elements of more than 0.06 percent, with the balance iron.

Permanent magnet iron-chromium-cobalt alloy stainless strip is also excluded from the scope of this review. This ductile stainless steel strip contains, by weight, 26 to 30 percent chromium, and 7 to 10 percent cobalt, with the remainder of iron, in widths 228.6 mm or less, and a thickness between 0.127 and 1.270 mm. It exhibits magnetic remanence between 9,000 and 12,000 gauss, and a coercivity of between 50 and 300 oersteds. This product is most commonly used in electronic sensors and is currently available under proprietary trade names such as "Arnokrome III."²

Certain electrical resistance alloy steel is also excluded from the scope of this review. This product is defined as a non-magnetic stainless steel manufactured to American Society of Testing and Materials ("ASTM") specification B344 and containing, by weight, 36 percent nickel, 18 percent chromium, and 46 percent iron, and is most notable for its resistance to high temperature corrosion. It has a melting point of 1390 degrees Celsius and displays a creep rupture limit of 4 kilograms per square millimeter at 1000 degrees Celsius. This steel is most commonly used in the production of heating ribbons for circuit breakers and industrial furnaces, and in rheostats for railway locomotives. The product is currently available under proprietary trade names such as "Gilphy 36."³

Certain martensitic precipitation-hardenable stainless steel is also excluded from the scope of this review. This high-strength, ductile stainless steel product is designated under the Unified Numbering System ("UNS") as S45500-grade steel, and contains, by weight, 11 to 13 percent chromium, and 7 to 10 percent nickel. Carbon, manganese, silicon and molybdenum each comprise, by weight, 0.05 percent or less, with phosphorus and sulfur each comprising, by weight, 0.03 percent or less. This steel has copper, niobium, and titanium added to achieve aging, and will exhibit yield strengths as high as 1700 Mpa and ultimate tensile strengths as high as 1750 Mpa after aging, with elongation percentages of 3 percent or less in 50 mm. It is generally provided in thicknesses between 0.635 and 0.787 mm, and in widths of 25.4

mm. This product is most commonly used in the manufacture of television tubes and is currently available under proprietary trade names such as "Durphynox 17."⁴

Finally, three specialty stainless steels typically used in certain industrial blades and surgical and medical instruments are also excluded from the scope of this review. These include stainless steel strip in coils used in the production of textile cutting tools (e.g., carpet knives).⁵ This steel is similar to AISI grade 420 but containing, by weight, 0.5 to 0.7 percent of molybdenum. The steel also contains, by weight, carbon of between 1.0 and 1.1 percent, sulfur of 0.020 percent or less, and includes between 0.20 and 0.30 percent copper and between 0.20 and 0.50 percent cobalt. This steel is sold under proprietary names such as "GIN4 Mo." The second excluded stainless steel strip in coils is similar to AISI 420-J2 and contains, by weight, carbon of between 0.62 and 0.70 percent, silicon of between 0.20 and 0.50 percent, manganese of between 0.45 and 0.80 percent, phosphorus of no more than 0.025 percent and sulfur of no more than 0.020 percent. This steel has a carbide density on average of 100 carbide particles per 100 square microns. An example of this product is "GIN5" steel. The third specialty steel has a chemical composition similar to AISI 420 F, with carbon of between 0.37 and 0.43 percent, molybdenum of between 1.15 and 1.35 percent, but lower manganese of between 0.20 and 0.80 percent, phosphorus of no more than 0.025 percent, silicon of between 0.20 and 0.50 percent, and sulfur of no more than 0.020 percent. This product is supplied with a hardness of more than Hv 500 guaranteed after customer processing, and is supplied as, for example, "GIN6".⁶

Amendment of Final Results

On December 6, 2001, the Department of Commerce ("the Department") issued its final results and partial rescission for stainless steel sheet and strip in coils from the Republic of Korea for the January 4, 1999 through June 30, 2000 period of review. See *Stainless Steel Sheet and Strip From the Republic of Korea; Final Results and Partial Rescission of Antidumping Duty Administrative Review* ("Final Results"), 66 FR 64950 (December 17, 2001).

⁴ "Durphynox 17" is a trademark of Imphy, S.A.

⁵ This list of uses is illustrative and provided for descriptive purposes only.

⁶ "GIN4 Mo," "GIN5" and "GIN6" are the proprietary grades of Hitachi Metals America, Ltd.

² "Arnokrome III" is a trademark of the Arnold Engineering Company.

³ "Gilphy 36" is a trademark of Imphy, S.A.

On December 13, 2001, respondent Sammi Steel Co., Ltd. ("Sammi") timely filed an allegation that the Department made a ministerial error in the final results. Petitioners did not submit any comments in reply to this ministerial error allegation.

The Department is revising the all others rate applied to Sammi in the final results in this administrative review of stainless steel sheet and strip in coils from the Republic of Korea. Because Sammi did not participate in the original investigation and because Sammi had no shipments during the period of review, its cash deposit rate is the all others rate assigned to this case.

Sammi's Allegation of a Ministerial Error by the Department

Sammi contends that the Department, in its *Final Results*, erroneously applied the all others rate determined in the original investigation to Sammi, a no shipper during the period of review. Sammi notes that the Department amended its final determination on August 28, 2001, revising the all others rate from 12.12 percent to 2.49 percent. See *Notice of Amendment of Final Determinations of Sales at Less Than Fair Value: Stainless Steel Plate in Coils From the Republic of Korea; and Stainless Steel Sheet and Strip in Coils From the Republic of Korea* ("Amended Final Determination"), 66 FR 45279 (August 28, 2001). Sammi contends that the Department should amend its *Final Results* to apply the all others rate of 2.49 percent determined in the *Amended Final Determination* to Sammi.

Sammi notes that the Department's regulations defines a ministerial error as an "error in addition, subtraction, or other arithmetic function, clerical error resulting from inaccurate copying, duplication, or the like, and any other similar type of unintentional error which the Secretary considers ministerial," citing 19 CFR 351.224(f). Therefore, Sammi requests that the Department correct this ministerial error by revising Sammi's cash deposit rate and the all others rate to 2.49 percent in this administrative review, in accordance with the *Amended Final Determination*.

Department's Position: We agree with Sammi. Our *Final Results* erroneously stated that the "all others rate" applicable to exporters or manufacturers who have not been covered in this or any previous review conducted by the Department is 12.12 percent rather than the 2.49 percent established in the *Amended Final Determination*. The correct all others rate applicable to Sammi is the all others rate established

in the *Amended Final Determination*. Since Sammi did not participate in the original investigation and because Sammi had no shipments in the current period of review, its cash deposit rate is the all others rate determined in the *Amended Final Determination*.

Therefore, we are amending the final results of the antidumping duty administrative review of stainless steel sheet and strip in coils from the Republic of Korea to reflect the correction of the above-cited ministerial error.

We are issuing and publishing this determination and notice in accordance with sections 751(a)(1) and 777(i) of the Act.

Dated: January 9, 2002.

Faryar Shirzad,

Assistant Secretary for Import Administration.

[FR Doc. 02-1128 Filed 1-15-02; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration

Application for Duty-Free Entry of Scientific Instrument

Pursuant to section 6(c) of the Educational, Scientific and Cultural Materials Importation Act of 1966 (Pub. L. 89-651; 80 Stat. 897; 15 CFR part 301), we invite comments on the question of whether an instrument of equivalent scientific value, for the purposes for which the instrument shown below is intended to be used, is being manufactured in the United States.

Comments must comply with 15 CFR 301.5(a)(3) and (4) of the regulations and be filed within 20 days with the Statutory Import Programs Staff, U.S. Department of Commerce, Washington, DC 20230. Applications may be examined between 8:30 A.M. and 5 P.M. in Suite 4100W, U.S. Department of Commerce, Franklin Court Building, 1099 14th Street, NW., Washington, DC.

Docket Number: 01-022. *Applicant:* The Scripps Research Institute, 10550 North Torrey Pines Road, La Jolla, CA 92037. *Instrument:* Electron Microscope, Model Tecnai F20T. *Manufacturer:* FEI Company, The Netherlands. *Intended Use:* The instrument is intended to be used in the study of the following:

- (1) Cowpea Mosaic Virus isolated from infected plants.
- (2) NwV Mosaic Virus isolated from insect cells.
- (3) Muscle Proteins isolated from vertebrate striated and smooth muscle fibers.

(4) Microtubules and associated proteins isolated from bovine brain or from bacterial expression systems.

(5) CHIP28 Water Channels isolated from human erythrocytes.

(6) Aqua Porins isolated from plants.

(7) Acetylcholine Receptors isolated from the electric organ of Torpedo californica and T.marmorata.

(8) Gap Junctions isolated from rat hearts and liver as well as from tissue culture expression systems.

(9) Rotavirus and Reovirus isolated from infected tissue culture cells.

(10) Transcription Complexes from bacterial and yeast expression systems.

(11) A number of enzyme complexes: fatty acid synthase, glyceraldehyde-3-phosphate dehydrogenase, hemocyanin, GroEL, isolated from various tissues of animal and plant origin.

(12) Tobacco Mosaic Virus isolated from infected plants.

The goals of the investigations are in general to understand the structural basis for how the subcellular organelles function and to elucidate the role that they play in the life of the cell.

Application accepted by Commissioner of Customs: October 14, 2001.

Gerald A. Zerdy,

Program Manager, Statutory Import Programs Staff.

[FR Doc. 02-1132 Filed 1-15-02; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

[I.D. 011102G]

Proposed Information Collection; Comment Request; Economic Performance Data for the West Coast (California-Alaska) Commercial Fisheries

AGENCY: National Oceanic and Atmospheric Administration (NOAA).

ACTION: Notice.

SUMMARY: The Department of Commerce, as part of its continuing effort to reduce paperwork and respondent burden, invites the general public and other Federal agencies to take this opportunity to comment on proposed and/or continuing information collections, as required by the Paperwork Reduction Act of 1995, Pub. L. 104-13 (44 U.S.C. 3506 (c)(2)(A)).

DATES: Written comments must be submitted on or before March 18, 2002.

ADDRESSES: Direct all written comments to Madeleine Clayton, Departmental